

# Henning Bliddal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6200402/publications.pdf>

Version: 2024-02-01

264  
papers

10,096  
citations

36303

51  
h-index

49909

87  
g-index

271  
all docs

271  
docs citations

271  
times ranked

11127  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. <i>Lancet, The</i> , 2007, 370, 1706-1713.	13.7	955
2	Effect of weight reduction in obese patients diagnosed with knee osteoarthritis: a systematic review and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2006, 66, 433-439.	0.9	509
3	Osteoarthritis, obesity and weight loss: evidence, hypotheses and horizons – a scoping review. <i>Obesity Reviews</i> , 2014, 15, 578-586.	6.5	238
4	The effects of a physical training program on patients with osteoarthritis of the knees. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998, 79, 1421-1427.	0.9	215
5	Comparative Effectiveness of Injection Therapies in Lateral Epicondylitis. <i>American Journal of Sports Medicine</i> , 2013, 41, 1435-1446.	4.2	213
6	Isokinetic and isometric muscle strength in a healthy population with special reference to age and gender. <i>Acta Physiologica</i> , 2009, 197, 1-68.	3.8	207
7	Inhibition of maximal voluntary contraction force by experimental muscle pain: A centrally mediated mechanism. <i>Muscle and Nerve</i> , 2002, 26, 708-712.	2.2	199
8	A randomized controlled trial of aquatic and land-based exercise in patients with knee osteoarthritis. <i>Acta Dermato-Venereologica</i> , 2008, 40, 137-144.	1.3	158
9	Effect of whole body vibration exercise on muscle strength and proprioception in females with knee osteoarthritis. <i>Knee</i> , 2009, 16, 256-261.	1.6	142
10	A Phase II Trial of Lutikizumab, an Anti-Interleukin-1 $\beta$ Dual Variable Domain Immunoglobulin, in Knee Osteoarthritis Patients With Synovitis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1056-1069.	5.6	137
11	MRI of the wrist and finger joints in inflammatory joint diseases at 1-year interval: MRI features to predict bone erosions. <i>European Radiology</i> , 2002, 12, 1203-1210.	4.5	136
12	Gait changes in patients with knee osteoarthritis are replicated by experimental knee pain. <i>Arthritis Care and Research</i> , 2010, 62, 501-509.	3.4	134
13	Effects of an intensive weight loss program on knee joint loading in obese adults with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 822-828.	1.3	133
14	Experimental Knee Pain Reduces Muscle Strength. <i>Journal of Pain</i> , 2011, 12, 460-467.	1.4	120
15	Comparing two low-energy diets for the treatment of knee osteoarthritis symptoms in obese patients: a pragmatic randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 746-754.	1.3	107
16	Weight loss as treatment for knee osteoarthritis symptoms in obese patients: 1-year results from a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1798-1803.	0.9	101
17	MRI of the arthritic small joints: comparison of extremity MRI (0.2 T) vs high-field MRI (1.5 T). <i>European Radiology</i> , 2001, 11, 1030-1038.	4.5	99
18	Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1870-1882.	0.9	98

#	ARTICLE	IF	CITATIONS
19	Pain and pain mechanisms in patients with inflammatory arthritis: A Danish nationwide cross-sectional DANBIO registry survey. PLoS ONE, 2017, 12, e0180014.	2.5	95
20	Weight loss is effective for symptomatic relief in obese subjects with knee osteoarthritis independently of joint damage severity assessed by high-field MRI and radiography. Osteoarthritis and Cartilage, 2012, 20, 495-502.	1.3	93
21	Association of Exercise Therapy and Reduction of Pain Sensitivity in Patients With Knee Osteoarthritis: A Randomized Controlled Trial. Arthritis Care and Research, 2014, 66, 1836-1843.	3.4	90
22	Marine Oil Supplements for Arthritis Pain: A Systematic Review and Meta-Analysis of Randomized Trials. Nutrients, 2017, 9, 42.	4.1	90
23	<sup>1</sup> H NMR Spectroscopy-Based Interventional Metabolic Phenotyping: A Cohort Study of Rheumatoid Arthritis Patients. Journal of Proteome Research, 2010, 9, 4545-4553.	3.7	88
24	Increased joint loads during walking – A consequence of pain relief in knee osteoarthritis. Knee, 2006, 13, 445-450.	1.6	87
25	Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: A cross-sectional study. Osteoarthritis and Cartilage, 2014, 22, 933-940.	1.3	86
26	Experimental quadriceps muscle pain impairs knee joint control during walking. Journal of Applied Physiology, 2007, 103, 132-139.	2.5	83
27	Mortality in a cohort of Danish patients with fibromyalgia: Increased frequency of suicide. Arthritis and Rheumatism, 2010, 62, 3101-3108.	6.7	79
28	Effect of Weight Maintenance on Symptoms of Knee Osteoarthritis in Obese Patients: A Twelve-Month Randomized Controlled Trial. Arthritis Care and Research, 2015, 67, 640-650.	3.4	79
29	Ultrasonographic Investigation of the Achilles Tendon in Elite Badminton Players Using Color Doppler. American Journal of Sports Medicine, 2006, 34, 2013-2021.	4.2	75
30	The treatment and prevention of knee osteoarthritis: a tool for clinical decision-making. Expert Opinion on Pharmacotherapy, 2009, 10, 1793-1804.	1.8	75
31	Magnetic resonance imaging in the evaluation of treatment response of lateral epicondylitis of the elbow. European Radiology, 2004, 14, 964-969.	4.5	72
32	Efficacy and safety of ginger in osteoarthritis patients: a meta-analysis of randomized placebo-controlled trials. Osteoarthritis and Cartilage, 2015, 23, 13-21.	1.3	72
33	Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds. Pain, 2010, 151, 664-669.	4.2	71
34	Intra-articular hyaluronan is without clinical effect in knee osteoarthritis: a multicentre, randomised, placebo-controlled, double-blind study of 337 patients followed for 1 year. Annals of the Rheumatic Diseases, 2010, 69, 1097.2-1102.	0.9	71
35	Evaluation of the Benefit of Corticosteroid Injection Before Exercise Therapy in Patients With Osteoarthritis of the Knee. JAMA Internal Medicine, 2015, 175, 923.	5.1	71
36	Effect of Magnetic Resonance Imaging vs Conventional Treat-to-Target Strategies on Disease Activity Remission and Radiographic Progression in Rheumatoid Arthritis. JAMA - Journal of the American Medical Association, 2019, 321, 461.	7.4	70

#	ARTICLE	IF	CITATIONS
37	Symptomatic efficacy and safety of diacerein in the treatment of osteoarthritis: a meta-analysis of randomized placebo-controlled trials. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 289-296.	1.3	69
38	Risk of Bias and Brand Explain the Observed Inconsistency in Trials on Glucosamine for Symptomatic Relief of Osteoarthritis: A Meta-Analysis of Placebo-Controlled Trials. <i>Arthritis Care and Research</i> , 2014, 66, 1844-1855.	3.4	67
39	Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia. <i>Pain</i> , 2007, 131, 57-62.	4.2	65
40	Ultrasound colour Doppler is associated with synovial pathology in biopsies from hand joints in rheumatoid arthritis patients: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 678-683.	0.9	63
41	MRI quantification of rheumatoid arthritis: Current knowledge and future perspectives. <i>European Journal of Radiology</i> , 2009, 71, 189-196.	2.6	62
42	Dynamic gadolinium-enhanced magnetic resonance imaging allows accurate assessment of the synovial inflammatory activity in rheumatoid arthritis knee joints: a comparison with synovial histology. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 89-94.	1.1	61
43	Changes in lower extremity muscle mass and muscle strength after weight loss in obese patients with knee osteoarthritis: A prospective cohort study. <i>Arthritis and Rheumatism</i> , 2012, 64, 438-442.	6.7	60
44	Poorer elbow proprioception in patients with lateral epicondylitis than in healthy controls: A cross-sectional study. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, S72-S81.	2.6	59
45	Assessment of Pressure-Pain Thresholds and Central Sensitization of Pain in Lateral Epicondylalgia. <i>Pain Medicine</i> , 2013, 14, 297-304.	1.9	59
46	The risk associated with spinal manipulation: an overview of reviews. <i>Systematic Reviews</i> , 2017, 6, 64.	5.3	58
47	Experimentally reduced hip abductor function during walking: Implications for knee joint loads. <i>Journal of Biomechanics</i> , 2009, 42, 1236-1240.	2.1	57
48	PRODUCTION OF NON-STIMULATORY IMMUNOGLOBULINS THAT INHIBIT TSH BINDING IN Graves' DISEASE AFTER RADIOIODINE ADMINISTRATION. <i>Clinical Endocrinology</i> , 1982, 17, 395-402.	2.4	55
49	Test-retest of computerized health status questionnaires frequently used in the monitoring of knee osteoarthritis: a randomized crossover trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 190.	1.9	55
50	Differences between questionnaire- and interview-based measures of activities of daily living (ADL) ability and their association with observed ADL ability in women with rheumatoid arthritis, knee osteoarthritis, and fibromyalgia. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 95-102.	1.1	55
51	Associations Between Abnormal Ultrasound Color Doppler Measures and Tendon Pain Symptoms in Badminton Players During a Season. <i>American Journal of Sports Medicine</i> , 2012, 40, 548-555.	4.2	55
52	Ultrasound colour Doppler measurements in a single joint as measure of disease activity in patients with rheumatoid arthritis—assessment of concurrent validity. <i>Rheumatology</i> , 2008, 48, 254-257.	1.9	54
53	Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: A cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 732-739.	6.7	54
54	Observation-based assessment of functional ability in patients with chronic widespread pain: A cross-sectional study. <i>Pain</i> , 2011, 152, 2470-2476.	4.2	54

#	ARTICLE	IF	CITATIONS
55	The relationship between pain and dynamic knee joint loading in knee osteoarthritis varies with radiographic disease severity. A cross sectional study. <i>Knee</i> , 2012, 19, 392-398.	1.6	52
56	Long-term weight-loss maintenance in obese patients with knee osteoarthritis: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 755-763.	4.7	52
57	Articular Cartilage Thickness Measured with US is Not as Easy as It Appears: A Systematic Review of Measurement Techniques and Image Interpretation. <i>Ultraschall in Der Medizin</i> , 2011, 32, 54-61.	1.5	50
58	An ultrasound score for knee osteoarthritis: a cross-sectional validation study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1675-1691.	1.3	50
59	Evidence of accumulated stress in Achilles and anterior knee tendons in elite badminton players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 30-37.	4.2	49
60	Risk of serious adverse effects of biological and targeted drugs in patients with rheumatoid arthritis: a systematic review meta-analysis. <i>Rheumatology</i> , 2017, 56, kew442.	1.9	49
61	Placebo response and effect in randomized clinical trials: meta-research with focus on contextual effects. <i>Trials</i> , 2021, 22, 493.	1.6	49
62	Osteoarthritis year in review 2016: imaging. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 216-226.	1.3	48
63	Volume estimation of extensor muscles of the lower leg based on MR imaging. <i>European Radiology</i> , 2002, 12, 2982-2987.	4.5	47
64	Chronic widespread pain in the spectrum of rheumatological diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 391-402.	3.3	47
65	Correlation between computer-aided dynamic gadolinium-enhanced MRI assessment of inflammation and semi-quantitative synovitis and bone marrow oedema scores of the wrist in patients with rheumatoid arthritis—a cohort study. <i>Rheumatology</i> , 2012, 51, 134-143.	1.9	47
66	Synovitis assessed on static and dynamic contrast-enhanced magnetic resonance imaging and its association with pain in knee osteoarthritis: A cross-sectional study. <i>European Journal of Radiology</i> , 2016, 85, 1099-1108.	2.6	46
67	The effects of rose hip ( <i>Rosa canina</i> ) on plasma antioxidative activity and C-reactive protein in patients with rheumatoid arthritis and normal controls: A prospective cohort study. <i>Phytomedicine</i> , 2011, 18, 953-958.	5.3	45
68	Clinical outcome and imaging changes after intraarticular (IA) application of etanercept or methylprednisolone in rheumatoid arthritis: magnetic resonance imaging and ultrasound-Doppler show no effect of IA injections in the wrist after 4 weeks. <i>Journal of Rheumatology</i> , 2008, 35, 584-91.	2.0	45
69	Diagnostic sensitivity and specificity of Doppler ultrasound in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008, 35, 49-53.	2.0	44
70	Test-retest reliability of joint position and kinesthetic sense in the elbow of healthy subjects. <i>Physiotherapy Theory and Practice</i> , 2008, 24, 65-72.	1.3	43
71	MRI of the arthritic finger joints: synovial membrane volume determination, a manual vs a stereologic method. <i>European Radiology</i> , 2002, 12, 94-98.	4.5	42
72	Ultrasound Doppler measurements predict success of treatment with anti-TNF- $\alpha$ drug in patients with rheumatoid arthritis: a prospective cohort study. <i>Rheumatology</i> , 2011, 50, 506-512.	1.9	41

#	ARTICLE	IF	CITATIONS
73	Enhancing the reporting and transparency of rheumatology research: a guide to reporting guidelines. <i>Arthritis Research and Therapy</i> , 2013, 15, 109.	3.5	41
74	A computer-aided detection system for rheumatoid arthritis MRI data interpretation and quantification of synovial activity. <i>European Journal of Radiology</i> , 2010, 74, e67-e72.	2.6	39
75	Modified intention-to-treat analysis did not bias trial results. <i>Journal of Clinical Epidemiology</i> , 2016, 72, 66-74.	5.0	39
76	Biomechanical characteristics of the eccentric Achilles tendon exercise. <i>Journal of Biomechanics</i> , 2009, 42, 2702-2707.	2.1	38
77	Reliability and responsiveness of dynamic contrast-enhanced magnetic resonance imaging in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 115-122.	1.1	37
78	Prognostic value of thyrotrophin binding inhibiting immunoglobulins (TBII) in longterm antithyroid treatment, 131I therapy given in combination with carbimazole and in euthyroid ophthalmopathy. <i>European Journal of Endocrinology</i> , 1981, 98, 364-369.	3.7	36
79	Balance between activating <sc>NKG</sc>2D, <sc>DNAM</sc>1, <sc>NK</sc>p44 and <sc>NK</sc>p46 and inhibitory <sc>CD</sc>94/<sc>NKG</sc>2A receptors determine natural killer degranulation towards rheumatoid arthritis synovial fibroblasts. <i>Immunology</i> , 2014, 142, 581-593.	4.4	36
80	Quadriceps-strengthening exercise and quadriceps and knee biomechanics during walking in knee osteoarthritis: A two-centre randomized controlled trial. <i>Clinical Biomechanics</i> , 2018, 59, 199-206.	1.2	35
81	Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With Psoriatic Arthritis: A Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 798-810.	3.4	35
82	Safety of intra-articular injection of etanercept in small-joint arthritis: an uncontrolled, pilot-study with independent imaging assessment. <i>Joint Bone Spine</i> , 2006, 73, 714-717.	1.6	34
83	Is neuropathic pain underdiagnosed in musculoskeletal pain conditions? The Danish PainDETECTive study. <i>Current Medical Research and Opinion</i> , 2010, 26, 2041-2045.	1.9	34
84	Effectiveness and drug adherence of biologic monotherapy in routine care of patients with rheumatoid arthritis: a cohort study of patients registered in the Danish biologics registry. <i>Rheumatology</i> , 2015, 54, kev216.	1.9	34
85	C5a and C5aR are elevated in joints of rheumatoid and psoriatic arthritis patients, and C5aR blockade attenuates leukocyte migration to synovial fluid. <i>PLoS ONE</i> , 2017, 12, e0189017.	2.5	34
86	Effect of nonsteroidal antiinflammatory drugs on the C-reactive protein level in rheumatoid arthritis: A meta-analysis of randomized controlled trials. <i>Arthritis and Rheumatism</i> , 2012, 64, 3511-3521.	6.7	33
87	Pain Sensitisation in Women with Active Rheumatoid Arthritis: A Comparative Cross-Sectional Study. <i>Arthritis</i> , 2015, 2015, 1-5.	2.0	33
88	Gait variability and motor control in people with knee osteoarthritis. <i>Gait and Posture</i> , 2015, 42, 479-484.	1.4	33
89	Non-nociceptive pain in rheumatoid arthritis is frequent and affects disease activity estimation: cross-sectional data from the FRAME study. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 461-469.	1.1	33
90	Effectiveness and Feasibility Associated with Switching to a Second or Third TNF Inhibitor in Patients with Psoriatic Arthritis: A Cohort Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2016, 43, 81-87.	2.0	33

#	ARTICLE	IF	CITATIONS
91	Experimental muscle pain during a forward lunge – the effects on knee joint dynamics and electromyographic activity. <i>British Journal of Sports Medicine</i> , 2009, 43, 503-507.	6.7	32
92	Comparison of three weight maintenance programs on cardiovascular risk, bone and vitamins in sedentary older adults. <i>Obesity</i> , 2013, 21, 1982-1990.	3.0	32
93	Is Swollen to Tender Joint Count Ratio a New and Useful Clinical Marker for Biologic Drug Response in Rheumatoid Arthritis? Results From a Swedish Cohort. <i>Arthritis Care and Research</i> , 2014, 66, 173-179.	3.4	32
94	Comparable effects of exercise and analgesics for pain secondary to knee osteoarthritis: a meta-analysis of trials included in Cochrane systematic reviews. <i>Journal of Comparative Effectiveness Research</i> , 2016, 5, 417-431.	1.4	32
95	Interdisciplinary rehabilitation of patients with chronic widespread pain: Primary endpoint of the randomized, nonblinded, parallel-group IMPROvE trial. <i>Pain</i> , 2014, 155, 1356-1364.	4.2	31
96	The association between histological, macroscopic and magnetic resonance imaging assessed synovitis in end-stage knee osteoarthritis: a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 272-280.	1.3	31
97	Diagnostic Value of Ultrasonography in Epicondylitis. <i>Annals of Internal Medicine</i> , 2002, 136, 781.	3.9	30
98	Head-to-head comparison of quantitative and semi-quantitative ultrasound scoring systems for rheumatoid arthritis: reliability, agreement and construct validity. <i>Rheumatology</i> , 2012, 51, 2034-2038.	1.9	30
99	Anti-Drug Antibodies, Drug Levels, Interleukin-6 and Soluble TNF Receptors in Rheumatoid Arthritis Patients during the First 6 Months of Treatment with Adalimumab or Infliximab: A Descriptive Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0162316.	2.5	30
100	Manipulation does not add to the effect of extension exercises in chronic low-back pain (LBP). A randomized, controlled, double blind study. <i>Joint Bone Spine</i> , 2008, 75, 708-713.	1.6	29
101	A Synoviocyte Model for Osteoarthritis and Rheumatoid Arthritis: Response to Ibuprofen, Betamethasone, and Ginger Extract – A Cross-Sectional <i>In Vitro</i> Study. <i>Arthritis</i> , 2012, 2012, 1-9.	2.0	29
102	Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case-control study of perceived versus objective muscle fatigue. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 963-966.	0.9	29
103	Effect of a 16 weeks weight loss program on osteoarthritis biomarkers in obese patients with knee osteoarthritis: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1817-1825.	1.3	29
104	The number needed to treat for second-generation biologics when treating established rheumatoid arthritis: a systematic quantitative review of randomized controlled trials. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 1-7.	1.1	28
105	Correlations between radiographic assessments and MRI features of knee osteoarthritis – a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 535-543.	1.3	28
106	Altered Visual and Feet Proprioceptive Feedbacks during Quiet Standing Increase Postural Sway in Patients with Severe Knee Osteoarthritis. <i>PLoS ONE</i> , 2013, 8, e71253.	2.5	28
107	Bone Mass in the Calcaneus in Patients with Fibromyalgia. <i>Journal of Musculoskeletal Pain</i> , 2001, 9, 17-23.	0.3	27
108	Improved nutritional status and bone health after diet-induced weight loss in sedentary osteoarthritis patients: a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 504-509.	2.9	27

#	ARTICLE	IF	CITATIONS
109	MRI assessment of early response to certolizumab pegol in rheumatoid arthritis: a randomised, double-blind, placebo-controlled phase IIIb study applying MRI at weeks 0, 1, 2, 4, 8 and 16. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1156-1163.	0.9	27
110	Exploring reasons for the observed inconsistent trial reports on intra-articular injections with hyaluronic acid in the treatment of osteoarthritis: Meta-regression analyses of randomized trials. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 46, 34-48.	3.4	27
111	Impulse-forces during walking are not increased in patients with knee osteoarthritis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2006, 77, 650-656.	3.3	26
112	Rheumatoid Factor and Its Interference with Cytokine Measurements: Problems and Solutions. <i>Arthritis</i> , 2011, 2011, 1-7.	2.0	26
113	Effect of Lumbar Disc Degeneration and Low-Back Pain on the Lumbar Lordosis in Supine and Standing. <i>Spine</i> , 2015, 40, 1690-1696.	2.0	26
114	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. <i>PLoS ONE</i> , 2017, 12, e0169946.	2.5	25
115	Intra-observer and inter-observer agreement of the manual examination of the lumbar spine in chronic low-back pain. <i>European Spine Journal</i> , 2007, 16, 277-282.	2.2	24
116	Comparison of the manual and computer-aided techniques for evaluation of wrist synovitis using dynamic contrast-enhanced MRI on a dedicated scanner. <i>European Journal of Radiology</i> , 2011, 77, 202-206.	2.6	24
117	FoxP3 mRNA splice forms in synovial CD4+ T cells in rheumatoid arthritis and psoriatic arthritis. <i>Apmis</i> , 2012, 120, 387-396.	2.0	24
118	Structural changes in the knee during weight loss maintenance after a significant weight loss in obese patients with osteoarthritis: a report of secondary outcome analyses from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 639-646.	1.3	24
119	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	4.7	24
120	Motor responses to experimental Achilles tendon pain. <i>British Journal of Sports Medicine</i> , 2011, 45, 393-398.	6.7	23
121	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 537-543.	0.9	23
122	Intra-articular distribution pattern after ultrasound-guided injections in wrist joints of patients with rheumatoid arthritis. <i>European Journal of Radiology</i> , 2009, 69, 331-338.	2.6	22
123	Synovial explant inflammatory mediator production corresponds to rheumatoid arthritis imaging hallmarks: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2014, 16, R107.	3.5	22
124	The effects of intra-articular glucocorticoids and exercise on pain and synovitis assessed on static and dynamic magnetic resonance imaging in knee osteoarthritis: exploratory outcomes from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 481-491.	1.3	22
125	Intra-Articular Corticosteroids in Addition to Exercise for Reducing Pain Sensitivity in Knee Osteoarthritis: Exploratory Outcome from a Randomized Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0149168.	2.5	22
126	Cardiac natriuretic peptides in plasma increase after dietary induced weight loss in obesity. <i>BMC Obesity</i> , 2014, 1, 24.	3.1	21



#	ARTICLE	IF	CITATIONS
127	Validity and Agreement between the 28-Joint Disease Activity Score Based on C-Reactive Protein and Erythrocyte Sedimentation Rate in Patients with Rheumatoid Arthritis. <i>Arthritis</i> , 2015, 2015, 1-6.	2.0	21
128	Exercise therapy after ultrasound-guided corticosteroid injections in patients with subacromial pain syndrome: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 129.	3.5	21
129	Some Cochrane risk-of-bias items are not important in osteoarthritis trials: a meta-epidemiological study based on Cochrane reviews. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 128-136.	5.0	21
130	Imaging as a follow-up tool in clinical trials and clinical practice. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 1109-1126.	3.3	20
131	Influence of recent exercise and skin temperature on ultrasound Doppler measurements in patients with rheumatoid arthritis—an intervention study. <i>Rheumatology</i> , 2009, 48, 1520-1523.	1.9	20
132	Expression of full-length and splice forms of FoxP3 in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 279-286.	1.1	19
133	Changes in bone marrow lesions in response to weight-loss in obese knee osteoarthritis patients: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 106.	1.9	19
134	Interpreting trial results following use of different intention-to-treat approaches for preventing attrition bias: a meta-epidemiological study protocol. <i>BMJ Open</i> , 2014, 4, e005297-e005297.	1.9	19
135	Defining the optimal biological monotherapy in rheumatoid arthritis: A systematic review and meta-analysis of randomised trials. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 699-708.	3.4	19
136	Antibody-Mediated Neutralization of uPA Proteolytic Function Reduces Disease Progression in Mouse Arthritis Models. <i>Journal of Immunology</i> , 2018, 200, 957-965.	0.8	19
137	Dynamic Contrast Enhanced MRI Can Monitor the Very Early Inflammatory Treatment Response upon Intra-Articular Steroid Injection in the Knee Joint: A Case Report with Review of the Literature. <i>Arthritis</i> , 2011, 2011, 1-8.	2.0	19
138	Similar clinical outcome after unicompartmental knee arthroplasty using a conventional or accelerated care program. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 334-337.	3.3	18
139	Is increased joint loading detrimental to obese patients with knee osteoarthritis? A secondary data analysis from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1865-1875.	1.3	18
140	Differentiation between early rheumatoid arthritis patients and healthy persons by conventional and dynamic contrast-enhanced magnetic resonance imaging. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 109-118.	1.1	18
141	A Standardized "Rescue" Exercise Program for Symptomatic Flare-up of Knee Osteoarthritis: Description and Safety Considerations. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 942-946.	3.5	18
142	Reliability and Construct Validity of the SENS MotionÂ® Activity Measurement System as a Tool to Detect Sedentary Behaviour in Patients with Knee Osteoarthritis. <i>Arthritis</i> , 2018, 2018, 1-9.	2.0	18
143	Quantifying Disease Activity and Damage by Imaging in Rheumatoid Arthritis and Osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , 2009, 1154, 207-238.	3.8	17
144	Doppler ultrasonography of the anterior knee tendons in elite badminton players: colour fraction before and after match. <i>British Journal of Sports Medicine</i> , 2010, 44, 134-139.	6.7	17

#	ARTICLE	IF	CITATIONS
145	Dual-Energy Computed Tomography for Detection and Characterization of Monosodium Urate, Calcium Pyrophosphate, and Hydroxyapatite. <i>Investigative Radiology</i> , 2021, 56, 417-424.	6.2	17
146	Can the painDETECT Questionnaire score and MRI help predict treatment outcome in rheumatoid arthritis: protocol for the Frederiksberg hospital's Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. <i>BMJ Open</i> , 2014, 4, e006058.	1.9	16
147	Associations between muscle perfusion and symptoms in knee osteoarthritis: a cross sectional study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1721-1727.	1.3	16
148	Ultrasound Doppler but not temporal summation of pain predicts DAS28 response in rheumatoid arthritis: a prospective cohort study. <i>Rheumatology</i> , 2016, 55, 1091-1098.	1.9	16
149	Changes in ultrasound assessed markers of inflammation following intra-articular steroid injection combined with exercise in knee osteoarthritis: exploratory outcome from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 814-821.	1.3	16
150	Fast and Robust Analysis of Dynamic Contrast Enhanced MRI Datasets. <i>Lecture Notes in Computer Science</i> , 2007, 10, 261-269.	1.3	16
151	The Development of Complex Digital Health Solutions: Formative Evaluation Combining Different Methodologies. <i>JMIR Research Protocols</i> , 2018, 7, e165.	1.0	16
152	Thyroid-stimulating immunoglobulins in insulin-dependent diabetes mellitus. <i>European Journal of Clinical Investigation</i> , 1984, 14, 474-478.	3.4	15
153	Correlation Between Tender Points and the Fibromyalgia Impact Questionnaire. <i>Journal of Musculoskeletal Pain</i> , 2000, 8, 19-29.	0.3	15
154	Posturographic description of the regaining of postural stability following stroke. <i>Clinical Physiology and Functional Imaging</i> , 2005, 25, 1-9.	1.2	15
155	Feasibility of a standardized ultrasound examination in patients with rheumatoid arthritis: a quality improvement among rheumatologists cohort. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 35.	1.9	15
156	Hand bone loss in early rheumatoid arthritis during a methotrexate-based treat-to-target strategy with or without adalimumab—a substudy of the optimized treatment algorithm in early RA (OPERA) trial. <i>Clinical Rheumatology</i> , 2017, 36, 781-789.	2.2	15
157	Is Phytalgic® a goldmine for osteoarthritis patients or is there something fishy about this nutraceutical? A summary of findings and risk-of-bias assessment. <i>Arthritis Research and Therapy</i> , 2010, 12, 105.	3.5	14
158	Efficacy of treatment intensification with adalimumab, etanercept and infliximab in rheumatoid arthritis: A systematic review of cohort studies with focus on dose. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 43, 144-151.	3.4	14
159	Intra-Articular Analgesia and Steroid Reduce Pain Sensitivity in Knee OA Patients: An Interventional Cohort Study. <i>Pain Research and Treatment</i> , 2014, 2014, 1-6.	1.7	14
160	The validity of self-rating depression scales in patients with chronic widespread pain: a Rasch analysis of the Major Depression Inventory. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 236-246.	1.1	14
161	Influence of pain and gender on impact loading during walking: A randomised trial. <i>Clinical Biomechanics</i> , 2008, 23, 221-230.	1.2	13
162	Can Stimulating Massage Improve Joint Repositioning Error in patients with Knee Osteoarthritis?. <i>Journal of Geriatric Physical Therapy</i> , 2009, 32, 111-116.	1.1	13

#	ARTICLE	IF	CITATIONS
163	Experimental Knee Pain Evoke Spreading Hyperalgesia and Facilitated Temporal Summation of Pain. <i>Pain Medicine</i> , 2013, 14, 874-883.	1.9	13
164	Adherence to Methotrexate in Rheumatoid Arthritis: A Danish Nationwide Cohort Study. <i>Arthritis</i> , 2015, 2015, 1-7.	2.0	13
165	Reliability of standing weight-bearing (0.25T) MR imaging findings and positional changes in the lumbar spine. <i>Skeletal Radiology</i> , 2018, 47, 25-35.	2.0	13
166	The course of pain hypersensitivity according to painDETECT in patients with rheumatoid arthritis initiating treatment: results from the prospective FRAME-cohort study. <i>Arthritis Research and Therapy</i> , 2018, 20, 105.	3.5	13
167	Radiographs and low field MRI (0.2T) as predictors of efficacy in a weight loss trial in obese women with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 56.	1.9	12
168	Factors influencing observed and self-reported functional ability in women with chronic widespread pain: A cross-sectional study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 1014-1021.	1.1	12
169	The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. <i>International Journal of Rheumatology</i> , 2014, 2014, 1-13.	1.6	12
170	Conventional Supine MRI With a Lumbar Pillow—An Alternative to Weight-bearing MRI for Diagnosing Spinal Stenosis?. <i>Spine</i> , 2017, 42, 662-669.	2.0	12
171	Effectiveness of text messages for decreasing inactive behaviour in patients with knee osteoarthritis: a pilot randomised controlled study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 112.	1.2	12
172	The effect of exercise therapy on inflammatory activity assessed by MRI in knee osteoarthritis: Secondary outcomes from a randomized controlled trial. <i>Knee</i> , 2021, 28, 256-265.	1.6	12
173	Ultrasound pathology of the entheses in an age and gender stratified sample of healthy adult subjects: a prospective cross-sectional frequency study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 408-413.	0.8	12
174	Agreement between touch-screen and paper-based patient-reported outcomes for patients with fibromyalgia: a randomized cross-over reproducibility study. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 503-510.	1.1	11
175	Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. <i>BMJ Open</i> , 2016, 6, e010650.	1.9	11
176	No effects of functional exercise therapy on walking biomechanics in patients with knee osteoarthritis: exploratory outcome analyses from a randomised trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 2, bmjsem-2017-000230.	2.9	11
177	Early occupational intervention for people with low back pain in physically demanding jobs: A randomized clinical trial. <i>PLoS Medicine</i> , 2019, 16, e1002898.	8.4	11
178	Physical demand at work and sick leave due to low back pain: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e026917.	1.9	11
179	Association Between Weight Loss and Spontaneous Changes in Physical Inactivity in Overweight/Obese Individuals With Knee Osteoarthritis: An Eight-Week Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2020, 72, 397-404.	3.4	11
180	Colour Doppler ultrasonography and sclerosing therapy in diagnosis and treatment of tendinopathy in horses—a research model for human medicine. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007, 15, 935-939.	4.2	10

#	ARTICLE	IF	CITATIONS
181	The Association Between Submaximal Quadriceps Force Steadiness and the Knee Adduction Moment During Walking in Patients With Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 592-599.	3.5	10
182	External pneumatic compression device prevents fainting in standing weight-bearing MRI: a cohort study. <i>Skeletal Radiology</i> , 2013, 42, 1437-1442.	2.0	10
183	The effect of isometric exercise of the hand on the synovial blood flow in patients with rheumatoid arthritis measured by color Doppler ultrasound. <i>Rheumatology International</i> , 2013, 33, 65-70.	3.0	10
184	Antibodies to Infliximab and Adalimumab in Patients with Rheumatoid Arthritis in Clinical Remission: A Cross-Sectional Study. <i>Arthritis</i> , 2015, 2015, 1-7.	2.0	10
185	Relationship between weight loss in obese knee osteoarthritis patients and serum biomarkers of cartilage breakdown: secondary analyses of a randomised trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1641-1646.	1.3	10
186	Weight-bearing MRI of the Lumbar Spine: Technical Aspects. <i>Seminars in Musculoskeletal Radiology</i> , 2019, 23, 609-620.	0.7	10
187	A microdialysis study of topically applied diclofenac to healthy humans: Passive versus iontophoretic delivery. <i>Results in Pharma Sciences</i> , 2011, 1, 76-79.	4.2	9
188	Temporal summation of pain and ultrasound Doppler activity as predictors of treatment response in patients with rheumatoid arthritis: protocol for the Frederiksberg hospitals Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. <i>BMJ Open</i> , 2014, 4, e004313.	1.9	9
189	Comparing different preparations and doses of rosehip powder in patients with osteoarthritis of the knee: an exploratory randomized active-controlled trial. <i>International Journal of Clinical Rheumatology</i> , 2014, 9, 267-278.	0.3	9
190	The dynamics of the pain system is intact in patients with knee osteoarthritis: An exploratory experimental study. <i>Scandinavian Journal of Pain</i> , 2015, 6, 43-49.	1.3	9
191	Added value of combining methotrexate with a biological agent compared to biological monotherapy in rheumatoid arthritis patients: A systematic review and meta-analysis of randomised trials. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 958-966.	3.4	9
192	Perfusion in bone marrow lesions assessed on DCE-MRI and its association with pain in knee osteoarthritis: a cross-sectional study. <i>Skeletal Radiology</i> , 2020, 49, 757-764.	2.0	9
193	Estimating the Prevalence of Knee Pain and the Association between Illness Perception Profiles and Self-Management Strategies in the Frederiksberg Cohort of Elderly Individuals with Knee Pain: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 668.	2.4	9
194	The effect of stimulating massage of thigh muscles on knee joint position sense. <i>Advances in Physiotherapy</i> , 2004, 6, 29-36.	0.2	8
195	Adaptations in the gait pattern with experimental hamstring pain. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 746-753.	1.7	8
196	Development of a Danish Language Version of the Manchester Foot Pain and Disability Index: Reproducibility and Construct Validity Testing. <i>Pain Research and Treatment</i> , 2013, 2013, 1-9.	1.7	8
197	The Associations between Pain Sensitivity and Knee Muscle Strength in Healthy Volunteers: A Cross-Sectional Study. <i>Pain Research and Treatment</i> , 2013, 2013, 1-7.	1.7	8
198	The concept of physical limitations in knee osteoarthritis: as viewed by patients and health professionals. <i>Quality of Life Research</i> , 2015, 24, 2423-2432.	3.1	8

#	ARTICLE	IF	CITATIONS
199	The effect of intra-articular glucocorticosteroids and exercise on symptoms and bone marrow lesions in knee osteoarthritis: a secondary analysis of results from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 895-902.	1.3	8
200	Point of no return for improvement of cartilage quality indicated by dGEMRIC before and after weight loss in patients with knee osteoarthritis: a cohort study. <i>Acta Radiologica</i> , 2018, 59, 336-340.	1.1	8
201	Weight-bearing MRI of the Lumbar Spine: Spinal Stenosis and Spondylolisthesis. <i>Seminars in Musculoskeletal Radiology</i> , 2019, 23, 621-633.	0.7	8
202	Improved gait in persons with knee related mobility limitations by a rosehip food supplement: A randomized, double-blind, placebo-controlled trial. <i>Gait and Posture</i> , 2015, 42, 340-347.	1.4	7
203	Predictors of improvement in observed functional ability in patients with fibromyalgia as an outcome of rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 65-71.	1.1	7
204	Association between IL-6 production in synovial explants from rheumatoid arthritis patients and clinical and imaging response to biologic treatment: A pilot study. <i>PLoS ONE</i> , 2018, 13, e0197001.	2.5	7
205	Changes in physical inactivity during supervised educational and exercise therapy in patients with knee osteoarthritis: A prospective cohort study. <i>Knee</i> , 2020, 27, 1848-1856.	1.6	7
206	Muscle function assessed by the non-invasive method acoustic myography (AMG) in a Danish group of healthy adults. <i>Current Research in Physiology</i> , 2020, 2, 22-29.	1.7	7
207	Patients with Rheumatoid Arthritis Acquire Sustainable Skills for Home Monitoring: A Prospective Dual-country Cohort Study (ELECTOR Clinical Trial I). <i>Journal of Rheumatology</i> , 2020, 47, 658-667.	2.0	7
208	Positional changes in lumbar disc herniation during standing or lumbar extension: a cross-sectional weight-bearing MRI study. <i>European Radiology</i> , 2021, 31, 804-812.	4.5	7
209	Exercise therapy and patient education versus intra-articular saline injections in the treatment of knee osteoarthritis: an evidence-based protocol for an open-label randomised controlled trial (the Tj ETQq1 1 0.784314 rgB7/Overlook	1.1	7
210	Most Trial Eligibility Criteria and Patient Baseline Characteristics Do Not Modify Treatment Effect in Trials Using Targeted Therapies for Rheumatoid Arthritis: A Meta-Epidemiological Study. <i>PLoS ONE</i> , 2015, 10, e0136982.	2.5	7
211	Long-term Insulin-dependent Diabetes Mellitus with Secondary Pituitary Insufficiency and Regression of Retinopathy. <i>Acta Medica Scandinavica</i> , 1983, 214, 225-229.	0.0	6
212	The Influence of Radiographic Severity on the Relationship between Muscle Strength and Joint Loading in Obese Knee Osteoarthritis Patients. <i>Arthritis</i> , 2011, 2011, 1-9.	2.0	6
213	Experimental knee joint pain during strength training and muscle strength gain in healthy subjects: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2012, 64, 108-116.	3.4	6
214	Work disability in non-radiographic axial spondyloarthritis patients before and after start of anti-TNF therapy: a population-based regional cohort study from southern Sweden. <i>Rheumatology</i> , 2017, 56, kew473.	1.9	6
215	Time to put steroid injections behind us?. <i>Nature Reviews Rheumatology</i> , 2017, 13, 519-520.	8.0	6
216	The acute and long-term impact of physical activity on biochemical markers and MRI measures in osteoarthritis—Perspectives for clinical osteoarthritis research. <i>Translational Sports Medicine</i> , 2020, 3, 384-394.	1.1	6

#	ARTICLE	IF	CITATIONS
217	Predictors of joint damage progression and stringent remission in patients with established rheumatoid arthritis in clinical remission. <i>Rheumatology</i> , 2021, 60, 380-391.	1.9	6
218	Increased cancer risk in patients referred to hospital with suspected fibromyalgia. <i>Journal of Rheumatology</i> , 2007, 34, 201-6.	2.0	6
219	General framework for unsupervised evaluation of quality of segmentation results. , 2008, , .		5
220	Validity and Reliability of 3D US for the Detection of Erosions in Patients with Rheumatoid Arthritis Using MRI as the Gold Standard. <i>Ultraschall in Der Medizin</i> , 2014, 35, 137-141.	1.5	5
221	How widespread should pain be to be defined as widespread?. <i>Pain</i> , 2016, 157, 1831-1832.	4.2	5
222	Exercise-induced pain changes associate with changes in muscle perfusion in knee osteoarthritis: exploratory outcome analyses of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 491.	1.9	5
223	Prevalence of self-reported knee symptoms and management strategies among elderly individuals from Frederiksberg municipality: protocol for a prospective and pragmatic Danish cohort study. <i>BMJ Open</i> , 2019, 9, e028087.	1.9	5
224	Inter-rater and intra-rater reliability of tests of translatoric movements and range of movements in the subtalar and talocrural joints. <i>Advances in Physiotherapy</i> , 2006, 8, 161-167.	0.2	4
225	Dynamic control of the lumbopelvic complex; lack of reliability of established test procedures. <i>European Spine Journal</i> , 2007, 16, 733-740.	2.2	4
226	Efficacy and safety of the weight-loss drug rimonabant â€œ Authors' reply. <i>Lancet, The</i> , 2008, 371, 556-557.	13.7	4
227	Spiritual Healing in the Treatment of Rheumatoid Arthritis: An Exploratory Single Centre, Parallel-Group, Double-Blind, Three-Arm, Randomised, Sham-Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	1.2	4
228	Retention in physically demanding jobs of individuals with low back pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 166.	1.6	4
229	Dynamic weight-bearing assessment of pain in knee osteoarthritis: a reliability and agreement study. <i>Quality of Life Research</i> , 2015, 24, 2985-2992.	3.1	4
230	Agreements and Discrepancies between FDA Reports and Journal Papers on Biologic Agents Approved for Rheumatoid Arthritis: A Meta-Research Project. <i>PLoS ONE</i> , 2016, 11, e0147556.	2.5	4
231	Delayed gadolinium-enhanced MRI of menisci and cartilage (dGEMRIM/dGEMRIC) in obese patients with knee osteoarthritis: Cross-sectional study of 85 obese patients with intra-articular administered gadolinium contrast. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1700-1706.	3.4	4
232	Muscle assessment using multi-frequency bioimpedance in a healthy Danish population aged 20-69 years: a powerful non-invasive tool in sports and in the clinic. <i>Physiological Reports</i> , 2019, 7, e141109.	1.7	4
233	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019, 9, e024065.	1.9	4
234	Early Occupational Intervention for People with Low Back Pain in Physically Demanding Jobs: 1-year Follow-up Results of the Randomized Controlled GOBACK Trial. <i>Spine</i> , 2021, 46, 347-355.	2.0	4

#	ARTICLE	IF	CITATIONS
235	Chiropractors and low back pain. <i>Lancet, The</i> , 1990, 336, 1504-1505.	13.7	3
236	Guidelines for the use of nonsurgical interventions in osteoarthritis management. <i>Expert Review of Clinical Immunology</i> , 2008, 4, 583-590.	3.0	3
237	Differential effects of decoy receptor- and antibody-mediated tumour necrosis factor blockage on FoxP3 expression in responsive arthritis patients. <i>Apmsis</i> , 2013, 121, 337-347.	2.0	3
238	Local and Systemic Changes in Pain Sensitivity After 4 Weeks of Calf Muscle Stretching in a Nonpainful Population: A Randomized Trial. <i>Pain Practice</i> , 2016, 16, 696-703.	1.9	3
239	Dynamic weight-bearing assessment of pain in knee osteoarthritis: construct validity, responsiveness, and interpretability in a research setting. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 91.	2.4	3
240	Opioid-Induced Reductions in Gait Variability in Healthy Volunteers and Individuals with Knee Osteoarthritis. <i>Pain Medicine</i> , 2019, 20, 2106-2114.	1.9	3
241	Population characteristics as important contextual factors in rheumatological trials: an exploratory meta-epidemiological study from an OMERACT Working Group. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1269-1276.	0.9	3
242	Smoking Cessation Rates among Patients with Rheumatoid Arthritis and Osteoarthritis Following the "Gold Standard Programme" (GSP): A Prospective Analysis from the Danish Smoking Cessation Database. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5815.	2.6	3
243	Intraarticular injection of anti-tumor necrosis factor: Comment on the letter by Arnold et al. <i>Arthritis and Rheumatism</i> , 2004, 50, 2037-2038.	6.7	2
244	Efficacy and safety of infliximab or adalimumab, versus abatacept, in patients with rheumatoid arthritis: ATTEST-AMPLE network randomized trial. <i>International Journal of Clinical Rheumatology</i> , 2013, 8, 647-655.	0.3	2
245	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: Table A1. <i>BMJ Open</i> , 2016, 6, e011174.	1.9	2
246	Do Ahlbäck scores identify subgroups with different magnitudes of cartilage thickness loss in patients with moderate to severe radiographic osteoarthritis? One-year follow-up data from the Osteoarthritis Initiative. <i>Skeletal Radiology</i> , 2022, 51, 777-782.	2.0	2
247	Triage Strategies Based on C-Reactive Protein Levels and SARS-CoV-2 Tests among Individuals Referred with Suspected COVID-19: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 201.	2.4	2
248	Thoracic Facet Joint Syndrome, Simulating Angina Pectoris: A Case Report.. <i>Journal of Orthopaedic Medicine</i> , 2000, 22, 96-97.	0.0	1
249	Lack of Correlation Between Hepatitis Markers and Fibromyalgia in Danish Patients. <i>Journal of Musculoskeletal Pain</i> , 2001, 9, 57-65.	0.3	1
250	Day-to-day variation in Doppler activity in patients on stable etanercept treatment: an exploratory cohort study. <i>Imaging in Medicine</i> , 2010, 2, 617-621.	0.0	1
251	Single- vs. double-dose gadolinium contrast in delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) in knee osteoarthritis: is dose reduction possible on 3-T MRI?. <i>Acta Radiologica</i> , 2019, 60, 749-754.	1.1	1
252	Responsiveness of different dynamic contrast-enhanced magnetic resonance imaging approaches: a post-hoc analysis of a randomized controlled trial of certolizumab pegol in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 105-111.	1.1	1

#	ARTICLE	IF	CITATIONS
253	A subcutaneous tumour in a patient with rheumatoid arthritis. <i>BMJ Case Reports</i> , 2010, 2010, bcr0820092170-bcr0820092170.	0.5	1
254	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. <i>BMJ Open</i> , 2021, 11, e052919.	1.9	1
255	Letters to the Editor-in-Chief. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2004, 14, 270-270.	2.9	0
256	Les manipulations ne potentialisent pas l'effet des exercices en extension dans les lombalgies chroniques. Étude randomisée contrôlée en double insu. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 1249-1254.	0.0	0
257	Response to "Letter to the Editor" and comment on: "Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds" by Amris et al. [ <i>Pain</i> ;151:664-669]. <i>Pain</i> , 2011, 152, 1685-1686.	4.2	0
258	Drugs or diet: what approach is most effective in improving knee osteoarthritis prognosis?. <i>International Journal of Clinical Rheumatology</i> , 2015, 10, 383-385.	0.3	0
259	Weight loss for overweight patients with knee or hip osteoarthritis. <i>The Cochrane Library</i> , 0, , .	2.8	0
260	OP0331...MAGNETIC RESONANCE IMAGING TENOSYNOVITIS AND OSTEITIS ARE INDEPENDENT PREDICTORS OF RADIOGRAPHIC AND MRI DAMAGE PROGRESSION IN RHEUMATOID ARTHRITIS PATIENTS IN CLINICAL REMISSION. , 2019, , .		0
261	OP0011...EFFECT OF LIRAGLUTIDE ON BODY WEIGHT AND PAIN IN THE TREATMENT OF OVERWEIGHT AND KNEE OSTEOARTHRITIS: A RANDOMISED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY. , 2019, , .		0
262	Test-retest reliability of cuff pressure pain algometry in patients with knee osteoarthritis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 158.	0.8	0
263	Intra-articular 2.5% polyacrylamide hydrogel for the treatment of knee osteoarthritis: an observational proof-of-concept cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 1082-1085.	0.8	0
264	Changes in physical activity during a one-year weight loss trial with liraglutide vs placebo in participants with knee osteoarthritis: Secondary analyses of a randomised controlled trial. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100255.	2.0	0