

Henning Bliddal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6200402/publications.pdf>

Version: 2024-02-01

264
papers

10,096
citations

36271

51
h-index

49868

87
g-index

271
all docs

271
docs citations

271
times ranked

11127
citing authors

#	ARTICLE	IF	CITATIONS
1	Do Ahlbäck scores identify subgroups with different magnitudes of cartilage thickness loss in patients with moderate to severe radiographic osteoarthritis? One-year follow-up data from the Osteoarthritis Initiative. <i>Skeletal Radiology</i> , 2022, 51, 777-782.	1.2	2
2	Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 537-543.	0.5	23
3	Changes in physical activity during a one-year weight loss trial with liraglutide vs placebo in participants with knee osteoarthritis: Secondary analyses of a randomised controlled trial. <i>Osteoarthritis and Cartilage Open</i> , 2022, 4, 100255.	0.9	0
4	Triage Strategies Based on C-Reactive Protein Levels and SARS-CoV-2 Tests among Individuals Referred with Suspected COVID-19: A Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 201.	1.0	2
5	Smoking Cessation Rates among Patients with Rheumatoid Arthritis and Osteoarthritis Following the "Gold Standard Programme" (GSP): A Prospective Analysis from the Danish Smoking Cessation Database. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5815.	1.2	3
6	Positional changes in lumbar disc herniation during standing or lumbar extension: a cross-sectional weight-bearing MRI study. <i>European Radiology</i> , 2021, 31, 804-812.	2.3	7
7	Predictors of joint damage progression and stringent remission in patients with established rheumatoid arthritis in clinical remission. <i>Rheumatology</i> , 2021, 60, 380-391.	0.9	6
8	Exercise therapy and patient education versus intra-articular saline injections in the treatment of knee osteoarthritis: an evidence-based protocol for an open-label randomised controlled trial (the Tj ETQq0 0 0 rgBT.7Overlock 10 Tf 50		
9	The effect of exercise therapy on inflammatory activity assessed by MRI in knee osteoarthritis: Secondary outcomes from a randomized controlled trial. <i>Knee</i> , 2021, 28, 256-265.	0.8	12
10	Liraglutide after diet-induced weight loss for pain and weight control in knee osteoarthritis: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 314-323.	2.2	24
11	Estimating the Prevalence of Knee Pain and the Association between Illness Perception Profiles and Self-Management Strategies in the Frederiksberg Cohort of Elderly Individuals with Knee Pain: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 668.	1.0	9
12	Placebo response and effect in randomized clinical trials: meta-research with focus on contextual effects. <i>Trials</i> , 2021, 22, 493.	0.7	49
13	Dual-Energy Computed Tomography for Detection and Characterization of Monosodium Urate, Calcium Pyrophosphate, and Hydroxyapatite. <i>Investigative Radiology</i> , 2021, 56, 417-424.	3.5	17
14	Early Occupational Intervention for People with Low Back Pain in Physically Demanding Jobs: 1-year Follow-up Results of the Randomized Controlled GOBACK Trial. <i>Spine</i> , 2021, 46, 347-355.	1.0	4
15	Prognostic factors for work disability in patients with chronic widespread pain and fibromyalgia: protocol for a cohort study. <i>BMJ Open</i> , 2021, 11, e052919.	0.8	1
16	Association Between Weight Loss and Spontaneous Changes in Physical Inactivity in Overweight/Obese Individuals With Knee Osteoarthritis: An Eight-Week Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2020, 72, 397-404.	1.5	11
17	Responsiveness of different dynamic contrast-enhanced magnetic resonance imaging approaches: a post-hoc analysis of a randomized controlled trial of certolizumab pegol in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 105-111.	0.6	1
18	Perfusion in bone marrow lesions assessed on DCE-MRI and its association with pain in knee osteoarthritis: a cross-sectional study. <i>Skeletal Radiology</i> , 2020, 49, 757-764.	1.2	9

#	ARTICLE	IF	CITATIONS
19	Changes in physical inactivity during supervised educational and exercise therapy in patients with knee osteoarthritis: A prospective cohort study. <i>Knee</i> , 2020, 27, 1848-1856.	0.8	7
20	The acute and long-term impact of physical activity on biochemical markers and MRI measures in osteoarthritis—Perspectives for clinical osteoarthritis research. <i>Translational Sports Medicine</i> , 2020, 3, 384-394.	0.5	6
21	Muscle function assessed by the non-invasive method acoustic myography (AMG) in a Danish group of healthy adults. <i>Current Research in Physiology</i> , 2020, 2, 22-29.	0.8	7
22	Population characteristics as important contextual factors in rheumatological trials: an exploratory meta-epidemiological study from an OMERACT Working Group. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1269-1276.	0.5	3
23	Patients with Rheumatoid Arthritis Acquire Sustainable Skills for Home Monitoring: A Prospective Dual-country Cohort Study (ELECTOR Clinical Trial I). <i>Journal of Rheumatology</i> , 2020, 47, 658-667.	1.0	7
24	Pain Mechanisms and Ultrasonic Inflammatory Activity as Prognostic Factors in Patients With Psoriatic Arthritis: A Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2019, 71, 798-810.	1.5	35
25	Early occupational intervention for people with low back pain in physically demanding jobs: A randomized clinical trial. <i>PLoS Medicine</i> , 2019, 16, e1002898.	3.9	11
26	Exercise-induced pain changes associate with changes in muscle perfusion in knee osteoarthritis: exploratory outcome analyses of a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 491.	0.8	5
27	Effectiveness of text messages for decreasing inactive behaviour in patients with knee osteoarthritis: a pilot randomised controlled study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 112.	0.5	12
28	Effect of Magnetic Resonance Imaging vs Conventional Treat-to-Target Strategies on Disease Activity Remission and Radiographic Progression in Rheumatoid Arthritis. <i>JAMA - Journal of the American Medical Association</i> , 2019, 321, 461.	3.8	70
29	Muscle assessment using multi-frequency bioimpedance in a healthy Danish population aged 20–69 years: a powerful non-invasive tool in sports and in the clinic. <i>Physiological Reports</i> , 2019, 7, e14109.	0.7	4
30	Physical demand at work and sick leave due to low back pain: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e026917.	0.8	11
31	Effect of liraglutide on body weight and pain in patients with overweight and knee osteoarthritis: protocol for a randomised, double-blind, placebo-controlled, parallel-group, single-centre trial. <i>BMJ Open</i> , 2019, 9, e024065.	0.8	4
32	OPO331—MAGNETIC RESONANCE IMAGING TENOSYNOVITIS AND OSTEITIS ARE INDEPENDENT PREDICTORS OF RADIOGRAPHIC AND MRI DAMAGE PROGRESSION IN RHEUMATOID ARTHRITIS PATIENTS IN CLINICAL REMISSION. , 2019, , .		0
33	OPO011—EFFECT OF LIRAGLUTIDE ON BODY WEIGHT AND PAIN IN THE TREATMENT OF OVERWEIGHT AND KNEE OSTEOARTHRITIS: A RANDOMISED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY. , 2019, , .		0
34	Prevalence of self-reported knee symptoms and management strategies among elderly individuals from Frederiksberg municipality: protocol for a prospective and pragmatic Danish cohort study. <i>BMJ Open</i> , 2019, 9, e028087.	0.8	5
35	Weight-bearing MRI of the Lumbar Spine: Spinal Stenosis and Spondylolisthesis. <i>Seminars in Musculoskeletal Radiology</i> , 2019, 23, 621-633.	0.4	8
36	Weight-bearing MRI of the Lumbar Spine: Technical Aspects. <i>Seminars in Musculoskeletal Radiology</i> , 2019, 23, 609-620.	0.4	10

#	ARTICLE	IF	CITATIONS
37	Opioid-Induced Reductions in Gait Variability in Healthy Volunteers and Individuals with Knee Osteoarthritis. <i>Pain Medicine</i> , 2019, 20, 2106-2114.	0.9	3
38	A Phase II Trial of Lutikizumab, an Anti-Interleukin-1 β /2 Dual Variable Domain Immunoglobulin, in Knee Osteoarthritis Patients With Synovitis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1056-1069.	2.9	137
39	Added value of combining methotrexate with a biological agent compared to biological monotherapy in rheumatoid arthritis patients: A systematic review and meta-analysis of randomised trials. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 48, 958-966.	1.6	9
40	Single- vs. double-dose gadolinium contrast in delayed gadolinium-enhanced MRI of cartilage (dGEMRIC) in knee osteoarthritis: is dose reduction possible on 3-T MRI?. <i>Acta Radiologica</i> , 2019, 60, 749-754.	0.5	1
41	Ultrasound pathology of the entheses in an age and gender stratified sample of healthy adult subjects: a prospective cross-sectional frequency study. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 408-413.	0.4	12
42	The effect of intra-articular glucocorticosteroids and exercise on symptoms and bone marrow lesions in knee osteoarthritis: a secondary analysis of results from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 895-902.	0.6	8
43	Point of no return for improvement of cartilage quality indicated by dGEMRIC before and after weight loss in patients with knee osteoarthritis: a cohort study. <i>Acta Radiologica</i> , 2018, 59, 336-340.	0.5	8
44	Some Cochrane risk-of-bias items are not important in osteoarthritis trials: a meta-epidemiological study based on Cochrane reviews. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 128-136.	2.4	21
45	Antibody-Mediated Neutralization of uPA Proteolytic Function Reduces Disease Progression in Mouse Arthritis Models. <i>Journal of Immunology</i> , 2018, 200, 957-965.	0.4	19
46	Reliability of standing weight-bearing (0.25T) MR imaging findings and positional changes in the lumbar spine. <i>Skeletal Radiology</i> , 2018, 47, 25-35.	1.2	13
47	Quadriceps-strengthening exercise and quadriceps and knee biomechanics during walking in knee osteoarthritis: A two-centre randomized controlled trial. <i>Clinical Biomechanics</i> , 2018, 59, 199-206.	0.5	35
48	Reliability and Construct Validity of the SENS Motion [®] Activity Measurement System as a Tool to Detect Sedentary Behaviour in Patients with Knee Osteoarthritis. <i>Arthritis</i> , 2018, 2018, 1-9.	2.0	18
49	Association between IL-6 production in synovial explants from rheumatoid arthritis patients and clinical and imaging response to biologic treatment: A pilot study. <i>PLoS ONE</i> , 2018, 13, e0197001.	1.1	7
50	The course of pain hypersensitivity according to painDETECT in patients with rheumatoid arthritis initiating treatment: results from the prospective FRAME-cohort study. <i>Arthritis Research and Therapy</i> , 2018, 20, 105.	1.6	13
51	Delayed gadolinium-enhanced MRI of menisci and cartilage (dGEMRIM/dGEMRIC) in obese patients with knee osteoarthritis: Cross-sectional study of 85 obese patients with intra-articular administered gadolinium contrast. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 48, 1700-1706.	1.9	4
52	The Development of Complex Digital Health Solutions: Formative Evaluation Combining Different Methodologies. <i>JMIR Research Protocols</i> , 2018, 7, e165.	0.5	16
53	Intra-articular 2.5% polyacrylamide hydrogel for the treatment of knee osteoarthritis: an observational proof-of-concept cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 1082-1085.	0.4	0
54	Risk of serious adverse effects of biological and targeted drugs in patients with rheumatoid arthritis: a systematic review meta-analysis. <i>Rheumatology</i> , 2017, 56, kew442.	0.9	49

#	ARTICLE	IF	CITATIONS
55	Work disability in non-radiographic axial spondyloarthritis patients before and after start of anti-TNF therapy: a population-based regional cohort study from southern Sweden. <i>Rheumatology</i> , 2017, 56, kew473.	0.9	6
56	Conventional Supine MRI With a Lumbar Pillowâ€”An Alternative to Weight-bearing MRI for Diagnosing Spinal Stenosis?. <i>Spine</i> , 2017, 42, 662-669.	1.0	12
57	No effects of functional exercise therapy on walking biomechanics in patients with knee osteoarthritis: exploratory outcome analyses from a randomised trial. <i>BMJ Open Sport and Exercise Medicine</i> , 2017, 2, bmjsem-2017-000230.	1.4	11
58	The risk associated with spinal manipulation: an overview of reviews. <i>Systematic Reviews</i> , 2017, 6, 64.	2.5	58
59	Hand bone loss in early rheumatoid arthritis during a methotrexate-based treat-to-target strategy with or without adalimumabâ€”a substudy of the optimized treatment algorithm in early RA (OPERA) trial. <i>Clinical Rheumatology</i> , 2017, 36, 781-789.	1.0	15
60	Osteoarthritis year in review 2016: imaging. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 216-226.	0.6	48
61	Relationship between weight loss in obese knee osteoarthritis patients and serum biomarkers of cartilage breakdown: secondary analyses of a randomised trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1641-1646.	0.6	10
62	Time to put steroid injections behind us?. <i>Nature Reviews Rheumatology</i> , 2017, 13, 519-520.	3.5	6
63	Long-term weight-loss maintenance in obese patients with knee osteoarthritis: a randomized trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 755-763.	2.2	52
64	The effects of intra-articular glucocorticoids and exercise on pain and synovitis assessed on static and dynamic magnetic resonance imaging in knee osteoarthritis: exploratory outcomes from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 481-491.	0.6	22
65	The association between histological, macroscopic and magnetic resonance imaging assessed synovitis in end-stage knee osteoarthritis: a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 272-280.	0.6	31
66	Defining the optimal biological monotherapy in rheumatoid arthritis: A systematic review and meta-analysis of randomised trials. <i>Seminars in Arthritis and Rheumatism</i> , 2017, 46, 699-708.	1.6	19
67	Marine Oil Supplements for Arthritis Pain: A Systematic Review and Meta-Analysis of Randomized Trials. <i>Nutrients</i> , 2017, 9, 42.	1.7	90
68	Weight loss for overweight and obese individuals with gout: a systematic review of longitudinal studies. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1870-1882.	0.5	98
69	EQ-5D utility, response and drug survival in rheumatoid arthritis patients on biologic monotherapy: A prospective observational study of patients registered in the south Swedish SSATG registry. <i>PLoS ONE</i> , 2017, 12, e0169946.	1.1	25
70	Pain and pain mechanisms in patients with inflammatory arthritis: A Danish nationwide cross-sectional DANBIO registry survey. <i>PLoS ONE</i> , 2017, 12, e0180014.	1.1	95
71	C5a and C5aR are elevated in joints of rheumatoid and psoriatic arthritis patients, and C5aR blockade attenuates leukocyte migration to synovial fluid. <i>PLoS ONE</i> , 2017, 12, e0189017.	1.1	34
72	Agreements and Discrepancies between FDA Reports and Journal Papers on Biologic Agents Approved for Rheumatoid Arthritis: A Meta-Research Project. <i>PLoS ONE</i> , 2016, 11, e0147556.	1.1	4

#	ARTICLE	IF	CITATIONS
73	Anti-Drug Antibodies, Drug Levels, Interleukin-6 and Soluble TNF Receptors in Rheumatoid Arthritis Patients during the First 6 Months of Treatment with Adalimumab or Infliximab: A Descriptive Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0162316.	1.1	30
74	Predictors of improvement in observed functional ability in patients with fibromyalgia as an outcome of rehabilitation. <i>Journal of Rehabilitation Medicine</i> , 2016, 48, 65-71.	0.8	7
75	Local and Systemic Changes in Pain Sensitivity After 4 Weeks of Calf Muscle Stretching in a Nonpainful Population: A Randomized Trial. <i>Pain Practice</i> , 2016, 16, 696-703.	0.9	3
76	Comparable effects of exercise and analgesics for pain secondary to knee osteoarthritis: a meta-analysis of trials included in Cochrane systematic reviews. <i>Journal of Comparative Effectiveness Research</i> , 2016, 5, 417-431.	0.6	32
77	The validity of self-rating depression scales in patients with chronic widespread pain: a Rasch analysis of the Major Depression Inventory. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 236-246.	0.6	14
78	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: Table A1. <i>BMJ Open</i> , 2016, 6, e011174.	0.8	2
79	Dynamic weight-bearing assessment of pain in knee osteoarthritis: construct validity, responsiveness, and interpretability in a research setting. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 91.	1.0	3
80	Synovitis assessed on static and dynamic contrast-enhanced magnetic resonance imaging and its association with pain in knee osteoarthritis: A cross-sectional study. <i>European Journal of Radiology</i> , 2016, 85, 1099-1108.	1.2	46
81	Non-nociceptive pain in rheumatoid arthritis is frequent and affects disease activity estimation: cross-sectional data from the FRAME study. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 461-469.	0.6	33
82	Ultrasound Doppler but not temporal summation of pain predicts DAS28 response in rheumatoid arthritis: a prospective cohort study. <i>Rheumatology</i> , 2016, 55, 1091-1098.	0.9	16
83	Changes in ultrasound assessed markers of inflammation following intra-articular steroid injection combined with exercise in knee osteoarthritis: exploratory outcome from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 814-821.	0.6	16
84	A Standardized "Rescue" Exercise Program for Symptomatic Flare-up of Knee Osteoarthritis: Description and Safety Considerations. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 942-946.	1.7	18
85	Pain mechanisms and ultrasonic inflammatory activity as prognostic factors in patients with psoriatic arthritis: protocol for a prospective, exploratory cohort study. <i>BMJ Open</i> , 2016, 6, e010650.	0.8	11
86	How widespread should pain be to be defined as widespread?. <i>Pain</i> , 2016, 157, 1831-1832.	2.0	5
87	Exercise therapy after ultrasound-guided corticosteroid injections in patients with subacromial pain syndrome: a randomized controlled trial. <i>Arthritis Research and Therapy</i> , 2016, 18, 129.	1.6	21
88	Effectiveness and Feasibility Associated with Switching to a Second or Third TNF Inhibitor in Patients with Psoriatic Arthritis: A Cohort Study from Southern Sweden. <i>Journal of Rheumatology</i> , 2016, 43, 81-87.	1.0	33
89	Exploring reasons for the observed inconsistent trial reports on intra-articular injections with hyaluronic acid in the treatment of osteoarthritis: Meta-regression analyses of randomized trials. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 46, 34-48.	1.6	27
90	Modified intention-to-treat analysis did not bias trial results. <i>Journal of Clinical Epidemiology</i> , 2016, 72, 66-74.	2.4	39

#	ARTICLE	IF	CITATIONS
91	Intra-Articular Corticosteroids in Addition to Exercise for Reducing Pain Sensitivity in Knee Osteoarthritis: Exploratory Outcome from a Randomized Controlled Trial. <i>PLoS ONE</i> , 2016, 11, e0149168.	1.1	22
92	Test-retest reliability of cuff pressure pain algometry in patients with knee osteoarthritis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 158.	0.4	0
93	Effect of Lumbar Disc Degeneration and Low-Back Pain on the Lumbar Lordosis in Supine and Standing. <i>Spine</i> , 2015, 40, 1690-1696.	1.0	26
94	Retention in physically demanding jobs of individuals with low back pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 166.	0.7	4
95	Drugs or diet: what approach is most effective in improving knee osteoarthritis prognosis?. <i>International Journal of Clinical Rheumatology</i> , 2015, 10, 383-385.	0.3	0
96	Validity and Agreement between the 28-Joint Disease Activity Score Based on C-Reactive Protein and Erythrocyte Sedimentation Rate in Patients with Rheumatoid Arthritis. <i>Arthritis</i> , 2015, 2015, 1-6.	2.0	21
97	Pain Sensitisation in Women with Active Rheumatoid Arthritis: A Comparative Cross-Sectional Study. <i>Arthritis</i> , 2015, 2015, 1-5.	2.0	33
98	Antibodies to Infliximab and Adalimumab in Patients with Rheumatoid Arthritis in Clinical Remission: A Cross-Sectional Study. <i>Arthritis</i> , 2015, 2015, 1-7.	2.0	10
99	Adherence to Methotrexate in Rheumatoid Arthritis: A Danish Nationwide Cohort Study. <i>Arthritis</i> , 2015, 2015, 1-7.	2.0	13
100	MRI assessment of early response to certolizumab pegol in rheumatoid arthritis: a randomised, double-blind, placebo-controlled phase IIIb study applying MRI at weeks 0, 1, 2, 4, 8 and 16. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1156-1163.	0.5	27
101	Evaluation of the Benefit of Corticosteroid Injection Before Exercise Therapy in Patients With Osteoarthritis of the Knee. <i>JAMA Internal Medicine</i> , 2015, 175, 923.	2.6	71
102	The dynamics of the pain system is intact in patients with knee osteoarthritis: An exploratory experimental study. <i>Scandinavian Journal of Pain</i> , 2015, 6, 43-49.	0.5	9
103	Effect of Weight Maintenance on Symptoms of Knee Osteoarthritis in Obese Patients: A Twelve-Month Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2015, 67, 640-650.	1.5	79
104	Associations between muscle perfusion and symptoms in knee osteoarthritis: a cross sectional study. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1721-1727.	0.6	16
105	Improved gait in persons with knee related mobility limitations by a rosehip food supplement: A randomized, double-blind, placebo-controlled trial. <i>Gait and Posture</i> , 2015, 42, 340-347.	0.6	7
106	The concept of physical limitations in knee osteoarthritis: as viewed by patients and health professionals. <i>Quality of Life Research</i> , 2015, 24, 2423-2432.	1.5	8
107	Dynamic weight-bearing assessment of pain in knee osteoarthritis: a reliability and agreement study. <i>Quality of Life Research</i> , 2015, 24, 2985-2992.	1.5	4
108	Effectiveness and drug adherence of biologic monotherapy in routine care of patients with rheumatoid arthritis: a cohort study of patients registered in the Danish biologics registry. <i>Rheumatology</i> , 2015, 54, kev216.	0.9	34

#	ARTICLE	IF	CITATIONS
109	Gait variability and motor control in people with knee osteoarthritis. <i>Gait and Posture</i> , 2015, 42, 479-484.	0.6	33
110	Agreement between touch-screen and paper-based patient-reported outcomes for patients with fibromyalgia: a randomized cross-over reproducibility study. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 503-510.	0.6	11
111	Efficacy and safety of ginger in osteoarthritis patients: a meta-analysis of randomized placebo-controlled trials. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 13-21.	0.6	72
112	Most Trial Eligibility Criteria and Patient Baseline Characteristics Do Not Modify Treatment Effect in Trials Using Targeted Therapies for Rheumatoid Arthritis: A Meta-Epidemiological Study. <i>PLoS ONE</i> , 2015, 10, e0136982.	1.1	7
113	Factors influencing observed and self-reported functional ability in women with chronic widespread pain: A cross-sectional study. <i>Journal of Rehabilitation Medicine</i> , 2014, 46, 1014-1021.	0.8	12
114	Spiritual Healing in the Treatment of Rheumatoid Arthritis: An Exploratory Single Centre, Parallel-Group, Double-Blind, Three-Arm, Randomised, Sham-Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	0.5	4
115	Cardiac natriuretic peptides in plasma increase after dietary induced weight loss in obesity. <i>BMC Obesity</i> , 2014, 1, 24.	3.1	21
116	The Relationship between Mechanical Hyperalgesia Assessed by Manual Tender Point Examination and Disease Severity in Patients with Chronic Widespread Pain: A Cross-Sectional Study. <i>International Journal of Rheumatology</i> , 2014, 2014, 1-13.	0.9	12
117	Interpreting trial results following use of different intention-to-treat approaches for preventing attrition bias: a meta-epidemiological study protocol. <i>BMJ Open</i> , 2014, 4, e005297-e005297.	0.8	19
118	Temporal summation of pain and ultrasound Doppler activity as predictors of treatment response in patients with rheumatoid arthritis: protocol for the Frederiksberg hospitals Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. <i>BMJ Open</i> , 2014, 4, e004313.	0.8	9
119	Validity and Reliability of 3D US for the Detection of Erosions in Patients with Rheumatoid Arthritis Using MRI as the Gold Standard. <i>Ultraschall in Der Medizin</i> , 2014, 35, 137-141.	0.8	5
120	Is Swollen to Tender Joint Count Ratio a New and Useful Clinical Marker for Biologic Drug Response in Rheumatoid Arthritis? Results From a Swedish Cohort. <i>Arthritis Care and Research</i> , 2014, 66, 173-179.	1.5	32
121	Intra-Articular Analgesia and Steroid Reduce Pain Sensitivity in Knee OA Patients: An Interventional Cohort Study. <i>Pain Research and Treatment</i> , 2014, 2014, 1-6.	1.7	14
122	Knee pain and inflammation in the infrapatellar fat pad estimated by conventional and dynamic contrast-enhanced magnetic resonance imaging in obese patients with osteoarthritis: A cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 933-940.	0.6	86
123	Osteoarthritis, obesity and weight loss: evidence, hypotheses and horizons – a scoping review. <i>Obesity Reviews</i> , 2014, 15, 578-586.	3.1	238
124	Balance between activating <sc>NKG</sc>2D, <sc>DNAM</sc>1, <sc>NK</sc>p44 and <sc>NK</sc>p46 and inhibitory <sc>CD</sc>94/<sc>NKG</sc>2A receptors determine natural killer degranulation towards rheumatoid arthritis synovial fibroblasts. <i>Immunology</i> , 2014, 142, 581-593.	2.0	36
125	Effect of a 16 weeks weight loss program on osteoarthritis biomarkers in obese patients with knee osteoarthritis: a prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1817-1825.	0.6	29
126	Ultrasound colour Doppler is associated with synovial pathology in biopsies from hand joints in rheumatoid arthritis patients: a cross-sectional study. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 678-683.	0.5	63

#	ARTICLE	IF	CITATIONS
127	Differentiation between early rheumatoid arthritis patients and healthy persons by conventional and dynamic contrast-enhanced magnetic resonance imaging. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 109-118.	0.6	18
128	Risk of Bias and Brand Explain the Observed Inconsistency in Trials on Glucosamine for Symptomatic Relief of Osteoarthritis: A Meta-Analysis of Placebo-Controlled Trials. <i>Arthritis Care and Research</i> , 2014, 66, 1844-1855.	1.5	67
129	An ultrasound score for knee osteoarthritis: a cross-sectional validation study. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1675-1691.	0.6	50
130	Structural changes in the knee during weight loss maintenance after a significant weight loss in obese patients with osteoarthritis: a report of secondary outcome analyses from a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 639-646.	0.6	24
131	Interdisciplinary rehabilitation of patients with chronic widespread pain: Primary endpoint of the randomized, nonblinded, parallel-group IMPROVE trial. <i>Pain</i> , 2014, 155, 1356-1364.	2.0	31
132	Association of Exercise Therapy and Reduction of Pain Sensitivity in Patients With Knee Osteoarthritis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2014, 66, 1836-1843.	1.5	90
133	Synovial explant inflammatory mediator production corresponds to rheumatoid arthritis imaging hallmarks: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2014, 16, R107.	1.6	22
134	Can the painDETECT Questionnaire score and MRI help predict treatment outcome in rheumatoid arthritis: protocol for the Frederiksberg hospital's Rheumatoid Arthritis, pain assessment and Medical Evaluation (FRAME-cohort) study. <i>BMJ Open</i> , 2014, 4, e006058.	0.8	16
135	Comparing different preparations and doses of rosehip powder in patients with osteoarthritis of the knee: an exploratory randomized active-controlled trial. <i>International Journal of Clinical Rheumatology</i> , 2014, 9, 267-278.	0.3	9
136	Changes in bone marrow lesions in response to weight-loss in obese knee osteoarthritis patients: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 106.	0.8	19
137	External pneumatic compression device prevents fainting in standing weight-bearing MRI: a cohort study. <i>Skeletal Radiology</i> , 2013, 42, 1437-1442.	1.2	10
138	The effect of isometric exercise of the hand on the synovial blood flow in patients with rheumatoid arthritis measured by color Doppler ultrasound. <i>Rheumatology International</i> , 2013, 33, 65-70.	1.5	10
139	Correlations between radiographic assessments and MRI features of knee osteoarthritis â€” a cross-sectional study. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 535-543.	0.6	28
140	Assessment of Pressure-Pain Thresholds and Central Sensitization of Pain in Lateral Epicondylalgia. <i>Pain Medicine</i> , 2013, 14, 297-304.	0.9	59
141	Is increased joint loading detrimental to obese patients with knee osteoarthritis? A secondary data analysis from a randomized trial. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1865-1875.	0.6	18
142	Enhancing the reporting and transparency of rheumatology research: a guide to reporting guidelines. <i>Arthritis Research and Therapy</i> , 2013, 15, 109.	1.6	41
143	Reliability and responsiveness of dynamic contrast-enhanced magnetic resonance imaging in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2013, 42, 115-122.	0.6	37
144	Differential effects of decoy receptor- and antibody-mediated tumour necrosis factor blockage on FoxP3 expression in responsive arthritis patients. <i>Apmis</i> , 2013, 121, 337-347.	0.9	3

#	ARTICLE	IF	CITATIONS
145	Efficacy of treatment intensification with adalimumab, etanercept and infliximab in rheumatoid arthritis: A systematic review of cohort studies with focus on dose. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 43, 144-151.	1.6	14
146	Comparative Effectiveness of Injection Therapies in Lateral Epicondylitis. <i>American Journal of Sports Medicine</i> , 2013, 41, 1435-1446.	1.9	213
147	Muscle fatigue in fibromyalgia is in the brain, not in the muscles: a case-control study of perceived versus objective muscle fatigue. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 963-966.	0.5	29
148	Development of a Danish Language Version of the Manchester Foot Pain and Disability Index: Reproducibility and Construct Validity Testing. <i>Pain Research and Treatment</i> , 2013, 2013, 1-9.	1.7	8
149	The Associations between Pain Sensitivity and Knee Muscle Strength in Healthy Volunteers: A Cross-Sectional Study. <i>Pain Research and Treatment</i> , 2013, 2013, 1-7.	1.7	8
150	Experimental Knee Pain Evoke Spreading Hyperalgesia and Facilitated Temporal Summation of Pain. <i>Pain Medicine</i> , 2013, 14, 874-883.	0.9	13
151	Comparison of three weight maintenance programs on cardiovascular risk, bone and vitamins in sedentary older adults. <i>Obesity</i> , 2013, 21, 1982-1990.	1.5	32
152	Efficacy and safety of infliximab or adalimumab, versus abatacept, in patients with rheumatoid arthritis: ATTEST-AMPLE network randomized trial. <i>International Journal of Clinical Rheumatology</i> , 2013, 8, 647-655.	0.3	2
153	Altered Visual and Feet Proprioceptive Feedbacks during Quiet Standing Increase Postural Sway in Patients with Severe Knee Osteoarthritis. <i>PLoS ONE</i> , 2013, 8, e71253.	1.1	28
154	Differences between questionnaire- and interview-based measures of activities of daily living (ADL) ability and their association with observed ADL ability in women with rheumatoid arthritis, knee osteoarthritis, and fibromyalgia. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 95-102.	0.6	55
155	Associations Between Abnormal Ultrasound Color Doppler Measures and Tendon Pain Symptoms in Badminton Players During a Season. <i>American Journal of Sports Medicine</i> , 2012, 40, 548-555.	1.9	55
156	Improved nutritional status and bone health after diet-induced weight loss in sedentary osteoarthritis patients: a prospective cohort study. <i>European Journal of Clinical Nutrition</i> , 2012, 66, 504-509.	1.3	27
157	Dynamic gadolinium-enhanced magnetic resonance imaging allows accurate assessment of the synovial inflammatory activity in rheumatoid arthritis knee joints: a comparison with synovial histology. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 89-94.	0.6	61
158	Correlation between computer-aided dynamic gadolinium-enhanced MRI assessment of inflammation and semi-quantitative synovitis and bone marrow oedema scores of the wrist in patients with rheumatoid arthritis-a cohort study. <i>Rheumatology</i> , 2012, 51, 134-143.	0.9	47
159	A Synoviocyte Model for Osteoarthritis and Rheumatoid Arthritis: Response to Ibuprofen, Betamethasone, and Ginger Extract-A Cross-Sectional <i>In Vitro</i> Study. <i>Arthritis</i> , 2012, 2012, 1-9.	2.0	29
160	Head-to-head comparison of quantitative and semi-quantitative ultrasound scoring systems for rheumatoid arthritis: reliability, agreement and construct validity. <i>Rheumatology</i> , 2012, 51, 2034-2038.	0.9	30
161	Effect of nonsteroidal antiinflammatory drugs on the C-reactive protein level in rheumatoid arthritis: A meta-analysis of randomized controlled trials. <i>Arthritis and Rheumatism</i> , 2012, 64, 3511-3521.	6.7	33
162	Feasibility of a standardized ultrasound examination in patients with rheumatoid arthritis: a quality improvement among rheumatologists cohort. <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 35.	0.8	15

#	ARTICLE	IF	CITATIONS
163	FoxP3 mRNA splice forms in synovial CD4+ T cells in rheumatoid arthritis and psoriatic arthritis. <i>Apmis</i> , 2012, 120, 387-396.	0.9	24
164	The relationship between pain and dynamic knee joint loading in knee osteoarthritis varies with radiographic disease severity. A cross sectional study. <i>Knee</i> , 2012, 19, 392-398.	0.8	52
165	Weight loss is effective for symptomatic relief in obese subjects with knee osteoarthritis independently of joint damage severity assessed by high-field MRI and radiography. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 495-502.	0.6	93
166	Experimental knee joint pain during strength training and muscle strength gain in healthy subjects: A randomized controlled trial. <i>Arthritis Care and Research</i> , 2012, 64, 108-116.	1.5	6
167	Changes in lower extremity muscle mass and muscle strength after weight loss in obese patients with knee osteoarthritis: A prospective cohort study. <i>Arthritis and Rheumatism</i> , 2012, 64, 438-442.	6.7	60
168	Comparison of the manual and computer-aided techniques for evaluation of wrist synovitis using dynamic contrast-enhanced MRI on a dedicated scanner. <i>European Journal of Radiology</i> , 2011, 77, 202-206.	1.2	24
169	Adaptations in the gait pattern with experimental hamstring pain. <i>Journal of Electromyography and Kinesiology</i> , 2011, 21, 746-753.	0.7	8
170	A microdialysis study of topically applied diclofenac to healthy humans: Passive versus iontophoretic delivery. <i>Results in Pharma Sciences</i> , 2011, 1, 76-79.	4.2	9
171	Experimental Knee Pain Reduces Muscle Strength. <i>Journal of Pain</i> , 2011, 12, 460-467.	0.7	120
172	Effects of an intensive weight loss program on knee joint loading in obese adults with knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2011, 19, 822-828.	0.6	133
173	Response to "Letter to the Editor" and comment on: "Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds" by Amris et al. [<i>Pain</i> ;151:664-669]. <i>Pain</i> , 2011, 152, 1685-1686.	2.0	0
174	Observation-based assessment of functional ability in patients with chronic widespread pain: A cross-sectional study. <i>Pain</i> , 2011, 152, 2470-2476.	2.0	54
175	The effects of rose hip (<i>Rosa canina</i>) on plasma antioxidative activity and C-reactive protein in patients with rheumatoid arthritis and normal controls: A prospective cohort study. <i>Phytomedicine</i> , 2011, 18, 953-958.	2.3	45
176	Test-retest of computerized health status questionnaires frequently used in the monitoring of knee osteoarthritis: a randomized crossover trial. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 190.	0.8	55
177	Evidence of accumulated stress in Achilles and anterior knee tendons in elite badminton players. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 30-37.	2.3	49
178	Radiographs and low field MRI (0.2T) as predictors of efficacy in a weight loss trial in obese women with knee osteoarthritis. <i>BMC Musculoskeletal Disorders</i> , 2011, 12, 56.	0.8	12
179	Articular Cartilage Thickness Measured with US is Not as Easy as It Appears: A Systematic Review of Measurement Techniques and Image Interpretation. <i>Ultraschall in Der Medizin</i> , 2011, 32, 54-61.	0.8	50
180	The Association Between Submaximal Quadriceps Force Steadiness and the Knee Adduction Moment During Walking in Patients With Knee Osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 592-599.	1.7	10

#	ARTICLE	IF	CITATIONS
181	The Influence of Radiographic Severity on the Relationship between Muscle Strength and Joint Loading in Obese Knee Osteoarthritis Patients. <i>Arthritis</i> , 2011, 2011, 1-9.	2.0	6
182	Weight loss as treatment for knee osteoarthritis symptoms in obese patients: 1-year results from a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1798-1803.	0.5	101
183	Ultrasound Doppler measurements predict success of treatment with anti-TNF- α drug in patients with rheumatoid arthritis: a prospective cohort study. <i>Rheumatology</i> , 2011, 50, 506-512.	0.9	41
184	Motor responses to experimental Achilles tendon pain. <i>British Journal of Sports Medicine</i> , 2011, 45, 393-398.	3.1	23
185	Rheumatoid Factor and Its Interference with Cytokine Measurements: Problems and Solutions. <i>Arthritis</i> , 2011, 2011, 1-7.	2.0	26
186	The number needed to treat for second-generation biologics when treating established rheumatoid arthritis: a systematic quantitative review of randomized controlled trials. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 1-7.	0.6	28
187	Dynamic Contrast Enhanced MRI Can Monitor the Very Early Inflammatory Treatment Response upon Intra-Articular Steroid Injection in the Knee Joint: A Case Report with Review of the Literature. <i>Arthritis</i> , 2011, 2011, 1-8.	2.0	19
188	Day-to-day variation in Doppler activity in patients on stable etanercept treatment: an exploratory cohort study. <i>Imaging in Medicine</i> , 2010, 2, 617-621.	0.0	1
189	Symptomatic efficacy and safety of diacerein in the treatment of osteoarthritis: a meta-analysis of randomized placebo-controlled trials. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 289-296.	0.6	69
190	Comparing two low-energy diets for the treatment of knee osteoarthritis symptoms in obese patients: a pragmatic randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2010, 18, 746-754.	0.6	107
191	Self-reported somatosensory symptoms of neuropathic pain in fibromyalgia and chronic widespread pain correlate with tender point count and pressure-pain thresholds. <i>Pain</i> , 2010, 151, 664-669.	2.0	71
192	Gait changes in patients with knee osteoarthritis are replicated by experimental knee pain. <i>Arthritis Care and Research</i> , 2010, 62, 501-509.	1.5	134
193	Mortality in a cohort of Danish patients with fibromyalgia: Increased frequency of suicide. <i>Arthritis and Rheumatism</i> , 2010, 62, 3101-3108.	6.7	79
194	Doppler ultrasonography of the anterior knee tendons in elite badminton players: colour fraction before and after match. <i>British Journal of Sports Medicine</i> , 2010, 44, 134-139.	3.1	17
195	Is neuropathic pain underdiagnosed in musculoskeletal pain conditions? The Danish PainDETECTive study. <i>Current Medical Research and Opinion</i> , 2010, 26, 2041-2045.	0.9	34
196	Intra-articular hyaluronan is without clinical effect in knee osteoarthritis: a multicentre, randomised, placebo-controlled, double-blind study of 337 patients followed for 1 year. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1097.2-1102.	0.5	71
197	¹ H NMR Spectroscopy-Based Interventional Metabolic Phenotyping: A Cohort Study of Rheumatoid Arthritis Patients. <i>Journal of Proteome Research</i> , 2010, 9, 4545-4553.	1.8	88
198	A computer-aided detection system for rheumatoid arthritis MRI data interpretation and quantification of synovial activity. <i>European Journal of Radiology</i> , 2010, 74, e67-e72.	1.2	39

#	ARTICLE	IF	CITATIONS
199	Is Phytalgic® a goldmine for osteoarthritis patients or is there something fishy about this nutraceutical? A summary of findings and risk-of-bias assessment. <i>Arthritis Research and Therapy</i> , 2010, 12, 105.	1.6	14
200	Expression of full-length and splice forms of FoxP3 in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2010, 39, 279-286.	0.6	19
201	A subcutaneous tumour in a patient with rheumatoid arthritis. <i>BMJ Case Reports</i> , 2010, 2010, bcr0820092170-bcr0820092170.	0.2	1
202	Experimental muscle pain during a forward lunge – the effects on knee joint dynamics and electromyographic activity. <i>British Journal of Sports Medicine</i> , 2009, 43, 503-507.	3.1	32
203	Influence of recent exercise and skin temperature on ultrasound Doppler measurements in patients with rheumatoid arthritis—an intervention study. <i>Rheumatology</i> , 2009, 48, 1520-1523.	0.9	20
204	Effect of whole body vibration exercise on muscle strength and proprioception in females with knee osteoarthritis. <i>Knee</i> , 2009, 16, 256-261.	0.8	142
205	Relationships between the fibromyalgia impact questionnaire, tender point count, and muscle strength in female patients with fibromyalgia: A cohort study. <i>Arthritis and Rheumatism</i> , 2009, 61, 732-739.	6.7	54
206	Experimentally reduced hip abductor function during walking: Implications for knee joint loads. <i>Journal of Biomechanics</i> , 2009, 42, 1236-1240.	0.9	57
207	Isokinetic and isometric muscle strength in a healthy population with special reference to age and gender. <i>Acta Physiologica</i> , 2009, 197, 1-68.	1.8	207
208	Quantifying Disease Activity and Damage by Imaging in Rheumatoid Arthritis and Osteoarthritis. <i>Annals of the New York Academy of Sciences</i> , 2009, 1154, 207-238.	1.8	17
209	Biomechanical characteristics of the eccentric Achilles tendon exercise. <i>Journal of Biomechanics</i> , 2009, 42, 2702-2707.	0.9	38
210	Intra-articular distribution pattern after ultrasound-guided injections in wrist joints of patients with rheumatoid arthritis. <i>European Journal of Radiology</i> , 2009, 69, 331-338.	1.2	22
211	MRI quantification of rheumatoid arthritis: Current knowledge and future perspectives. <i>European Journal of Radiology</i> , 2009, 71, 189-196.	1.2	62
212	The treatment and prevention of knee osteoarthritis: a tool for clinical decision-making. <i>Expert Opinion on Pharmacotherapy</i> , 2009, 10, 1793-1804.	0.9	75
213	Similar clinical outcome after unicompartmental knee arthroplasty using a conventional or accelerated care program. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009, 80, 334-337.	1.2	18
214	Can Stimulating Massage Improve Joint Repositioning Error in patients with Knee Osteoarthritis?. <i>Journal of Geriatric Physical Therapy</i> , 2009, 32, 111-116.	0.6	13
215	Les manipulations ne potentialisent pas l'effet des exercices en extension dans les lombalgies chroniques. Étude randomisée contrôlée en double insu. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2008, 75, 1249-1254.	0.0	0
216	Imaging as a follow-up tool in clinical trials and clinical practice. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 1109-1126.	1.4	20

#	ARTICLE	IF	CITATIONS
217	Manipulation does not add to the effect of extension exercises in chronic low-back pain (LBP). A randomized, controlled, double blind study. <i>Joint Bone Spine</i> , 2008, 75, 708-713.	0.8	29
218	Influence of pain and gender on impact loading during walking: A randomised trial. <i>Clinical Biomechanics</i> , 2008, 23, 221-230.	0.5	13
219	Poorer elbow proprioception in patients with lateral epicondylitis than in healthy controls: A cross-sectional study. <i>Journal of Shoulder and Elbow Surgery</i> , 2008, 17, S72-S81.	1.2	59
220	Efficacy and safety of the weight-loss drug rimonabant – Authors' reply. <i>Lancet, The</i> , 2008, 371, 556-557.	6.3	4
221	Test-retest reliability of joint position and kinesthetic sense in the elbow of healthy subjects. <i>Physiotherapy Theory and Practice</i> , 2008, 24, 65-72.	0.6	43
222	Guidelines for the use of nonsurgical interventions in osteoarthritis management. <i>Expert Review of Clinical Immunology</i> , 2008, 4, 583-590.	1.3	3
223	Ultrasound colour Doppler measurements in a single joint as measure of disease activity in patients with rheumatoid arthritis—assessment of concurrent validity. <i>Rheumatology</i> , 2008, 48, 254-257.	0.9	54
224	General framework for unsupervised evaluation of quality of segmentation results. , 2008, , .		5
225	A randomized controlled trial of aquatic and land-based exercise in patients with knee osteoarthritis. <i>Acta Dermato-Venereologica</i> , 2008, 40, 137-144.	0.6	158
226	Diagnostic sensitivity and specificity of Doppler ultrasound in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2008, 35, 49-53.	1.0	44
227	Clinical outcome and imaging changes after intraarticular (IA) application of etanercept or methylprednisolone in rheumatoid arthritis: magnetic resonance imaging and ultrasound-Doppler show no effect of IA injections in the wrist after 4 weeks. <i>Journal of Rheumatology</i> , 2008, 35, 584-91.	1.0	45
228	Computerized cuff pressure algometry: A new method to assess deep-tissue hypersensitivity in fibromyalgia. <i>Pain</i> , 2007, 131, 57-62.	2.0	65
229	Efficacy and safety of the weight-loss drug rimonabant: a meta-analysis of randomised trials. <i>Lancet, The</i> , 2007, 370, 1706-1713.	6.3	955
230	Experimental quadriceps muscle pain impairs knee joint control during walking. <i>Journal of Applied Physiology</i> , 2007, 103, 132-139.	1.2	83
231	Chronic widespread pain in the spectrum of rheumatological diseases. <i>Best Practice and Research in Clinical Rheumatology</i> , 2007, 21, 391-402.	1.4	47
232	Colour Doppler ultrasonography and sclerosing therapy in diagnosis and treatment of tendinopathy in horses—a research model for human medicine. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2007, 15, 935-939.	2.3	10
233	Intra-observer and inter-observer agreement of the manual examination of the lumbar spine in chronic low-back pain. <i>European Spine Journal</i> , 2007, 16, 277-282.	1.0	24
234	Dynamic control of the lumbopelvic complex; lack of reliability of established test procedures. <i>European Spine Journal</i> , 2007, 16, 733-740.	1.0	4

#	ARTICLE	IF	CITATIONS
235	Fast and Robust Analysis of Dynamic Contrast Enhanced MRI Datasets. Lecture Notes in Computer Science, 2007, 10, 261-269.	1.0	16
236	Increased cancer risk in patients referred to hospital with suspected fibromyalgia. Journal of Rheumatology, 2007, 34, 201-6.	1.0	6
237	Effect of weight reduction in obese patients diagnosed with knee osteoarthritis: a systematic review and meta-analysis. Annals of the Rheumatic Diseases, 2006, 66, 433-439.	0.5	509
238	Impulse-forces during walking are not increased in patients with knee osteoarthritis. Monthly Notices of the Royal Astronomical Society: Letters, 2006, 77, 650-656.	1.2	26
239	Safety of Intra-articular injection of Anakinra in small-joint arthritis: an uncontrolled, pilot-study with independent imaging assessment. Joint Bone Spine, 2006, 73, 714-717.	0.8	34
240	Increased joint loads during walking – A consequence of pain relief in knee osteoarthritis. Knee, 2006, 13, 445-450.	0.8	87
241	Inter-rater and intra-rater reliability of tests of translational movements and range of movements in the subtalar and talocrural joints. Advances in Physiotherapy, 2006, 8, 161-167.	0.2	4
242	Ultrasonographic Investigation of the Achilles Tendon in Elite Badminton Players Using Color Doppler. American Journal of Sports Medicine, 2006, 34, 2013-2021.	1.9	75
243	Posturographic description of the regaining of postural stability following stroke. Clinical Physiology and Functional Imaging, 2005, 25, 1-9.	0.5	15
244	The effect of stimulating massage of thigh muscles on knee joint position sense. Advances in Physiotherapy, 2004, 6, 29-36.	0.2	8
245	Letters to the Editor-in-Chief. Scandinavian Journal of Medicine and Science in Sports, 2004, 14, 270-270.	1.3	0
246	Magnetic resonance imaging in the evaluation of treatment response of lateral epicondylitis of the elbow. European Radiology, 2004, 14, 964-969.	2.3	72
247	Intraarticular injection of anti-tumor necrosis factor: Comment on the letter by Arnold et al. Arthritis and Rheumatism, 2004, 50, 2037-2038.	6.7	2
248	Diagnostic Value of Ultrasonography in Epicondylitis. Annals of Internal Medicine, 2002, 136, 781.	2.0	30
249	MRI of the arthritic finger joints: synovial membrane volume determination, a manual vs a stereologic method. European Radiology, 2002, 12, 94-98.	2.3	42
250	Inhibition of maximal voluntary contraction force by experimental muscle pain: A centrally mediated mechanism. Muscle and Nerve, 2002, 26, 708-712.	1.0	199
251	Volume estimation of extensor muscles of the lower leg based on MR imaging. European Radiology, 2002, 12, 2982-2987.	2.3	47
252	MRI of the wrist and finger joints in inflammatory joint diseases at 1-year interval: MRI features to predict bone erosions. European Radiology, 2002, 12, 1203-1210.	2.3	136

#	ARTICLE	IF	CITATIONS
253	MRI of the arthritic small joints: comparison of extremity MRI (0.2 T) vs high-field MRI (1.5 T). European Radiology, 2001, 11, 1030-1038.	2.3	99
254	Lack of Correlation Between Hepatitis Markers and Fibromyalgia in Danish Patients. Journal of Musculoskeletal Pain, 2001, 9, 57-65.	0.3	1
255	Bone Mass in the Calcaneus in Patients with Fibromyalgia. Journal of Musculoskeletal Pain, 2001, 9, 17-23.	0.3	27
256	Correlation Between Tender Points and the Fibromyalgia Impact Questionnaire. Journal of Musculoskeletal Pain, 2000, 8, 19-29.	0.3	15
257	Thoracic Facet Joint Syndrome, Simulating Angina Pectoris: A Case Report.. Journal of Orthopaedic Medicine, 2000, 22, 96-97.	0.0	1
258	The effects of a physical training program on patients with osteoarthritis of the knees. Archives of Physical Medicine and Rehabilitation, 1998, 79, 1421-1427.	0.5	215
259	Chiropractors and low back pain. Lancet, The, 1990, 336, 1504-1505.	6.3	3
260	Thyroid-stimulating immunoglobulins in insulin-dependent diabetes mellitus. European Journal of Clinical Investigation, 1984, 14, 474-478.	1.7	15
261	Long-term Insulin-dependent Diabetes Mellitus with Secondary Pituitary Insufficiency and Regression of Retinopathy. Acta Medica Scandinavica, 1983, 214, 225-229.	0.0	6
262	PRODUCTION OF NON-STIMULATORY IMMUNOGLOBULINS THAT INHIBIT TSH BINDING IN Graves' DISEASE AFTER RADIOIODINE ADMINISTRATION. Clinical Endocrinology, 1982, 17, 395-402.	1.2	55
263	Prognostic value of thyrotrophin binding inhibiting immunoglobulins (TBII) in longterm antithyroid treatment, 131I therapy given in combination with carbimazole and in euthyroid ophthalmopathy. European Journal of Endocrinology, 1981, 98, 364-369.	1.9	36
264	Weight loss for overweight patients with knee or hip osteoarthritis. The Cochrane Library, 0, , .	1.5	0