

Philip B Mitchell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6202039/philip-b-mitchell-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

451
papers

49,228
citations

82
h-index

217
g-index

481
ext. papers

59,588
ext. citations

6.2
avg. IF

7.01
L-index

#	Paper	IF	Citations
451	Investigating the phenotypic and genetic associations between personality traits and suicidal behavior across major mental health diagnoses.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
450	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022 , 91, 102-117	7.9	11
449	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	1
448	Stigma in bipolar disorder: A current review of the literature.. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022 , 48674221080708	2.6	0
447	Longitudinal Changes in Structural Connectivity in Young People at High Genetic Risk for Bipolar Disorder.. <i>American Journal of Psychiatry</i> , 2022 , appiajp21010047	11.9	1
446	Genetic variants associated with longitudinal changes in brain structure across the lifespan.. <i>Nature Neuroscience</i> , 2022 , 25, 421-432	25.5	1
445	A clinical approach to treatment resistance in depressed patients: What to do when the usual treatments don't work well enough?. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 483-494	3.8	11
444	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
443	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021 , 26, 2457-2470	15.1	17
442	Sertraline hydrochloride for reducing impulsive behaviour in male, repeat-violent offenders (ReINVEST): protocol for a phase IV, double-blind, placebo-controlled, randomised clinical trial. <i>BMJ Open</i> , 2021 , 11, e044656	3	
441	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021 , 11, 606	8.6	1
440	Cortical mediation of relationships between dopamine receptor D2 and cognition is absent in youth at risk of bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021 , 309, 111258	2.9	2
439	Mental health screening amongst police officers: factors associated with under-reporting of symptoms. <i>BMC Psychiatry</i> , 2021 , 21, 135	4.2	4
438	A linkage and exome study of multiplex families with bipolar disorder implicates rare coding variants of ANK3 and additional rare alleles at 10q11-q21. <i>Journal of Psychiatry and Neuroscience</i> , 2021 , 46, E247-E257	4.5	2
437	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
436	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
435	New adolescent grief scales open new research possibilities: A commentary. <i>Death Studies</i> , 2021 , 45, 838-839	3.9	1

434	Pre-Employment MMPI-2 Measures and Later Psychological Injury-Related Absenteeism among Police Officers. <i>Policing (Oxford)</i> , 2021 , 15, 1316-1325	1.2	1
433	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
432	The nature of depression in bipolar disorder 2021 , 151-167		1
431	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021 , 11, 1155	4.9	1
430	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2
429	Breast cancer polygenic risk scores: a 12-month prospective study of patient reported outcomes and risk management behavior. <i>Genetics in Medicine</i> , 2021 , 23, 2316-2323	8.1	2
428	Longitudinal Structural Brain Changes in Bipolar Disorder: A Multicenter Neuroimaging Study of 1232 Individuals by the ENIGMA Bipolar Disorder Working Group. <i>Biological Psychiatry</i> , 2021 ,	7.9	2
427	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021 , 11, 17823	4.9	1
426	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
425	Sertraline hydrochloride for reducing impulsive behaviour in male, repeat-violent offenders (ReINVEST): protocol for a phase IV, double-blind, placebo-controlled, randomised clinical trial. <i>BMJ Open</i> , 2021 , 11, e044656	3	0
424	De Novo Gene Variants and Familial Bipolar Disorder. <i>JAMA Network Open</i> , 2020 , 3, e203382	10.4	4
423	Psychosocial implications of living with familial risk of a psychiatric disorder and attitudes to psychiatric genetic testing: A systematic review of the literature. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 277-288	3.5	3
422	Exploration of experiences with and understanding of polygenic risk scores for bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 265, 342-350	6.6	4
421	Striatal Resting-State Connectivity Abnormalities Associated With Different Clinical Stages of Major Depressive Disorder. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	5
420	Therapeutic drug monitoring of antidepressant and antipsychotic drugs. <i>Handbook of Analytical Separations</i> , 2020 , 7, 257-275	0.7	1
419	Demographic and Clinical Differences Between Bipolar Disorder Patients With and Without Alcohol Use Disorders. <i>Frontiers in Psychiatry</i> , 2020 , 11, 570574	5	0
418	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
417	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5

4 ¹⁶	Transdiagnostic group cognitive behaviour therapy for anxiety in bipolar disorder-a pilot feasibility and acceptability study. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 170	1.9	1
4 ¹⁵	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
4 ¹⁴	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71
4 ¹³	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
4 ¹²	Junior clinical academic psychiatrists in Australia: The University of New South Wales initiative. <i>Australasian Psychiatry</i> , 2019 , 27, 241-244	1.7	1
4 ¹¹	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019 , 86, 545-556	7.9	33
4 ¹⁰	Duloxetine effects on striatal resting-state functional connectivity in patients with major depressive disorder. <i>Human Brain Mapping</i> , 2019 , 40, 3338-3346	5.9	6
4 ⁰⁹	Patterns and predictors of family environment among adolescents at high and low risk for familial bipolar disorder. <i>Journal of Psychiatric Research</i> , 2019 , 114, 153-160	5.2	8
4 ⁰⁸	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
4 ⁰⁷	Financial Conflicts of Interest and Authorship of Clinical Practice Guidelines-Trust Is Fragile. <i>JAMA Network Open</i> , 2019 , 2, e192840	10.4	2
4 ⁰⁶	Metastable brain waves. <i>Nature Communications</i> , 2019 , 10, 1056	17.4	69
4 ⁰⁵	Psychological interventions for young people at risk for bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2019 , 252, 84-91	6.6	13
4 ⁰⁴	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
4 ⁰³	Management Commentary 2019 , 246-249		
4 ⁰²	A reply to comments by Lee and colleagues on: Repeated intranasal ketamine for treatment resistant depression - the way to go? Results from a pilot randomised controlled trial. <i>Journal of Psychopharmacology</i> , 2019 , 33, 260-261	4.6	
4 ⁰¹	Salivary melatonin onset in youth at familial risk for bipolar disorder. <i>Psychiatry Research</i> , 2019 , 274, 49-57	9.9	6
4 ⁰⁰	White matter hyperintensities in young individuals with bipolar disorder or at high genetic risk. <i>Journal of Affective Disorders</i> , 2019 , 245, 228-236	6.6	8
399	A cluster randomized controlled trial of an online psychoeducational intervention for people with a family history of depression. <i>BMC Psychiatry</i> , 2019 , 19, 29	4.2	3

398	Connectomics of bipolar disorder: a critical review, and evidence for dynamic instabilities within interoceptive networks. <i>Molecular Psychiatry</i> , 2019 , 24, 1296-1318	15.1	47
397	Help-seeking experiences of bereaved adolescents: A qualitative study. <i>Death Studies</i> , 2019 , 43, 1-8	3.9	20
396	Aberrant intrinsic functional connectivity in thalamo-cortical networks in major depressive disorder. <i>CNS Neuroscience and Therapeutics</i> , 2018 , 24, 1063-1072	6.8	16
395	"Don't bother about me." The grief and mental health of bereaved adolescents. <i>Death Studies</i> , 2018 , 42, 607-615	3.9	20
394	Fronto-limbic dysconnectivity leads to impaired brain network controllability in young people with bipolar disorder and those at high genetic risk. <i>NeuroImage: Clinical</i> , 2018 , 19, 71-81	5.3	45
393	An examination of multiple classes of rare variants in extended families with bipolar disorder. <i>Translational Psychiatry</i> , 2018 , 8, 65	8.6	22
392	Repeated intranasal ketamine for treatment-resistant depression - the way to go? Results from a pilot randomised controlled trial. <i>Journal of Psychopharmacology</i> , 2018 , 32, 397-407	4.6	42
391	Structural dysconnectivity of key cognitive and emotional hubs in young people at high genetic risk for bipolar disorder. <i>Molecular Psychiatry</i> , 2018 , 23, 413-421	15.1	36
390	The protocadherin 17 gene affects cognition, personality, amygdala structure and function, synapse development and risk of major mood disorders. <i>Molecular Psychiatry</i> , 2018 , 23, 400-412	15.1	43
389	Monitoring for antidepressant-associated adverse events in the treatment of patients with major depressive disorder: An international consensus statement. <i>World Journal of Biological Psychiatry</i> , 2018 , 19, 330-348	3.8	20
388	Prevalence of psychopathology in bipolar high-risk offspring and siblings: a meta-analysis. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 823-837	5.5	31
387	Family environment and psychopathology in offspring of parents with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 226, 12-20	6.6	14
386	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018 , 9, 207	5	15
385	Analysis of shared heritability in common disorders of the brain. <i>Science</i> , 2018 , 360,	33.3	666
384	The adolescent grief inventory: Development of a novel grief measurement. <i>Journal of Affective Disorders</i> , 2018 , 240, 203-211	6.6	11
383	Neuropsychological and social cognitive function in young people at genetic risk of bipolar disorder 2018 , 157-193		
382	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder: A Genome-Wide Association Study. <i>JAMA Psychiatry</i> , 2018 , 75, 65-74	14.5	75
381	Harmful or Helpful? A Systematic Review of How Those Bereaved Through Suicide Experience Research Participation. <i>Crisis</i> , 2018 , 39, 364-376	2.8	14

380	Clinical predictors of conversion to bipolar disorder in a prospective longitudinal familial high-risk sample: focus on depressive features. <i>Psychological Medicine</i> , 2018 , 48, 1713-1721	6.9	11
379	Gene set enrichment analysis and expression pattern exploration implicate an involvement of neurodevelopmental processes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 228, 20-25	6.6	9
378	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
377	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
376	Comprehensive cross-disorder analyses of CNTNAP2 suggest it is unlikely to be a primary risk gene for psychiatric disorders. <i>PLoS Genetics</i> , 2018 , 14, e1007535	6	18
375	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
374	Comments on Cooper et al.'s review on strategies to mitigate dissociative and psychotomimetic effects from ketamine when used as a fast-acting antidepressant. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 489	3.8	2
373	Prevalence of exposure to suicide: A meta-analysis of population-based studies. <i>Journal of Psychiatric Research</i> , 2017 , 88, 113-120	5.2	89
372	Can work make you mentally ill? A systematic meta-review of work-related risk factors for common mental health problems. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 301-310	2.1	272
371	A Psycho-Educational Intervention for People with a Family History of Depression: Pilot Results. <i>Journal of Genetic Counseling</i> , 2017 , 26, 312-321	2.5	4
370	Pilot Randomized Controlled Trial of Titrated Subcutaneous Ketamine in Older Patients with Treatment-Resistant Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017 , 25, 1199-1209	6.5	54
369	A systematic review of the usefulness of pre-employment and pre-duty screening in predicting mental health outcomes amongst emergency workers. <i>Psychiatry Research</i> , 2017 , 253, 129-137	9.9	20
368	Prevalence of current anxiety disorders in people with bipolar disorder during euthymia: a meta-analysis. <i>Psychological Medicine</i> , 2017 , 47, 1107-1115	6.9	25
367	Traumatic Stress Interacts With Bipolar Disorder Genetic Risk to Increase Risk for Suicide Attempts. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017 , 56, 1073-1080	7.2	20
366	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. <i>PLoS ONE</i> , 2017 , 12, e0169575	3.7	68
365	Is the prevalence of mental illness increasing in Australia? Evidence from national health surveys and administrative data, 2001-2014. <i>Medical Journal of Australia</i> , 2017 , 206, 490-493	4	43
364	Identification of shared risk loci and pathways for bipolar disorder and schizophrenia. <i>PLoS ONE</i> , 2017 , 12, e0171595	3.7	53
363	Does perfectionism in bipolar disorder pedigrees mediate associations between anxiety/stress and mood symptoms?. <i>International Journal of Bipolar Disorders</i> , 2017 , 5, 34	5.4	5

362	Altered intrinsic functional brain architecture in female patients with bulimia nervosa. <i>Journal of Psychiatry and Neuroscience</i> , 2017 , 42, 414-423	4.5	11
361	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	4.0	3432
360	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	4.0	224
359	Substance use disorders in adolescent and young adult relatives of probands with bipolar disorder: What drives the increased risk?. <i>Comprehensive Psychiatry</i> , 2017 , 78, 130-139	7.3	2
358	Common variants at 2q11.2, 8q21.3, and 11q13.2 are associated with major mood disorders. <i>Translational Psychiatry</i> , 2017 , 7, 1273	8.6	7
357	Disruptive mood dysregulation disorder, severe mood dysregulation and chronic irritability in youth at high familial risk of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 1220-1226	4.6	4
356	Development of a potential screening measure for adolescent depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 624-633	2.6	1
355	Functional Dysconnection of the Inferior Frontal Gyrus in Young People With Bipolar Disorder or at Genetic High Risk. <i>Biological Psychiatry</i> , 2017 , 81, 718-727	7.9	92
354	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017 , 54, 5166-5176	6.2	4
353	Consistency-based thresholding of the human connectome. <i>NeuroImage</i> , 2017 , 145, 118-129	7.9	92
352	Clinical characteristics of women with reproductive cycle-associated bipolar disorder symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 161-167	2.6	26
351	Suicidality: prevention, detection and intervention. <i>Australian Prescriber</i> , 2017 , 40, 162-166	1.4	3
350	The contribution of geometry to the human connectome. <i>NeuroImage</i> , 2016 , 124, 379-393	7.9	128
349	Is age of onset associated with severity, prognosis, and clinical features in bipolar disorder? A meta-analytic review. <i>Bipolar Disorders</i> , 2016 , 18, 389-403	3.8	49
348	Bipolar disorder: defining symptoms and comorbidities. <i>Lancet, The</i> , 2016 , 388, 868-9	4.0	
347	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016 , 25, 3383-3394	5.6	125
346	The mental health benefits of employment: Results of a systematic meta-review. <i>Australasian Psychiatry</i> , 2016 , 24, 331-6	1.7	132
345	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016 , 387, 1085-1093	4.0	216

344	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016 , 53, 6608-6619	6.2	13
343	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016 , 208, 128-37	5.4	10
342	Pre- and postloss features of adolescent suicide bereavement: A systematic review. <i>Death Studies</i> , 2016 , 40, 229-46	3.9	30
341	Effects of Low-Dose and Very Low-Dose Ketamine among Patients with Major Depression: a Systematic Review and Meta-Analysis. <i>International Journal of Neuropsychopharmacology</i> , 2016 , 19,	5.8	123
340	The History of Bipolar Disorder. <i>Milestones in Drug Therapy</i> , 2016 , 3-16		
339	Antidepressant Drugs. <i>Side Effects of Drugs Annual</i> , 2016 , 38, 11-19	0.2	
338	Study protocol for a systematic review of evidence for lifestyle interventions targeting smoking, sleep, alcohol/other drug use, physical activity, and healthy diet in people with bipolar disorder. <i>Systematic Reviews</i> , 2016 , 5, 106	3	7
337	Are there subtypes of bipolar depression?. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 260-7	6.5	5
336	Placebo-controlled pilot trial testing dose titration and intravenous, intramuscular and subcutaneous routes for ketamine in depression. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 48-56	6.5	106
335	Abnormalities in left inferior frontal gyral thickness and parahippocampal gyral volume in young people at high genetic risk for bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 2083-96	6.9	15
334	Interhemispheric white matter integrity in young people with bipolar disorder and at high genetic risk. <i>Psychological Medicine</i> , 2016 , 46, 2385-96	6.9	10
333	Neuropsychological and social cognitive function in young people at genetic risk of bipolar disorder. <i>Psychological Medicine</i> , 2016 , 46, 745-58	6.9	26
332	Workplace interventions for common mental disorders: a systematic meta-review. <i>Psychological Medicine</i> , 2016 , 46, 683-97	6.9	230
331	Shared intermediate phenotypes for schizophrenia and bipolar disorder: neuroanatomical features of subtypes distinguished by executive dysfunction. <i>Journal of Psychiatry and Neuroscience</i> , 2015 , 40, 58-68	4.5	23
330	Bipolar disorder and anxiety: a comorbidity needing better treatments. <i>Lancet Psychiatry</i> , 2015 , 2, 671-672	23.3	7
329	What clinical features precede the onset of bipolar disorder?. <i>Journal of Psychiatric Research</i> , 2015 , 62, 71-7	5.2	32
328	The organisation of the elderly connectome. <i>NeuroImage</i> , 2015 , 114, 414-26	7.9	47
327	Why repetitive transcranial magnetic stimulation should be available for treatment resistant depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 182-3	2.6	

326	Developing a roadmap for the translation of e-mental health services for depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 776-84	2.6	45
325	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
324	Network dysfunction of emotional and cognitive processes in those at genetic risk of bipolar disorder. <i>Brain</i> , 2015 , 138, 3427-39	11.2	34
323	Genome-wide analysis implicates microRNAs and their target genes in the development of bipolar disorder. <i>Translational Psychiatry</i> , 2015 , 5, e678	8.6	52
322	Clinical characteristics and temperament influences on 'happy' euphoric and 'snappy' irritable bipolar hypo/manic mood states. <i>Journal of Affective Disorders</i> , 2015 , 174, 144-9	6.6	5
321	The effects of antidepressant treatment on resting-state functional brain networks in patients with major depressive disorder. <i>Human Brain Mapping</i> , 2015 , 36, 768-78	5.9	116
320	A comparison of schizophrenia, schizoaffective disorder, and bipolar disorder: Results from the Second Australian national psychosis survey. <i>Journal of Affective Disorders</i> , 2015 , 172, 30-7	6.6	34
319	Confirmatory test of two factors and four subtypes of bipolar disorder based on lifetime psychiatric co-morbidity. <i>Psychological Medicine</i> , 2015 , 45, 2181-96	6.9	7
318	Assessment of first and second degree relatives of individuals with bipolar disorder shows increased genetic risk scores in both affected relatives and young At-Risk Individuals. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2015 , 168, 617-29	3.5	34
317	Transcranial direct current stimulation to enhance cognition in euthymic bipolar disorder. <i>Bipolar Disorders</i> , 2015 , 17, 849-58	3.8	18
316	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 743-800	40	3802
315	A web-based preventive intervention program for bipolar disorder: outcome of a 12-months randomized controlled trial. <i>Journal of Affective Disorders</i> , 2015 , 174, 485-92	6.6	25
314	Comparing the phenomenology of depressive episodes in bipolar I and II disorder and major depressive disorder within bipolar disorder pedigrees. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, 32-8; quiz 39	4.6	28
313	Genome-wide association study reveals two new risk loci for bipolar disorder. <i>Nature Communications</i> , 2014 , 5, 3339	17.4	248
312	Antidepressant drugs. <i>Side Effects of Drugs Annual</i> , 2014 , 27-39	0.2	
311	BDNF val66met genotype and schizotypal personality traits interact to influence probabilistic association learning. <i>Behavioural Brain Research</i> , 2014 , 274, 137-42	3.4	6
310	The duration of undiagnosed bipolar disorder: effect on outcomes and treatment response. <i>Journal of Affective Disorders</i> , 2014 , 168, 422-9	6.6	25
309	Pilot dose-response trial of i.v. ketamine in treatment-resistant depression. <i>World Journal of Biological Psychiatry</i> , 2014 , 15, 579-84	3.8	53

308	Screening for bipolar disorder: does gender distort scores and case-finding estimates?. <i>Journal of Affective Disorders</i> , 2014 , 162, 55-60	6.6	2
307	A meta-analysis of the risk of major affective disorder in relatives of individuals affected by major depressive disorder or bipolar disorder. <i>Journal of Affective Disorders</i> , 2014 , 158, 37-47	6.6	36
306	Long-lasting effects of a single subcutaneous dose of ketamine for treating melancholic depression: a case report. <i>Biological Psychiatry</i> , 2014 , 76, e1-2	7.9	25
305	Depression and the older medical patient--when and how to intervene. <i>Maturitas</i> , 2014 , 79, 153-9	5	22
304	Increase in PAS-induced neuroplasticity after a treatment course of transcranial direct current stimulation for depression. <i>Journal of Affective Disorders</i> , 2014 , 167, 140-7	6.6	48
303	Antidepressant Drugs. <i>Side Effects of Drugs Annual</i> , 2014 , 36, 11-25	0.2	
302	Rejection sensitivity and pain in bipolar versus unipolar depression. <i>Bipolar Disorders</i> , 2014 , 16, 190-8	3.8	19
301	Cognitive styles and clinical correlates of childhood abuse in bipolar disorder. <i>Bipolar Disorders</i> , 2014 , 16, 600-7	3.8	11
300	Attitudes of medical genetics practitioners and psychiatrists toward communicating with patients about genetic risk for psychiatric disorders. <i>Psychiatric Genetics</i> , 2014 , 24, 94-101	2.9	9
299	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014 , 19, 108-14	15.1	67
298	Mindfulness-Based Approaches in the Treatment of Bipolar Disorder: Potential Mechanisms and Effects. <i>Mindfulness</i> , 2014 , 5, 186-191	2.9	9
297	Preferences regarding targeted education and risk assessment in people with a family history of major depressive disorder. <i>Journal of Genetic Counseling</i> , 2014 , 23, 785-95	2.5	6
296	Characterisation of genetic variation in ST8SIA2 and its interaction region in NCAM1 in patients with bipolar disorder. <i>PLoS ONE</i> , 2014 , 9, e92556	3.7	22
295	Exploring culture-specific differences in beliefs about causes, kinship and the heritability of major depressive disorder: the views of Anglo-Celtic and Chinese-Australians. <i>Journal of Genetic Counseling</i> , 2013 , 22, 613-24	2.5	3
294	Transcranial direct current stimulation (tDCS) for depression: analysis of response using a three-factor structure of the Montgomery-Åsberg depression rating scale. <i>Journal of Affective Disorders</i> , 2013 , 150, 91-5	6.6	31
293	Neuroplasticity in depressed individuals compared with healthy controls. <i>Neuropsychopharmacology</i> , 2013 , 38, 2101-8	8.7	113
292	A randomized controlled trial of mindfulness-based cognitive therapy for bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 333-43	6.5	82
291	The International Society for Bipolar Disorders (ISBD) task force report on antidepressant use in bipolar disorders. <i>American Journal of Psychiatry</i> , 2013 , 170, 1249-62	11.9	451

290	A factor analytic study in bipolar depression, and response to lamotrigine. <i>CNS Spectrums</i> , 2013 , 18, 214-28		14
289	Mutations in SLC20A2 are a major cause of familial idiopathic basal ganglia calcification. <i>Neurogenetics</i> , 2013 , 14, 11-22	3	111
288	Clinical and demographic features associated with the detection of early warning signs in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 145, 336-40	6.6	7
287	Reduced inferior frontal gyrus activation during response inhibition to emotional stimuli in youth at high risk of bipolar disorder. <i>Biological Psychiatry</i> , 2013 , 74, 55-61	7.9	71
286	Anxiety, stress and perfectionism in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013 , 151, 1016-24	6.6	17
285	The association between meditation practice and treatment outcome in Mindfulness-based Cognitive Therapy for bipolar disorder. <i>Behaviour Research and Therapy</i> , 2013 , 51, 338-43	5.2	73
284	Cognitive regulation of negative affect in schizophrenia and bipolar disorder. <i>Psychiatry Research</i> , 2013 , 208, 21-8	9.9	51
283	Pharmacological treatment approaches to difficult-to-treat depression. <i>Medical Journal of Australia</i> , 2013 , 199, S44-7	4	1
282	Continuation transcranial direct current stimulation for the prevention of relapse in major depression. <i>Journal of Affective Disorders</i> , 2013 , 144, 274-8	6.6	62
281	Ketamine as a new treatment for depression: a review of its efficacy and adverse effects. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 710-27	2.6	80
280	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of unipolar depressive disorders, part 1: update 2013 on the acute and continuation treatment of unipolar depressive disorders. <i>World Journal of Biological Psychiatry</i> , 2013 , 14, 334-85	3.8	346
279	Bipolar disorder in a national survey using the World Mental Health Version of the Composite International Diagnostic Interview: the impact of differing diagnostic algorithms. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 381-93	6.5	33
278	Implications of the use of genetic tests in psychiatry, with a focus on major depressive disorder: a review. <i>Depression and Anxiety</i> , 2013 , 30, 267-75	8.4	14
277	Augmenting transcranial direct current stimulation with (D)-cycloserine for depression: a pilot study. <i>Journal of ECT</i> , 2013 , 29, 196-200	2	4
276	Cluster randomized controlled trial of a psycho-educational intervention for people with a family history of depression for use in general practice. <i>BMC Psychiatry</i> , 2013 , 13, 325	4.2	5
275	Clinical management of bipolar disorder 2013 , 2-5		
274	Studying young people at high genetic risk of bipolar disorder: preparing the ground for future prevention and early intervention. <i>Neuropsychiatry</i> , 2013 , 3, 357-361	1.8	2
273	Re:bipolar disorders: a shift to overdiagnosis or to accurate diagnosis? And underdiagnosis: which way to measure?. <i>Canadian Journal of Psychiatry</i> , 2013 , 58, 372	4.8	1

272 Diagnosis and classification **2013**, 18-28

271	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013 , 8, e65636	3.7	113
270	Bipolar disorder. <i>Australian Family Physician</i> , 2013 , 42, 616-9		4
269	Oxytocin as a moderator of hypnotizability. <i>Psychoneuroendocrinology</i> , 2012 , 37, 162-6	5	37
268	Practitioner characteristics and the treatment of children and adolescents with attention deficit hyperactivity disorder. <i>Journal of Paediatrics and Child Health</i> , 2012 , 48, 483-9	1.3	7
267	Bipolar disorder: the shift to overdiagnosis. <i>Canadian Journal of Psychiatry</i> , 2012 , 57, 659-65	4.8	34
266	Meta-analysis and brain imaging data support the involvement of VFK2 (rs2312147) in schizophrenia susceptibility. <i>Schizophrenia Research</i> , 2012 , 142, 200-5	3.6	43
265	Disability-adjusted life years (DALYs) for 291 diseases and injuries in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2197-223	4 ⁰	5768
264	Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. <i>Lancet, The</i> , 2012 , 380, 2163-96	4 ⁰	4971
263	Association between serotonin transporter promoter polymorphisms and psychological distress in a diabetic population. <i>Psychiatry Research</i> , 2012 , 200, 343-8	9.9	8
262	Transcranial direct current stimulation for depression: 3-week, randomised, sham-controlled trial. <i>British Journal of Psychiatry</i> , 2012 , 200, 52-9	5.4	324
261	Therapeutic effects of cerebrolysin added to risperidone in patients with schizophrenia dominated by negative symptoms. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 153-60	2.6	9
260	Lack of cortico-limbic coupling in bipolar disorder and schizophrenia during emotion regulation. <i>Translational Psychiatry</i> , 2012 , 2, e90	8.6	87
259	Treatment of major depressive disorder by transcranial random noise stimulation: case report of a novel treatment. <i>Biological Psychiatry</i> , 2012 , 72, e9-e10	7.9	20
258	Antidepressant drugs. <i>Side Effects of Drugs Annual</i> , 2012 , 17-24	0.2	1
257	Identification of sialyltransferase 8B as a generalized susceptibility gene for psychotic and mood disorders on chromosome 15q25-26. <i>PLoS ONE</i> , 2012 , 7, e38172	3.7	55
256	Adaptive Associations between Social Cognition and Emotion Regulation are Absent in Schizophrenia and Bipolar Disorder. <i>Frontiers in Psychology</i> , 2012 , 3, 607	3.4	53
255	Funding for mental health research: the gap remains. <i>Medical Journal of Australia</i> , 2011 , 195, 681-4	4	14

254	Portrayal of psychiatric genetics in Australian print news media, 1996-2009. <i>Medical Journal of Australia</i> , 2011 , 195, 401-4	4	4
253	Ask the Experts: How are we currently dealing with bipolar disorder and what changes are occurring?. <i>Neuropsychiatry</i> , 2011 , 1, 533-536	1.8	
252	Pain and rejection sensitivity in bipolar depression. <i>Bipolar Disorders</i> , 2011 , 13, 59-66	3.8	10
251	Cognitive regulation of emotion in bipolar I disorder and unaffected biological relatives. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 124, 307-16	6.5	52
250	Psychiatric and genetic studies of binocular rivalry: an endophenotype for bipolar disorder?. <i>Acta Neuropsychiatrica</i> , 2011 , 23, 37-42	3.9	21
249	Physical treatments for bipolar disorder: a review of electroconvulsive therapy, stereotactic surgery and other brain stimulation techniques. <i>Journal of Affective Disorders</i> , 2011 , 132, 1-13	6.6	66
248	Fronto-extracerebral transcranial direct current stimulation as a treatment for major depression: an open-label pilot study. <i>Journal of Affective Disorders</i> , 2011 , 134, 459-63	6.6	76
247	Mindfulness, response styles and dysfunctional attitudes in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011 , 134, 126-32	6.6	13
246	Community attitudes to genetic susceptibility-based mental health interventions for healthy people in a large national sample. <i>Journal of Affective Disorders</i> , 2011 , 134, 280-7	6.6	9
245	Genome-wide association study identifies genetic variation in neurocan as a susceptibility factor for bipolar disorder. <i>American Journal of Human Genetics</i> , 2011 , 88, 372-81	11	221
244	Course and outcome of bipolar disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2011 , 5, 1-18	3.4	1
243	A consensus statement for safety monitoring guidelines of treatments for major depressive disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 712-25	2.6	29
242	Avoiding skin burns with transcranial direct current stimulation: preliminary considerations. <i>International Journal of Neuropsychopharmacology</i> , 2011 , 14, 425-6	5.8	61
241	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. <i>Nature Genetics</i> , 2011 , 43, 977-83	36.3	1094
240	Hypomania induction in a patient with bipolar II disorder by transcranial direct current stimulation (tDCS). <i>Journal of ECT</i> , 2011 , 27, 256-8	2	44
239	Looking at the causes of, and possible treatments for, psychiatric diseases: gene-environment interactions, circadian rhythms and neuronal dysfunction. <i>Therapeutic Advances in Chronic Disease</i> , 2011 , 2, 5-8	4.9	
238	Affective and anxiety disorders and their relationship with chronic physical conditions in Australia: findings of the 2007 National Survey of Mental Health and Wellbeing. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 939-46	2.6	38
237	Community interest in predictive genetic testing for susceptibility to major depressive disorder in a large national sample. <i>Psychological Medicine</i> , 2011 , 41, 1605-13	6.9	34

236	Comparison of depressive episodes in bipolar disorder and in major depressive disorder within bipolar disorder pedigrees. <i>British Journal of Psychiatry</i> , 2011 , 199, 303-9	5.4	57
235	Antidepressant drugs. <i>Side Effects of Drugs Annual</i> , 2011 , 33, 25-38	0.2	
234	Public interest in predictive genetic testing, including direct-to-consumer testing, for susceptibility to major depression: preliminary findings. <i>European Journal of Human Genetics</i> , 2010 , 18, 47-51	5.3	62
233	Assessing oxidative pathway genes as risk factors for bipolar disorder. <i>Bipolar Disorders</i> , 2010 , 12, 550-63.8	3.8	28
232	Diagnosis and monitoring of bipolar disorder in general practice. <i>Medical Journal of Australia</i> , 2010 , 193, S10-3	4	9
231	Reducing impulsivity in repeat violent offenders: an open label trial of a selective serotonin reuptake inhibitor. <i>Australian and New Zealand Journal of Psychiatry</i> , 2010 , 44, 1137-43	2.6	41
230	Induction of hypomanic episode with transcranial direct current stimulation. <i>Journal of ECT</i> , 2010 , 26, 68-9	2	39
229	A sham-controlled trial of left and right temporal rTMS for the treatment of auditory hallucinations. <i>Psychological Medicine</i> , 2010 , 40, 541-6	6.9	52
228	Predictive and diagnostic genetic testing in psychiatry. <i>Psychiatric Clinics of North America</i> , 2010 , 33, 225-34.3	3.3	24
227	Predictive and diagnostic genetic testing in psychiatry. <i>Clinics in Laboratory Medicine</i> , 2010 , 30, 829-46	2.1	13
226	Two-dimensional genome scan identifies multiple genetic interactions in bipolar affective disorder. <i>Biological Psychiatry</i> , 2010 , 67, 478-86	7.9	19
225	Review of the Quality of Information on Bipolar Disorder on the Internet. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 934-945	2.6	28
224	Issues concerning feedback about genetic testing and risk of depression. <i>British Journal of Psychiatry</i> , 2009 , 194, 404-10	5.4	26
223	Characteristics of bipolar disorder in an Australian specialist outpatient clinic: comparison across large datasets. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 109-17	2.6	41
222	Does oxytocin influence the early detection of angry and happy faces?. <i>Psychoneuroendocrinology</i> , 2009 , 34, 220-225	5	93
221	A randomized controlled trial of intranasal oxytocin as an adjunct to exposure therapy for social anxiety disorder. <i>Psychoneuroendocrinology</i> , 2009 , 34, 917-23	5	298
220	Chronic neuropathic pain alleviation after transcranial direct current stimulation to the dorsolateral prefrontal cortex. <i>Brain Stimulation</i> , 2009 , 2, 149-51	5.1	12
219	A genome screen of 35 bipolar affective disorder pedigrees provides significant evidence for a susceptibility locus on chromosome 15q25-26. <i>Molecular Psychiatry</i> , 2009 , 14, 492-500	15.1	20

218	Pain during depression and relationship to rejection sensitivity. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 375-82	6.5	27
217	The International Society for Bipolar Disorders (ISBD) Task Force report on the nomenclature of course and outcome in bipolar disorders. <i>Bipolar Disorders</i> , 2009 , 11, 453-73	3.8	316
216	Transcranial direct current stimulation priming of therapeutic repetitive transcranial magnetic stimulation: a pilot study. <i>Journal of ECT</i> , 2009 , 25, 256-60	2	18
215	Recent progress in the pharmacotherapy of bipolar disorder. <i>Future Neurology</i> , 2009 , 4, 493-508	1.5	
214	Association between the serotonin 2A receptor gene and bipolar affective disorder in an Australian cohort. <i>Psychiatric Genetics</i> , 2009 , 19, 244-52	2.9	16
213	Winds of change: growing demands for transparency in the relationship between doctors and the pharmaceutical industry. <i>Medical Journal of Australia</i> , 2009 , 191, 273-5	4	17
212	Community attitudes towards mental health interventions for healthy people on the basis of genetic susceptibility. <i>Australian and New Zealand Journal of Psychiatry</i> , 2009 , 43, 1070-6	2.6	5
211	Diagnostic guidelines for bipolar disorder: a summary of the International Society for Bipolar Disorders Diagnostic Guidelines Task Force Report. <i>Bipolar Disorders</i> , 2008 , 10, 117-28	3.8	66
210	Diagnostic guidelines for bipolar depression: a probabilistic approach. <i>Bipolar Disorders</i> , 2008 , 10, 144-52	3.8	231
209	Uncovering the potential risk of serotonin toxicity in Australian veterans using pharmaceutical claims data. <i>British Journal of Clinical Pharmacology</i> , 2008 , 66, 682-8	3.8	17
208	The empirical redefinition of the psychometric criteria for remission in bipolar disorder. <i>Journal of Affective Disorders</i> , 2008 , 106, 153-8	6.6	67
207	Effects of risperidone on glucose metabolism in Chinese patients with schizophrenia: a prospective study. <i>Journal of Psychiatric Research</i> , 2008 , 43, 124-8	5.2	6
206	Oxytocin increases gaze to the eye region of human faces. <i>Biological Psychiatry</i> , 2008 , 63, 3-5	7.9	672
205	A randomized controlled trial of D-cycloserine enhancement of exposure therapy for social anxiety disorder. <i>Biological Psychiatry</i> , 2008 , 63, 544-9	7.9	283
204	Oxytocin enhances the encoding of positive social memories in humans. <i>Biological Psychiatry</i> , 2008 , 64, 256-8	7.9	278
203	ECNP consensus meeting. Bipolar depression. Nice, March 2007. <i>European Neuropsychopharmacology</i> , 2008 , 18, 535-49	1.2	105
202	A review of the safety of repetitive transcranial magnetic stimulation as a clinical treatment for depression. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 131-47	5.8	135
201	Clozapine in China. <i>Pharmacopsychiatry</i> , 2008 , 41, 1-9	2	58

200	Attitudes to genetic testing in families with multiple cases of bipolar disorder. <i>Genetic Testing and Molecular Biomarkers</i> , 2008 , 12, 233-43		40
199	A study using transcranial magnetic stimulation to investigate motor mechanisms in psychomotor retardation in depression. <i>International Journal of Neuropsychopharmacology</i> , 2008 , 11, 935-46	5.8	9
198	Genome screen of 15 Australian bipolar affective disorder pedigrees supports previously identified loci for bipolar susceptibility genes. <i>Psychiatric Genetics</i> , 2008 , 18, 156-61	2.9	4
197	Microarray gene expression profiling of mouse brain mRNA in a model of lithium treatment. <i>Psychiatric Genetics</i> , 2008 , 18, 64-72	2.9	40
196	Escitalopram in major depressive disorder: a multicenter, randomized, double-blind, fixed-dose, parallel trial in a Chinese population. <i>Depression and Anxiety</i> , 2008 , 25, 46-54	8.4	23
195	Gender differences in 542 Chinese inpatients with schizophrenia. <i>Schizophrenia Research</i> , 2007 , 97, 88-96	6.6	67
194	Social inhibition and treatment-resistant depression. <i>Personality and Mental Health</i> , 2007 , 1, 62-73	3.1	3
193	Neuropsychological deficits and functional impairment in bipolar depression, hypomania and euthymia. <i>Bipolar Disorders</i> , 2007 , 9, 114-25	3.8	257
192	The Bipolar Depression Rating Scale (BDRS): its development, validation and utility. <i>Bipolar Disorders</i> , 2007 , 9, 571-9	3.8	111
191	Gender, age, smoking behaviour and plasma clozapine concentrations in 193 Chinese inpatients with schizophrenia. <i>British Journal of Clinical Pharmacology</i> , 2007 , 64, 49-56	3.8	55
190	Serotonin transporter gene status predicts caudate nucleus but not amygdala or hippocampal volumes in older persons with major depression. <i>Journal of Affective Disorders</i> , 2007 , 98, 137-42	6.6	106
189	Psychomotor slowing in older patients with major depression: Relationships with blood flow in the caudate nucleus and white matter lesions. <i>Psychiatry Research - Neuroimaging</i> , 2007 , 155, 211-20	2.9	38
188	A randomized controlled trial of the effect of D-cycloserine on exposure therapy for spider fear. <i>Journal of Psychiatric Research</i> , 2007 , 41, 466-71	5.2	130
187	The long and the short of it: associations between 5-HTT genotypes and coping with stress. <i>Psychosomatic Medicine</i> , 2007 , 69, 614-20	3.7	31
186	Repetitive transcranial magnetic stimulation for the treatment of obsessive compulsive disorder: a double-blind controlled investigation. <i>Psychological Medicine</i> , 2007 , 37, 1645-9	6.9	100
185	A sham-controlled trial of the efficacy and safety of twice-daily rTMS in major depression. <i>Psychological Medicine</i> , 2007 , 37, 341-9	6.9	83
184	Attitudes towards childbearing, causal attributions for bipolar disorder and psychological distress: a study of families with multiple cases of bipolar disorder. <i>Psychological Medicine</i> , 2007 , 37, 1601-11	6.9	55
183	A randomized controlled trial of the effect of D-cycloserine on extinction and fear conditioning in humans. <i>Behaviour Research and Therapy</i> , 2007 , 45, 663-72	5.2	93

182	Depression and anxiety with rimonabant. <i>Lancet, The</i> , 2007 , 370, 1671-2	40	69
181	Evaluation of an Online Relapse Prevention Program for Bipolar Disorder. <i>Disease Management and Health Outcomes</i> , 2007 , 15, 215-224		27
180	Transcranial magnetic stimulation for depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 406-13	2.6	48
179	Life events, first depression onset and the serotonin transporter gene. <i>British Journal of Psychiatry</i> , 2006 , 188, 210-5	5.4	237
178	Emerging drugs for bipolar disorder. <i>Expert Opinion on Emerging Drugs</i> , 2006 , 11, 621-34	3.7	5
177	The management of bipolar disorder in general practice. <i>Medical Journal of Australia</i> , 2006 , 184, 566-70	4	11
176	Evidence into practice: the mental health hurdle is high. <i>Medical Journal of Australia</i> , 2006 , 185, 295	4	
175	Altered gene expression in mice treated with the mood stabilizer sodium valproate. <i>International Journal of Neuropsychopharmacology</i> , 2006 , 9, 267-76	5.8	19
174	Positional cloning, association analysis and expression studies provide convergent evidence that the cadherin gene FAT contains a bipolar disorder susceptibility allele. <i>Molecular Psychiatry</i> , 2006 , 11, 372-83	15.1	55
173	"Getting physical": the management of neuropsychiatric disorders using novel physical treatments. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 165-79	3.1	12
172	A randomized controlled trial of cognitive therapy for bipolar disorder: focus on long-term change. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 277-86	4.6	128
171	Bipolar disorder 40 years ago: a critical period of transition. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 279-80	2.6	
170	Extended-release carbamazepine capsules: a viewpoint. <i>CNS Drugs</i> , 2005 , 19, 717-8	6.7	2
169	A Brief Measure of Worry Severity (BMWS): personality and clinical correlates of severe worriers. <i>Journal of Anxiety Disorders</i> , 2005 , 19, 877-92	10.9	61
168	When euthymia is just not good enough: the neuropsychology of bipolar disorder. <i>Journal of Nervous and Mental Disease</i> , 2005 , 193, 323-30	1.8	59
167	Reduced hippocampal volumes and memory loss in patients with early- and late-onset depression. <i>British Journal of Psychiatry</i> , 2005 , 186, 197-202	5.4	337
166	Identification, characterization, and association analysis of novel genes from the bipolar disorder susceptibility locus on chromosome 4q35. <i>Psychiatric Genetics</i> , 2005 , 15, 199-204	2.9	2
165	The epidemiology of bipolar disorder: sociodemographic, disability and service utilization data from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Bipolar Disorders</i> , 2005 , 7, 326-37	3.8	91

164	Executive functioning and theory of mind in euthymic bipolar disorder. <i>Bipolar Disorders</i> , 2005 , 7 Suppl 5, 43-52	3.8	110
163	Transcranial magnetic stimulation for the deficit syndrome of schizophrenia: a pilot investigation. <i>Psychiatry and Clinical Neurosciences</i> , 2005 , 59, 354-7	6.2	50
162	Progressing a spectrum model for defining non-melancholic depression. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 139-43	6.5	9
161	Treatment-resistant depression: resistant to definition?. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 112, 302-96.5	6.5	67
160	Vascular risk and low serum B12 predict white matter lesions in patients with major depression. <i>Journal of Affective Disorders</i> , 2005 , 85, 327-32	6.6	34
159	Great expectations: factors influencing patient expectations and doctors recommendations at a Mood Disorders Unit. <i>Journal of Affective Disorders</i> , 2005 , 88, 187-92	6.6	9
158	A review of the efficacy of transcranial magnetic stimulation (TMS) treatment for depression, and current and future strategies to optimize efficacy. <i>Journal of Affective Disorders</i> , 2005 , 88, 255-67	6.6	219
157	Implications of genetic risk information in families with a high density of bipolar disorder: an exploratory study. <i>Social Science and Medicine</i> , 2005 , 60, 109-18	5.1	78
156	Relationship between self-reported childhood behavioral inhibition and lifetime anxiety disorders in a clinical sample. <i>Depression and Anxiety</i> , 2005 , 22, 103-13	8.4	98
155	Association analysis of transcripts from the bipolar susceptibility locus on chromosome 4q35, exclusion of a pathogenic role for eight positional candidate genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005 , 134B, 56-9	3.5	4
154	Techniques for the identification of genes involved in psychiatric disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 542-9	2.6	1
153	Treatment of bipolar depression: focus on pharmacologic therapies. <i>Expert Review of Neurotherapeutics</i> , 2005 , 5, 69-78	4.3	2
152	Major advances in bipolar disorder. <i>Medical Journal of Australia</i> , 2004 , 181, 207-10	4	17
151	Making new choices about antidepressants in Australia: the long view 1975-2002. <i>Medical Journal of Australia</i> , 2004 , 181, S21-4	4	40
150	Implications of childhood trauma for depressed women: an analysis of pathways from childhood sexual abuse to deliberate self-harm and revictimization. <i>American Journal of Psychiatry</i> , 2004 , 161, 1417-25	11.9	232
149	Therapeutic drug monitoring of non-tricyclic antidepressant drugs. <i>Clinical Chemistry and Laboratory Medicine</i> , 2004 , 42, 1212-8	5.9	26
148	Cognitive generation of affect in hypomania: an fMRI study. <i>Bipolar Disorders</i> , 2004 , 6, 271-85	3.8	99
147	Bipolar depression: phenomenological overview and clinical characteristics. <i>Bipolar Disorders</i> , 2004 , 6, 530-9	3.8	152

146	Cognitive generation of affect in bipolar depression: an fMRI study. <i>European Journal of Neuroscience</i> , 2004 , 19, 741-54	3.5	149
145	Clinical utility of the modified Stroop task as a treatment outcome measure: Questions raised. <i>Clinical Psychologist</i> , 2004 , 8, 76-80	1.6	9
144	Studying personality characteristics in bipolar depressed subjects: how comparator group selection can dictate results. <i>Acta Psychiatrica Scandinavica</i> , 2004 , 109, 376-82	6.5	5
143	A randomized controlled study of cognitive behavior therapy and behavioral family therapy for anorexia nervosa patients. <i>Eating Disorders</i> , 2004 , 12, 303-14	3.9	115
142	Therapeutic drug monitoring of antidepressant and antipsychotic drugs. <i>Handbook of Analytical Separations</i> , 2004 , 255-271	0.7	1
141	Twelve-month prevalence and disability of DSM-IV bipolar disorder in an Australian general population survey. <i>Psychological Medicine</i> , 2004 , 34, 777-85	6.9	109
140	Slow binocular rivalry in bipolar disorder. <i>Psychological Medicine</i> , 2003 , 33, 683-92	6.9	64
139	Double-blind controlled investigation of bilateral prefrontal transcranial magnetic stimulation for the treatment of resistant major depression. <i>Psychological Medicine</i> , 2003 , 33, 33-40	6.9	100
138	Parental Care and Personality in Melancholic and Nonmelancholic Depression. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 358-364	1.8	3
137	Parental care and personality in melancholic and nonmelancholic depression. <i>Journal of Nervous and Mental Disease</i> , 2003 , 191, 358-64	1.8	9
136	Severity of stressful life events in first and subsequent episodes of depression: the relevance of depressive subtype. <i>Journal of Affective Disorders</i> , 2003 , 73, 245-52	6.6	41
135	Distinguishing early and late onset non-melancholic unipolar depression. <i>Journal of Affective Disorders</i> , 2003 , 74, 131-8	6.6	51
134	Prevalence and correlates of DSM-IV major depression in an Australian national survey. <i>Journal of Affective Disorders</i> , 2003 , 75, 155-62	6.6	182
133	Heterogeneity of admission history among patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2003 , 75, 163-70	6.6	1
132	Genetic refinement and physical mapping of a 2.3 Mb probable disease region associated with a bipolar affective disorder susceptibility locus on chromosome 4q35. <i>American Journal of Medical Genetics Part A</i> , 2003 , 117B, 23-32		17
131	An Australian validation study of the temperament and character inventory. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 108, 359-66	6.5	29
130	Valid assessment of the clinical features of depression by relatives appears to slip under the RADAR. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 92-6	2.6	1
129	Schema-focused cognitive therapy for bipolar disorder: reducing vulnerability to relapse through attitudinal change. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 41-8	2.6	41

128	Use of antidepressants by general practitioners and psychiatrists in Australia. <i>Australian and New Zealand Journal of Psychiatry</i> , 2003 , 37, 184-9	2.6	31
127	Summary of Guideline for the Treatment of Bipolar Disorder. <i>Australasian Psychiatry</i> , 2003 , 11, 39-53	1.7	13
126	Neuropsychological performance in patients with depression is associated with clinical, etiological and genetic risk factors. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2003 , 25, 866-77	2.1	122
125	Genome scan meta-analysis of schizophrenia and bipolar disorder, part III: Bipolar disorder. <i>American Journal of Human Genetics</i> , 2003 , 73, 49-62	11	353
124	Bipolar depression: management options. <i>CNS Drugs</i> , 2003 , 17, 9-25	6.7	51
123	Pharmacotherapy to limit weight gain caused by antipsychotic use. <i>Expert Opinion on Pharmacotherapy</i> , 2003 , 4, 1679-86	4	1
122	Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression. <i>Archives of General Psychiatry</i> , 2003 , 60, 1079-88		668
121	Gender differences in response to differing antidepressant drug classes: two negative studies. <i>Psychological Medicine</i> , 2003 , 33, 1473-7	6.9	65
120	High (15 Hz) and low (1 Hz) frequency transcranial magnetic stimulation have different acute effects on regional cerebral blood flow in depressed patients. <i>Psychological Medicine</i> , 2003 , 33, 997-1006	6.9	76
119	Familial idiopathic basal ganglia calcification (Fahr's disease) without neurological, cognitive and psychiatric symptoms is not linked to the IBGC1 locus on chromosome 14q. <i>Human Genetics</i> , 2002 , 110, 8-14	6.3	57
118	A genome screen of 13 bipolar affective disorder pedigrees provides evidence for susceptibility loci on chromosome 3 as well as chromosomes 9, 13 and 19. <i>Molecular Psychiatry</i> , 2002 , 7, 594-603	15.1	14
117	A transcript map encompassing a susceptibility locus for bipolar affective disorder on chromosome 4q35. <i>Molecular Psychiatry</i> , 2002 , 7, 867-73	15.1	9
116	Stylized transcript map of chromosome 4q35 encompassing the locus for a bipolar disorder susceptibility gene. <i>Molecular Psychiatry</i> , 2002 , 7, 669	15.1	
115	The expanding pharmacopoeia for bipolar disorder. <i>Annual Review of Medicine</i> , 2002 , 53, 173-88	17.4	54
114	Atypical depression: a reappraisal. <i>American Journal of Psychiatry</i> , 2002 , 159, 1470-9	11.9	157
113	Recognizing the anxious face of depression. <i>Journal of Nervous and Mental Disease</i> , 2002 , 190, 366-73	1.8	30
112	Caudate nucleus volumes and genetic determinants of homocysteine metabolism in the prediction of psychomotor speed in older persons with depression. <i>American Journal of Psychiatry</i> , 2002 , 159, 2096-8	11.9	106
111	Psychiatry. <i>Medical Journal of Australia</i> , 2002 , 176, 35	4	

110	Co-prescribing of SSRIs and TCAs in Australia: how often does it occur and who is doing it?. <i>British Journal of Clinical Pharmacology</i> , 2001 , 51, 93-8	3.8	15
109	Depression and smoking: examining correlates in a subset of depressed patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 329-35	2.6	16
108	'Why getting fat, Doc?' Weight gain and psychotropic medications. <i>Australian and New Zealand Journal of Psychiatry</i> , 2001 , 35, 315-21	2.6	24
107	A genome screen of a large bipolar affective disorder pedigree supports evidence for a susceptibility locus on chromosome 13q. <i>Molecular Psychiatry</i> , 2001 , 6, 396-403	15.1	38
106	Therapeutic drug monitoring of psychotropic medications. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 45-54	3.8	4
105	Early and late onset depression in old age: different aetiologies, same phenomenology. <i>Journal of Affective Disorders</i> , 2001 , 66, 225-36	6.6	149
104	Therapeutic drug monitoring of psychotropic medications. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52, 45-54	3.8	53
103	Topics in contemporary psychiatric practice: Weight Gain. <i>International Journal of Psychiatry in Clinical Practice</i> , 2001 , 5, 295-6	2.4	1
102	Effects of a 2- to 4-week course of repetitive transcranial magnetic stimulation (rTMS) on neuropsychologic functioning, electroencephalogram, and auditory threshold in depressed patients. <i>Biological Psychiatry</i> , 2001 , 49, 615-23	7.9	110
101	Cognitive deficits in depression: possible implications for functional neuropathology. <i>British Journal of Psychiatry</i> , 2001 , 178, 200-6	5.4	866
100	The differential impact of age on the phenomenology of melancholia. <i>Psychological Medicine</i> , 2001 , 31, 1231-6	6.9	43
99	Sustained response to open-label venlafaxine in drug-resistant major depression. <i>Journal of Clinical Psychopharmacology</i> , 2001 , 21, 185-9	1.7	26
98	Right versus left prefrontal transcranial magnetic stimulation for obsessive-compulsive disorder: a preliminary investigation. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 981-4	4.6	87
97	Therapeutic drug monitoring of psychotropic medications. <i>British Journal of Clinical Pharmacology</i> , 2001 , 52 Suppl 1, 45S-54S	3.8	7
96	Stimulus intensity in transcranial magnetic stimulation (TMS) studies. <i>Journal of ECT</i> , 2001 , 17, 294-5	2	4
95	The clinical features of bipolar depression: a comparison with matched major depressive disorder patients. <i>Journal of Clinical Psychiatry</i> , 2001 , 62, 212-6; quiz 217	4.6	40
94	Therapeutic drug monitoring of psychotropic medications. <i>British Journal of Clinical Pharmacology</i> , 2000 , 49, 303-12	3.8	39
93	Predictors of 1-year outcome in depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 56-64	2.6	12

92	'Acting out' and 'acting in' behavioural stress responses: the relevance of anxiety and personality style. <i>Journal of Affective Disorders</i> , 2000 , 57, 173-7	6.6	5
91	Do early adverse experiences establish a cognitive vulnerability to depression on exposure to mirroring life events in adulthood?. <i>Journal of Affective Disorders</i> , 2000 , 57, 209-15	6.6	23
90	The nature of bipolar depression: implications for the definition of melancholia. <i>Journal of Affective Disorders</i> , 2000 , 59, 217-24	6.6	76
89	Recent trends in the use of antidepressant drugs in Australia, 1990-1998. <i>Medical Journal of Australia</i> , 2000 , 173, 458-61	4	91
88	Transcranial magnetic stimulation (TMS) in controlled treatment studies: are some "sham" forms active?. <i>Biological Psychiatry</i> , 2000 , 47, 325-31	7.9	220
87	Effect of apomorphine on motor and cognitive function in melancholic patients: a preliminary report. <i>Psychiatry Research</i> , 2000 , 97, 207-15	9.9	22
86	Lithium treatment for bipolar disorder. <i>Bulletin of the World Health Organization</i> , 2000 , 78, 515-7	8.2	26
85	Efficacy of venlafaxine and predictors of response in a prospective open-label study of patients with treatment-resistant major depression. <i>Journal of Clinical Psychopharmacology</i> , 2000 , 20, 483-7	1.7	35
84	Twelve-month outcome of nonmelancholic depressive subjects: refinement of subgroups by examination of trajectories. <i>Annals of Clinical Psychiatry</i> , 2000 , 12, 219-25	1.4	
83	John Cade and the discovery of lithium treatment for manic depressive illness. <i>Medical Journal of Australia</i> , 1999 , 171, 262-4	4	12
82	John Cade and Frank Macfarlane Burnet anniversaries. <i>Medical Journal of Australia</i> , 1999 , 171, 502	4	
81	On the 50th anniversary of John Cade's discovery of the anti-manic effect of lithium. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 623-8	2.6	4
80	Sub-grouping non-melancholic major depression using both clinical and aetiological features. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 217-25	2.6	8
79	On the 50th anniversary of John Cade's discovery of the anti-manic effect of lithium*. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33, 623-628	2.6	12
78	The Comparative Effectiveness of Fixed and Stimulus Dosing Forms of Electroconvulsive Therapy for the Treatment of Unipolar Depression: A Quality Assurance Study. <i>Australasian Psychiatry</i> , 1999 , 7, 262-263	1.7	0
77	The place of anticonvulsants and other putative mood stabilisers in the treatment of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 1999 , 33 Suppl, S99-107	2.6	9
76	The influence of anxiety as a risk to early onset major depression. <i>Journal of Affective Disorders</i> , 1999 , 52, 11-7	6.6	78
75	Sub-grouping non-melancholic depression from manifest clinical features. <i>Journal of Affective Disorders</i> , 1999 , 53, 1-13	6.6	20

74	Nonparametric simulation-based statistical analyses for bipolar affective disorder locus on chromosome 21q22.3. <i>American Journal of Medical Genetics Part A</i> , 1999 , 88, 99-102		33
73	Cognitive function in depression: a distinct pattern of frontal impairment in melancholia?. <i>Psychological Medicine</i> , 1999 , 29, 73-85	6.9	242
72	Subtyping depression: testing algorithms and identification of a tiered model. <i>Journal of Nervous and Mental Disease</i> , 1999 , 187, 610-7	1.8	25
71	Disordered personality style: higher rates in non-melancholic compared to melancholic depression. <i>Journal of Affective Disorders</i> , 1998 , 47, 131-40	6.6	22
70	A susceptibility locus for bipolar affective disorder on chromosome 4q35. <i>American Journal of Human Genetics</i> , 1998 , 62, 1084-91	11	83
69	Use of psychotropic medications in breast-feeding women: acute and prophylactic treatment. <i>Australian and New Zealand Journal of Psychiatry</i> , 1998 , 32, 778-84	2.6	22
68	Non-melancholic depression: the contribution of personality, anxiety and life events to subclassification. <i>Psychological Medicine</i> , 1998 , 28, 1209-19	6.9	28
67	Qualitative and quantitative analyses of a 'lock and key' hypothesis of depression. <i>Psychological Medicine</i> , 1998 , 28, 1263-73	6.9	13
66	Psychotropic medications in pregnant women: treatment dilemmas. <i>Medical Journal of Australia</i> , 1998 , 169, 428-31	4	27
65	On modelling personality disorders: are personality style and disordered functioning independent or interdependent constructs?. <i>Journal of Nervous and Mental Disease</i> , 1998 , 186, 709-15	1.8	4
64	High levels of Gs alpha in platelets of euthymic patients with bipolar affective disorder. <i>American Journal of Psychiatry</i> , 1997 , 154, 218-23	11.9	55
63	How distinct is 'distinct quality' of mood?. <i>Psychological Medicine</i> , 1997 , 27, 445-53	6.9	6
62	Increased rate of psychosis and psychomotor change in depression with age. <i>Psychological Medicine</i> , 1997 , 27, 1205-13	6.9	61
61	Drug interactions of clinical significance with selective serotonin reuptake inhibitors. <i>Drug Safety</i> , 1997 , 17, 390-406	5.1	57
60	Dysfunctional parenting: over-representation in non-melancholic depression and capacity of such specificity to refine sub-typing depression measures. <i>Psychiatry Research</i> , 1997 , 73, 57-71	9.9	25
59	4. Managing depression in a community setting. <i>Medical Journal of Australia</i> , 1997 , 167, 383-388	4	8
58	Plumbing the depths: some problems in quantifying depression severity. <i>Journal of Affective Disorders</i> , 1997 , 42, 49-58	6.6	5
57	Distinguishing psychotic depression from melancholia. <i>Journal of Affective Disorders</i> , 1997 , 42, 155-67	6.6	13

56	Exclusion of linkage between bipolar affective disorder and chromosome 16 in 12 Australian pedigrees. <i>American Journal of Medical Genetics Part A</i> , 1997 , 74, 304-10		8
55	Parental sex effects in bipolar affective disorder pedigrees. <i>Genetic Epidemiology</i> , 1997 , 14, 611-6	2.6	3
54	Managing depression in a community setting. <i>Medical Journal of Australia</i> , 1997 , 167, 383-8	4	1
53	Depressive psychomotor disturbance, cortisol, and dexamethasone. <i>Biological Psychiatry</i> , 1996 , 40, 941-50	5.0	19
52	Nonlinkage of D6S260, a putative schizophrenia locus, to bipolar affective disorder. <i>American Journal of Medical Genetics Part A</i> , 1996 , 67, 485-7		2
51	Biochemical correlates of in vivo cell-mediated immune dysfunction in patients with depression: a preliminary report. <i>International Journal of Immunopharmacology</i> , 1995 , 17, 685-90		22
50	The early history of convulsive therapies in Australia. <i>Medical Journal of Australia</i> , 1995 , 163, 624-7	4	1
49	Fitting the treatment to the patient: recent advances in the practice of electroconvulsive therapy. <i>Australian and New Zealand Journal of Psychiatry</i> , 1995 , 29, 484-91	2.6	12
48	Subcortical hyperintensities on magnetic resonance imaging: clinical correlates and prognostic significance in patients with severe depression. <i>Biological Psychiatry</i> , 1995 , 37, 151-60	7.9	363
47	Novel French antidepressants not available in the United States. <i>Psychopharmacology Bulletin</i> , 1995 , 31, 509-19	0.9	4
46	Treatment resistant depression in an Australian context. I: The utility of the term and approaches to management. <i>Australian and New Zealand Journal of Psychiatry</i> , 1994 , 28, 14-22	2.6	11
45	Treatment resistant depression in an Australian context. II: Outcome of a series of patients. <i>Australian and New Zealand Journal of Psychiatry</i> , 1994 , 28, 23-33	2.6	14
44	Patient satisfaction with a mood disorders unit: elements and components. <i>Australian and New Zealand Journal of Psychiatry</i> , 1994 , 28, 279-87	2.6	19
43	Combining lithium and sodium valproate for bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 1994 , 28, 141-3	2.6	12
42	Exclusion of close linkage of bipolar disorder to the Gs-alpha subunit gene in nine Australian pedigrees. <i>Journal of Affective Disorders</i> , 1994 , 32, 187-95	6.6	28
41	A brief self-report depression measure assessing mood state and social impairment. <i>Journal of Affective Disorders</i> , 1994 , 30, 133-42	6.6	14
40	Inter-rater reliability of a refined index of melancholia: the CORE system. <i>Journal of Affective Disorders</i> , 1993 , 27, 155-62	6.6	17
39	Exclusion of close linkage of bipolar disorder to the dopamine D3 receptor gene in nine Australian pedigrees. <i>Journal of Affective Disorders</i> , 1993 , 27, 213-24	6.6	20

38	Psychomotor disturbance in depression: defining the constructs. <i>Journal of Affective Disorders</i> , 1993 , 27, 255-65	6.6	72
37	Specificity of interpersonal sensitivity to non-melancholic depression. <i>Journal of Affective Disorders</i> , 1993 , 27, 101-5	6.6	44
36	Chlorpromazine turns forty. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993 , 27, 370-3	2.6	17
35	Lessons from a mood disorders unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993 , 27, 254-63	2.6	19
34	The genetics of bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 1993 , 27, 560-80	2.6	11
33	Major depression: The validity of a diagnosis. <i>Depression</i> , 1993 , 1, 180-180		
32	An Australian multicentre study of moclobemide versus amitriptyline in the treatment of depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 1992 , 26, 454-8	2.6	5
31	Monoamine oxidase inhibitors (MAOI) or reversible inhibitors of monoamine oxidase (RIMA)/tricyclic antidepressant (TCA) combination therapy. <i>Australian and New Zealand Journal of Psychiatry</i> , 1992 , 26, 327-9	2.6	7
30	Comparison of clinician rated and family corroborative witness data for depressed patients. <i>Journal of Affective Disorders</i> , 1992 , 24, 25-34	6.6	11
29	Are there any differences between bipolar and unipolar melancholia?. <i>Journal of Affective Disorders</i> , 1992 , 25, 97-105	6.6	60
28	Exclusion of close linkage of bipolar disorder to dopamine D1 and D2 receptor gene markers. <i>Journal of Affective Disorders</i> , 1992 , 25, 1-11	6.6	41
27	Propofol as an anaesthetic agent for ECT: effect on outcome and length of course. <i>Australian and New Zealand Journal of Psychiatry</i> , 1991 , 25, 255-61	2.6	39
26	Depression sub-typing: unitary, binary or arbitrary?. <i>Australian and New Zealand Journal of Psychiatry</i> , 1991 , 25, 63-76	2.6	14
25	Psychotic depression: a review and clinical experience. <i>Australian and New Zealand Journal of Psychiatry</i> , 1991 , 25, 169-80	2.6	62
24	Close linkage of bipolar disorder to chromosome 11 markers is excluded in two large Australian pedigrees. <i>Journal of Affective Disorders</i> , 1991 , 21, 23-32	6.6	52
23	Age and depression. <i>Journal of Affective Disorders</i> , 1991 , 23, 137-49	6.6	103
22	Distinguishing psychotic and non-psychotic melancholia. <i>Journal of Affective Disorders</i> , 1991 , 22, 135-48	6.6	51
21	Growth hormone and other hormonal responses to clonidine in melancholic and nonmelancholic depressed subjects and controls. <i>Psychiatry Research</i> , 1991 , 37, 179-93	9.9	6

20	Endocrine and amine responses to D,L-fenfluramine in normal subjects. <i>Psychiatry Research</i> , 1991 , 39, 141-53	9.9	14
19	Psychosocial risk factors distinguishing melancholic and nonmelancholic depression: a comparison of six systems. <i>Psychiatry Research</i> , 1991 , 39, 211-26	9.9	17
18	Treatment of bipolar disorder*. <i>Medical Journal of Australia</i> , 1991 , 155, 488-493	4	12
17	Unilateral or bilateral electroconvulsive therapy for depression? A survey of practice and attitudes in Australia and New Zealand. <i>Medical Journal of Australia</i> , 1991 , 155, 9-11	4	19
16	Effect of the anesthetic agent propofol on hormonal responses to ECT. <i>Biological Psychiatry</i> , 1990 , 28, 315-24	7.9	13
15	Hormonal responses to fenfluramine in depressed and control subjects. <i>Journal of Affective Disorders</i> , 1990 , 19, 43-51	6.6	88
14	Perceived dysfunctional intimate relationships: a specific association with the non-melancholic depressive subtype. <i>Journal of Affective Disorders</i> , 1990 , 19, 99-107	6.6	30
13	The pharmacological management of bulimia nervosa: A critical review. <i>International Journal of Eating Disorders</i> , 1988 , 7, 29-41	6.3	5
12	The law and a physically-ill patient with anorexia nervosa: liberty versus paternalism. <i>Medical Journal of Australia</i> , 1988 , 148, 41-4	4	7
11	The treatment of bulimia nervosa. <i>Australian and New Zealand Journal of Psychiatry</i> , 1987 , 21, 5-15	2.6	13
10	The pharmacological treatment of tricyclic-resistant depression: review and management guidelines. <i>Australian and New Zealand Journal of Psychiatry</i> , 1987 , 21, 442-51	2.6	3
9	The establishment of a mood disorders unit. <i>Australian and New Zealand Journal of Psychiatry</i> , 1987 , 21, 375-81	2.6	41
8	Molecular biology and the functional psychoses. <i>Australian and New Zealand Journal of Psychiatry</i> , 1987 , 21, 415-8	2.6	2
7	Management commentary 244-246		
6	Transcranial Magnetic Stimulation for Depression		3
5	Fronto-limbic dysconnectivity leads to impaired brain network controllability in young people with bipolar disorder and those at high genetic risk		1
4	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
3	Metastable brain waves		1

- | | | |
|---|--|---|
| 2 | Polygenic scores for major depressive disorder and depressive symptoms predict response to lithium in patients with bipolar disorder | 1 |
| 1 | Characterization of Age and Polarity at Onset in Bipolar Disorder | 1 |