
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6202221/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	"Medication career―or "Moral careerâ€? The two sides of managingÂantidepressants: A meta-ethnography of patients' experienceÂof antidepressants. Social Science and Medicine, 2009, 68, 154-168.	3.8	308
2	The patient–doctor relationship: a synthesis of the qualitative literature on patients' perspectives. British Journal of General Practice, 2009, 59, e116-e133.	1.4	247
3	Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. Lancet, The, 2020, 395, 962-972.	13.7	178
4	Report from the fourth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2016, 175, 69-79.	1.5	115
5	The Eczema Priority Setting Partnership: a collaboration between patients, carers, clinicians and researchers to identify and prioritize important research questions for the treatment of eczema. British Journal of Dermatology, 2013, 168, 577-582.	1.5	91
6	How should continuity of care in primary health care be assessed?. British Journal of General Practice, 2009, 59, e134-e141.	1.4	85
7	The content of general practice consultations: cross-sectional study based on video recordings. British Journal of General Practice, 2013, 63, e751-e759.	1.4	84
8	Transforming the Perceptual Situation: a Meta-ethnography of qualitative Work Reporting Patients' Experiences of Mindfulness-Based Approaches. Mindfulness, 2012, 3, 60-75.	2.8	79
9	Diagnostic Intervals and Its Association with Breast, Prostate, Lung and Colorectal Cancer Survival in England: Historical Cohort Study Using the Clinical Practice Research Datalink. PLoS ONE, 2015, 10, e0126608.	2.5	66
10	'Two sides of the coin'the value of personal continuity to GPs: a qualitative interview study. Family Practice, 2006, 23, 461-468.	1.9	60
11	The current health of the signing Deaf community in the UK compared with the general population: a cross-sectional study. BMJ Open, 2015, 5, e006668-e006668.	1.9	56
12	Effectiveness and cost-effectiveness of daily all-over-body application of emollient during the first year of life for preventing atopic eczema in high-risk children (The BEEP trial): protocol for a randomised controlled trial. Trials, 2017, 18, 343.	1.6	56
13	Development and initial testing of a new instrument to measure the experience of eczema control in adults and children: Recap of atopic eczema (<scp>RECAP</scp>). British Journal of Dermatology, 2020, 183, 524-536.	1.5	52
14	Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. BMJ: British Medical Journal, 2018, 361, k1332.	2.3	50
15	Patient-Doctor Depth-of-Relationship Scale: Development and Validation. Annals of Family Medicine, 2011, 9, 538-545.	1.9	48
16	The â€~One in a Million' study: creating a database of UK primary care consultations. British Journal of General Practice, 2017, 67, e345-e351.	1.4	48
17	Access to primary care affects the health of Deaf people. British Journal of General Practice, 2015, 65, 95-96.	1.4	44
18	The Patientâ€Oriented Eczema Measure in young children: responsiveness and minimal clinically important difference. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1620-1625.	5.7	44

#	Article	IF	CITATIONS
19	Identifying acne treatment uncertainties via a James Lind Alliance Priority Setting Partnership. BMJ Open, 2015, 5, e008085.	1.9	44
20	Systematic review of selfâ€management interventions for people with eczema. British Journal of Dermatology, 2017, 177, 719-734.	1.5	43
21	Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. Annals of Family Medicine, 2017, 15, 124-130.	1.9	42
22	Views and experiences of managing eczema: systematic review and thematic synthesis of qualitative studies*. British Journal of Dermatology, 2021, 184, 627-637.	1.5	39
23	Developing a written action plan for children with eczema: a qualitative study. British Journal of General Practice, 2018, 68, e81-e89.	1.4	37
24	Strategies used for measuring long-term control in atopic dermatitis trials: A systematic review. Journal of the American Academy of Dermatology, 2016, 75, 1038-1044.	1.2	35
25	Efficiency versus thoroughness in medication review: a qualitative interview study in UK primary care. British Journal of General Practice, 2019, 69, e190-e198.	1.4	33
26	GPs' experiences of diagnosing and managing childhood eczema: a qualitative study in primary care. British Journal of General Practice, 2018, 68, e73-e80.	1.4	32
27	Safety of topical corticosteroids in atopic eczema: an umbrella review. BMJ Open, 2021, 11, e046476.	1.9	32
28	Frequency of guidelineâ€defined cow's milk allergy symptoms in infants: Secondary analysis of EAT trial data. Clinical and Experimental Allergy, 2022, 52, 82-93.	2.9	28
29	Predictors of dizziness in older persons: a 10-year prospective cohort study in the community. BMC Geriatrics, 2014, 14, 133.	2.7	26
30	Barriers and enablers to collaborative working between GPs and pharmacists: a qualitative interview study. British Journal of General Practice, 2020, 70, e155-e163.	1.4	26
31	A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. Health Technology Assessment, 2016, 20, 1-84.	2.8	26
32	Patient–doctor continuity and diagnosis of cancer: electronic medical records study in general practice. British Journal of General Practice, 2015, 65, e305-e311.	1.4	24
33	Depth of the patient–doctor relationship and content of general practice consultations: cross-sectional study. British Journal of General Practice, 2015, 65, e545-e551.	1.4	23
34	GP and parent dissonance about the assessment and treatment of childhood eczema in primary care: a qualitative study. BMJ Open, 2018, 8, e019633.	1.9	22
35	Safety netting in routine primary care consultations: an observational study using video-recorded UK consultations. British Journal of General Practice, 2019, 69, e878-e886.	1.4	22
36	Professional experience guides opioid prescribing for chronic joint pain in primary care. Family Practice, 2011, 28, 102-109.	1.9	20

#	Article	IF	CITATIONS
37	Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. BMJ Open, 2016, 6, e012021.	1.9	20
38	Adaption and validation of the Working Alliance Inventory for General Practice: qualitative review and cross-sectional surveys. Family Practice, 2019, 36, 516-522.	1.9	20
39	Effectiveness and safety of lotion, cream, gel, and ointment emollients for childhood eczema: a pragmatic, randomised, phase 4, superiority trial. The Lancet Child and Adolescent Health, 2022, 6, 522-532.	5.6	20
40	Emollients, education and quality of life: the RCPCH care pathway for children with eczema. Archives of Disease in Childhood, 2011, 96, i19-i24.	1.9	18
41	Strategies for using topical corticosteroids in children and adults with eczema. The Cochrane Library, 2022, 2022, CD013356.	2.8	18
42	Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. Trials, 2015, 16, 304.	1.6	17
43	The content and conduct of GP consultations for dermatology problems: a cross-sectional study. British Journal of General Practice, 2020, 70, e723-e730.	1.4	17
44	Rapid diagnostic pathways for suspected colorectal cancer: views of primary and secondary care clinicians on challenges and their potential solutions. BMJ Open, 2015, 5, e008577.	1.9	15
45	Written action plans for children with longâ€ŧerm conditions: A systematic review and synthesis of qualitative data. Health Expectations, 2018, 21, 585-596.	2.6	14
46	Which emollients are effective and acceptable for eczema in children?. BMJ: British Medical Journal, 2019, 367, I5882.	2.3	14
47	Factors affecting the documentation of spoken safety-netting advice in routine GP consultations: a cross-sectional study. British Journal of General Practice, 2021, 71, e869-e876.	1.4	14
48	Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. Health Technology Assessment, 2018, 22, 1-116.	2.8	14
49	Best emollients for eczema (BEE) – comparing four types of emollients in children with eczema: protocol for randomised trial and nested qualitative study. BMJ Open, 2019, 9, e033387.	1.9	13
50	Assessing uptake of the Harmonising Outcome Measures for Eczema (HOME) Core Outcome Set and recommended instruments. British Journal of Dermatology, 2020, 183, 566-568.	1.5	13
51	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. BMC Family Practice, 2014, 15, 105.	2.9	12
52	Associations between physical activity and asthma, eczema and obesity in children aged 12–16: an observational cohort study. BMJ Open, 2019, 9, e024858.	1.9	12
53	Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care) Tj ETQq	. 1 0.78431 1.9	4 rgBT /Over
54	Beliefs and practices among adults with eczema and carers of children with eczema regarding the role of food allergy. Clinical and Experimental Dermatology, 2019, 44, e235-e237.	1.3	11

#	Article	IF	CITATIONS
55	Identifying key priorities for research to protect the consumer with food hypersensitivity: A UK Food Standards Agency Priority Setting Exercise. Clinical and Experimental Allergy, 2021, 51, 1322-1330.	2.9	11
56	Bath additives for the treatment of childhood eczema (BATHE): protocol for multicentre parallel group randomised trial. BMJ Open, 2015, 5, e009575.	1.9	10
57	Spironolactone for adult female acne (SAFA): protocol for a double-blind, placebo-controlled, phase III randomised study of spironolactone as systemic therapy for acne in adult women. BMJ Open, 2021, 11, e053876.	1.9	10
58	Development of a tool for coding safety-netting behaviours in primary care: a mixed-methods study using existing UK consultation recordings. British Journal of General Practice, 2019, 69, e869-e877.	1.4	10
59	Detection and management of milk allergy: Delphi consensus study. Clinical and Experimental Allergy, 2022, 52, 848-858.	2.9	10
60	Emollient prescribing formularies in England and Wales: a cross-sectional study. BMJ Open, 2018, 8, e022009.	1.9	9
61	Assessing the validity, responsiveness and reliability of the Recap measure of eczema control. British Journal of Dermatology, 2021, 184, 955-957.	1.5	9
62	Testâ€guided dietary management of eczema in children: A randomized controlled feasibility trial (TEST). Clinical and Experimental Allergy, 2021, 51, 452-462.	2.9	9
63	Decisions, choice and shared decision making in antenatal clinics: An observational study. Patient Education and Counseling, 2015, 98, 1106-1111.	2.2	8
64	Medical undergraduate primary care teaching across the UK: what is being taught?. Education for Primary Care, 2017, 28, 23-28.	0.6	8
65	TReatIng Urinary symptoms in Men in Primary Healthcare using non-pharmacological and non-surgical interventions (TRIUMPH) compared with usual care: study protocol for a cluster randomised controlled trial. Trials, 2019, 20, 546.	1.6	8
66	Adverse Events from Emollient Use in Eczema: A Restricted Review of Published Data. Dermatology and Therapy, 2019, 9, 193-208.	3.0	8
67	Symptom reporting, healthcare-seeking behaviour and antibiotic use for common infections: protocol for Bug Watch, a prospective community cohort study. BMJ Open, 2019, 9, e028676.	1.9	8
68	Incidence, healthcare-seeking behaviours, antibiotic use and natural history of common infection syndromes in England: results from the Bug Watch community cohort study. BMC Infectious Diseases, 2021, 21, 105.	2.9	8
69	How parents and children evaluate emollients for childhood eczema: a qualitative study. British Journal of General Practice, 2022, 72, e390-e397.	1.4	8
70	Diagnosis, assessment, and treatment of childhood eczema in primary care: cross-sectional study. BJGP Open, 2017, 1, bjgpopen17X100821.	1.8	7
71	Supporting families managing childhood eczema: developing and optimising eczema care online using qualitative research. British Journal of General Practice, 2022, 72, e378-e389.	1.4	7
72	Detection of patient psychological distress and longitudinal patient–doctor relationships: a cross-sectional study. British Journal of General Practice, 2012, 62, e167-e173.	1.4	6

#	Article	IF	CITATIONS
73	TEST (Trial of Eczema allergy Screening Tests): protocol for feasibility randomised controlled trial of allergy tests in children with eczema, including economic scoping and nested qualitative study. BMJ Open, 2019, 9, e028428.	1.9	6
74	Different strategies for using topical corticosteroids in people with eczema. The Cochrane Library, 0, ,	2.8	6
75	Eczema Care Online: development and qualitative optimisation of an online behavioural intervention to support self-management in young people with eczema. BMJ Open, 2022, 12, e056867.	1.9	6
76	Parents and GPs' understandings and beliefs about food allergy testing in children with eczema: qualitative interview study within the Trial of Eczema allergy Screening Tests (TEST) feasibility trial. BMJ Open, 2020, 10, e041229.	1.9	5
77	Validation of the RECap of AtoPic eczema measure of eczema control for use in dermatology clinics. Clinical and Experimental Dermatology, 2022, 47, 440-442.	1.3	5
78	Exceeding the recruitment target in a primary care paediatric trial: an evaluation of the Choice of Moisturiser for Eczema Treatment (COMET) feasibility randomised controlled trial. Trials, 2016, 17, 550.	1.6	4
79	How do carers and children with eczema choose their emollient?. Clinical and Experimental Dermatology, 2017, 42, 203-203.	1.3	4
80	Comparison of patient (POEM), observer (EASI, SASSAD, TIS) and corneometry measures of emollient effectiveness in children with eczema: findings from the COMET feasibility trial. British Journal of Dermatology, 2018, 179, 362-370.	1.5	4
81	Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of cHildhood) Tj ETQq1 1	0.784 Bå 4 rg	gBT #Overloc
82	Emollient satisfaction questionnaire: validation study in children with eczema. Clinical and Experimental Dermatology, 2022, 47, 1337-1345.	1.3	4
83	Do patient characteristics matter when calculating sample size for eczema clinical trials?. Skin Health and Disease, 2021, 1, e42.	1.5	3
84	Engaging with diverse audiences to raise awareness about childhood eczema: reflections from two community events. Research Involvement and Engagement, 2021, 7, 6.	2.9	3
85	Exacerbation of atopic eczema in children. BMJ: British Medical Journal, 2009, 339, b2997-b2997.	2.3	2
86	Dermatology research in primary care: why, what, and how?. British Journal of General Practice, 2011, 61, 89-90.	1.4	2
87	The management of acne in primary care. British Journal of Dermatology, 2017, 176, 1-2.	1.5	2
88	Would primary care paediatricians improve UK child health outcomes? No. British Journal of General Practice, 2020, 70, 196-197.	1.4	2
89	Qualitative Assessment of the Conservative Management of Nocturia with Standardised Written Materials for Lower Urinary Tract Symptoms in Men Treated in Primary Care. European Urology Focus, 2022, , .	3.1	2
90	Testâ€guided dietary exclusions for treating established atopic dermatitis in children: A systematic review. Clinical and Experimental Allergy, 2022, 52, 442-446.	2.9	2

#	Article	IF	CITATIONS
91	Burns with emollients. BMJ, The, 2022, 376, e066102.	6.0	2
92	Using existing trial data to inform the development of core outcome sets and improve efficiencies in research. Trials, 2015, 16, .	1.6	1
93	Impact of a deferred recruitment model in a randomised controlled trial in primary care (CREAM) Tj ETQq1 1 0.784	1314 rgBT 1.6	Overlock
94	Diagnosis and treatment of eczema in children. The Prescriber, 2019, 30, 28-31.	0.3	1
95	Healthcare professionals' beliefs and practices regarding food allergy testing for children with eczema. Clinical and Experimental Allergy, 2021, 51, 735-739.	2.9	1
96	Effective management of male lower urinary tract symptoms in primary care. British Journal of General Practice, 2021, 71, 388-389.	1.4	1
97	Comparing the quantity and quality of randomised placebo-controlled trials of antibiotics for acute respiratory, urinary, and skin and soft tissue infections: a scoping review. BJGP Open, 2020, 4, bjgpopen20X101082.	1.8	1
98	Reply to correspondence of Martin et al. Clinical and Experimental Allergy, 2022, 52, 583-584.	2.9	1
99	Emollient prescribing formularies and guidelines in England, 2021: cross sectional study. Clinical and Experimental Dermatology, 2022, , .	1.3	1
100	Aminosalicylate monitoring in primary care: an audit and protocol. British Journal of Clinical Governance, 2001, 6, 241-247.	0.3	0
101	Products in "Bounty bags" potentially harm newborn skin. BMJ, The, 2013, 346, f3895-f3895.	6.0	0
102	The impact of a delayed consent model on trial recruitment - the cream study (children with eczema) Tj ETQq0 0 C) rgBT /Ove 1:6	erlock 10 Tf
103	A practical application of a novel software solution to aid identification of research participants in primary care - the CREAM study (children with eczema antibiotic management study). Trials, 2015, 16, .	1.6	0
104	Ineffective consultations for acne: what is important to patients?. British Journal of Dermatology, 2016, 175, 826-828.	1.5	0
105	Books: The Itchy-saurus: the Dino with an Itch That Can't Be Scratched. British Journal of General Practice, 2018, 68, 434.2-434.	1.4	0
106	Author response. British Journal of General Practice, 2018, 68, 176.4-176.	1.4	0
	Dietary management of patients with eczema: Crossâ€sectional survey of dietitians in the United		

Kingdom. Clinical and Experimental Allergy, 2022, 52, 352-354.