

# Matthew J Ridd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6202221/publications.pdf>

Version: 2024-02-01

107  
papers

2,769  
citations

201385

27  
h-index

205818

48  
g-index

108  
all docs

108  
docs citations

108  
times ranked

3487  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validation of the RECap of AtoPic eczema measure of eczema control for use in dermatology clinics. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 440-442.	0.6	5
2	Dietary management of patients with eczema: Cross-sectional survey of dietitians in the United Kingdom. <i>Clinical and Experimental Allergy</i> , 2022, 52, 352-354.	1.4	0
3	Qualitative Assessment of the Conservative Management of Nocturia with Standardised Written Materials for Lower Urinary Tract Symptoms in Men Treated in Primary Care. <i>European Urology Focus</i> , 2022, , .	1.6	2
4	Supporting families managing childhood eczema: developing and optimising eczema care online using qualitative research. <i>British Journal of General Practice</i> , 2022, 72, e378-e389.	0.7	7
5	Test-guided dietary exclusions for treating established atopic dermatitis in children: A systematic review. <i>Clinical and Experimental Allergy</i> , 2022, 52, 442-446.	1.4	2
6	Burns with emollients. <i>BMJ, The</i> , 2022, 376, e066102.	3.0	2
7	Emollient satisfaction questionnaire: validation study in children with eczema. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 1337-1345.	0.6	4
8	Strategies for using topical corticosteroids in children and adults with eczema. <i>The Cochrane Library</i> , 2022, 2022, CD013356.	1.5	18
9	Reply to correspondence of Martin et al. <i>Clinical and Experimental Allergy</i> , 2022, 52, 583-584.	1.4	1
10	Emollient prescribing formularies and guidelines in England, 2021: cross sectional study. <i>Clinical and Experimental Dermatology</i> , 2022, , .	0.6	1
11	Frequency of guideline-defined cow's milk allergy symptoms in infants: Secondary analysis of EAT trial data. <i>Clinical and Experimental Allergy</i> , 2022, 52, 82-93.	1.4	28
12	Eczema Care Online: development and qualitative optimisation of an online behavioural intervention to support self-management in young people with eczema. <i>BMJ Open</i> , 2022, 12, e056867.	0.8	6
13	How parents and children evaluate emollients for childhood eczema: a qualitative study. <i>British Journal of General Practice</i> , 2022, 72, e390-e397.	0.7	8
14	Detection and management of milk allergy: Delphi consensus study. <i>Clinical and Experimental Allergy</i> , 2022, 52, 848-858.	1.4	10
15	Effectiveness and safety of lotion, cream, gel, and ointment emollients for childhood eczema: a pragmatic, randomised, phase 4, superiority trial. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 522-532.	2.7	20
16	Views and experiences of managing eczema: systematic review and thematic synthesis of qualitative studies*. <i>British Journal of Dermatology</i> , 2021, 184, 627-637.	1.4	39
17	Assessing the validity, responsiveness and reliability of the Recap measure of eczema control. <i>British Journal of Dermatology</i> , 2021, 184, 955-957.	1.4	9
18	Test-guided dietary management of eczema in children: A randomized controlled feasibility trial (TEST). <i>Clinical and Experimental Allergy</i> , 2021, 51, 452-462.	1.4	9

#	ARTICLE	IF	CITATIONS
19	Incidence, healthcare-seeking behaviours, antibiotic use and natural history of common infection syndromes in England: results from the Bug Watch community cohort study. <i>BMC Infectious Diseases</i> , 2021, 21, 105.	1.3	8
20	Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care) Tj ETQq0 0 0 ggBT /Overlock 10 Tf 0.8	0.8	12
21	Healthcare professionalsâ€™ beliefs and practices regarding food allergy testing for children with eczema. <i>Clinical and Experimental Allergy</i> , 2021, 51, 735-739.	1.4	1
22	Do patient characteristics matter when calculating sample size for eczema clinical trials?. <i>Skin Health and Disease</i> , 2021, 1, e42.	0.7	3
23	Factors affecting the documentation of spoken safety-netting advice in routine GP consultations: a cross-sectional study. <i>British Journal of General Practice</i> , 2021, 71, e869-e876.	0.7	14
24	Safety of topical corticosteroids in atopic eczema: an umbrella review. <i>BMJ Open</i> , 2021, 11, e046476.	0.8	32
25	Identifying key priorities for research to protect the consumer with food hypersensitivity: A UK Food Standards Agency Priority Setting Exercise. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1322-1330.	1.4	11
26	Effective management of male lower urinary tract symptoms in primary care. <i>British Journal of General Practice</i> , 2021, 71, 388-389.	0.7	1
27	Spironolactone for adult female acne (SAFA): protocol for a double-blind, placebo-controlled, phase III randomised study of spironolactone as systemic therapy for acne in adult women. <i>BMJ Open</i> , 2021, 11, e053876.	0.8	10
28	Engaging with diverse audiences to raise awareness about childhood eczema: reflections from two community events. <i>Research Involvement and Engagement</i> , 2021, 7, 6.	1.1	3
29	Development and initial testing of a new instrument to measure the experience of eczema control in adults and children: Recap of atopic eczema ( <scp>RECAP</scp> ). <i>British Journal of Dermatology</i> , 2020, 183, 524-536.	1.4	52
30	Parents and GPsâ€™ understandings and beliefs about food allergy testing in children with eczema: qualitative interview study within the Trial of Eczema allergy Screening Tests (TEST) feasibility trial. <i>BMJ Open</i> , 2020, 10, e041229.	0.8	5
31	The content and conduct of GP consultations for dermatology problems: a cross-sectional study. <i>British Journal of General Practice</i> , 2020, 70, e723-e730.	0.7	17
32	Would primary care paediatricians improve UK child health outcomes? No. <i>British Journal of General Practice</i> , 2020, 70, 196-197.	0.7	2
33	Assessing uptake of the Harmonising Outcome Measures for Eczema (HOME) Core Outcome Set and recommended instruments. <i>British Journal of Dermatology</i> , 2020, 183, 566-568.	1.4	13
34	Barriers and enablers to collaborative working between GPs and pharmacists: a qualitative interview study. <i>British Journal of General Practice</i> , 2020, 70, e155-e163.	0.7	26
35	Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. <i>Lancet, The</i> , 2020, 395, 962-972.	6.3	178
36	Comparing the quantity and quality of randomised placebo-controlled trials of antibiotics for acute respiratory, urinary, and skin and soft tissue infections: a scoping review. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101082.	0.9	1

#	ARTICLE	IF	CITATIONS
37	TreatIng Urinary symptoms in Men in Primary Healthcare using non-pharmacological and non-surgical interventions (TRIUMPH) compared with usual care: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2019, 20, 546.	0.7	8
38	Which emollients are effective and acceptable for eczema in children?. <i>BMJ: British Medical Journal</i> , 2019, 367, l5882.	2.4	14
39	Associations between physical activity and asthma, eczema and obesity in children aged 12â€“16: an observational cohort study. <i>BMJ Open</i> , 2019, 9, e024858.	0.8	12
40	TEST (Trial of Eczema allergy Screening Tests): protocol for feasibility randomised controlled trial of allergy tests in children with eczema, including economic scoping and nested qualitative study. <i>BMJ Open</i> , 2019, 9, e028428.	0.8	6
41	Beliefs and practices among adults with eczema and carers of children with eczema regarding the role of food allergy. <i>Clinical and Experimental Dermatology</i> , 2019, 44, e235-e237.	0.6	11
42	Adverse Events from Emollient Use in Eczema: A Restricted Review of Published Data. <i>Dermatology and Therapy</i> , 2019, 9, 193-208.	1.4	8
43	Efficiency versus thoroughness in medication review: a qualitative interview study in UK primary care. <i>British Journal of General Practice</i> , 2019, 69, e190-e198.	0.7	33
44	Safety netting in routine primary care consultations: an observational study using video-recorded UK consultations. <i>British Journal of General Practice</i> , 2019, 69, e878-e886.	0.7	22
45	Symptom reporting, healthcare-seeking behaviour and antibiotic use for common infections: protocol for Bug Watch, a prospective community cohort study. <i>BMJ Open</i> , 2019, 9, e028676.	0.8	8
46	Diagnosis and treatment of eczema in children. <i>The Prescriber</i> , 2019, 30, 28-31.	0.1	1
47	Best emollients for eczema (BEE) â€“ comparing four types of emollients in children with eczema: protocol for randomised trial and nested qualitative study. <i>BMJ Open</i> , 2019, 9, e033387.	0.8	13
48	Adaption and validation of the Working Alliance Inventory for General Practice: qualitative review and cross-sectional surveys. <i>Family Practice</i> , 2019, 36, 516-522.	0.8	20
49	Development of a tool for coding safety-netting behaviours in primary care: a mixed-methods study using existing UK consultation recordings. <i>British Journal of General Practice</i> , 2019, 69, e869-e877.	0.7	10
50	Comparison of patient (POEM), observer (EASI, SASSAD, TIS) and corneometry measures of emollient effectiveness in children with eczema: findings from the COMET feasibility trial. <i>British Journal of Dermatology</i> , 2018, 179, 362-370.	1.4	4
51	GP and parent dissonance about the assessment and treatment of childhood eczema in primary care: a qualitative study. <i>BMJ Open</i> , 2018, 8, e019633.	0.8	22
52	GPsâ€™ experiences of diagnosing and managing childhood eczema: a qualitative study in primary care. <i>British Journal of General Practice</i> , 2018, 68, e73-e80.	0.7	32
53	Written action plans for children with longâ€“term conditions: A systematic review and synthesis of qualitative data. <i>Health Expectations</i> , 2018, 21, 585-596.	1.1	14
54	Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of childhood) <i>Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50 5</i>		

#	ARTICLE	IF	CITATIONS
55	Books: The Itchy-saurus: the Dino with an Itch That Canâ€™t Be Scratched. British Journal of General Practice, 2018, 68, 434.2-434.	0.7	0
56	Emollient prescribing formularies in England and Wales: a cross-sectional study. BMJ Open, 2018, 8, e022009.	0.8	9
57	Author response. British Journal of General Practice, 2018, 68, 176.4-176.	0.7	0
58	Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. BMJ: British Medical Journal, 2018, 361, k1332.	2.4	50
59	Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. Health Technology Assessment, 2018, 22, 1-116.	1.3	14
60	Developing a written action plan for children with eczema: a qualitative study. British Journal of General Practice, 2018, 68, e81-e89.	0.7	37
61	The management of acne in primary care. British Journal of Dermatology, 2017, 176, 1-2.	1.4	2
62	How do carers and children with eczema choose their emollient?. Clinical and Experimental Dermatology, 2017, 42, 203-203.	0.6	4
63	Systematic review of self-management interventions for people with eczema. British Journal of Dermatology, 2017, 177, 719-734.	1.4	43
64	Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. Annals of Family Medicine, 2017, 15, 124-130.	0.9	42
65	Medical undergraduate primary care teaching across the UK: what is being taught?. Education for Primary Care, 2017, 28, 23-28.	0.2	8
66	The â€œOne in a Millionâ€™ study: creating a database of UK primary care consultations. British Journal of General Practice, 2017, 67, e345-e351.	0.7	48
67	Effectiveness and cost-effectiveness of daily all-over-body application of emollient during the first year of life for preventing atopic eczema in high-risk children (The BEEP trial): protocol for a randomised controlled trial. Trials, 2017, 18, 343.	0.7	56
68	Impact of a deferred recruitment model in a randomised controlled trial in primary care (CREAM) Tj ETQq0 0 0 rgBT /Qverlock_10 Tf 50 2	0.7	1
69	Diagnosis, assessment, and treatment of childhood eczema in primary care: cross-sectional study. BJGP Open, 2017, 1, bjgpopen17X100821.	0.9	7
70	The Patientâ€™Oriented Eczema Measure in young children: responsiveness and minimal clinically important difference. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1620-1625.	2.7	44
71	Report from the fourth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2016, 175, 69-79.	1.4	115
72	Strategies used for measuring long-term control in atopic dermatitis trials: A systematic review. Journal of the American Academy of Dermatology, 2016, 75, 1038-1044.	0.6	35

#	ARTICLE	IF	CITATIONS
73	Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. <i>BMJ Open</i> , 2016, 6, e012021.	0.8	20
74	Exceeding the recruitment target in a primary care paediatric trial: an evaluation of the Choice of Moisturiser for Eczema Treatment (COMET) feasibility randomised controlled trial. <i>Trials</i> , 2016, 17, 550.	0.7	4
75	Ineffective consultations for acne: what is important to patients?. <i>British Journal of Dermatology</i> , 2016, 175, 826-828.	1.4	0
76	A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. <i>Health Technology Assessment</i> , 2016, 20, 1-84.	1.3	26
77	Access to primary care affects the health of Deaf people. <i>British Journal of General Practice</i> , 2015, 65, 95-96.	0.7	44
78	Bath additives for the treatment of childhood eczema (BATHE): protocol for multicentre parallel group randomised trial. <i>BMJ Open</i> , 2015, 5, e009575.	0.8	10
79	Patientâ€“doctor continuity and diagnosis of cancer: electronic medical records study in general practice. <i>British Journal of General Practice</i> , 2015, 65, e305-e311.	0.7	24
80	Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 304.	0.7	17
81	Using existing trial data to inform the development of core outcome sets and improve efficiencies in research. <i>Trials</i> , 2015, 16, .	0.7	1
82	The impact of a delayed consent model on trial recruitment - the cream study (children with eczema) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 0.7	0.7	0
83	A practical application of a novel software solution to aid identification of research participants in primary care - the CREAM study (children with eczema antibiotic management study). <i>Trials</i> , 2015, 16, .	0.7	0
84	The current health of the signing Deaf community in the UK compared with the general population: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006668-e006668.	0.8	56
85	Decisions, choice and shared decision making in antenatal clinics: An observational study. <i>Patient Education and Counseling</i> , 2015, 98, 1106-1111.	1.0	8
86	Rapid diagnostic pathways for suspected colorectal cancer: views of primary and secondary care clinicians on challenges and their potential solutions. <i>BMJ Open</i> , 2015, 5, e008577.	0.8	15
87	Depth of the patientâ€“doctor relationship and content of general practice consultations: cross-sectional study. <i>British Journal of General Practice</i> , 2015, 65, e545-e551.	0.7	23
88	Identifying acne treatment uncertainties via a James Lind Alliance Priority Setting Partnership. <i>BMJ Open</i> , 2015, 5, e008085.	0.8	44
89	Diagnostic Intervals and Its Association with Breast, Prostate, Lung and Colorectal Cancer Survival in England: Historical Cohort Study Using the Clinical Practice Research Datalink. <i>PLoS ONE</i> , 2015, 10, e0126608.	1.1	66
90	Predictors of dizziness in older persons: a 10-year prospective cohort study in the community. <i>BMC Geriatrics</i> , 2014, 14, 133.	1.1	26

#	ARTICLE	IF	CITATIONS
91	Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. BMC Family Practice, 2014, 15, 105.	2.9	12
92	Products in "Bounty bags" potentially harm newborn skin. BMJ, The, 2013, 346, f3895-f3895.	3.0	0
93	The Eczema Priority Setting Partnership: a collaboration between patients, carers, clinicians and researchers to identify and prioritize important research questions for the treatment of eczema. British Journal of Dermatology, 2013, 168, 577-582.	1.4	91
94	The content of general practice consultations: cross-sectional study based on video recordings. British Journal of General Practice, 2013, 63, e751-e759.	0.7	84
95	Detection of patient psychological distress and longitudinal patientâ€ˆdoctor relationships: a cross-sectional study. British Journal of General Practice, 2012, 62, e167-e173.	0.7	6
96	Transforming the Perceptual Situation: a Meta-ethnography of qualitative Work Reporting Patientsâ€™ Experiences of Mindfulness-Based Approaches. Mindfulness, 2012, 3, 60-75.	1.6	79
97	Professional experience guides opioid prescribing for chronic joint pain in primary care. Family Practice, 2011, 28, 102-109.	0.8	20
98	Dermatology research in primary care: why, what, and how?. British Journal of General Practice, 2011, 61, 89-90.	0.7	2
99	Patient-Doctor Depth-of-Relationship Scale: Development and Validation. Annals of Family Medicine, 2011, 9, 538-545.	0.9	48
100	Emollients, education and quality of life: the RCPCH care pathway for children with eczema. Archives of Disease in Childhood, 2011, 96, i19-i24.	1.0	18
101	Exacerbation of atopic eczema in children. BMJ: British Medical Journal, 2009, 339, b2997-b2997.	2.4	2
102	The patientâ€ˆdoctor relationship: a synthesis of the qualitative literature on patients' perspectives. British Journal of General Practice, 2009, 59, e116-e133.	0.7	247
103	â€œMedication careerâ€ˆorâ€ˆâ€œMoral careerâ€ˆ? The two sides of managing Antidepressants: A meta-ethnography of patients' experience of antidepressants. Social Science and Medicine, 2009, 68, 154-168.	1.8	308
104	How should continuity of care in primary health care be assessed?. British Journal of General Practice, 2009, 59, e134-e141.	0.7	85
105	'Two sides of the coin'--the value of personal continuity to GPs: a qualitative interview study. Family Practice, 2006, 23, 461-468.	0.8	60
106	Aminosalicylate monitoring in primary care: an audit and protocol. British Journal of Clinical Governance, 2001, 6, 241-247.	0.3	0
107	Different strategies for using topical corticosteroids in people with eczema. The Cochrane Library, 0, , .	1.5	6