

Walter Artibani

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6203206/walter-artibani-publications-by-citations.pdf>

Version: 2023-09-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,394
citations

16
h-index

35
g-index

75
ext. papers

1,796
ext. citations

3.5
avg, IF

4.44
L-index

#	Paper	IF	Citations
72	Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>European Urology</i> , 2010 , 58, 218-38	10.2	257
71	Complication rates of tension-free midurethral slings in the treatment of female stress urinary incontinence: a systematic review and meta-analysis of randomized controlled trials comparing tension-free midurethral tapes to other surgical procedures and different devices. <i>European Urology</i> , 2008 , 53, 288-308	10.2	233
70	A Critical Analysis of the Current Knowledge of Surgical Anatomy of the Prostate Related to Optimisation of Cancer Control and Preservation of Continence and Erection in Candidates for Radical Prostatectomy: An Update. <i>European Urology</i> , 2016 , 70, 301-11	10.2	149
69	Validation of the Clavien-Dindo Grading System in Urology by the European Association of Urology Guidelines Ad Hoc Panel. <i>European Urology Focus</i> , 2018 , 4, 608-613	5.1	101
68	Impact of Surgical Factors on Robotic Partial Nephrectomy Outcomes: Comprehensive Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2018 , 200, 258-274	2.5	56
67	Is laparoscopic radical prostatectomy better than traditional retropubic radical prostatectomy? An analysis of peri-operative morbidity in two contemporary series in Italy. <i>European Urology</i> , 2003 , 44, 401-6	10.2	56
66	Impact of Renal Hilar Control on Outcomes of Robotic Partial Nephrectomy: Systematic Review and Cumulative Meta-analysis. <i>European Urology Focus</i> , 2019 , 5, 619-635	5.1	36
65	Landmarks in prostate cancer diagnosis: the biomarkers. <i>BJU International</i> , 2012 , 110 Suppl 1, 8-13	5.6	25
64	Prognostic role of substaging in T1G3 transitional cell carcinoma of the urinary bladder. <i>Molecular and Clinical Oncology</i> , 2014 , 2, 575-580	1.6	23
63	Holographic Reconstructions for Preoperative Planning before Partial Nephrectomy: A Head-to-Head Comparison with Standard CT Scan. <i>Urologia Internationalis</i> , 2019 , 102, 212-217	1.9	22
62	Impact of Host Factors on Robotic Partial Nephrectomy Outcomes: Comprehensive Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2018 , 200, 716-730	2.5	22
61	Lymph Nodes Invasion of Marcille's Fossa Associates with High Metastatic Load in Prostate Cancer Patients Undergoing Extended Pelvic Lymph Node Dissection: The Role of "Marcillectomy". <i>Urologia Internationalis</i> , 2019 , 103, 25-32	1.9	18
60	Counseling in urogynecology: A difficult task, or simply good surgeon-patient communication?. <i>International Urogynecology Journal</i> , 2018 , 29, 943-948	2	18
59	Quality assessment of partial nephrectomy complications reporting using EAU standardised quality criteria. <i>European Urology</i> , 2014 , 66, 522-6	10.2	17
58	Extended pelvic lymphadenectomy for prostate cancer: should the Cloquet's nodes dissection be considered only an option?. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 136-145	4.4	17
57	Consulting "Dr. Google" for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend Analysis. <i>European Urology Oncology</i> , 2020 , 3, 481-488	6.7	17
56	The role of imaging in urinary incontinence. <i>BJU International</i> , 2005 , 95, 699-703	5.6	16

55	Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 324-338	4.4	15
54	Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. <i>Urology</i> , 2017 , 108, 82-89	1.6	14
53	Dysfunctional voiding. <i>Current Opinion in Urology</i> , 2014 , 24, 330-5	2.8	14
52	Health-Related Quality of Life after Radical Cystectomy for Bladder Cancer in Elderly Patients with Ileal Orthotopic Neobladder or Ileal Conduit: Results from a Multicentre Cross-Sectional Study Using Validated Questionnaires. <i>Urologia Internationalis</i> , 2018 , 100, 346-352	1.9	12
51	Risk factors of positive surgical margins after robot-assisted radical prostatectomy in high-volume center: results in 732 cases. <i>Journal of Robotic Surgery</i> , 2020 , 14, 167-175	2.9	12
50	Is Health-Related Quality of Life after Radical Cystectomy Using Validated Questionnaires Really Better in Patients with Ileal Orthotopic Neobladder Compared to Ileal Conduit: A Meta-Analysis of Retrospective Comparative Studies. <i>Current Urology</i> , 2017 , 10, 57-68	1.7	11
49	Argus-T Sling in 182 Male Patients: Short-term Results of a Multicenter Study. <i>Urology</i> , 2017 , 110, 177-183	3.6	11
48	Is a Drain Needed After Robotic Radical Prostatectomy With or Without Pelvic Lymph Node Dissection? Results of a Single-Center Randomized Clinical Trial. <i>Journal of Endourology</i> , 2021 , 35, 922-928	2.7	11
47	Quality of life following urinary diversion: Orthotopic ileal neobladder versus ileal conduit. A multicentre study among long-term, female bladder cancer survivors. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 477-481	3.6	10
46	Robot-assisted Vescica Ileale Padovana: A New Technique for Intracorporeal Bladder Replacement Reproducing Open Surgical Principles. <i>European Urology</i> , 2019 , 76, 381-390	10.2	10
45	Impact of Implementation of Standardized Criteria in the Assessment of Complication Reporting After Robotic Partial Nephrectomy: A Systematic Review. <i>European Urology Focus</i> , 2020 , 6, 513-517	5.1	10
44	Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. <i>International Urology and Nephrology</i> , 2020 , 52, 2097-2105	2.3	9
43	Robotic intracorporeal urinary diversion: state of the art. <i>Current Opinion in Urology</i> , 2019 , 29, 293-300	2.8	9
42	Quality of Life in Patients with Bladder Cancer Undergoing Ileal Conduit: A Comparison of Women Men. <i>In Vivo</i> , 2018 , 32, 139-143	2.3	9
41	Augmented reality during robot-assisted radical prostatectomy: expert robotic surgeons on-the-spot insights after live surgery. <i>Minerva Urology and Nephrology</i> , 2018 , 70, 226-229	2.3	9
40	Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 516-523	4.4	8
39	Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal testosterone serum levels and prostate cancer European Urology Association clinical risk classes in a large cohort of Caucasian patients. <i>International Urology and Nephrology</i> , 2020 , 52, 1261-1269	2.3	8
38	Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. <i>Urologia Internationalis</i> , 2019 , 103, 400-407	1.9	7

37	Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients at baseline prostate biopsy. <i>World Journal of Urology</i> , 2020 , 38, 957-964	4	7
36	Endogenous testosterone as a predictor of prostate growing disorders in the aging male. <i>International Urology and Nephrology</i> , 2021 , 53, 843-854	2.3	7
35	Impact of the Implementation of the EAU Guidelines Recommendation on Reporting and Grading of Complications in Patients Undergoing Robot-assisted Radical Cystectomy: A Systematic Review. <i>European Urology</i> , 2021 , 80, 129-133	10.2	7
34	Low Preoperative Prolactin Levels Predict Non-Organ Confined Prostate Cancer in Clinically Localized Disease. <i>Urologia Internationalis</i> , 2019 , 103, 391-399	1.9	6
33	Adherence to the European Association of Urology Guidelines: A National Survey among Italian Urologists. <i>Urologia Internationalis</i> , 2018 , 100, 139-145	1.9	6
32	Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. <i>Journal of Robotic Surgery</i> , 2020 , 14, 663-675	2.9	6
31	Definition of a Structured Training Curriculum for Robot-assisted Radical Cystectomy with Intracorporeal Ileal Conduit in Male Patients: A Delphi Consensus Study Led by the ERUS Educational Board. <i>European Urology Focus</i> , 2021 ,	5.1	6
30	Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values. <i>Urologia Internationalis</i> , 2019 , 103, 415-422	1.9	5
29	Total testosterone density predicts high tumor load and disease reclassification of prostate cancer: results in 144 low-risk patients who underwent radical prostatectomy. <i>International Urology and Nephrology</i> , 2019 , 51, 2169-2180	2.3	5
28	Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 72-81	4.4	5
27	Management of patients who opt for radical prostatectomy during the coronavirus disease 2019 (COVID-19) pandemic: an international accelerated consensus statement. <i>BJU International</i> , 2021 , 127, 729-741	5.6	5
26	Robotic bladder diverticulectomy: step-by-step extravesical posterior approach - technique and outcomes. <i>Scandinavian Journal of Urology</i> , 2018 , 52, 285-290	1.6	5
25	Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564 consecutive cases. <i>Therapeutic Advances in Urology</i> , 2019 , 11, 1756287219868604	3.2	4
24	Adenocarcinoma of the paraurethral glands: a case report. <i>Histology and Histopathology</i> , 2014 , 29, 1295-1303	1.4	4
23	Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019 , 17, 234-242	1.7	3
22	High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence after robot-assisted radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2019 , 11, 1756287219878283	3.2	3
21	The impact of extended pelvic lymph node dissection on the risk of hospital readmission within 180 days after robot assisted radical prostatectomy. <i>World Journal of Urology</i> , 2020 , 38, 2799-2809	4	3
20	Current evidence and future perspectives about the role of iXip in the diagnosis of prostate cancer. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2019 , 71, 201-204	4.4	3

19	Possible role of 5-alpha reductase inhibitors in non-invasive bladder urothelial neoplasm: multicentre study. <i>Minerva Urology and Nephrology</i> , 2019 ,	2.3	3
18	Consulting Dr. GoogleSfor minimally invasive urological oncological surgeries: A contemporary web-based trend analysis. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2021 , 17, e2250	2.9	3
17	Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. <i>Minerva Urology and Nephrology</i> , 2021 , 73, 471-480	2.3	3
16	Multiple stones in neobladder: Case report and literature review. <i>Urologia</i> , 2019 , 86, 216-219	1.2	2
15	Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. <i>Therapeutic Advances in Urology</i> , 2020 , 12, 1756287220929481	3.2	2
14	Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a Single Tertiary Referral Center: Preliminary Report. <i>Urologia Internationalis</i> , 2020 , 104, 465-475	1.9	2
13	Changes in tumor burden and IMDC class after active surveillance (AS) for metastatic renal cell carcinoma (mRCC).. <i>Journal of Clinical Oncology</i> , 2017 , 35, 435-435	2.2	2
12	Impact of Preoperative Patient Characteristics and Flow Rate on Failure, Early Complications, and Voiding Dysfunction After a Transobturator Tape Procedure: A Multicentre Study. <i>International Neurourology Journal</i> , 2017 , 21, 282-288	2.6	2
11	Perioperative Mortality and Long-Term Survival after Radical Cystectomy: A Population-Based Study in a Southern European Country on 4,389 Patients. <i>Urologia Internationalis</i> , 2020 , 104, 559-566	1.9	2
10	The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral Prostate Resection. <i>Urologia Internationalis</i> , 2021 , 105, 826-834	1.9	2
9	Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 148-154	1.7	1
8	Association between Basal Total Testosterone Levels and Prostate Cancer DSAmico Risk Classes. <i>Urologia Internationalis</i> , 2020 , 104, 716-723	1.9	1
7	Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity. <i>Urologia Internationalis</i> , 2021 , 105, 362-369	1.9	1
6	Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 545-556	2	0
5	ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. <i>Journal of Robotic Surgery</i> , 2021 , 1	2.9	0
4	Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. <i>Journal of Robotic Surgery</i> , 2021 , 1	2.9	0
3	Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. <i>Journal of Robotic Surgery</i> , 2021 , 1	2.9	0
2	Positive Association between Preoperative Total Testosterone and Lymph Node Invasion in Intermediate Risk Prostate Cancer. <i>Current Urology</i> , 2019 , 12, 216-222	1.7	

- 1 Use of AUC7 adjuvant carboplatin in patients with stage I seminoma: systematic review of the literature. *Tumori*, **2018**, 104, 83-87 1.7