

Shu-Juan Yu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6203699/shu-juan-yu-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

990
citations

18
h-index

29
g-index

55
ext. papers

1,262
ext. citations

6.5
avg, IF

4.89
L-index

#	Paper	IF	Citations
54	Optimisation of ultrasonic-assisted extraction of phenolic compounds, antioxidants, and anthocyanins from sugar beet molasses. <i>Food Chemistry</i> , 2015 , 172, 543-50	8.5	139
53	Physicochemical properties and digestibility of hydrothermally treated waxy rice starch. <i>Food Chemistry</i> , 2015 , 172, 92-8	8.5	81
52	Structural properties and digestibility of pulsed electric field treated waxy rice starch. <i>Food Chemistry</i> , 2016 , 194, 1313-9	8.5	64
51	Effects of Ultrasound on a Glycyl-L-glucose Model System: A Means of Promoting Maillard Reaction. <i>Food and Bioprocess Technology</i> , 2011 , 4, 1391-1398	5.1	53
50	Structure and digestibility of debranched and repeatedly crystallized waxy rice starch. <i>Food Chemistry</i> , 2015 , 187, 348-53	8.5	41
49	Emulsion stability of sugar beet pectin increased by genipin crosslinking. <i>Food Hydrocolloids</i> , 2020 , 101, 105459	10.6	36
48	Stepwise ethanolic precipitation of sugar beet pectins from the acidic extract. <i>Carbohydrate Polymers</i> , 2016 , 136, 316-21	10.3	35
47	Effects of the precipitation pH on the ethanolic precipitation of sugar beet pectins. <i>Food Hydrocolloids</i> , 2016 , 52, 431-437	10.6	34
46	Antioxidant and in vitro anticancer activities of phenolics isolated from sugar beet molasses. <i>BMC Complementary and Alternative Medicine</i> , 2015 , 15, 313	4.7	30
45	Development of a Sono-Assembled, Bifunctional Soy Peptide Nanoparticle for Cellular Delivery of Hydrophobic Active Cargoes. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 4208-4218	5.7	29
44	Debranching and temperature-cycled crystallization of waxy rice starch and their digestibility. <i>Carbohydrate Polymers</i> , 2014 , 113, 91-6	10.3	28
43	Inhibitory effect of sugarcane molasses extract on the formation of N-(carboxymethyl)lysine and N-(carboxyethyl)lysine. <i>Food Chemistry</i> , 2017 , 221, 1145-1150	8.5	26
42	Separation and determination of 4-methylimidazole, 2-methylimidazole and 5-hydroxymethylfurfural in beverages by amino trap column coupled with pulsed amperometric detection. <i>Food Chemistry</i> , 2015 , 169, 224-9	8.5	26
41	Lipophilized Grape Seed Proanthocyanidin Derivatives as Novel Antioxidants. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 1598-1605	5.7	25
40	Influences of different pectins on the emulsifying performance of conjugates formed between pectin and whey protein isolate. <i>International Journal of Biological Macromolecules</i> , 2019 , 123, 246-254	7.9	22
39	Rapid and quantitative detection of 4(5)-methylimidazole in caramel colours: A novel fluorescent-based immunochromatographic assay. <i>Food Chemistry</i> , 2016 , 190, 843-847	8.5	20
38	Genipin crosslinked sugar beet pectin-whey protein isolate/bovine serum albumin conjugates with enhanced emulsifying properties. <i>Food Hydrocolloids</i> , 2020 , 105, 105802	10.6	20

37	Physicochemical properties and in vitro digestibility of high hydrostatic pressure treated waxy rice starch. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 1030-1038	7.9	19
36	Review of pentosidine and pyrrole in food and chemical models: formation, potential risks and determination. <i>Journal of the Science of Food and Agriculture</i> , 2018 , 98, 3225-3233	4.3	18
35	Lipophilic Grape Seed Proanthocyanidin Exerts Anti-Proliferative and Pro-Apoptotic Effects on PC3 Human Prostate Cancer Cells and Suppresses PC3 Xenograft Tumor Growth in Vivo. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 229-235	5.7	15
34	Formation of 2,3-dihydro-3,5-Dihydroxy-6-Methyl-4(H)-Pyran-4-One (DDMP) in glucose-amino acids Maillard reaction by dry-heating in comparison to wet-heating. <i>LWT - Food Science and Technology</i> , 2019 , 105, 156-163	5.4	14
33	Optimization of Extraction of Hypoglycemic Ingredients from Grape Seeds and Evaluation of α-Glucosidase and α-Amylase Inhibitory Effects In Vitro. <i>Journal of Food Science</i> , 2018 , 83, 1422-1429	3.4	14
32	Characterization of Lipophilized Monomeric and Oligomeric Grape Seed Flavan-3-ol Derivatives. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 8875-8883	5.7	14
31	Robust W/O/W Emulsion Stabilized by Genipin-Cross-Linked Sugar Beet Pectin-Bovine Serum Albumin Nanoparticles: Co-encapsulation of Betanin and Curcumin. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 1318-1328	5.7	14
30	Analyzing 2-acetyl-4(5)-(1,2,3,4-tetrahydroxybutyl)-imidazole in beverages by dispersive micro-solid phase extraction using polymer cation exchange sorbent followed by ion chromatography and liquid chromatography coupled with tandem mass spectrometry. <i>Food Chemistry</i> , 2019 , 292, 260-266	8.5	13
29	Developing precipitation modes for preventing the calcium-oxalate contamination of sugar beet pectins. <i>Food Chemistry</i> , 2015 , 182, 64-71	8.5	12
28	Impact of Microwave-Assisted Heating on the pH Value, Color, and Flavor Compounds in Glucose-Ammonium Model System. <i>Food and Bioprocess Technology</i> , 2018 , 11, 1248-1258	5.1	11
27	Pulsed Electric Field Effects on Sucrose Nucleation at Low Supersaturation. <i>Sugar Tech</i> , 2015 , 17, 77-84	1.9	11
26	Improvement of sugar analysis sensitivity using anion-exchange chromatography-electrospray ionization mass spectrometry with sheath liquid interface. <i>Journal of Chromatography A</i> , 2014 , 1366, 65-72	4.5	10
25	Ultrafiltration of caramel color solutions reduces 5-hydroxymethyl-2-furaldehyde. <i>Journal of Membrane Science</i> , 2011 , 380, 9-12	9.6	9
24	Short communication: Study on the formation of 2-methylimidazole and 4-methylimidazole in the Maillard reaction. <i>Journal of Dairy Science</i> , 2015 , 98, 8565-71	4	8
23	The effect of pH and amino acids on the formation of methylglyoxal in a glucose-amino acid model system. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3159-3165	4.3	8
22	Determination of 4(5)-methylimidazole in foods and beverages by modified QuEChERS extraction and liquid chromatography-tandem mass spectrometry analysis. <i>Food Chemistry</i> , 2019 , 280, 278-285	8.5	8
21	Determination of Four Bitter Compounds in Caramel Colors and Beverages Using Modified QuEChERS Coupled with Liquid Chromatography-Diode Array Detector-Mass Spectrometry. <i>Food Analytical Methods</i> , 2019 , 12, 1674-1683	3.4	7
20	Characterisation of the turbid particles in the extraction of sugar beet pectins. <i>Food Chemistry</i> , 2014 , 162, 99-103	8.5	7

19	Rheological characterization of RG-I chicory root pectin extracted by hot alkali and chelators. <i>International Journal of Biological Macromolecules</i> , 2020 , 164, 759-770	7.9	7
18	Effects of pH on the formation of 4(5)-Methylimidazole in glucose/ammonium sulfate and glucose/ammonium sulfite caramel model reactions. <i>Food Research International</i> , 2015 , 76, 661-665	7	6
17	Addition of lipophilic grape seed proanthocyanidin effectively reduces acrylamide formation. <i>Journal of the Science of Food and Agriculture</i> , 2020 , 100, 1213-1219	4.3	6
16	Simultaneous detection of 4(5)-methylimidazole and acrylamide in biscuit products by isotope-dilution UPLC-MS/MS. <i>Food Control</i> , 2019 , 105, 64-70	6.2	5
15	Molecular hybridization of grape seed extract: Synthesis, structural characterization and anti-proliferative activity in vitro. <i>Food Research International</i> , 2020 , 131, 109005	7	5
14	Insights into the Regulation Effects of Certain Phenolic Acids on 2,3-Dihydro-3,5-dihydroxy-6-methyl-4()-pyran-4-one Formation in a Microaqueous Glucose-Proline System. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 9050-9059	5.7	5
13	Effects of divalent cations on the formation of 4(5)-methylimidazole in fructose/ammonium hydroxide caramel model reaction. <i>Food Chemistry</i> , 2016 , 201, 253-8	8.5	4
12	Alpha-tocopherol-based microemulsion improving the stability of carnosic acid and its electrochemical analysis of antioxidant activity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 580, 123708	5.1	4
11	Iron-Chelating Properties of Melanoidins and Inducing Effect of Pulsed Electric Field. <i>Journal of Food Process Engineering</i> , 2013 , 36, 786-792	2.4	4
10	Combination of solid-phase extraction with microextraction techniques followed by HPLC for simultaneous determination of 2-methylimidazole and 4-methylimidazole in beverages. <i>Food Chemistry</i> , 2020 , 305, 125389	8.5	4
9	Maillard reaction in Chinese household-prepared stewed pork balls with brown sauce: potentially risky and volatile products. <i>Food Science and Human Wellness</i> , 2021 , 10, 221-230	8.3	4
8	Ethyl carbamate control by genomic regulation of arginase in <i>Saccharomyces cerevisiae</i> EC1118 in sugarcane juice fermentation. <i>Journal of Food Processing and Preservation</i> , 2017 , 41, e13261	2.1	3
7	Identification of bitter-taste compounds in class-III caramel colours. <i>Flavour and Fragrance Journal</i> , 2021 , 36, 404-411	2.5	3
6	Enhancement of liquid chromatography-ion trap mass spectrometry analysis of 4(5)-methylimidazole in biscuits through derivatization with dansyl chloride. <i>Journal of Chromatography A</i> , 2019 , 1596, 1-7	4.5	3
5	Grape seed proanthocyanidin-loaded gel-like W/O/W emulsion stabilized by genipin-crosslinked alkaline soluble polysaccharides-whey protein isolate conjugates: Fabrication, stability, and in vitro digestion. <i>International Journal of Biological Macromolecules</i> , 2021 , 186, 759-769	7.9	3
4	Analysis of 4(5)-methylimidazole in soy sauce by a quick, easy, cheap, effective, rugged, and safe approach and liquid chromatography-mass spectrometry. <i>Journal of Chromatography A</i> , 2019 , 1588, 25-32	4.5	2
3	Sensory evaluation, chemical structures, and threshold concentrations of bitter-tasting compounds in common foodstuffs derived from plants and maillard reaction: A review. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-41	11.5	1
2	Betacyanins functionalized selenium nanoparticles inhibit HepG2 cells growth via mitochondria-mediated pathway. <i>Journal of Functional Foods</i> , 2021 , 78, 104359	5.1	0

- ¹ Short communication: Amino trap column improves the separation of methylimidazoles, 5-hydroxymethyl-2-furaldehyde, and sugars in Maillard reaction. *Journal of Dairy Science*, **2014**, 97, 6810-⁴3