

Evgeny E Perkovsky

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6204384/publications.pdf>

Version: 2024-02-01

180
papers

2,082
citations

393982

19
h-index

580395

25
g-index

184
all docs

184
docs citations

184
times ranked

385
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Poliaenus europaeus</i> n. sp., the first cerambycid from Rovno amber (Coleoptera Cerambycidae). <i>Historical Biology</i> , 2023, 35, 1162-1165.	0.7	9
2	New proxy for Moraceae in Priabonian of Europe: first record of the genus <i>Demimaea</i> Pascoe, 1870 (Coleoptera: Curculionidae) from Eocene Rovno amber. <i>Historical Biology</i> , 2023, 35, 1322-1328.	0.7	11
3	New data on Embiids (Insecta: Embiidea) from mid-Cretaceous Burmese amber, with description of new genus and two new species. <i>Cretaceous Research</i> , 2022, , 105149.	0.6	1
4	First fossil species of ship-timber beetles (Coleoptera, Lymexylidae) from Eocene Rovno amber (Ukraine). <i>Fossil Record</i> , 2022, 25, 65-74.	0.5	19
5	First Odonata from Upper Eocene Rovno amber (Ukraine). <i>Historical Biology</i> , 2022, 34, 2182-2187.	0.7	7
6	<i>Khatangaphis sibirica</i> Kononova, 1975 (Hemiptera: Sternorrhyncha: Tajmyraphididae) redescription. <i>Palaeoentomology</i> , 2022, 5, .	0.4	5
7	Synopsis of the rare genus <i>Alongatepyris</i> (Hymenoptera, Bethylidae), with description of the first extinct species from Dominican amber. <i>Palaeoentomology</i> , 2022, 5, .	0.4	4
8	A new genus and species of gall midges the tribe Winnertziini (Diptera, Cecidomyiidae,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,462 Td (P</i>	0.4	0
9	Two Different Cretaceous Worlds: Taimyr and Kachin Amber TrichopteroFaunas. <i>Zoodiversity</i> , 2022, 56, 51-56.	0.1	5
10	Imprint of a <i>Helcophorus</i> Fairmaire, 1881: the first net-winged beetle (Coleoptera: Lycidae) from Rovno amber. <i>Zootaxa</i> , 2022, 5128, 84-90.	0.2	12
11	Discovery of a new species of <i>Dryinus</i> (Hymenoptera: Dryinidae) from mid-Cretaceous Burmese amber. <i>Zootaxa</i> , 2022, 5128, 444-450.	0.2	2
12	<i>Yakutia sukachevae</i> gen. et sp. nov. (Mordellidae), the first fossil Coleoptera from Upper Cretaceous amber of Yakutia, eastern Russia. <i>Cretaceous Research</i> , 2022, 138, 105262.	0.6	1
13	A review of fossil taxa of Microphorinae (Diptera, Dolichopodidae sensu lato), with redescription of the Eocene genus <i>Meghyperiella</i> Meunier. <i>Zootaxa</i> , 2022, 5150, 411-427.	0.2	2
14	Discovery of the first apterous pincer wasp from amber, with description of a new tribe, genus and species of Apodryininae (Hymenoptera, Dryinidae). <i>Zootaxa</i> , 2022, 5162, 54-66.	0.2	14
15	Synopsis of the fossil Pristocerinae (Hymenoptera, Bethylidae), with description of two new genera and six species from Burmese, Taimyr, Baltic and Rovno ambers. <i>Historical Biology</i> , 2021, 33, 1736-1752.	0.7	34
16	A review of the fossil Embolemidae (Hymenoptera: Chrysidoidea), with description of seven new species and history of the family. <i>Cretaceous Research</i> , 2021, 121, 104708.	0.6	10
17	Synopsis of the fossil flat wasps Epyrinae (Hymenoptera, Bethylidae), with description of three new genera and 10 new species. <i>Journal of Systematic Palaeontology</i> , 2021, 19, 39-89.	0.6	23
18	Review of fossil heterostigmatic mites (Acari: Heterostigmata) from late Eocene Rovno Amber. I. Families Tarsocheylidae, Dolichocybidae and Acarophenacidae. <i>Systematic and Applied Acarology</i> , 2021, 26, 33-61.	0.5	9

#	ARTICLE	IF	CITATIONS
19	<p><p>Descriptions of the first females of Embolemus (Hymenoptera: Chrysidoidea) from Kachin (Myanmar) amber</p></p>	0.4	1
20	<p><p>First fossil record of mite family Barbutiidae (Acari: Raphignathoidea) from late Eocene Rovno Amber, with a replacement name Hoplocheylus neosimilis nomen novum (Tarsocheylidae)</p></p>	0.5	4
21	Harvestmen (Arachnida: Opiliones) in Eocene Rovno amber (Ukraine). Zootaxa, 2021, 4984, 4372.	0.2	28
22	Zaiwa: A new genus of the family Lophocateridae from mid-Cretaceous Burmese amber (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54)	0.4	1
23	Protomauroania mikhailoviâ€”a new species of malachite beetles (Coleoptera, Dasytidae) in Rovno amber. Zootaxa, 2021, 5006, 189-194.	0.2	16
24	A new bizarre species of Euconnus (Cladoconnus) in Upper Eocene Rovno amber (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54)	0.2	10
25	A new species of the genus Dorytomus Germar, 1817 (Coleoptera, Curculionidae) from Rovno amber. Zootaxa, 2021, 5006, 95-100.	0.2	9
26	A new species of Plectrocnemia (Trichoptera: Polycentropodidae) from Rovno amber. Zootaxa, 2021, 5006, 106-109.	0.2	12
27	A new fossil species of the genus Parasinalda Heiss & Golub (Hemiptera: Heteroptera: Tingidae) from Upper Eocene Rovno amber. Zootaxa, 2021, 5027, 290-296.	0.2	7
28	First record of tiger beetles (Coleoptera, Cicindelidae) from Rovno amber, with the description of a new genus and species. Zootaxa, 2021, 5016, 243-256.	0.2	25
29	A new species of Lonchodryinus (Hymenoptera, Dryinidae) from Upper Eocene Baltic amber. Zootaxa, 2021, 5020, 328-336.	0.2	3
30	Mosquitoes (Diptera: Culicidae) in Eocene amber from the Rovno region, Ukraine. Zootaxa, 2021, 5016, 257-270.	0.2	12
31	A new species of the fossil genus Electrotrichia (Insecta: Trichoptera: Hydroptilidae) from Rovno amber (Zhytomyr region, Olevsk locality). Palaeoentomology, 2021, 4, .	0.4	14
32	Discovery of a new genus and species of Dryinidae (Hymenoptera: Chrysidoidea) from Kachin (Myanmar) amber: Rasnitsynum burmense gen. et sp. nov.. Palaeoentomology, 2021, 4, .	0.4	3
33	A new leafhopper (Hemiptera: Cicadellidae) from late Eocene Rovno amber described based on an adult and associated last-instar nymph from Perebrody (Ukraine). Palaeoentomology, 2021, 4, .	0.4	7
34	A mid-Cretaceous land snail Burminella artiukhini gen. et sp. nov. from Burmese amber: a â€œmissing linkâ€• between Pupinidae and other Cyclophoroidea? (Caenogastropoda). Cretaceous Research, 2021, 127, 104941.	0.6	4
35	A new species of the genus <i>Claesotropis</i> Gratshev and Zherikhin, 1995 (Coleoptera, Anthribidae) from Rovno amber. Fossil Record, 2021, 24, 1-7.	0.5	20
36	The first fossil Coleoptera record from the Volyn Region, Ukraine, with description of a new Glesoconomorphus (Coleoptera, Mycteridae) in syninclusion with Winterschmidtidae (Acari) and a key to species. ZooKeys, 2021, 1068, 189-201.	0.5	20

#	ARTICLE	IF	CITATIONS
37	The first sclerodermine flat wasp (Hymenoptera: Bethyridae) from the upper Eocene Rovno amber, Ukraine. <i>Alcheringa</i> , 2021, 45, 429-434.	0.5	9
38	A new species of the genus <i>Holocentropus</i> (Trichoptera: Polycentropodidae) from Rovno amber. <i>Zoosystematica Rossica</i> , 2021, 30, 298-302.	0.2	9
39	Two new species of fossil Paratydeidae (Acari: Trombidiformes) from the late Eocene amber highlight ultraslow morphological evolution in a soil-inhabiting arthropod lineage. <i>Journal of Systematic Palaeontology</i> , 2020, 18, 607-629.	0.6	6
40	Revision of the genus <i>Dryinus</i> Latreille (Hymenoptera: Dryinidae) from mid-Cretaceous Kachin (Myanmar) amber. <i>Cretaceous Research</i> , 2020, 106, 104217.	0.6	9
41	Smallest and oldest false skin beetle: <i>Paleobiphyllus ponomarenkoi</i> gen. et sp. nov. (Coleoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2020, 104238.	0.6	8
42	<p>A new species of Proneuronema (Neuroptera: Hemerobiidae) from late Eocene Rovno amber</p>. <i>Zootaxa</i> , 2020, 4718, 292-300.	0.2	9
43	Diversity of Eocene Ripiphoridae with descriptions of the first species of Pelecotominae and larva of Ripidiinae (Coleoptera). <i>Zoological Journal of the Linnean Society</i> , 2020, 188, 412-433.	1.0	7
44	A golden age for ectoparasitoids of Embiodea: Cretaceous Sclerogibbidae (Hymenoptera, Chrysidoidea) from Kachin (Myanmar), Charentes (France) and Choshi (Japan) ambers. <i>Gondwana Research</i> , 2020, 87, 1-22.	3.0	17
45	A review of the Palaeoanteoninae (Hymenoptera: Dryinidae), with description of the first species from mid-Cretaceous Kachin (Myanmar) amber and comments on its phylogenetic significance. <i>Cretaceous Research</i> , 2020, 116, 104582.	0.6	5
46	First <i>Bocchus</i> Ashmead (Hymenoptera: Dryinidae) from Upper Eocene Rovno amber: <i>B. schmalhauseni</i> sp. nov.. <i>Zootaxa</i> , 2020, 4819, zootaxa.4819.3.6.	0.2	24
47	A reclassification of <i>Acanthocnemoides sukatshevae</i> Zherikhin, 1977 from the mid-Cretaceous Taimyr amber (Coleoptera). <i>Cretaceous Research</i> , 2020, 115, 104548.	0.6	9
48	The first <i>Cacomorphocerus</i> species (Coleoptera, Cantharidae) from Rovno amber: a second species of the genus with 11-segmented antennae. <i>Zootaxa</i> , 2020, 4751, zootaxa.4751.2.14.	0.2	9
49	An important intermediate step in the evolution of pincer wasps: an extraordinary new type of chela from mid-Cretaceous Burmese amber (Hymenoptera, Dryinidae). <i>Cretaceous Research</i> , 2020, 111, 104420.	0.6	14
50	<p>A New Genus and Species Representing the First Leafhopper (Hemiptera:)</p> Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2020, 104582.	0.4	10
51	<p>A new species of Sympherobius Banks (Neuroptera:)</p> Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2020, 196-203.	0.4	10
52	<p>Phylogenetic overview of flat wasps (Hymenoptera, Bethyridae) reveals Elektroepyridae, a new fossil subfamily</p>. <i>Palaeoentomology</i> , 2020, 3, 269-283.	0.4	14
53	<p>Ektopicercus Simutnik gen. nov. (Hymenoptera,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2020, 342-346.	0.4	10
54	<p>Discovery of the first species of Embolemidae (Hymenoptera: Chrysidoidea) from Hkamti (Myanmar) amber</p>. <i>Palaeoentomology</i> , 2020, 3, 556-560.	0.4	5

#	ARTICLE	IF	CITATIONS
55	Hepatics from Rovno amber (Ukraine): <i>Frullania pycnoclada</i> and a new species, <i>F. vanae</i> . <i>Bryologist</i> , 2020, 123, 421.	0.1	12
56	Small and common: the oldest tropical Chrysomelidae (Insecta: Coleoptera) from the lower Eocene Cambay amber of India. <i>Alcheringa</i> , 2019, 43, 597-611.	0.5	9
57	A new species of <i>Succinoraphidia</i> Asp&Amp; Asp, 2004 (Raphidioptera: Raphidiidae) from the late Eocene Rovno amber, with venation characteristics of the genus. <i>Zootaxa</i> , 2019, 4576, zootaxa.4576.3.9.	0.2	19
58	Neotype designation and re-description of <i>Prolachlanius resinatus</i> (Hagen) (Neuroptera, Hemerobiidae) from Baltic amber, with the first record of the species from Rovno amber. <i>Zootaxa</i> , 2019, 4688, zootaxa.4688.1.2.	0.2	4
59	The Mastigitae genus <i>Baltostigus</i> in Upper Eocene Rovno amber (Coleoptera: Staphylinidae: Scydmaeninae). <i>Zootaxa</i> , 2019, 4661, 594-600.	0.2	6
60	Description of the first sclerogibbid wasp (Hymenoptera: Sclerogibbidae) from Burmese (Myanmar) amber and its phylogenetic significance. <i>Journal of Systematic Palaeontology</i> , 2019, 17, 1791-1803.	0.6	11
61	A review of the genus <i>Hybristodryinus</i> Engel, 2005 (Hymenoptera, Dryinidae) from mid-Cretaceous Burmese amber, with a discussion of its phylogenetic significance. <i>Cretaceous Research</i> , 2019, 99, 169-189.	0.6	18
62	A New Genus of Soldier Beetles (Insecta: Coleoptera: Cantharidae: Cantharinae) from Sakhalinian Amber. <i>Paleontological Journal</i> , 2019, 53, 300-304.	0.2	9
63	A New Species of the Genus <i>Homocloeus</i> Jordan (Coleoptera: Anthribidae) in Miocene Mexican Amber. <i>Paleontological Journal</i> , 2019, 53, 56-61.	0.2	5
64	A New Species of the Family Smicripidae (Coleoptera: Cucujoidea) from Rovno Amber. <i>Paleontological Journal</i> , 2019, 53, 165-171.	0.2	7
65	<i>Taimyraphes</i> gen. nov., the first glandulariine ant-like stone beetle from Santonian Taimyr amber (Coleoptera: Staphylinidae: Scydmaeninae). <i>Cretaceous Research</i> , 2019, 100, 164-171.	0.6	4
66	New Weevils (Coleoptera: Curculionidae) from Rovno Amber. <i>Paleontological Journal</i> , 2019, 53, 1045-1059.	0.2	22
67	First Findings of Gall Midges (Diptera, Cecidomyioidea, Cecidomyiidae) of the Tribes Karshomyiini (Mexican Amber) and Bremiini (Dominican Amber). <i>Paleontological Journal</i> , 2019, 53, 1060-1073.	0.2	4
68	New Records of Upper Eocene Chrysidoid Wasps (Hymenoptera: Chryridoidea) from Basins of Styr and Stokhod Rivers (Rovno Amber). <i>Paleontological Journal</i> , 2019, 53, 998-1023.	0.2	37
69	A Summary of Recent Results in the Study of Taimyr Amber. <i>Paleontological Journal</i> , 2019, 53, 984-993.	0.2	18
70	Liverworts from Rovno Amber (Ukraine). 8. <i>Frullania ekaterinae</i> sp. nov. and <i>F. schmalhauseni</i> sp. nov.. <i>Paleontological Journal</i> , 2019, 53, 1095-1103.	0.2	14
71	A New Species of the Genus <i>Eldermyrmex</i> Shattuck, 2011 (Hymenoptera, Formicidae) from Bitterfeld Amber (Late Eocene) with Species Key of the Genus. <i>Paleontological Journal</i> , 2019, 53, 994-997.	0.2	5
72	New Coniopterygidae (Neuroptera) from the upper Cenomanian Nizhnyaya Agapa amber, northern Siberia. <i>Cretaceous Research</i> , 2019, 93, 107-113.	0.6	6

#	ARTICLE	IF	CITATIONS
73	First record of Cicadellidae (Insecta, Hemiptera, Auchenorrhyncha) from Eocene Sakhalinian amber. ZooKeys, 2019, 886, 127-134.	0.5	5
74	A New Species of a Genus Cheilotrichia (Diptera: Limoniidae) from Baltic and Ukrainian Amber. Annales Zoologici, 2019, 69, 423.	0.1	1
75	An unexpectedly abundant new genus of black flies (Diptera, Simuliidae) from Upper Cretaceous Taimyr amber of Ugolyak, with discussion of the early evolution of birds at high latitudes. Cretaceous Research, 2018, 90, 80-89.	0.6	12
76	Laurasian ancestors and "Gondwanan" descendants of Rotoitidae (Hymenoptera: Chalcidoidea): What a review of Late Cretaceous Baeomorpha revealed. Cretaceous Research, 2018, 84, 286-322.	0.6	44
77	First Record of the Late Eocene Ichneumon Fly <i>Rasnitsynites tarsalis</i> Kasparyan (Ichneumonidae,) Tj ETQq1 1 0.784314 rgBT /Overlock Journal, 2018, 52, 31-34.	0.2	3
78	A new tribe of Galerucinae leaf beetle (Insecta: Coleoptera: Chrysomelidae) from the Upper Cretaceous Taimyr amber. Cretaceous Research, 2018, 84, 97-106.	0.6	23
79	<i>Trjapitzion Simutnik</i> , gen. n. (Hymenoptera, Chalcidoidea: Encyrtidae), a New Genus of Encyrtid Wasps from the Late Eocene Rovno Amber. Entomological Review, 2018, 98, 1152-1156.	0.1	7
80	First record of Atypidae (Araneae) in Rovno Amber. Acta Arachnologica, 2018, 67, 13-17.	0.0	2
81	On the Fauna of Bristletails (<i>Zygentoma</i> , Microcoryphia) of the Rovno Amber. Paleontological Journal, 2018, 52, 541-545.	0.2	2
82	Hepatics from Rovno amber (Ukraine), 7. <i>Frullania zerovii</i> , sp. nov.. Nova Hedwigia, 2018, 106, 103-113.	0.2	16
83	<i>Dencyrtus</i> gen. nov. (Hymenoptera, Chalcidoidea, Encyrtidae) from the Late Eocene Danish Amber. Paleontological Journal, 2018, 52, 290-293.	0.2	6
84	<i>Archaeocercus</i> gen. nov. (Hymenoptera, Chalcidoidea, Encyrtidae) from Late Eocene Rovno Amber. Zootaxa, 2018, 4441, 543-548.	0.2	9
85	Discovery of the first pincer wasp (Hymenoptera, Dryinidae) from Rovno amber. Zootaxa, 2018, 4457, 296-304.	0.2	27
86	Staminate flower of <i>Prunus</i> s. l. (Rosaceae) from Eocene Rovno amber (Ukraine). Journal of Plant Research, 2018, 131, 925-943.	1.2	36
87	A New Genus and Species of Scolytinae (Coleoptera: Curculionidae) from the Rovno Amber. Paleontological Journal, 2018, 52, 164-167.	0.2	15
88	Only a half of Species of Hymenoptera in Rovno Amber Fauna is Common with Baltic Amber. Vestnik Zoologii, 2018, 52, 353-360.	0.7	36
89	A new genus of fungus weevils (Coleoptera: Anthribidae) in Rovno amber. Fossil Record, 2018, 21, 207-212.	0.5	23
90	A new species of <i>Glaesoconis</i> Meinander (Neuroptera: Coniopterygidae) from the Santonian Taimyr amber. Cretaceous Research, 2017, 75, 120-124.	0.6	9

#	ARTICLE	IF	CITATIONS
91	New genus <i>Ennoticus</i> from the Upper Cretaceous of Taimyr (Coleoptera: Cryptophagidae). <i>Paleontological Journal</i> , 2017, 51, 191-195.	0.2	3
92	New tribe, genus, and species of paedogenetic gall midges (Diptera, Lestremiidae: Krassiloviolini trib.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	0.2	3
93	Two new genera of cuckoo wasps (Chrysididae: Amiseginae) from Rovno and Baltic ambers. <i>Paleontological Journal</i> , 2017, 51, 382-390.	0.2	5
94	Oldest amber species of Palaeoaphididae (Hemiptera) from Baikura (Taimyr amber). <i>Cretaceous Research</i> , 2017, 80, 56-60.	0.6	11
95	Hepatics from Rovno amber (Ukraine), 6. <i>Frullania rovnoi</i> , sp. nov.. <i>Journal of Bryology</i> , 2017, 39, 336-341.	0.4	17
96	A new genus of silken-fungus beetle (Coleoptera: Cryptophagidae) from the Spanish Cretaceous amber. <i>Cretaceous Research</i> , 2017, 78, 191-195.	0.6	5
97	<i>Protocopidosoma</i> gen. nov. (Hymenoptera, Chalcidoidea, Encyrtidae) from the Late Eocene Danish amber. <i>Paleontological Journal</i> , 2017, 51, 288-290.	0.2	7
98	A putative twisted-wing parasitoid planidium (Insecta: Strepsiptera) in Taimyr Upper Cretaceous amber. <i>Cretaceous Research</i> , 2017, 69, 106-112.	0.6	8
99	Comparison of Biting Midges of the Early Eocene Cambay Amber (India) and Late Eocene European Ambers Supports the Independent Origin of European Ambers. <i>Vestnik Zoologii</i> , 2017, 51, 275-284.	0.7	18
100	Rovno Amber Caddisflies (Insecta, Trichoptera) from Different Localities, with Information about three New Sites. <i>Vestnik Zoologii</i> , 2017, 51, 15-22.	0.7	26
101	New Genus and Species of Gall Midges (Diptera, Cecidomyiidae, Porricondylinae, Holoneurini) from the Late Eocene Amber of Olevsk (Zhitomir Region, Ukraine). <i>Vestnik Zoologii</i> , 2017, 51, 23-30.	0.7	12
102	The Second Cretaceous Gall Midge Genus of the Tribe Diallactiini (Diptera, Cecidomyiidae) from the Late Cretaceous Burmese Amber. <i>Vestnik Zoologii</i> , 2017, 51, 117-124.	0.7	2
103	The first record of the subfamily Xenoscelinae (Coleoptera, Erotylidae) from the Baltic amber. <i>Paleontological Journal</i> , 2016, 50, 963-969.	0.2	6
104	A new species of the genus <i>Nalassus</i> Mulsant (Coleoptera: Tenebrionidae: Helopini) from the Baltic amber. <i>Paleontological Journal</i> , 2016, 50, 947-952.	0.2	10
105	The first record of Late Cretaceous blackflies (Diptera: Simuliidae) in Asia (Yantardakh, Taimyr). <i>Paleontological Journal</i> , 2016, 50, 997-1000.	0.2	7
106	The extant genus <i>Eutheia</i> (Coleoptera: Staphylinidae: Scydmaeninae) discovered in Upper Cretaceous Taimyr amber. <i>Cretaceous Research</i> , 2016, 66, 6-10.	0.6	15
107	New Late Eocene Chrysomelidae (Insecta) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 T</i> <i>Papers in Palaeontology</i> , 2016, 2, 117-137.	0.7	30
108	Diversity of Scydmaeninae (Coleoptera: Staphylinidae) in Upper Eocene Rovno amber. <i>Zootaxa</i> , 2016, 4157, 1-85.	0.2	38

#	ARTICLE	IF	CITATIONS
109	A new species of Micromalthidae (Coleoptera) from the Rovno amber: 1. Adult morphology. <i>Paleontological Journal</i> , 2016, 50, 293-296.	0.2	13
110	Caddisflies from Cenozoic resins of Europe. <i>Paleontological Journal</i> , 2016, 50, 485-493.	0.2	25
111	A new species of maimetshid wasp (Insecta: Hymenoptera) in Siberian Cretaceous amber. <i>Annales De Paleontologie</i> , 2016, 102, 213-217.	0.1	3
112	Aphidâ€“Buchnera” Ant symbiosis; or why are aphids rare in the tropics and very rare further south?. <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2016, 107, 297-310.	0.3	21
113	The first Eocene tumbling beetle of the genus <i>Isotrilophus</i> (Insecta: Coleoptera: Mordellidae) from the Green River Formation (Colorado, United States). <i>Paleontological Journal</i> , 2016, 50, 609-611.	0.2	1
114	First gall midges (Diptera, Cecidomyioidea) from Late Cretaceous amber of the Taimyr Peninsula. <i>Paleontological Journal</i> , 2016, 50, 1001-1026.	0.2	10
115	A new genus and species of gall midges of the supertribe Heteropezidi (Diptera, Cecidomyiidae) found in Eocene amber from Sakhalin. <i>Paleontological Journal</i> , 2016, 50, 1033-1037.	0.2	8
116	A new species of derelomine weevils (Coleoptera, Curculionidae, Curculioninae: Acalyptini) from the Rovno amber. <i>Paleontological Journal</i> , 2016, 50, 991-996.	0.2	13
117	<i>Rovnodiplosis eduardi</i> gen. et sp. nov., the first record of a fossil gall midge of the supertribe Mycodiplosidi (Diptera, Cecidomyioidea, Cecidomyiidae) in the Late Eocene of the Rovno amber. <i>Paleontological Journal</i> , 2016, 50, 1027-1032.	0.2	6
118	The ant <i>Aphaenogaster dluskyana</i> sp. nov. (Hymenoptera, Formicidae) from the Sakhalin amber”the earliest described species of an extant genus of Myrmicinae. <i>Paleontological Journal</i> , 2016, 50, 936-946.	0.2	18
119	Two new species of fossil <i>Corethrella</i> Coquillett from Late Eocene Rovno amber, with a species-level phylogeny for the family based on morphological traits (Diptera: Corethrellidae). <i>Systematic Entomology</i> , 2016, 41, 531-540.	1.7	15
120	The first record of a bryophyte in Upper Cretaceous amber from Taimyr, northern Siberia: <i>Taimyrobryum martynoviorum</i> gen. et sp. nov. (Bryopsida). <i>Cretaceous Research</i> , 2016, 65, 25-31.	0.6	18
121	An interesting new species of Sisyridae (Neuroptera) from the Upper Cretaceous Taimyr amber. <i>Cretaceous Research</i> , 2016, 63, 170-176.	0.6	10
122	Mosses from Rovno amber (Ukraine), 3. <i>Pottiodicranum</i> , a new moss genus from the Late Eocene. <i>Arctoa</i> , 2016, 25, 229-235.	0.3	12
123	A new species of the genus <i>Paxylommites</i> (Hymenoptera, Ichneumonidae, Hybrizoninae) from Baltic amber. <i>Paleontological Journal</i> , 2015, 49, 391-393.	0.2	2
124	Hepatics from Rovno amber (Ukraine), 4. <i>Frullania riclefgrollei</i> , sp. nov. <i>Review of Palaeobotany and Palynology</i> , 2015, 223, 31-36.	0.8	21
125	Orthoclads from Eocene Amber from Sakhalin (Diptera: Chironomidae, Orthoclaadiinae). <i>Insect Systematics and Evolution</i> , 2015, 46, 359-378.	0.2	22
126	New Late Eocene blackflies (Diptera, Simuliidae) from the Rovno amber (Ukraine). <i>Paleontological Journal</i> , 2015, 49, 608-614.	0.2	5

#	ARTICLE	IF	CITATIONS
127	Rovnosoma gen. nov. (Hymenoptera, Chalcidoidea, Encyrtidae) from the Late Eocene Rovno amber. Paleontological Journal, 2015, 49, 36-38.	0.2	4
128	First record of a Chironomidae pupa in amber. Geobios, 2015, 48, 281-286.	0.7	4
129	First confirmation of spongillaflies (Neuroptera: Sisyridae) from the Cretaceous. Cretaceous Research, 2015, 56, 363-371.	0.6	28
130	New gall midges (Diptera, Cecidomyiidae, Stomatosematidi, Brachineuridi) from the Late Eocene amber of Gulyanka (Zhitomir Region, Ukraine). Paleontological Journal, 2015, 49, 270-278.	0.2	12
131	Hepatics from Rovno amber (Ukraine), 5. Cephaloziella nadezhdae sp. nov.. Arctoa, 2015, 24, 289-293.	0.3	12
132	A new genus of Podonominae (Diptera: Chironomidae) in Late Eocene Rovno amber from Ukraine. Zootaxa, 2014, 3794, 581.	0.2	5
133	Further description of <i>Catops nathani</i> Perkovsky 2001 from Late Eocene Baltic amber (Coleoptera: Leiodidae: Cholevinae: Cholevini) using phase contrast synchrotron X-ray microtomography. Annales De La Societe Entomologique De France, 2014, 50, 414-417.	0.4	4
134	The Description of Rovnoeucoila tympanomorpha Buffington and Perkovsky, a New Genus and Species of Fossil Eucoilinae, with Observations on the Asynchronous Evolution of Diglyphosematini (Hymenoptera: Figitidae: Eucoilinae). Proceedings of the Entomological Society of Washington, 2014, 116, 243-254.	0.0	6
135	Review of the Late Eocene Encyrtidae (Hymenoptera, Chalcidoidea) with a description of the first fossil genus with filum spinosum. Paleontological Journal, 2014, 48, 65-73.	0.2	11
136	First fossil record of mites of the family Tuckerellidae (Acari: Tetranychoidae) from Rovno amber with description of a new species. International Journal of Acarology, 2014, 40, 367-369.	0.3	4
137	Revision of Bethylinae fossils (Hymenoptera: Bethylidae) from Baltic, Rovno and Oise amber, with comments on the Tertiary fauna of the subfamily. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2014, 271, 203-228.	0.2	16
138	A new species of tumbling flower beetles of the genus Mordellaria (Insecta: Coleoptera: Mordellidae) from the Baltic amber. Paleontological Journal, 2013, 47, 177-179.	0.2	5
139	Eohelea sinuosa (Meunier, 1904) (Diptera, Ceratopogonidae) in Late Eocene ambers of Europe. Paleontological Journal, 2013, 47, 503-512.	0.2	14
140	New chironomids from Eocene Sakhalinian amber (Diptera; Chironomidae; Orthoclaadiinae). Terrestrial Arthropod Reviews, 2013, 6, 61-69.	0.8	4
141	Biting midges (Diptera, Ceratopogonidae) in amber forest communities based on analysis of syninclusions in Late Eocene Rovno amber. Terrestrial Arthropod Reviews, 2013, 6, 71-80.	0.8	8
142	Two new species of Laelius Ashmead (Hymenoptera: Bethylidae) from Upper Eocene Rovno amber. Neues Jahrbuch Fur Geologie Und Palaontologie - Abhandlungen, 2013, 267, 67-73.	0.2	10
143	Mosses from Sakhalinian amber (Russian Far East). Arctoa, 2013, 22, 79-82.	0.3	8
144	Mosses from Rovno amber (Ukraine), 2. Arctoa, 2013, 22, 83-92.	0.3	16

#	ARTICLE	IF	CITATIONS
145	Hepatics from Rovno amber (Ukraine), 2. <i>Acrolejeunea ucrainica</i> sp. nov.. <i>Arctoa</i> , 2013, 22, 93-96.	0.3	22
146	Contribution to the study of the structure of amber forest communities based on analysis of syninclusions in the Rovno amber (Late Eocene of Ukraine). <i>Paleontological Journal</i> , 2012, 46, 293-301.	0.2	29
147	Hepatics from Rovno amber (Ukraine). <i>Arctoa</i> , 2012, 21, 265-271.	0.3	27
148	A new species of the genus <i>Caulophilus</i> Woll. (Coleoptera: Curculionidae: Cossoninae) from the Rovno amber. <i>Paleontological Journal</i> , 2011, 45, 287-290.	0.2	17
149	A new species of the genus <i>Disogmus</i> Förster (Hymenoptera, Proctotrupoidea, Proctotrupidae) from the Eocene Rovno amber. <i>ZooKeys</i> , 2011, 130, 455-459.	0.5	4
150	Third contribution on Rovno amber silken fungus beetles: a new Eocene species of <i>Cryptophagus</i> (Coleoptera, Clavicornia, Cryptophagidae). <i>ZooKeys</i> , 2011, 130, 255-261.	0.5	10
151	Mosses from Rovno amber (Ukraine). <i>Arctoa</i> , 2011, 20, 1-18.	0.3	31
152	The first fossil record of mites of the family Pyemotidae (Acari: Heterostigmata), with description of a new species of the genus <i>Pyemotes</i> from Rovno amber. <i>Paleontological Journal</i> , 2010, 44, 418-421.	0.2	9
153	Community Structure in the Amber Forest: Study of the Arthropod Syninclusion in the Rovno Amber (Late Eocene of Ukraine). <i>Acta Geologica Sinica</i> , 2010, 84, 954-958.	0.8	9
154	New Taxa of Chrysomelidae (Insecta: Coleoptera) from Rovno Amber, Late Eocene. <i>Acta Geologica Sinica</i> , 2010, 84, 772-782.	0.8	15
155	Thrips (Thysanoptera, Insecta) from the Rovno amber, Eocene of Ukraine. <i>Paleontological Journal</i> , 2009, 43, 669-674.	0.2	4
156	On finding a single-clawed aphid, <i>Germaraphis ungulata</i> (Homoptera, Aphidinea), in a syninclusion with the ant <i>Monomorium mayrianum</i> (Hymenoptera, Formicidae) in the Saxonian amber. <i>Paleontological Journal</i> , 2009, 43, 1006-1007.	0.2	4
157	<i>Rovnoecus</i> , a new genus of digger wasps (Hymenoptera, Crabronidae, Pemphredoninae) from the Rovno amber. <i>Paleontological Journal</i> , 2009, 43, 1019-1023.	0.2	6
158	Differences in ant (Hymenoptera, Formicidae) species composition between weight fractions of Rovno amber. <i>Paleontological Journal</i> , 2009, 43, 1087-1091.	0.2	11
159	A new species of the scaptiid beetle genus <i>Anaspis</i> (Insecta: Coleoptera: Scaptiidae) from the Baltic and Rovno ambers (Upper Eocene of Eastern Europe). <i>Paleontological Journal</i> , 2009, 43, 1092-1094.	0.2	5
160	New species of the tumbling flower beetle genus <i>Glipostena</i> (Insecta: Coleoptera: Mordellidae) from Rovno amber. <i>Paleontological Journal</i> , 2009, 43, 1095-1096.	0.2	6
161	A new genus and species of dryophthorid weevils (Coleoptera, Dryophthoridae: Stromboscerinae) from the Rovno amber. <i>Paleontological Journal</i> , 2009, 43, 1097-1100.	0.2	19
162	New gall midges of the tribe Leptosynini (Diptera, Cecidomyiidae) from the Late Eocene ambers and the classification of the supertribe Heteropezidi. <i>Paleontological Journal</i> , 2009, 43, 1101-1147.	0.2	16

#	ARTICLE	IF	CITATIONS
163	New species of bark beetles from the Rovno amber (Insecta: Coleoptera: Scolytidae). <i>Paleontological Journal</i> , 2008, 42, 406-408.	0.2	16
164	New gall midges of the subfamily Lestremiinae (Diptera, Cecidomyiidae) from the Rovno amber. <i>Paleontological Journal</i> , 2007, 41, 437-450.	0.2	10
165	On the find of adult <i>Micromalthus</i> (Coleoptera, Micromalthidae) in Dominican amber. <i>Paleontological Journal</i> , 2007, 41, 626-628.	0.2	5
166	Problems and prospects in the study of fossil gall midges. Reply to the criticism of M. Jaschhof. <i>Paleontological Journal</i> , 2007, 41, 696-702.	0.2	1
167	Occurrence of ant (hymenoptera, formicidae) and aphid (homoptera, aphidinea) syninclusions in Saxonian and Rovno ambers. <i>Paleontological Journal</i> , 2006, 40, 190-192.	0.2	7
168	SPHAEROPSOCUS KUENOWII HAGEN IN ROVNO AMBER FROM THE UKRAINE (PSOCOPTERA: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542	0.1	9
169	A new Rovno amber termite genus (Isoptera, Rhinotermitidae) from Styr river basin. <i>Palaeontologia Electronica</i> , 0, , .	0.9	8
170	New species of <i>Hybristodryinus</i> Engel (Hymenoptera, Dryinidae) from mid-Cretaceous amber of northern Myanmar, with notes on their possible hosts. <i>Journal of Hymenoptera Research</i> , 0, 81, 43-55.	0.8	7
171	<i>Formica</i> species (Hymenoptera, Formicidae, Formicinae) in late Eocene Rovno amber. <i>Journal of Hymenoptera Research</i> , 0, 82, 237-251.	0.8	15
172	A new genus and species of <i>Lebiini</i> (Coleoptera: Carabidae) from late Eocene Rovno amber. <i>Historical Biology</i> , 0, , 1-7.	0.7	10
173	<i>Sakhalinencyrtus leleji</i> Simutnik gen. et sp. nov. of earliest Encyrtidae (Hymenoptera, Chalcidoidea) from Sakhalinian amber. <i>Journal of Hymenoptera Research</i> , 0, 84, 361-372.	0.8	8
174	<i>Ceutorhynchus</i> Germar (Coleoptera, Curculionidae) as proxy for Eocene core Brassicaceae: first record of the genus from Rovno amber. <i>Journal of Paleontology</i> , 0, , 1-8.	0.5	16
175	First aphidiine wasp from the Sakhalinian amber. <i>Acta Palaeontologica Polonica</i> , 0, 66, ,	0.4	6
176	First record of <i>Leptoomus janzeni</i> Gibson (Hymenoptera, Chalcidoidea) from Rovno amber. <i>Journal of Hymenoptera Research</i> , 0, 80, 137-145.	0.8	13
177	â€Antephilorhizus zerovae sp. nov. (Carabidae: Lebiini), the second ground beetle species from Rovno amber. <i>Historical Biology</i> , 0, , 1-6.	0.7	9
178	ï»¿First record of the <i>Sulia glaesaria</i> Simutnik, 2015 (Hymenoptera, Chalcidoidea, Encyrtidae) from Rovno amber. <i>Journal of Hymenoptera Research</i> , 0, 88, 85-102.	0.8	12
179	ï»¿Two new genera of Encyrtidae (Hymenoptera, Chalcidoidea) with reduced ovipositor sheaths. <i>Journal of Hymenoptera Research</i> , 0, 89, 47-60.	0.8	12
180	<i>Protaphycus shuvalikovi</i> Simutnik gen. et sp. nov. (Chalcidoidea, Encyrtidae, Encyrtinae) from Rovno amber. <i>Journal of Hymenoptera Research</i> , 0, 91, 1-9.	0.8	10