

# Zhiping Peng

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6204955/publications.pdf>

Version: 2024-02-01

16  
papers

332  
citations

933447

10  
h-index

940533

16  
g-index

16  
all docs

16  
docs citations

16  
times ranked

654  
citing authors

#	ARTICLE	IF	CITATIONS
1	Enzymatically Disulfide-Crosslinked Chitosan/Hyaluronic Acid Layer-by-Layer Self-Assembled Microcapsules for Redox-Responsive Controlled Release of Protein. ACS Applied Materials & Interfaces, 2018, 10, 33493-33506.	8.0	61
2	Self-assembly of all-conjugated block copolymer nanoparticles with tailoring size and fluorescence for live cell imaging. Journal of Materials Chemistry B, 2016, 4, 7882-7887.	5.8	9
3	Enzyme-mediated in situ formation of pH-sensitive nanogels for proteins delivery. RSC Advances, 2016, 6, 8032-8042.	3.6	24
4	Synthesis of poly(glutamic acid)-tyramine hydrogel by enzyme-mediated gelation for controlled release of proteins. Journal of Biomaterials Science, Polymer Edition, 2015, 26, 111-127.	3.5	22
5	Disulfide-crosslinked poly(L-glutamic acid) grafted mesoporous silica nanoparticles and their potential application in drug delivery. Chemical Research in Chinese Universities, 2015, 31, 890-894.	2.6	3
6	Hairy polymeric nanocapsules with pH-responsive shell and thermoresponsive brushes: Tunable permeability for controlled release of water-soluble drugs. Journal of Polymer Science Part A, 2014, 52, 2202-2216.	2.3	19
7	A novel thermal and pH responsive drug delivery system based on ZnO@PNIPAM hybrid nanoparticles. Materials Science and Engineering C, 2014, 45, 524-529.	7.3	48
8	Facile fabrication of thermally responsive Pluronic F127-based nanocapsules for controlled release of doxorubicin hydrochloride. Colloid and Polymer Science, 2014, 292, 1521-1530.	2.1	14
9	Synthesis and the effect of hydrophobic dodecyl end groups on pH-responsive micellization of poly(acrylic acid) and poly(ethylene glycol) triblock copolymer in aqueous solution. Iranian Polymer Journal (English Edition), 2012, 21, 253-261.	2.4	6
10	Synthesis and pH-sensitive micellization of doubly hydrophilic poly(acrylic acid)-b-poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38	2.1	21
11	Nanoparticles of Block Ionomer Complexes from Double Hydrophilic Poly(acrylic acid)-b-poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overl	5.7	10
12	EFFECT OF HYDROPHOBIC BLOCKS ON THE AGGREGATE BEHAVIOR OF AMPHIPHILIC TRIBLOCK COPOLYMERS IN AQUEOUS SOLUTION. Acta Polymerica Sinica, 2009, 009, 936-941.	0.0	2
13	Synthesis and aggregate formation of poly(styrenesulfonate)-b-poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 267 Td (g	3.3	4
14	Synthesis, pH- and temperature-induced micellization and gelation of doubly hydrophilic triblock copolymer of poly(N,N'-dimethylamino)-b-poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock	2.3	22
15	Synthesis and micelle formation of triblock copolymers of poly(methyl methacrylate)-b-poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overl	5.4	40
16	RAFT synthesis of a water-soluble triblock copolymer of poly(styrenesulfonate)-b-poly(ethylene) Tj ETQq0 0 0 rgBT /Overlock	2.3	27