

# Antonio Moron

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6206184/publications.pdf>

Version: 2024-02-01

326  
papers

4,617  
citations

168829

31  
h-index

214428

50  
g-index

343  
all docs

343  
docs citations

343  
times ranked

5069  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | In utero myelomeningocele repair and high-risk bladder pattern. a prospective study. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2022, 48, 672-678.   | 0.7 | 2         |
| 2  | Prevalence and diagnostic accuracy of microcephaly in a pediatric cohort in Brazil: a retrospective cross-sectional study. Jornal De Pediatria, 2021, 97, 433-439.   | 0.9 | 2         |
| 3  | Reference ranges for the left ventricle modified myocardial performance index, respective time periods, and atrioventricular peak velocities between 20 and 36 weeks of gestation. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 456-465.             | 0.7 | 10        |
| 4  | The vaginal microbiome in pregnant women: knowledge gaps in relation to clinical relevance. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 8-11.   | 1.1 | 4         |
| 5  | Identification of bacteriophages in the vagina of pregnant women: a descriptive study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 976-982.   | 1.1 | 10        |
| 6  | Assessment of the angle of progression and distance perineum-head in the prediction of type of delivery and duration of labor using intrapartum ultrasonography. Journal of Maternal-Fetal and Neonatal Medicine, 2021, 34, 2340-2348.                             | 0.7 | 13        |
| 7  | Reference values for left and right ventricular systolic-to-diastolic duration ratio (SDR) found using both spectral and tissue Doppler of fetal heart between 20 and 36 weeks of gestation. International Journal of Cardiovascular Imaging, 2021, 37, 2717-2726. | 0.7 | 0         |
| 8  | The importance of experience in using cervical pessary for prevention of preterm birth. Obstetrics & Gynecology International Journal, 2021, 12, 94-98.  | 0.0 | 2         |
| 9  | Measurement of the Area and Circumference of the Leg. Journal of Ultrasound in Medicine, 2021, , .   | 0.8 | 2         |
| 10 | Cervical pessary plus vaginal progesterone in a singleton pregnancy with a short cervix: an experience-based analysis of cervical pessary's efficacy. Journal of Maternal-Fetal and Neonatal Medicine, 2021, , 1-11.   | 0.7 | 6         |
| 11 | Functional Motor Skills in Children Who Underwent Fetal Myelomeningocele Repair: Does Anatomic Level Matter?. World Neurosurgery, 2021, 149, e269-e273.  | 0.7 | 3         |
| 12 | Spontaneous third ventriculostomy in patients undergoing fetal surgery for myelomeningocele correction. Child's Nervous System, 2021, 37, 3429-3436.   | 0.6 | 3         |
| 13 | In Reply to the Letter to the Editor Regarding "Functional Motor Skills in Children Who Underwent Fetal Myelomeningocele Repair: Does Anatomic Level Matter?". World Neurosurgery, 2021, 151, 331.   | 0.7 | 1         |
| 14 | Hydrocephalus in myelomeningocele. Child's Nervous System, 2021, 37, 3407-3415.  | 0.6 | 2         |
| 15 | In utero myelomeningocele repair and incidence of lower urinary tract surgery. Results of a prospective study. Journal of Pediatric Urology, 2021, 17, 769-774.  | 0.6 | 2         |
| 16 | The influence of race on cervical length in pregnant women in Brazil. Journal of Perinatal Medicine, 2021, 49, 365-369.  | 0.6 | 1         |
| 17 | Prenatal diagnosis of closed spina bifida: multicenter case series and review of the literature. Journal of Maternal-Fetal and Neonatal Medicine, 2020, 33, 736-742.   | 0.7 | 13        |
| 18 | Infant microbiota and antibiotic prophylaxis in caesarean delivery. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 207-207.  | 1.1 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Author's reply re: Infant microbiota and antibiotic prophylaxis in caesarean delivery. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 520-521.   | 1.1 | 0         |
| 20 | In utero myelomeningocele repair: The natural history of patients with incontinent pattern (sphincteric deficiency: leakage below 40%CMH20). Neurourology and Urodynamics, 2020, 39, 2373-2378.  | 0.8 | 3         |
| 21 | Reference ranges of filling time and systolic-to-diastolic time index of the left ventricle, right ventricle, and interventricular septum using both spectral and tissue Doppler of fetal heart between 20 and 36 + 6 weeks of gestation. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2020, 252, 366-372. | 0.5 | 3         |
| 22 | Pubic Arch Angle Measurement by Transperineal Ultrasonography: A Prospective Cross-Sectional Study. Revista Brasileira De Ginecologia E Obstetricia, 2020, 42, 181-187.  | 0.3 | 2         |
| 23 | Fetal Myelomeningocele Repair: How Many Techniques Are Necessary?. World Neurosurgery, 2020, 141, 511-513.   | 0.7 | 2         |
| 24 | Correlation between estimated fetal weight and weight at birth in infants with gastroschisis and omphalocele. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-6.  | 0.7 | 2         |
| 25 | Cervical Pessary Plus Progesterone for Twin Pregnancy with Short Cervix Compared to Unselected and Non-Treated Twin Pregnancy: A Historical Equivalence Cohort Study (EPM Twin Pessary Study). Revista Brasileira De Ginecologia E Obstetricia, 2020, 42, 621-629.   | 0.3 | 5         |
| 26 | Alterations in skull base anatomy in intrauterine and postnatal repaired myelomeningoceles. Child's Nervous System, 2020, 36, 2757-2763.   | 0.6 | 7         |
| 27 | Impact of type I and type II maternal diabetes mellitus on fetal cardiac function assessment parameters using spectral and tissue Doppler. International Journal of Cardiovascular Imaging, 2020, 36, 1237-1247.   | 0.7 | 8         |
| 28 | Histological response and expression of collagen, metalloproteinases MMP-1 and MMP-9 and tissue inhibitors of metalloproteinases TIMP-1 and TIMP-2 in fetal membranes following open intrauterine surgery: an experimental study. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-9.                                    | 0.7 | 1         |
| 29 | A Comparative Analysis of Bladder Pattern of Patients who Underwent In Utero Versus Postnatal Myelomeningocele Repair. Journal of Urology, 2020, 203, 194-199.   | 0.2 | 11        |
| 30 | Fetal surgery for occipital encephalocele. Journal of Neurosurgery: Pediatrics, 2020, 26, 605-612.   | 0.8 | 20        |
| 31 | Histological analysis of the intestinal wall of newborn rats submitted to hypoxia and reoxygenation to evaluate the protective effect of N-Acetylcysteine. Acta Cirurgica Brasileira, 2020, 35, e202000401.  | 0.3 | 1         |
| 32 | Fetal Hydrocephalus and Its Treatment In Utero. , 2020, , 425-442.   |     | 0         |
| 33 | Antenatal Management of Spinal Dysraphism-2: Antenatal Surgery of Myelomeningocele. , 2020, , 2533-2555.   |     | 0         |
| 34 | Reference ranges for the fetal mitral, tricuspid, and interventricular septum annular plane systolic excursions (mitral annular plane systolic excursion, tricuspid annular plane systolic excursion, and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 00<br>Perinatal Medicine, 2020, 48, 601-608.  | 0.6 | 8         |
| 35 | Ultrasound Nomograms of the Fetal Optic Nerve Sheath Diameter. Ultraschall in Der Medizin, 2019, 40, e3-e3.  | 0.8 | 0         |
| 36 | Ultrasound Nomograms of the Fetal Optic Nerve Sheath Diameter. Ultraschall in Der Medizin, 2019, 40, 476-480.  | 0.8 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Contribution of Epithelial Cells to Defense Mechanisms in the Human Vagina. <i>Current Infectious Disease Reports</i> , 2019, 21, 30.   | 1.3 | 17        |
| 38 | Preterm Birth in Twins. , 2019, , .   |     | 2         |
| 39 | Vaginal Biomarkers That Predict Cervical Length and Dominant Bacteria in the Vaginal Microbiomes of Pregnant Women. <i>MBio</i> , 2019, 10, .   | 1.8 | 35        |
| 40 | Donor cell engineering with GSK3 inhibitor-loaded nanoparticles enhances engraftment after in utero transplantation. <i>Blood</i> , 2019, 134, 1983-1995.   | 0.6 | 13        |
| 41 | Fetal Hydrocephalus: Surgical Treatment. , 2019, , 1-18.  |     | 1         |
| 42 | Ultrasonographic evaluation of the fetal central nervous system: review of guidelines. <i>Radiologia Brasileira</i> , 2019, 52, 176-181.  | 0.3 | 8         |
| 43 | Intravenous Grafts of Human Amniotic Fluid-Derived Stem Cells Reduce Behavioral Deficits in Experimental Ischemic Stroke. <i>Cell Transplantation</i> , 2019, 28, 1306-1320.  | 1.2 | 7         |
| 44 | Urinary and Fecal Continence in 5-Year-Old Patients Who Underwent in utero Myelomeningocele Repair: A Prospective Study. <i>Fetal Diagnosis and Therapy</i> , 2019, 46, 319-322.  | 0.6 | 5         |
| 45 | Antibiotic treatment for patients with amniotic fluid infection to prevent spontaneous preterm birth: A historically controlled observational study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 1157-1163.                         | 1.3 | 18        |
| 46 | 547: Race differentially impacts variables associated with cervical length in pregnant women. <i>American Journal of Obstetrics and Gynecology</i> , 2019, 220, S366.   | 0.7 | 0         |
| 47 | <i>In utero</i> myelomeningocele repair and urological outcomes: the first 100 cases of a prospective analysis. Is there an improvement in bladder function?. <i>BJU International</i> , 2019, 123, 676-681.  | 1.3 | 19        |
| 48 | Re: Perinatal outcomes after open fetal surgery for myelomeningocele repair: a retrospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 131-132.  | 1.1 | 3         |
| 49 | Reference ranges for left, right and interventricular septum indices at 20 to 36+6 weeks of gestation derived using spectral myocardial tissue Doppler on Voluson ultrasound machines. <i>Medical Ultrasonography</i> , 2019, 21, 279.                  | 0.4 | 3         |
| 50 | Development of Secondary Microcephaly After Delivery: Possible Consequence of Mother-Baby Transmission of Zika Virus in Breast Milk. <i>American Journal of Case Reports</i> , 2019, 20, 723-725.   | 0.3 | 11        |
| 51 | Fetal Hydrocephalus: Surgical Treatment. , 2019, , 1177-1194.   |     | 0         |
| 52 | Fetal posterior fossa malformations: review of the current knowledge. <i>Radiologia Brasileira</i> , 2019, 52, 380-386.   | 0.3 | 3         |
| 53 | Polymerase chain reaction analysis of amniotic fluid for diagnosis of fetal toxoplasmosis. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2019, 46, 593-595.  | 0.1 | 0         |
| 54 | Cerebellar herniation demonstrated by the occiput-dens line: Ultrasonography assessment of normal fetuses, fetuses with myelomeningocele, and fetuses that underwent antenatal myelomeningocele surgery. <i>Prenatal Diagnosis</i> , 2018, 38, 280-285. | 1.1 | 3         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Amniotic fluid lactic acid and matrix metalloproteinase-8 levels at the time of fetal surgery for a spine defect: association with subsequent preterm prelabour rupture of membranes. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1288-1292.  | 1.1 | 4         |
| 56 | Mirror Syndrome in Monochorionic Twin Pregnancy with Acardiac Fetus. Case Reports in Obstetrics and Gynecology, 2018, 2018, 1-3.   | 0.2 | 1         |
| 57 | Fetal modified left myocardial performance index monitoring during open surgery for myelomeningocele repair. Echocardiography, 2018, 35, 1664-1670.  | 0.3 | 2         |
| 58 | Fetoscopic laser photocoagulation for twin-to-twin transfusion syndrome treatment: initial experience in tertiary reference center in Brazil. Obstetrics and Gynecology Science, 2018, 61, 461.  | 0.6 | 7         |
| 59 | Perinatal outcomes after open fetal surgery for myelomeningocele repair: a retrospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1280-1286.   | 1.1 | 57        |
| 60 | Reference ranges of fetal adrenal gland and fetal zone volumes between 24 and 37 weeks of gestation by three-dimensional ultrasound. Journal of Maternal-Fetal and Neonatal Medicine, 2017, 30, 568-573.   | 0.7 | 9         |
| 61 | A 4-Year Prospective Urological Assessment of In Utero Myelomeningocele Repair—Does Gestational Age at Birth Have a Role in Later Neurogenic Bladder Pattern?. Journal of Urology, 2017, 197, 1550-1554.   | 0.2 | 10        |
| 62 | Challenges in congenital central hypoventilation syndrome (Ondine's curse) on pregnancy: a case report. Journal of Obstetrics and Gynaecology, 2017, 37, 107-108.  | 0.4 | 5         |
| 63 | Reference Ranges of Fetal Cardiac Biometric Parameters Using Three-Dimensional Ultrasound with Spatiotemporal Image Correlation Mode and Their Applicability in Congenital Heart Diseases. Pediatric Cardiology, 2017, 38, 271-279.  | 0.6 | 10        |
| 64 | Antenatal management of fetal neurosurgical diseases. Child's Nervous System, 2017, 33, 1125-1141.   | 0.6 | 25        |
| 65 | Zika Virus Infection in Pregnant Women and Microcephaly. Revista Brasileira De Ginecologia E Obstetricia, 2017, 39, 235-248.   | 0.3 | 40        |
| 66 | Fetal Heart Function by Tricuspid Annular Plane Systolic Excursion and Ventricular Shortening Fraction Using STIC M-Mode: Reference Ranges and Validation. American Journal of Perinatology, 2017, 34, 1354-1361.  | 0.6 | 9         |
| 67 | Comparison of Prenatal and Postnatal Management of Patients with Myelomeningocele. Neurosurgery Clinics of North America, 2017, 28, 439-448.   | 0.8 | 19        |
| 68 | Zika virus outbreak and reproductive rights. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 549-549.   | 1.1 | 1         |
| 69 | Assessment of Length of Maternal Cervix between 18 and 24 weeks of Gestation in a Low-Risk Brazilian Population. Revista Brasileira De Ginecologia E Obstetricia, 2017, 39, 647-652.   | 0.3 | 2         |
| 70 | Histological evidence of reparative activity in chorioamniotic membrane following open fetal surgery for myelomeningocele. Experimental and Therapeutic Medicine, 2017, 14, 3732-3736.   | 0.8 | 14        |
| 71 | Antenatal corticosteroid treatment for the prevention of peri-intraventricular haemorrhage in preterm newborns: a retrospective cohort study using transfontanelle ultrasonography. Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ, -SzopiÅ, ska, 2017, 17, 91-95. | 0.7 | 3         |
| 72 | Antenatal Management of Spinal Dysraphism: Antenatal Surgery of Myelomeningocele. , 2017, , 1-28.  |     | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Fetal Hydrocephalus and Its Treatment In Utero. , 2017, , 1-23.   |     | 0         |
| 74 | Can Abdominal Hypopressive Technique Change Levator Hiatus Area?. Ultrasound Quarterly, 2016, 32, 175-179.  | 0.3 | 12        |
| 75 | Three-dimensional versus two-dimensional ultrasound for assessing levonorgestrel intrauterine device location: A pilot study. Journal of Clinical Ultrasound, 2016, 44, 72-77.  | 0.4 | 8         |
| 76 | Microcephaly associated with maternal Zika virus infection. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 1265-1269.   | 1.1 | 33        |
| 77 | Microcephaly and Zika virus: neonatal neuroradiological aspects. Child's Nervous System, 2016, 32, 1057-1060.   | 0.6 | 75        |
| 78 | Associated ultrasonographic findings in fetuses with microcephaly because of suspected Zika virus (ZIKV) infection during pregnancy. Prenatal Diagnosis, 2016, 36, 882-887.   | 1.1 | 62        |
| 79 | Screening of Congenital Heart Diseases by Three-dimensional Ultrasound Using Spatiotemporal Image Correlation: Influence of Professional Experience. Echocardiography, 2016, 33, 99-104.  | 0.3 | 20        |
| 80 | Evaluation of biochemical markers combined with uterine artery Doppler parameters in fetuses with growth restriction: a case-control study. Archives of Gynecology and Obstetrics, 2016, 294, 715-723.                                      | 0.8 | 11        |
| 81 | 57: Histological evidence of reparative activity of chorioamniotic membrane after open fetal surgery for myelomeningocele. American Journal of Obstetrics and Gynecology, 2016, 214, S39-S40.   | 0.7 | 0         |
| 82 | Fetal Heart Rate Monitoring during Intrauterine Open Surgery for Myelomeningocele Repair. Fetal Diagnosis and Therapy, 2016, 39, 172-178.   | 0.6 | 11        |
| 83 | Reference values for the volumes of foetal heart atrial wall by three-dimensional ultrasound using STIC and VOCAL methods between 20w0d and 33w6d weeks of gestation. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 3076-3083. | 0.7 | 7         |
| 84 | Sigmoid volvulus during pregnancy with endoscopic treatment. Journal of Obstetrics and Gynaecology, 2016, 36, 287-288.  | 0.4 | 1         |
| 85 | Maternal anxiety and fetal movement patterns in late pregnancy. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 2008-2012.   | 0.7 | 10        |
| 86 | Amniotic fluid "sludge" is an independent risk factor for preterm delivery. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 120-125.   | 0.7 | 22        |
| 87 | Postnatal outcomes of infants with gastroschisis: a 5-year follow-up in a tertiary referral center in Brazil. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 418-422.   | 0.7 | 5         |
| 88 | Neonatal neuronal apoptosis after betamethasone administration in pregnant Wistar rats. Journal of Maternal-Fetal and Neonatal Medicine, 2016, 29, 1089-1093.   | 0.7 | 4         |
| 89 | Assessment of modified myocardial performance index in foetuses with growth restriction. Medical Ultrasonography, 2016, 18, 207.  | 0.4 | 10        |
| 90 | Reproducibility in pelvic floor biometric parameters of nulliparous women assessed by translabial three-dimensional ultrasound using Omniview reformatting technique.. Medical Ultrasonography, 2016, 18, 345.                              | 0.4 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Application of fluorescence in situ hybridization (FISH) as a tool to aid cytogenetics in 1,409 fetal samples. <i>Clinical and Experimental Obstetrics and Gynecology</i> , 2016, 43, 685-690.  | 0.1 | 1         |
| 92  | Urological evaluation of patients that had undergone in utero myelomeningocele closure: A prospective assessment at first presentation and early follow-up. Do their bladder benefit from it?. <i>Neurourology and Urodynamics</i> , 2015, 34, 461-464.   | 0.8 | 27        |
| 93  | Assessment of maternal Doppler parameters of ophthalmic artery in fetuses with growth restriction in the third trimester of pregnancy: A case-control study. <i>Journal of Obstetrics and Gynaecology Research</i> , 2015, 41, 1330-1336.   | 0.6 | 6         |
| 94  | Anomalias Congênitas Identificadas ao Nascimento em Recém-Nascidos de Mulheres Adolescentes. <i>Acta Medica Portuguesa</i> , 2015, 28, 708-714.   | 0.2 | 6         |
| 95  | Fetal brain tumors: Prenatal diagnosis by ultrasound and magnetic resonance imaging. <i>World Journal of Radiology</i> , 2015, 7, 17.   | 0.5 | 44        |
| 96  | Assessment of embryo/fetus during pregnancy by threedimensional ultrasonography using the HD live software: iconographic essay. <i>Radiologia Brasileira</i> , 2015, 48, 52-55.   | 0.3 | 8         |
| 97  | Changing presentation of complete hydatidiform mole at the New England Trophoblastic Disease Center over the past three decades: Does early diagnosis alter risk for gestational trophoblastic neoplasia?. <i>Gynecologic Oncology</i> , 2015, 138, 46-49.                                      | 0.6 | 64        |
| 98  | Fetal cardiac interventricular septum: volume assessment by 3D/4D ultrasound using spatio-temporal image correlation (STIC) and virtual organ computer-aided analysis (VOCAL). <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1388-1393.                                    | 0.7 | 17        |
| 99  | Fetal Myocardial Wall Area: Constructing a Reference Range by Means of Spatiotemporal Image Correlation in the Rendering Mode. <i>Fetal Diagnosis and Therapy</i> , 2015, 37, 44-50.  | 0.6 | 15        |
| 100 | Reference Ranges of Fetal Cisterna Magna Length and Area Measurements by 3-Dimensional Ultrasonography Using the Multiplanar Mode. <i>Journal of Child Neurology</i> , 2015, 30, 209-215.   | 0.7 | 4         |
| 101 | Amniotic embolism with complement activation in a lupic pregnant woman. <i>Journal of Obstetrics and Gynaecology</i> , 2015, 35, 416-416.   | 0.4 | 0         |
| 102 | Reference ranges for the volumes of fetal cardiac ventricular walls by three-dimensional ultrasound using spatiotemporal image correlation and virtual organ computer-aided analysis and its validation in fetuses with congenital heart diseases. <i>Prenatal Diagnosis</i> , 2015, 35, 65-73. | 1.1 | 13        |
| 103 | Assessment of Quality of Fetal Heart Views by 3D/4D Ultrasonography Using Spatio-temporal Image Correlation in the Second and Third Trimesters of Pregnancy. <i>Echocardiography</i> , 2015, 32, 1015-1021.   | 0.3 | 15        |
| 104 | The occipitum-dens line: the purpose of a new ultrasonographic landmark in the evaluation of the relationship between the foetal posterior fossa structures and foramen magnum. <i>Child's Nervous System</i> , 2015, 31, 729-733.  | 0.6 | 8         |
| 105 | Categorization of Bladder Dynamics and Treatment after Fetal Myelomeningocele Repair: First 50 Cases Prospectively Assessed. <i>Journal of Urology</i> , 2015, 193, 1808-1812.  | 0.2 | 38        |
| 106 | Perinatal outcomes from the use of antiepileptic drugs during pregnancy: a case-control study. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1445-1450.  | 0.7 | 6         |
| 107 | Fetal thigh and upper-arm volumes by three-dimensional ultrasound to predict low postnatal body mass index. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1047-1052.   | 0.7 | 1         |
| 108 | New technique for assessing fetal heart growth using three-dimensional ultrasonography: description of the technique and reference curves. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1087-1093.  | 0.7 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Viewing rate and reproducibility of papillary muscle areas in foetal atrioventricular valves using spatio-temporal image correlation in the rendering mode in congenital heart disease. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 1375-1380. | 0.7 | 4         |
| 110 | Assessment of Intracranial Structure Volumes in Fetuses With Growth Restriction by 3â€Dimensional Sonography Using the Extended Imaging Virtual Organ Computerâ€Aided Analysis Method. <i>Journal of Ultrasound in Medicine</i> , 2015, 34, 1397-1405.                | 0.8 | 19        |
| 111 | Assessment of fetal lung maturity by ultrasound: objective study using gray-scale histogram. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2015, 28, 617-622.  | 0.7 | 16        |
| 112 | 771: Short-term surgical and clinical outcomes with a novel method for open fetal surgery of myelomeningocele. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, S374.  | 0.7 | 7         |
| 113 | Thrombophilic Mutations and Polymorphisms, Alone or in Combination, and Recurrent Spontaneous Abortion. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 365-372.  | 0.7 | 20        |
| 114 | Ultrasound during the second stage of labour: is it effective to reduce the caesarean section rates?. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2015, 37, 249-251.   | 0.3 | 0         |
| 115 | Lipidomic Assessment of Plasma and Placenta of Women with Early-Onset Preeclampsia. <i>PLoS ONE</i> , 2014, 9, e110747.   | 1.1 | 43        |
| 116 | The value of 3D and 4D assessments of the fetal heart. <i>International Journal of Women's Health</i> , 2014, 6, 501.   | 1.1 | 20        |
| 117 | Intervalos de referÃªncia para o volume da cisterna magna fetal por meio do mÃ©todo bidimensional usando o modo multiplanar da ultrassonografia tridimensional. <i>Radiologia Brasileira</i> , 2014, 47, 201-205.   | 0.3 | 5         |
| 118 | Reference range of fetal nasal bone length between 18 and 24 weeks of pregnancy in an unselected Brazilian population: experience from a single service. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1276-1279.                                | 0.7 | 0         |
| 119 | Ultrasound and Doppler assessment of uterus during puerperium after normal delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1905-1911.  | 0.7 | 10        |
| 120 | Prenatal Detection of Congenital Heart Diseases: One-Year Survey Performing a Screening Protocol in a Single Reference Center in Brazil. <i>Cardiology Research and Practice</i> , 2014, 2014, 1-5.   | 0.5 | 9         |
| 121 | Agnathia-otocephaly: prenatal diagnosis by two- and three-dimensional ultrasound and magnetic resonance imaging. Case report.. <i>Medical Ultrasonography</i> , 2014, 16, 377-9.  | 0.4 | 10        |
| 122 | Reference range of fetal cisterna magna volume by three-dimensional ultrasonography using the VOCAL method. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2014, 27, 1023-1028.   | 0.7 | 8         |
| 123 | Screening of congenital heart disease in the second trimester of pregnancy: current knowledge and new perspectives to the clinical practice. <i>Cardiology in the Young</i> , 2014, 24, 388-396.  | 0.4 | 10        |
| 124 | Influence of Second-Trimester Ultrasound Markers for Down Syndrome in Pregnant Women of Advanced Maternal Age. <i>Journal of Pregnancy</i> , 2014, 2014, 1-6.   | 1.1 | 5         |
| 125 | Effects of Chronic <i>Bryophyllum pinnatum</i> Administration on Wistar Rat Pregnancy. <i>Research in Complementary Medicine</i> , 2014, 21, 3-3.   | 2.2 | 8         |
| 126 | Trophoblastic Infiltration in Tubal Pregnancy Evaluated by Immunohistochemistry and Correlation with Variation of Beta-Human Chorionic Gonadotropin. <i>Pathology Research International</i> , 2014, 2014, 1-5.   | 1.4 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Microcirculation Approach in HELLP Syndrome Complicated by Posterior Reversible Encephalopathy Syndrome and Massive Hepatic Infarction. <i>Case Reports in Emergency Medicine</i> , 2014, 2014, 1-4.   | 0.1 | 2         |
| 128 | Resuscitation at birth in neonates with meningomyelocele. <i>Journal of Perinatal Medicine</i> , 2014, 42, 113-9.  | 0.6 | 2         |
| 129 | 825: Angiogenesis and fetal growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2014, 210, S401.  | 0.7 | 0         |
| 130 | Prenatal Diagnosis of a Large Epignathus Teratoma Using Two-Dimensional and Three-Dimensional Ultrasound: Correlation with Pathological Findings. <i>Cleft Palate-Craniofacial Journal</i> , 2014, 51, 350-353.                                    | 0.5 | 13        |
| 131 | Viewing rate and reference ranges for papillary muscle areas of the fetal heart using four-dimensional ultrasound in the rendering mode. <i>Prenatal Diagnosis</i> , 2014, 34, 1153-1160.  | 1.1 | 10        |
| 132 | Newborns with congenital heart diseases: epidemiological data from a single reference center in Brazil. <i>Journal of Perinatal Medicine</i> , 2014, 8, 11-6.  | 0.2 | 4         |
| 133 | sFlt-1/PlGF ratio as a prognostic marker of adverse outcomes in women with early-onset preeclampsia. <i>Pregnancy Hypertension</i> , 2013, 3, 191-195.   | 0.6 | 19        |
| 134 | Comparison between 2D ultrasonography and magnetic resonance imaging for assessing brain and spine parameters in fetuses with spina bifida. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 845-849.                                     | 0.8 | 5         |
| 135 | Avaliaç o do comportamento fetal por meio da ultrassonografia de quarta dimens o: conhecimento atual e perspectivas futuras. <i>Revista Da Associaç o M dica Brasileira</i> , 2013, 59, 507-513.   | 0.3 | 14        |
| 136 | Prenatal diagnosis of intracranial immature teratoma in the third trimester using 2D and 3D sonography. <i>Journal of Medical Ultrasonics (2001)</i> , 2013, 40, 57-60.  | 0.6 | 4         |
| 137 | Fetal frontomaxillary facial angle between 11 and 13 weeks of gestation in a Brazilian population: influence of different races. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013, 26, 1116-1120.                                     | 0.7 | 3         |
| 138 | Reference ranges of atrioventricular valve areas by means of four-dimensional ultrasonography using spatiotemporal image correlation in the rendering mode. <i>Prenatal Diagnosis</i> , 2013, 33, 50-55.   | 1.1 | 23        |
| 139 | Fetal ocular measurements by three-dimensional ultrasound. <i>Journal of AAPOS</i> , 2013, 17, 276-281.  | 0.2 | 28        |
| 140 | Short cervix syndrome: current knowledge from etiology to the control. <i>Archives of Gynecology and Obstetrics</i> , 2013, 287, 621-628.  | 0.8 | 12        |
| 141 | Assessment of the Fetal Heart at 12-14 Weeks of Pregnancy Using B-Mode, Color Doppler, and Spatiotemporal Image Correlation via Abdominal and Vaginal Ultrasonography. <i>Pediatric Cardiology</i> , 2013, 34, 1577-1582.                          | 0.6 | 11        |
| 142 | Reference Range for Fetal Interventricular Septum Area by Means of Four-Dimensional Ultrasonography Using Spatiotemporal Image Correlation. <i>Fetal Diagnosis and Therapy</i> , 2013, 33, 110-115.  | 0.6 | 23        |
| 143 | Applicability of the Rapid Biophysical Profile in Antepartum Fetal Well-Being Assessment in High-Risk Pregnancies from a University Hospital in S o Paulo, Brazil: Preliminary Results. <i>ISRN Obstetrics &amp; Gynecology</i> , 2013, 2013, 1-4. | 1.2 | 1         |
| 144 | Prenatal Diagnosis of Treacher-Collins Syndrome Using Three-Dimensional Ultrasonography and Differential Diagnosis with Other Acrofacial Dysostosis Syndromes. <i>Case Reports in Obstetrics and Gynecology</i> , 2013, 2013, 1-4.                 | 0.2 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Association of Progesterone, Pessary, and Antibiotic for Treating Pregnant Woman with Short Cervix Syndrome: Importance of Magnetic Resonance Imaging in the Assessment of Pessary Position. <i>Journal of Clinical Imaging Science</i> , 2013, 3, 27.   | 0.4 | 2         |
| 146 | Uterine artery embolization with methotrexate infusion as treatment for cesarean scar pregnancy. Case report. <i>Medical Ultrasonography</i> , 2013, 15, 240-243.  | 0.4 | 11        |
| 147 | The Importance of IgG Avidity and the Polymerase Chain Reaction in Treating Toxoplasmosis during Pregnancy: Current Knowledge. <i>Interdisciplinary Perspectives on Infectious Diseases</i> , 2013, 2013, 1-5.   | 0.6 | 9         |
| 148 | Evaluation of passage of fetal erythrocytes into maternal circulation after invasive obstetric procedures. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1374-1382.  | 0.6 | 16        |
| 149 | Ductus venosus versus cerebral transverse sinus Doppler velocimetry for predicting acidemia at birth in pregnancies complicated by placental insufficiency. <i>Prenatal Diagnosis</i> , 2013, 33, 1146-1151.   | 1.1 | 2         |
| 150 | Reference Ranges for Fetal Brain Fissure Development on 3-Dimensional Sonography in the Multiplanar Mode. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 269-277.  | 0.8 | 27        |
| 151 | Improvement of motor function and decreased need for postnatal shunting in children who had undergone intrauterine myelomeningocele repair. <i>Arquivos De Neuro-Psiquiatria</i> , 2013, 71, 604-608.  | 0.3 | 20        |
| 152 | Assessment of pelvic floor by three-dimensional-ultrasound in primiparous women according to delivery mode: initial experience from a single reference service in Brazil. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2013, 35, 117-122.  | 0.3 | 8         |
| 153 | Prenatal diagnosis of Beckwith-Wiedemann syndrome by two- and three-dimensional ultrasonography. <i>Radiologia Brasileira</i> , 2013, 46, 379-381.   | 0.3 | 6         |
| 154 | Avaliaço cardaca fetal por meio da ultrassonografia 3D/4D (STIC): qual  sua real aplicabilidade no diagnstico das doenas cardacas congnitas?. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, II-IV.   | 0.2 | 7         |
| 155 | Screening of fetal congenital heart disease: the challenge continues. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, V-VII.  | 0.2 | 7         |
| 156 | Three-dimensional ultrasound STIC-HDlive rendering: new technique to assessing of fetal heart. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, v-vii.   | 0.2 | 7         |
| 157 | Fetal heart assessment in the first trimester of pregnancy: influence of crown-rump length and maternal body mass index. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2013, 28, 477-81.  | 0.2 | 0         |
| 158 | Procedures for fetal neuroprotection: use of magnesium sulfate. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2013, 35, 339-341.  | 0.3 | 0         |
| 159 | New anatomical landmarks to study the relationship between fetal lung area and thoracic circumference by three-dimensional ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1927-1932.  | 0.7 | 8         |
| 160 | Evaluation of Distinct Freezing Methods and Cryoprotectants for Human Amniotic Fluid Stem Cells Cryopreservation. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-10.  | 3.0 | 40        |
| 161 | Delineation of vertebral area on the coronal plane using three-dimensional ultrasonography advanced volume contrast imaging (VCI) Omni view: intrarater reliability and agreement using standard mouse, high definition mouse, and pen-tablet. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 1818-1821. | 0.7 | 9         |
| 162 | Prenatal Diagnosis of an Aneurysm of the Vein of Galen by Three-Dimensional Power and Color Doppler Ultrasonography. <i>Clinical Medicine Insights: Case Reports</i> , 2012, 5, CCRp.S9597.  | 0.3 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Prenatal and Postnatal Schizencephaly Findings by 2D and 3D Ultrasound: Pictorial Essay. <i>Journal of Clinical Imaging Science</i> , 2012, 2, 30.  | 0.4 | 8         |
| 164 | Prenatal Diagnosis and Postnatal Findings of Cephalothoracopagus Janiceps Disymmetros: A Case Report. <i>Case Reports in Medicine</i> , 2012, 2012, 1-3.  | 0.3 | 3         |
| 165 | Prenatal Diagnosis of EEC Syndrome with "Lobster Claw" Anomaly by 3D Ultrasound. <i>Journal of Clinical Imaging Science</i> , 2012, 2, 40.  | 0.4 | 10        |
| 166 | Comparison of Fetal Cerebellum and Cisterna Magna Length by 2D and 3D Ultrasonography between 18 and 24 Weeks of Pregnancy. <i>ISRN Obstetrics &amp; Gynecology</i> , 2012, 2012, 1-8.                            | 1.2 | 4         |
| 167 | Prenatal Diagnosis of Amniotic Band Syndrome in the Third Trimester of Pregnancy using 3D Ultrasound. <i>Journal of Clinical Imaging Science</i> , 2012, 2, 22.   | 0.4 | 15        |
| 168 | Prenatal Diagnosis of Congenital Syphilis Using Two- and Three-Dimensional Ultrasonography: Case Report. <i>Case Reports in Infectious Diseases</i> , 2012, 2012, 1-3.  | 0.2 | 4         |
| 169 | Ultrasound Determination of Gestational Age Using Placental Thickness in Female Dogs: An Experimental Study. <i>Veterinary Medicine International</i> , 2012, 2012, 1-6.  | 0.6 | 8         |
| 170 | Prenatal Diagnosis and Postnatal Ultrasound Findings of Cloacal Anomaly: A Case Report. <i>Case Reports in Pediatrics</i> , 2012, 2012, 1-3.  | 0.2 | 7         |
| 171 | Comparison of Fetal Nuchal Fold Thickness Measurements by Two- and Three-Dimensional Ultrasonography (3DXI Multislice View). <i>Obstetrics and Gynecology International</i> , 2012, 2012, 1-5.                    | 0.5 | 2         |
| 172 | Reference Values for the Length and Area of the Fetal Corpus Callosum on 3-Dimensional Sonography Using the Transfrontal View. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 205-212.                      | 0.8 | 17        |
| 173 | Reference Ranges for Vertebral Body Areas of the Fetal Lumbosacral Spine on 3-Dimensional Sonography Using Volume Contrast Imaging With OmniView. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 1743-1752. | 0.8 | 6         |
| 174 | Lipid fingerprinting in women with early-onset preeclampsia: A first look. <i>Clinical Biochemistry</i> , 2012, 45, 852-855.  | 0.8 | 18        |
| 175 | Fetal thigh and upper arm volumes by 3D-sonography: comparison between multiplanar and XI VOCAL methods. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 353-357.                              | 0.7 | 6         |
| 176 | Prenatal diagnosis of Nager syndrome in the third trimester of pregnancy and anatomopathological correlation. <i>Journal of Medical Ultrasonics (2001)</i> , 2012, 39, 287-289.                                   | 0.6 | 2         |
| 177 | Measurements and planes assessed during second-trimester scans in Brazil: an online survey. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012, 25, 2242-2247.   | 0.7 | 0         |
| 178 | Assessment of cerebral circulation in normal fetuses by three-dimensional power Doppler ultrasonography. <i>European Journal of Radiology</i> , 2012, 81, 514-521.  | 1.2 | 4         |
| 179 | Assessment of renal volume by three-dimensional ultrasonography in pregnant bitches: an experimental study using virtual organ computer-aided analysis. <i>BMC Veterinary Research</i> , 2012, 8, 102.            | 0.7 | 6         |
| 180 | Prenatal diagnosis of bilateral anophthalmia by 3D "reverse face" view ultrasound and magnetic resonance imaging. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2012, 51, 616-619.                      | 0.5 | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Investigation of pseudogenes RHD <sup>Δ</sup> and RHD -CE-D hybrid gene in D-negative blood donors by the real time PCR method. <i>Transfusion and Apheresis Science</i> , 2012, 47, 289-293.   | 0.5 | 7         |
| 182 | Anesthesia for Ex Utero Intrapartum Treatment (EXIT procedure) in Fetus with Prenatal Diagnosis of Oral and Cervical Malformations: Case Reports. <i>Revista Brasileira De Anestesiologia</i> , 2012, 62, 411-423.  | 0.6 | 20        |
| 183 | Predictive model for spontaneous preterm labor among pregnant women with contractions and intact amniotic membranes. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 893-900.   | 0.8 | 5         |
| 184 | Reference Intervals for Fetal Heart Volume From 3-Dimensional Sonography Using the Extended Imaging Virtual Organ Computer-Aided Analysis Method at Gestational Ages of 20 to 34 Weeks. <i>Journal of Ultrasound in Medicine</i> , 2012, 31, 673-678.           | 0.8 | 12        |
| 185 | Diagnosis of Ovarian Metastasis from Gestational Trophoblastic Neoplasia by 3D Power Doppler Ultrasound and Dynamic Contrast-Enhanced Magnetic Resonance Imaging: Case Report. <i>Case Reports in Oncology</i> , 2012, 5, 359-366.                              | 0.3 | 0         |
| 186 | Rãñnula congãñnita: diagnãñstico ultrassonogrãñfico antenatal. <i>Radiologia Brasileira</i> , 2012, 45, 300-301.  | 0.3 | 2         |
| 187 | Fulminant Adenocarcinoma of the Rectum with Hepatic Metastasis in a Young Pregnant Woman: A Case Report. <i>Case Reports in Oncology</i> , 2012, 5, 208-211.  | 0.3 | 3         |
| 188 | Hidden maternal autoimmune thrombocytopenia complicated by fetal subdural hematomaãñ” case report and review of the literature. <i>Child's Nervous System</i> , 2012, 28, 1113-1116.  | 0.6 | 5         |
| 189 | Fetal growth restriction: current knowledge to the general Obs/Gyn. <i>Archives of Gynecology and Obstetrics</i> , 2012, 286, 1-13.   | 0.8 | 95        |
| 190 | Intrauterine myelomeningocele repair Postnatal results and follow-up at 3.5ãñyears of age ãñ” initial experience from a single reference service in Brazil. <i>Child's Nervous System</i> , 2012, 28, 461-467.  | 0.6 | 31        |
| 191 | Comparison between multiplanar and rendering modes in the assessment of fetal atrioventricular valve areas by 3D/4D ultrasonography. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2012, 27, 472-476.  | 0.2 | 8         |
| 192 | Fetal cardiac output and ejection fraction by spatio-temporal image correlation (STIC): comparison between male and female fetuses. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2012, 27, 275-282.   | 0.2 | 10        |
| 193 | Fetal cerebral ventricle volumetry: comparison between 3D ultrasound and magnetic resonance imaging in fetuses with ventriculomegaly. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1384-1391.   | 0.7 | 16        |
| 194 | Immunoregulatory gene polymorphisms in women with preeclampsia. <i>Hypertension Research</i> , 2011, 34, 384-388.   | 1.5 | 15        |
| 195 | sFlt-1 and IP-10 in women with early-onset preeclampsia. <i>Pregnancy Hypertension</i> , 2011, 1, 129-131.  | 0.6 | 5         |
| 196 | Heart stroke volume, cardiac output, and ejection fraction in 265 normal fetus in the second half of gestation assessed by 4D ultrasound using spatio-temporal image correlation. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2011, 24, 1159-1167. | 0.7 | 37        |
| 197 | sFlt-1 and PlGF levels in a patient with mirror syndrome related to cytomegalovirus infection. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 158, 366-367.   | 0.5 | 15        |
| 198 | Curva de referãñcia da ãñrea do septo interventricular fetal pelo mãñtodo STIC: estudo preliminar. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 386-392.  | 0.3 | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Repercussões da cicatriz uterina resultante de cesariana prévia na dopplervelocimetria das artérias uterinas entre 26 e 32 semanas. <i>Radiologia Brasileira</i> , 2011, 44, 163-166.  | 0.3 | 4         |
| 200 | Reference Intervals for Fetal Ear Length Between 19 and 24 Weeks of Pregnancy on 3-Dimensional Sonography. <i>Journal of Ultrasound in Medicine</i> , 2011, 30, 1185-1190.   | 0.8 | 9         |
| 201 | Polymorphisms in VEGF, progesterone receptor and IL-1 receptor genes in women with recurrent spontaneous abortion. <i>Journal of Reproductive Immunology</i> , 2011, 88, 53-57.  | 0.8 | 35        |
| 202 | Inflammatory mediator gene polymorphisms and gestational diabetes: a review of the literature. <i>Journal of Reproductive Immunology</i> , 2011, 90, 111-116.  | 0.8 | 12        |
| 203 | Fetal hydrocephalus. <i>Child's Nervous System</i> , 2011, 27, 1575-1583.  | 0.6 | 28        |
| 204 | Reproducibility of three-dimensional power Doppler placental vascular indices in pregnancies between 26 and 35 weeks. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 213-217.   | 0.8 | 19        |
| 205 | Assessment of yolk sac volume by 3D-sonography using the XI VOCAL method from 7 to 10 weeks of pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 1-4.   | 0.8 | 6         |
| 206 | Assessment of placental blood flow between 22 and 34 weeks of gestation by 3D-sonography power Doppler vascular indices. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 53-57.  | 0.8 | 13        |
| 207 | Morphological evaluation of lateral ventricles of fetuses with ventriculomegaly by three-dimensional ultrasonography and magnetic resonance imaging: correlation with etiology. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 331-336. | 0.8 | 14        |
| 208 | Development of fetal brain sulci and gyri: assessment through two and three-dimensional ultrasound and magnetic resonance imaging. <i>Archives of Gynecology and Obstetrics</i> , 2011, 283, 149-158.  | 0.8 | 25        |
| 209 | Fetal cardiac function assessed by spatio-temporal image correlation. <i>Archives of Gynecology and Obstetrics</i> , 2011, 284, 253-260.   | 0.8 | 11        |
| 210 | Fetal thigh volume by 3D sonography using XI VOCAL: reproducibility and reference range for Brazilian healthy fetuses between 20 and 40 weeks. <i>Prenatal Diagnosis</i> , 2011, 31, 1234-1240.  | 1.1 | 11        |
| 211 | Nomogram of fetal upper arm volume by three-dimensional ultrasound using extended imaging virtual organ computer-aided analysis (XI VOCAL). <i>Journal of Perinatal Medicine</i> , 2011, 39, 717-724.  | 0.6 | 5         |
| 212 | Three-dimensional power Doppler placental vascularisation indices in early pregnancy: A pilot study. <i>Journal of Obstetrics and Gynaecology</i> , 2011, 31, 283-285.   | 0.4 | 8         |
| 213 | Multi Extended Imaging (3DMXI): A New Software for Fetal Evaluation by Three-Dimensional Ultrasonography. <i>Recent Patents on Medical Imaging</i> , 2011, 1, 130-136.   | 0.1 | 0         |
| 214 | ORIGINAL ARTICLE: Association Study of Vascular Endothelial Growth Factor and Polymorphisms of its Gene with Ectopic Pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010, 63, 120-125.  | 1.2 | 5         |
| 215 | Pregnancy After Renal Transplantation – Setting Up a National Registry in Brazil. <i>Transplantation</i> , 2010, 89, 1290.   | 0.5 | 0         |
| 216 | Three-Dimensional Prenatal Diagnosis of Monocephalus Diprosopus Tetraophthalmos. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 501-503.   | 0.8 | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Reliability and Validity of In Vitro Volume Calculations by 3-Dimensional Ultrasonography Using the Multiplanar, Virtual Organ Computer-Aided Analysis (VOCAL), and Extended Imaging VOCAL Methods. <i>Journal of Ultrasound in Medicine</i> , 2010, 29, 767-774.                               | 0.8 | 28        |
| 218 | Nomogram of amniotic fluid volume at 7 to 10 weeks of pregnancy by three-dimensional ultrasonography using the rotational method (VOCAL). <i>Archives of Gynecology and Obstetrics</i> , 2010, 281, 235-240.  | 0.8 | 7         |
| 219 | Magnetic Resonance Imaging vs. Transvaginal Ultrasound for Cervical Length Assessment in the Second Half of Pregnancy. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 571-575.   | 0.7 | 2         |
| 220 | Reproducibility of fetal heart volume by 3D-sonography using the XI VOCAL method. <i>Cardiovascular Ultrasound</i> , 2010, 8, 17.   | 0.5 | 8         |
| 221 | Transvaginal grey scale histogram of the cervix at 20-25 weeks of pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 444-449.   | 0.4 | 7         |
| 222 | Reprodutibilidade do volume de membros fetais pela ultrassonografia tridimensional utilizando o método XI VOCAL. <i>Radiologia Brasileira</i> , 2010, 43, 219-223.  | 0.3 | 2         |
| 223 | Reprodutibilidade interobservador dos índices vasculares do Doppler de amplitude tridimensional do embrião entre 7 e 10 semanas e 6 dias de gestação. <i>Radiologia Brasileira</i> , 2010, 43, 143-148.   | 0.3 | 1         |
| 224 | Análise da reprodutibilidade do Doppler de amplitude tridimensional na avaliação da circulação do cérebro fetal. <i>Radiologia Brasileira</i> , 2010, 43, 369-374.  | 0.3 | 9         |
| 225 | Avaliação do volume da placenta no primeiro trimestre de gestação por meio da ultrassonografia tridimensional utilizando o método XI VOCAL. <i>Radiologia Brasileira</i> , 2010, 43, 81-84.   | 0.3 | 1         |
| 226 | Placental blood flow measured by three-dimensional power Doppler ultrasound at 26 to 35 weeks gestation in normal pregnancies. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 69-73.  | 0.7 | 17        |
| 227 | Prediction of birth weight using fetal thigh and upper-arm volumes by three-dimensional ultrasonography in a Brazilian population. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 393-398.  | 0.7 | 11        |
| 228 | Perinatal diagnosis of heart defects. <i>Expert Opinion on Medical Diagnostics</i> , 2010, 4, 439-445.  | 1.6 | 0         |
| 229 | Fetal lung volume in fetuses with urinary tract malformations: Comparison by 2D-, 3D-sonography and magnetic resonance imaging. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2010, 23, 60-68.   | 0.7 | 11        |
| 230 | Reference Range of Embryo Volume by 3-D Sonography Using the XI VOCAL Method at 7 to 10+6 Weeks of Pregnancy. <i>American Journal of Perinatology</i> , 2010, 27, 501-505.  | 0.6 | 8         |
| 231 | Nomogram of Fetal Liver Volume by Three-Dimensional Ultrasonography at 27 to 38 Weeks of Pregnancy Using a New Multiplanar Technique. <i>American Journal of Perinatology</i> , 2010, 27, 641-648.  | 0.6 | 13        |
| 232 | Noninvasive Determination of Fetal Rh Blood Group, D Antigen Status by Cell-Free DNA Analysis in Maternal Plasma: Experience in a Brazilian Population. <i>American Journal of Perinatology</i> , 2010, 27, 759-762.  | 0.6 | 12        |
| 233 | Comparison of gestational sac volume by 3D-sonography using planimetric, virtual organ computer-aided analysis and extended imaging virtual organ computer-aided analysis methods between 7 and 11 weeks of pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2010, 89, 328-334. | 1.3 | 13        |
| 234 | Measurement of embryo volume at 7-10 weeks' gestation by 3D-sonography. <i>Journal of Obstetrics and Gynaecology</i> , 2009, 29, 188-191.   | 0.4 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Embryo vascularization by three-dimensional power Doppler ultrasonography at 7â€“10 weeks of pregnancy. <i>Journal of Perinatal Medicine</i> , 2009, 37, 380-5.  | 0.6 | 2         |
| 236 | Reference range of fetal lung volume by 3D-ultrasonography using the rotational method (VOCAL). <i>Journal of Perinatal Medicine</i> , 2009, 37, 161-7.  | 0.6 | 10        |
| 237 | Reference Range of Fetal Renal Volume by Three-Dimensional Ultrasonography Using the Vocal Method. <i>Fetal Diagnosis and Therapy</i> , 2009, 25, 385-391.   | 0.6 | 22        |
| 238 | Cytokine gene polymorphisms in preeclampsia and eclampsia. <i>Hypertension Research</i> , 2009, 32, 565-569.   | 1.5 | 57        |
| 239 | Evaluation of Placental Volume at 7â€“10+6 Weeks of Pregnancy by 3D-Sonography. <i>Placenta</i> , 2009, 30, 585-589.   | 0.7 | 27        |
| 240 | Gestational sac volume by 3D-sonography at 7â€“10 weeks of pregnancy using the VOCAL method. <i>Archives of Gynecology and Obstetrics</i> , 2009, 279, 821-827.  | 0.8 | 10        |
| 241 | Fetal lung volume: comparison by 2D- and 3D-sonography in normal fetuses. <i>Archives of Gynecology and Obstetrics</i> , 2009, 280, 363-368.   | 0.8 | 15        |
| 242 | Evolution of 3-D Power Doppler Indices of Fetal Brain in Normal Pregnancy. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 545-549.  | 0.7 | 16        |
| 243 | Prepregnancy BMI and the risk of gestational diabetes: a systematic review of the literature with meta-analysis. <i>Obesity Reviews</i> , 2009, 10, 194-203.   | 3.1 | 581       |
| 244 | In reply to letter to the editor from S. Y. Chu, S. Y. Kim and J. Lau. <i>Obesity Reviews</i> , 2009, 10, 489-490.   | 3.1 | 3         |
| 245 | Prediction of acidemia at birth by Doppler assessment of fetal cerebral transverse sinus in pregnancies with placental insufficiency. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 33, 188-192.                            | 0.9 | 2         |
| 246 | Doppler velocimetry of the uterine, umbilical and fetal middle cerebral arteries in pregnant women undergoing tocolysis with oral nifedipine. <i>Ultrasound in Obstetrics and Gynecology</i> , 2009, 34, 311-315.                    | 0.9 | 26        |
| 247 | Extended regimens of the vaginal contraceptive ring: cycle control. <i>Contraception</i> , 2009, 80, 430-435.  | 0.8 | 37        |
| 248 | Diagnosis of arterio-arterial anastomosis in monochorionic twin by three-dimensional power Doppler ultrasonography. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009, 22, 178-180.                                      | 0.7 | 2         |
| 249 | CorrelaÃ§Ã£o do volume da vesÃcula vitelÃnica obtida por meio da ultrassonografia tridimensional com a idade gestacional entre a 7Ãª e a 10Ãª semanas usando o mÃtodo multiplanar. <i>Radiologia Brasileira</i> , 2009, 42, 359-362. | 0.3 | 5         |
| 250 | Placenta: angiogenesis and vascular assessment through three-dimensional power Doppler ultrasonography. <i>Archives of Gynecology and Obstetrics</i> , 2008, 277, 195-200.   | 0.8 | 33        |
| 251 | Prediction of fetal anemia by Doppler of the middle cerebral artery and descending thoracic aorta. <i>Archives of Gynecology and Obstetrics</i> , 2008, 278, 27-31.  | 0.8 | 7         |
| 252 | Fetal acidemia prediction through short-term variation assessed by antepartum computerized cardiotocography in pregnant women with hypertension syndrome. <i>Archives of Gynecology and Obstetrics</i> , 2008, 278, 125-128.         | 0.8 | 16        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Prenatal diagnosis of Ebstein's anomaly using spatio-temporal image correlation (STIC) and inversion mode. Archives of Gynecology and Obstetrics, 2008, 278, 387-391.                                     | 0.8 | 8         |
| 254 | Ethnic variation and variability of fetal nasal bone length at 11-15 weeks of gestation in a Brazilian population: preliminary results. Archives of Gynecology and Obstetrics, 2008, 278, 431-435.        | 0.8 | 12        |
| 255 | Yolk sac volume assessed by three-dimensional ultrasonography using the VOCAL method. Acta Obstetrica Et Gynecologica Scandinavica, 2008, 87, 499-502.  | 1.3 | 20        |
| 256 | Diagnosis of ovarian torsion by three-dimensional power Doppler in first trimester of pregnancy. Journal of Obstetrics and Gynaecology Research, 2008, 34, 266-270.                                       | 0.6 | 7         |
| 257 | Comparison of Placental Volume in Early Pregnancy Using Multiplanar and VOCAL Methods. Placenta, 2008, 29, 241-245.   | 0.7 | 35        |
| 258 | Ophthalmic artery Doppler as a measure of severe pre-eclampsia. International Journal of Gynecology and Obstetrics, 2008, 100, 216-220.   | 1.0 | 59        |
| 259 | Cord blood cardiac troponin I, fetal Doppler velocimetry, and acid base status at birth. International Journal of Gynecology and Obstetrics, 2008, 100, 136-140.  | 1.0 | 10        |
| 260 | Ophthalmic artery Doppler velocimetry in healthy pregnancy. International Journal of Gynecology and Obstetrics, 2008, 100, 211-215.   | 1.0 | 33        |
| 261 | Ultrasound assessment of the fetal biophysical profile: What does a radiologist need to know?. European Journal of Radiology, 2008, 66, 122-126.  | 1.2 | 6         |
| 262 | The Role of Fetal Neurosurgery in Spina Bifida. , 2008, , 95-102.   |     | 1         |
| 263 | Comparison of the two-dimensional and multiplanar methods and establishment of a new constant for the measurement of fetal lung volume. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 81-88. | 0.7 | 14        |
| 264 | Nomogram of fetal middle cerebral artery peak systolic velocity at 23-35 weeks of gestation in a Brazilian population: Pilot study. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 714-718.   | 0.7 | 6         |
| 265 | Volume do embrião estimado pela ultra-sonografia tridimensional entre a sétima e a décima semana de gestação. Revista Brasileira De Ginecologia E Obstetrícia, 2008, 30, .                                | 0.3 | 1         |
| 266 | Gestação em portadora de arterite de Takayasu. Arquivos Brasileiros De Cardiologia, 2008, 90, e34-e36.  | 0.3 | 5         |
| 267 | Estudo da translucência nugal, ducto venoso, osso nasal e idade materna na detecção de cromossomopatia fetal em uma população de alto risco. Radiologia Brasileira, 2008, 41, 93-97.                      | 0.3 | 0         |
| 268 | Intervalos de referência do pico de velocidade sistólica da artéria cerebral média fetal na população brasileira. Radiologia Brasileira, 2008, 41, 385-389.   | 0.3 | 3         |
| 269 | Medida do comprimento do osso nasal entre 11 e 15 semanas de gestação em uma população brasileira: estudo preliminar. Radiologia Brasileira, 2008, 41, 155-158.   | 0.3 | 5         |
| 270 | Comparison of two- and three-dimensional ultrasonography in lung volume measurement of normal fetuses. Journal of Perinatal Medicine, 2007, 35, 415-21.   | 0.6 | 17        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Perinatal mortality in Rh alloimmunized patients. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2007, 132, 159-162.                                      | 0.5 | 10        |
| 272 | Monthly injectable contraceptive use by adolescents in Brazil: evaluation of clinical aspects. <i>Contraception</i> , 2007, 76, 45-48.  | 0.8 | 2         |
| 273 | The cross-sectional area of umbilical cord components in normal pregnancy. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 96, 156-161.                               | 1.0 | 36        |
| 274 | Twin-to-twin transfusion syndrome. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 154-155.   | 1.0 | 0         |
| 275 | Doppler assessment of uterine blood flow in recurrent pregnancy loss. <i>International Journal of Gynecology and Obstetrics</i> , 2007, 98, 115-119.                                    | 1.0 | 36        |
| 276 | Reference intervals for the cross sectional area of the umbilical cord during gestation. <i>Journal of Perinatal Medicine</i> , 2007, 35, 130-4.  | 0.6 | 13        |
| 277 | Correlation of the fetal cerebellar volume with other fetal growth indices by three-dimensional ultrasound. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2007, 20, 581-587. | 0.7 | 16        |
| 278 | Ultra-som tridimensional na avaliaç o do volume de membros fetais. <i>Radiologia Brasileira</i> , 2007, 40, 349-353.  | 0.3 | 2         |
| 279 | Aplicaç es da ultra-sonografia tridimensional na avaliaç o do cerebelo fetal. <i>Radiologia Brasileira</i> , 2007, 40, 201-206.   | 0.3 | 0         |
| 280 | Postnatal evaluation of schizencephaly by transfontanellar three-dimensional sonography. <i>Journal of Clinical Ultrasound</i> , 2007, 35, 351-355.                                     | 0.4 | 5         |
| 281 | Prenatal diagnosis of trisomy 18 as true mosaicism by three-dimensional ultrasonography: a case report. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 133-135.              | 0.8 | 4         |
| 282 | Prenatal diagnosis of a large fetal cervical teratoma by three-dimensional ultrasonography: a case report. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 141-144.           | 0.8 | 13        |
| 283 | Three-dimensional transvaginal sonographic diagnosis of early and asymptomatic interstitial pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 207-210.               | 0.8 | 29        |
| 284 | Rh alloimmunization: Doppler or amniotic fluid analysis in the prediction of fetal anemia?. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 107-111.                          | 0.8 | 8         |
| 285 | Septostomy with amniodrainage in the treatment of twin-to-twin transfusion syndrome: a 16-case report. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 341-345.               | 0.8 | 3         |
| 286 | Anti-Diego alloimmunization: report of two cases. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 495-497.  | 0.8 | 2         |
| 287 | Treatment of twin reversed arterial perfusion sequence by septostomy and amniodrainage: a case report. <i>Archives of Gynecology and Obstetrics</i> , 2007, 275, 489-493.               | 0.8 | 2         |
| 288 | Sonoembryology by three-dimensional ultrasonography: pictorial essay. <i>Archives of Gynecology and Obstetrics</i> , 2007, 276, 197-200.  | 0.8 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Comparison of two- and three-dimensional ultrasonography in the evaluation of fetal heart: image quality and time spent in the exam. Archives of Gynecology and Obstetrics, 2007, 276, 231-235.                     | 0.8 | 4         |
| 290 | Bleeding patterns of adolescents using a combination contraceptive injection for 1 year. Contraception, 2006, 73, 594-597.  | 0.8 | 7         |
| 291 | Cervical gland area as an ultrasonographic marker for preterm delivery. International Journal of Gynecology and Obstetrics, 2006, 93, 214-219.  | 1.0 | 26        |
| 292 | Chromosomal and cardiac anomalies in fetuses with intracardiac echogenic foci. International Journal of Gynecology and Obstetrics, 2006, 95, 132-137.   | 1.0 | 9         |
| 293 | O papel da translucência nugal no rastreamento de cardiopatias congênitas. Arquivos Brasileiros De Cardiologia, 2006, 87, 307-14.   | 0.3 | 12        |
| 294 | Reversible constriction of the fetal ductus arteriosus after maternal use of topical diclofenac and methyl salicylate. Ultrasound in Obstetrics and Gynecology, 2006, 27, 227-229.                                  | 0.9 | 31        |
| 295 | Comparison of hysterosalpingography, hysterosonography and hysteroscopy in evaluation of the uterine cavity in patients with recurrent pregnancy losses. Archives of Gynecology and Obstetrics, 2006, 274, 284-288. | 0.8 | 53        |
| 296 | Validation of fetal cerebellar volume by three-dimensional ultrasonography in Brazilian population. Archives of Gynecology and Obstetrics, 2006, 275, 5-11.   | 0.8 | 25        |
| 297 | Prevalence of uterine defects in habitual abortion patients attended on at a University Health Service in Brazil. Archives of Gynecology and Obstetrics, 2006, 274, 345-348.  | 0.8 | 18        |
| 298 | The Almodinê“Moron Trocar for Uterine Entry during Fetal Surgery. Fetal Diagnosis and Therapy, 2006, 21, 414-417.   | 0.6 | 7         |
| 299 | Venous-Arterial Doppler Ratios in the Prediction of Acidemia at Birth in Pregnancies with Placental Insufficiency. Fetal Diagnosis and Therapy, 2006, 21, 418-423.  | 0.6 | 4         |
| 300 | Diagnosis of Pentalogy of Cantrell by Three-Dimensional Ultrasound in Third Trimester of Pregnancy. Fetal Diagnosis and Therapy, 2006, 21, 544-547.   | 0.6 | 15        |
| 301 | Repercussões do tabagismo na ultra-sonografia da placenta e a doplervelocimetria feto-placentária. Revista Brasileira De Ginecologia E Obstetricia, 2006, 28, 340-344.  | 0.3 | 0         |
| 302 | Comprimento do colo uterino e dilatação do orifício interno avaliados pela ultra-sonografia bidimensional e tridimensional. Revista Brasileira De Ginecologia E Obstetricia, 2006, 28, 397-402.                     | 0.3 | 0         |
| 303 | True hermaphroditism-the importance of ultrasonic assessment. Ultrasound in Obstetrics and Gynecology, 2005, 26, 86-88.   | 0.9 | 9         |
| 304 | Ductus venosus Doppler velocimetry in the prediction of acidemia at birth: which is the best parameter?. Prenatal Diagnosis, 2005, 25, 1212-1216.   | 1.1 | 12        |
| 305 | Avaliação do desfecho dos conceptos com risco aumentado de ocorrência de anomalias cromossômicas calculado pela medida da translucência nugal. Revista Brasileira De Ginecologia E Obstetricia, 2005, 27, 155-160.  | 0.3 | 2         |
| 306 | A bovine protocol for training professionals in preimplantation genetic diagnosis using polymerase chain reaction. Fertility and Sterility, 2005, 84, 895-899.  | 0.5 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Unusual case of epigastric heteropagus twinning. <i>Journal of Pediatric Surgery</i> , 2005, 40, E39-E41.   | 0.8 | 12        |
| 308 | Pregnancy outcome for Rh-alloimmunized women. <i>International Journal of Gynecology and Obstetrics</i> , 2005, 90, 103-106.  | 1.0 | 5         |
| 309 | Dopplervelocimetria colorida dos vasos orbitais: t cnica de exame e anatomia vascular normal. <i>Radiologia Brasileira</i> , 2004, 37, 287-290.   | 0.3 | 17        |
| 310 | Avalia o da medida do comprimento do colo e da aus ncia do eco glandular endocervical para predi o do parto pr -termo. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2004, 26, 193-200.                              | 0.3 | 2         |
| 311 | The assessment of fetal well-being by venous Doppler velocimetry. <i>Ultrasound Review of Obstetrics and Gynecology</i> , 2004, 4, 121-125.   | 0.2 | 2         |
| 312 | Evaluation of a Protocol for Postmortem Examination of Stillbirths and Neonatal Deaths with Congenital Anomalies. <i>Pediatric and Developmental Pathology</i> , 2004, 7, 335-341.  | 0.5 | 10        |
| 313 | Discriminative Capacity of Calcaneal Quantitative Ultrasound and of Osteoporosis and Fracture Risk Factors in Postmenopausal Women with Osteoporotic Fractures. <i>Calcified Tissue International</i> , 2004, 74, 357-365.      | 1.5 | 34        |
| 314 | The emerging role of decidual NK cells for regulation of trophoblast IL-10 synthesis in early pregnancy. <i>Fertility and Sterility</i> , 2004, 82, S60.  | 0.5 | 1         |
| 315 | Recovery of fertility after grafting of cryopreserved germinative tissue in female rabbits following radiotherapy. <i>Human Reproduction</i> , 2004, 19, 1287-1293.   | 0.4 | 54        |
| 316 | Acur cia diagn stica da histerossalpingografia e da ultra-sonografia para avalia o de doen as da cavidade uterina em pacientes com abortamento recorrente. <i>Revista Brasileira De Ginecologia E Obstetricia</i> , 2004, 26, . | 0.3 | 7         |
| 317 | Fetal brain tumors. <i>Child's Nervous System</i> , 2003, 19, 529-536.  | 0.6 | 60        |
| 318 | Fetal hydrocephalus?prenatal treatment. <i>Child's Nervous System</i> , 2003, 19, 561-573.  | 0.6 | 61        |
| 319 | Fetal meningeal hemangiopericytoma. <i>Journal of Neurosurgery</i> , 2002, 97, 1217-1220.   | 0.9 | 19        |
| 320 | Application of Ductus venosus Doppler Velocimetry for the Detection of Fetal Aneuploidy in the First Trimester of Pregnancy. <i>Fetal Diagnosis and Therapy</i> , 2002, 17, 308-314.  | 0.6 | 70        |
| 321 | Reverse flow in the umbilical vein in a case of trisomy 9. <i>Ultrasound in Obstetrics and Gynecology</i> , 2000, 16, 575-577.  | 0.9 | 12        |
| 322 | Reversed diastolic umbilical artery flow in the first trimester associated with chromosomal fetal abnormalities or cardiac defects. <i>Obstetrics and Gynecology</i> , 2000, 95, 1011-1013.                                     | 1.2 | 9         |
| 323 | Detection of functional changes of the fetal heart in the first trimester of gestation. <i>Arquivos Brasileiros De Cardiologia</i> , 1999, 72, 739-50.  | 0.3 | 5         |
| 324 | Successful use of deep hypothermic circulatory arrest in pregnancy. <i>Annals of Thoracic Surgery</i> , 1994, 58, 1532-1534.  | 0.7 | 31        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Pregnancy in patients with prosthetic heart valves: The effects of anticoagulation on mother, fetus, and neonate. American Heart Journal, 1992, 124, 413-417.  | 1.2 | 110       |
| 326 | Lactobacillus crispatus dominance in the vaginal microbiome reduces the occurrence of spontaneous preterm birth in women with a short cervical length. Jornal Brasileiro De Doenças Sexualmente Transmissíveis, 0, 34, . | 0.1 | 1         |