## Shigeo Hosokawa

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6206485/shigeo-hosokawa-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91 1,908 19 42 g-index

98 2,157 1.7 4.72 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
91	Single Contaminated Drops Falling through Stagnant Liquid at Low Reynolds Numbers. <i>Fluids</i> , <b>2022</b> , 7, 55	1.6	1
90	Condensation heat transfer for downward flows of superheated steam-air mixture in a circular pipe. <i>Nuclear Engineering and Design</i> , <b>2021</b> , 371, 110948	1.8	1
89	Pressure and shear stress analysis in a normal triangular tube bundle based on experimental flow velocity field. <i>Journal of the Brazilian Society of Mechanical Sciences and Engineering</i> , <b>2020</b> , 42, 1	2	2
88	Characterization of the Velocity Field External to a Tube Bundle Using Spatial Filter Velocimetry Based on Variable Meshing Scheme. <i>Flow, Turbulence and Combustion</i> , <b>2020</b> , 105, 1277-1301	2.5	
87	Condensation Heat Transfer for Downward Flows of Steam-Air Mixture in a Circular Pipe. <i>Japanese Journal of Multiphase Flow</i> , <b>2020</b> , 34, 510-519	0.3	2
86	Mass transfer from single carbon-dioxide bubbles in surfactant-electrolyte mixed aqueous solutions in vertical pipes. <i>International Journal of Multiphase Flow</i> , <b>2020</b> , 124, 103207	3.6	6
85	Combined effects of alcohol and electrolyte on mass transfer from single carbon-dioxide bubbles in vertical pipes. <i>International Journal of Heat and Mass Transfer</i> , <b>2019</b> , 136, 521-530	4.9	3
84	Experimental study on interfacial and wall friction factors under counter-current flow limitation in vertical pipes with sharp-edged lower ends. <i>Nuclear Engineering and Design</i> , <b>2019</b> , 353, 110223	1.8	8
83	Measurements of Temperature Distributions and Condensation Heat Fluxes for Downward Flows of Steam-Air Mixture in a Circular Pipe. <i>Japanese Journal of Multiphase Flow</i> , <b>2019</b> , 33, 405-416	0.3	3
82	DRAG CORRELATIONS OF ELLIPSOIDAL BUBBLES IN CLEAN AND FULLY CONTAMINATED SYSTEMS. <i>Multiphase Science and Technology</i> , <b>2019</b> , 31, 215-234	1	3
81	Evaluation of adsorption of surfactant at a moving interface of a single spherical drop. <i>Experimental Thermal and Fluid Science</i> , <b>2018</b> , 96, 397-405	3	8
80	Shapes of single bubbles in infinite stagnant liquids contaminated with surfactant. <i>Experimental Thermal and Fluid Science</i> , <b>2018</b> , 96, 460-469	3	25
79	Mass transfer from single carbon dioxide bubbles in alcohol aqueous solutions in vertical pipes. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 108, 1991-2001	4.9	10
78	Experimental evaluation of Marangoni stress and surfactant concentration at interface of contaminated single spherical drop using spatiotemporal filter velocimetry. <i>International Journal of Multiphase Flow</i> , <b>2017</b> , 97, 157-167	3.6	13
77	Mass transfer from single carbon-dioxide bubbles in electrolyte aqueous solutions in vertical pipes. <i>International Journal of Heat and Mass Transfer</i> , <b>2017</b> , 115, 663-671	4.9	11
76	Interfacial Friction Factor for Counter-Current Gas-Liquid Flows in Vertical Pipes. <i>Japanese Journal of Multiphase Flow</i> , <b>2017</b> , 31, 37-46	0.3	3
75	Effects of Fluid Properties on Countercurrent Flow Limitation in Vertical Pipes. <i>Japanese Journal of Multiphase Flow</i> , <b>2017</b> , 31, 152-161	0.3	4

Gaslift pump making use of phase change of working fluid. Applied Thermal Engineering, 2016, 103, 1119518125 2 74 Turbulence Characteristics of Gas-Liquid Two-Phase Bubbly Flow in a 2x2 Rod Bundle. The 73 Proceedings of the National Symposium on Power and Energy Systems, 2016, 2016.21, A215 Distribution characteristics of two-phase refrigerant in a return junction connecting parallel narrow 0.2 72 channels. Transactions of the JSME (in Japanese), 2016, 82, 15-00685-15-00685 Condensation experiments for counter-current flow limitation in an inverted U-tube. Journal of 71 13 Nuclear Science and Technology, 2016, 53, 486-495 Generation mechanism of micro-bubbles in a pressurized dissolution method. Experimental Thermal 26 70 3 and Fluid Science, **2015**, 60, 201-207 Measurements of velocity distribution and flow rate by using spatiotemporal filter velocimetry. 69 0.2 Transactions of the JSME (in Japanese), **2015**, 81, 14-00597-14-00597 Dissolution of Single Carbon Dioxide Bubbles in a Vertical Pipe. Journal of Chemical Engineering of 68 0.8 7 Japan, **2015**, 48, 418-426 Effects of Surfactants on Mass Transfer from Single Carbon Dioxide Bubbles in Vertical Pipes. 16 67 2 Chemical Engineering and Technology, 2015, 38, 1955-1964 Effects of fluid properties on CCFL characteristics at a vertical pipe lower end. Journal of Nuclear 66 1 14 *Science and Technology*, **2015**, 52, 887-896 F233 Velocity distribution of gas-liquid two-phase bubble flow in a 212 rod bundle. The Proceedings 65 of the National Symposium on Power and Energy Systems, 2015, 2015.20, 389-390 Numerical simulation of slugging of stagnant liquid at a V-shaped elbow in a pipeline. Applied 64 4.5 3 Mathematical Modelling, **2014**, 38, 4238-4248 Mass transfer from a bubble in a vertical pipe. International Journal of Heat and Mass Transfer, 2014, 63 4.9 43 69, 215-222 Temperature fluctuation phenomena in a normally stagnant pipe connected downward to a high 62 1.8 5 velocity and high temperature main pipe. Nuclear Engineering and Design, 2014, 269, 360-373 Distributions of void fraction and liquid velocity in air water bubble column. International Journal 61 3.6 19 of Multiphase Flow, **2014**, 67, 111-121 Measurement of bubbly flow using spatiotemporal filter velocimetry coupled with molecular 60 1 tagging 2014, Void distribution and bubble motion in bubbly flows in a 44 rod bundle. Part I: Experiments. 59 27 Journal of Nuclear Science and Technology, 2014, 51, 220-230 Void distribution and bubble motion in bubbly flows in a 4½ rod bundle. Part II: numerical 58 6 1 simulation. Journal of Nuclear Science and Technology, 2014, 51, 580-589 Numerical Simulation of Slug Generation at a V-Shaped Elbow between Inclined Pipes. Kagaku 0.4 57 Kogaku Ronbunshu, **2014**, 40, 275-281

56	F221 Measurement of liquid velocity in gas-liquid two-phase flow in a 2x2 rod bundle. <i>The Proceedings of the National Symposium on Power and Energy Systems</i> , <b>2014</b> , 2014.19, 369-370	O	
55	Measurement of bubble velocity using spatial filter velocimetry. Experiments in Fluids, 2013, 54, 1	2.5	7
54	Tomographic spatial filter velocimetry for three-dimensional measurement of fluid velocity. <i>Experiments in Fluids</i> , <b>2013</b> , 54, 1	2.5	5
53	Bubble-induced pseudo turbulence in laminar pipe flows. <i>International Journal of Heat and Fluid Flow</i> , <b>2013</b> , 40, 97-105	2.4	44
52	Development of a submersible small fiber LDV probe and its application to flows in a 4½ rod bundle. <i>Nuclear Engineering and Design</i> , <b>2013</b> , 263, 342-349	1.8	12
51	Measurements of turbulent flows in a 20 rod bundle. <i>Nuclear Engineering and Design</i> , <b>2012</b> , 249, 2-13	1.8	27
50	Turbulence kinetic energy budget in bubbly flows in a vertical duct. Experiments in Fluids, 2012, 52, 719	-7 <b>28</b>	12
49	Spatial filter velocimetry based on time-series particle images. <i>Experiments in Fluids</i> , <b>2012</b> , 52, 1361-137	<b>72</b> .5	14
48	Countercurrent Air-Water Flow in a Scale-Down Model of a Pressurizer Surge Line. <i>Science and Technology of Nuclear Installations</i> , <b>2012</b> , 2012, 1-7	0.6	8
47	Countercurrent Flow Limitation at the Junction between the Surge Line and the Pressurizer of a PWR. <i>Science and Technology of Nuclear Installations</i> , <b>2012</b> , 2012, 1-10	0.6	14
46	Evaluation of Turbulence Kinetic Energy Budget in Turbulent Flows by Using Photobleaching Molecular Tagging Velocimetry. <i>Journal of Fluid Science and Technology</i> , <b>2012</b> , 7, 168-180	0.4	1
45	BUBBLE TRACKING SIMULATION OF BUBBLE-INDUCED PSEUDOTURBULENCE. <i>Multiphase Science and Technology</i> , <b>2012</b> , 24, 197-222	1	19
44	B223 Turbulent liquid flow in a rod bundle. <i>The Proceedings of the National Symposium on Power and Energy Systems</i> , <b>2012</b> , 2012.17, 287-288	O	
43	B112 Study on Two-Phase Swirling Flow in a Gas-Liquid Separator. <i>The Proceedings of the National Symposium on Power and Energy Systems</i> , <b>2012</b> , 2012.17, 53-54	Ο	
42	Evaluation of Turbulence Kinetic Energy Budget in Turbulent Flows by Using a Photobleaching Molecular Tagging Velocimetry. 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2011, 77, 2263-2272		
41	CAVITATION IN NOZZLES OF PLAIN ORIFICE ATOMIZERSWITH VARIOUS LENGTH-TO-DIAMETER RATIOS. <i>Atomization and Sprays</i> , <b>2010</b> , 20, 513-524	1.2	14
40	Effect of Entrained Air Bubbles on Micro Bubbles Generated by a Pressurized Dissolution Method(The Forefront of Multi-Physics CFD/EFD). 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2010, 76, 763-770		1
39	Void Fraction in a Four by Four Rod Bundle under a Stagnant Condition. <i>Journal of Power and Energy Systems</i> , <b>2010</b> , 4, 315-326		16

38	EFFECTS OF BUBBLES ON TURBULENCE PROPERTIES IN A DUCT FLOW. <i>Multiphase Science and Technology</i> , <b>2010</b> , 22, 211-232	1	7
37	??????????????????. Japanese Journal of Multiphase Flow, <b>2010</b> , 24, 462-469	0.3	2
36	Swirling Annular Flow in a Steam Separator. <i>Journal of Engineering for Gas Turbines and Power</i> , <b>2009</b> , 131,	1.7	21
35	Multi-fluid simulation of turbulent bubbly pipe flows. Chemical Engineering Science, 2009, 64, 5308-5318	84.4	72
34	Application of photobleaching molecular tagging velocimetry to turbulent bubbly flow in a square duct. <i>Experiments in Fluids</i> , <b>2009</b> , 47, 745-754	2.5	18
33	Numerical Simulation of Bubble Motion about a Grid Spacer in a Rod Bundle. <i>Journal of Power and Energy Systems</i> , <b>2009</b> , 3, 393-404		1
32	Flow and Temperature Fluctuation Mechanism in a Downward Branch Pipe with a Closed End: 1st Report, Flow Structure in a Vertical Branch Pipe(Fluids Engineering). 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2009, 75, 68-76		3
31	Motion of Small Bubbles near a Grid Spacer in a Two by Three Rod Bundle. <i>Journal of Fluid Science and Technology</i> , <b>2008</b> , 3, 172-182	0.4	12
30	Dissolution of a Carbon Dioxide Bubble in a Vertical Pipe. <i>Journal of Fluid Science and Technology</i> , <b>2008</b> , 3, 667-677	0.4	5
29	Two-Phase Swirling Flow in a Gas-Liquid Separator. <i>Journal of Power and Energy Systems</i> , <b>2008</b> , 2, 1120-	1131	42
28	Effects of Nozzle Geometry on Cavitation in Nozzles of Pressure Atomizers. <i>Journal of Fluid Science and Technology</i> , <b>2008</b> , 3, 622-632	0.4	28
27	Ligament Formation Induced by Cavitation in a Cylindrical Nozzle. <i>Journal of Fluid Science and Technology</i> , <b>2008</b> , 3, 633-644	0.4	10
26	Effects of Inlet Bubble Diameter on Bubbly Flow in a Bubble Column under High Gas Volume Flux Condition. 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2008, 74, 1368-1375		4
25	Effects of Pick-Off-Ring Configuration on Separation Performance of a Gas-Liquid Separator. <i>Progress in Multiphase Flow Research</i> , <b>2008</b> , 3, 67-74		5
24	PWR????????????????(1) (?????CCFL??). Japanese Journal of Multiphase Flow, <b>2008</b> , 22, 403-412	0.3	14
23	Effects of cavitation in a nozzle on liquid jet atomization. <i>International Journal of Heat and Mass Transfer</i> , <b>2007</b> , 50, 3575-3582	4.9	206
22	Motion of Single Drops in Linear Shear Flows <b>2007</b> , 303		
21	Two-phase Flow Patterns in a Four by Four Rod Bundle. <i>Journal of Nuclear Science and Technology</i> , <b>2007</b> , 44, 894-901	1	31

20	Motion of Small Bubbles in High-Speed Flows in a Vertical Duct Containing an Obstacle. 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2007, 73, 162-168		2
19	Shapes of Single Drops Rising Through Stagnant Liquids. <i>Journal of Fluid Science and Technology</i> , <b>2007</b> , 2, 184-195	0.4	19
18	Effects of Bubble Wake on Coalescence Between Planar Bubbles. <i>Journal of Fluid Science and Technology</i> , <b>2006</b> , 1, 94-104	0.4	4
17	Cavitation in a Two-Dimensional Nozzle and Liquid Jet Atomization (1st Report, Ultra-High Speed Visualization). 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, <b>2006</b> , 72, 513-520		2
16	Cavitation in a Two-Dimensional Nozzle and Liquid Jet Atomization (2nd Report, LDV Measurement of Liquid Velocity in a Nozzle). 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2006, 72, 521-527		1
15	Terminal Velocity of Single Drops in Stagnant Liquids. <i>Journal of Fluid Science and Technology</i> , <b>2006</b> , 1, 72-81	0.4	14
14	Cavitation in a Two-Dimensional Nozzle and Liquid Jet Atomization (LDV Measurement of Liquid Velocity in a Nozzle). <i>JSME International Journal Series B</i> , <b>2006</b> , 49, 1253-1259		33
13	MODELING AND HYBRID SIMULATION OF BUBBLY FLOW. <i>Multiphase Science and Technology</i> , <b>2006</b> , 18, 73-110	1	22
12	Turbulence modification in gasIlquid and solidIlquid dispersed two-phase pipe flows. <i>International Journal of Heat and Fluid Flow</i> , <b>2004</b> , 25, 489-498	2.4	48
11	MOLECULAR TAGGING VELOCIMETRY BASED ON PHOTOBLEACHING REACTION AND ITS APPLICATION TO FLOWS AROUND SINGLE FLUID PARTICLES. <i>Multiphase Science and Technology</i> , <b>2004</b> , 16, 335-353	1	6
10	LATTICE BOLTZMANN SIMULATION OF INTERFACIAL DEFORMATION. <i>International Journal of Modern Physics B</i> , <b>2003</b> , 17, 179-182	1.1	1
9	Characteristics of Liquid Slug Generated at a V-Shaped Elbow between Inclined Pipes. 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2003, 69, 2208-2213		3
8	Lateral Force Acting on a Deformed Single Bubble due to the Presence of Wall. 880-02 Nihon Kikai Gakkai Ronbunsh Transactions of the Japan Society of Mechanical Engineers Series B B-hen, 2003, 69, 2214	4-2220	15
7	Shapes and Rising Velocities of Single Bubbles rising through an Inner Subchannel. <i>Journal of Nuclear Science and Technology</i> , <b>2003</b> , 40, 136-142	1	27
6	Transverse migration of single bubbles in simple shear flows. <i>Chemical Engineering Science</i> , <b>2002</b> , 57, 1849-1858	4.4	659
5	Simulation of Bubble Motion under Gravity by Lattice Boltzmann Method. <i>Journal of Nuclear Science and Technology</i> , <b>2001</b> , 38, 330-341	1	68
4	Influence of inlet conditions on the flowfield in a model gas turbine combustor. <i>Experimental Thermal and Fluid Science</i> , <b>1992</b> , 5, 390-400	3	6
3	A Compact Fiber LDV with a Perforated Beam Expander. <i>Transactions of the Society of Instrument and Control Engineers</i> , <b>1990</b> , 26, 605-611	0.1	

Shapes and Rising Velocities of Single Bubbles rising through an Inner Subchannel

12

Two-phase Flow Patterns in a Four by Four Rod Bundle

3