

Kartik Shankar

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6207037/kartik-shankar-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

4,864
citations

40
h-index

65
g-index

155
ext. papers

5,813
ext. citations

3.8
avg. IF

5.96
L-index

#	Paper	IF	Citations
147	Childhood nutrient intakes are differentially associated with hepatic and abdominal fats in adolescence: The EPOCH study.. <i>Obesity</i> , 2022 , 30, 460-471	8	
146	Dietary blueberry ameliorates vascular complications in diabetic mice possibly through NOX4 and modulates composition and functional diversity of gut microbes.. <i>Molecular Nutrition and Food Research</i> , 2022 , e2100784	5.9	1
145	Exposure to maternal fuels during pregnancy and offspring hepatic fat in early childhood: The healthy start study.. <i>Pediatric Obesity</i> , 2022 , e12902	4.6	1
144	Associations between maternal obesity and offspring gut microbiome in the first year of life.. <i>Pediatric Obesity</i> , 2022 , e12921	4.6	2
143	Progression of diabetes is associated with changes in the ileal transcriptome and ileal-colon morphology in the UC Davis Type 2 Diabetes Mellitus rat. <i>Physiological Reports</i> , 2021 , 9, e15102	2.6	0
142	Short-Term Increased Physical Activity During Early Life Affects High-Fat Diet-Induced Bone Loss in Young Adult Mice. <i>JBMR Plus</i> , 2021 , 5, e10508	3.9	2
141	Associations of Nutrient Intakes in Childhood With Hepatic and Abdominal Fat in Adolescence: The EPOCH Study. <i>Current Developments in Nutrition</i> , 2021 , 5, 1022-1022	0.4	78
140	157-OR: Childhood Nutrient Intake Changes and Adolescent Hepatic Fat: The Exploring Perinatal Outcomes among Children (EPOCH) Study. <i>Diabetes</i> , 2021 , 70, 157-OR	0.9	
139	Heat Stress-Associated Growth Retardation in the First 1000 Days Is Mitigated by Preconception Nutritional Supplementation. <i>Current Developments in Nutrition</i> , 2021 , 5, 88-88	0.4	78
138	Alterations in the Gut Microbiome of Infants Consuming Partially Hydrolyzed Cow Milk Protein Formula. <i>Current Developments in Nutrition</i> , 2021 , 5, 750-750	0.4	0
137	271-OR: ADA Presidents Select Abstract: MyD88 Signaling in Trophoblasts Is Necessary for Maternal High-Fat Diet-Associated Developmental Programming of Obesity. <i>Diabetes</i> , 2021 , 70, 271-OR ^{0.9}		
136	Hepatic Fat in Early Childhood Is Independently Associated With Estimated Insulin Resistance: The Healthy Start Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 3140-3150	5.6	3
135	Maternal diet quality during pregnancy is associated with biomarkers of metabolic risk among male offspring. <i>Diabetologia</i> , 2021 , 64, 2478-2490	10.3	5
134	Associations between Maternal Diet, Body Composition and Gut Microbial Ecology in Pregnancy. <i>Nutrients</i> , 2021 , 13,	6.7	3
133	Associations of Nutrient Intake Changes During Childhood with Adolescent Hepatic Fat: The Exploring Perinatal Outcomes Among Children Study. <i>Journal of Pediatrics</i> , 2021 , 237, 50-58.e3	3.6	2
132	GPR109A mediates the effects of hippuric acid on regulating osteoclastogenesis and bone resorption in mice. <i>Communications Biology</i> , 2021 , 4, 53	6.7	1
131	Potential role of gut microbiota, the proto-oncogene PIKE (Agap2) and cytochrome P450 CYP2W1 in promotion of liver cancer by alcoholic and nonalcoholic fatty liver disease and protection by dietary soy protein. <i>Chemico-Biological Interactions</i> , 2020 , 325, 109131	5	3

130	Xenometabolite signatures in the UC Davis type 2 diabetes mellitus rat model revealed using a metabolomics platform enriched with microbe-derived metabolites. <i>American Journal of Physiology - Renal Physiology</i> , 2020 , 319, G157-G169	5.1	6
129	Associations between maternal body mass index and diet composition with placental DNA methylation at term. <i>Placenta</i> , 2020 , 93, 74-82	3.4	4
128	Skeletal Toxicity of Coplanar Polychlorinated Biphenyl Congener 126 in the Rat Is Aryl Hydrocarbon Receptor Dependent. <i>Toxicological Sciences</i> , 2020 , 175, 113-125	4.4	6
127	Maternal Adiposity is Associated with Fat Mass Accretion in Female but not Male Offspring During the First 2 Years of Life. <i>Obesity</i> , 2020 , 28, 624-630	8	2
126	Neonatal diet alters fecal microbiota and metabolome profiles at different ages in infants fed breast milk or formula. <i>American Journal of Clinical Nutrition</i> , 2020 , 111, 1190-1202	7	19
125	Maternal regulation of SATB2 in osteo-progenitors impairs skeletal development in offspring. <i>FASEB Journal</i> , 2020 , 34, 2511-2523	0.9	3
124	Parental adiposity differentially associates with newborn body composition. <i>Pediatric Obesity</i> , 2020 , 15, e12596	4.6	6
123	Lactotrehalose, an Analog of Trehalose, Increases Energy Metabolism Without Promoting <i>Clostridioides difficile</i> Infection in Mice. <i>Gastroenterology</i> , 2020 , 158, 1402-1416.e2	13.3	12
122	Increased Physical Activity During Early Life Exacerbates High Fat Diet-Induced Bone Loss in Adult Mice. <i>Current Developments in Nutrition</i> , 2020 , 4, 1749-1749	0.4	78
121	Maternal Obesity and Diet Quality Modulate the Villous Placental Metabolome. <i>Current Developments in Nutrition</i> , 2020 , 4, 1076-1076	0.4	0
120	Epigenomic Regulation of SATB2 Links Maternal Obesity to Impaired Osteoblast Differentiation (P11-034-19). <i>Current Developments in Nutrition</i> , 2019 , 3,	0.4	78
119	Estradiol and NADPH oxidase crosstalk regulates responses to high fat feeding in female mice. <i>Experimental Biology and Medicine</i> , 2019 , 244, 834-845	3.7	3
118	Intrinsic High Aerobic Capacity in Male Rats Protects Against Diet-Induced Insulin Resistance. <i>Endocrinology</i> , 2019 , 160, 1179-1192	4.8	6
117	Sex modulates hepatic mitochondrial adaptations to high-fat diet and physical activity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 317, E298-E311	6	15
116	Prepregnancy Fat Free Mass and Associations to Glucose Metabolism Before and During Pregnancy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 1394-1403	5.6	4
115	Neonatal Diet Impacts Bioregional Microbiota Composition in Piglets Fed Human Breast Milk or Infant Formula. <i>Journal of Nutrition</i> , 2019 , 149, 2236-2246	4.1	13
114	3-(3-Hydroxyphenyl)-Propionic Acid (PPA) Suppresses Osteoblastic Cell Senescence to Promote Bone Accretion in Mice. <i>JBMR Plus</i> , 2019 , 3, e10201	3.9	8
113	Sex-Specific Changes in Gut Microbiome Composition following Blueberry Consumption in C57BL/6J Mice. <i>Nutrients</i> , 2019 , 11,	6.7	19

112	Metabolic Consequences of Exposure to Maternal High Fat Diet in Offspring. <i>FASEB Journal</i> , 2019 , 33, 591.3	0.9	
111	Obesity leads to distinct metabolomic signatures in follicular fluid of women undergoing in vitro fertilization. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019 , 316, E383-E396	6	11
110	Dietary supplementation with strawberry induces marked changes in the composition and functional potential of the gut microbiome in diabetic mice. <i>Journal of Nutritional Biochemistry</i> , 2019 , 66, 63-69	6.3	34
109	Liver tumorigenesis is promoted by a high saturated fat diet specifically in male mice and is associated with hepatic expression of the proto-oncogene Agap2 and enrichment of the intestinal microbiome with Coprococcus. <i>Carcinogenesis</i> , 2019 , 40, 349-359	4.6	11
108	Infant Formula Feeding Increases Hepatic Cholesterol 7 β -Hydroxylase (CYP7A1) Expression and Fecal Bile Acid Loss in Neonatal Piglets. <i>Journal of Nutrition</i> , 2018 , 148, 702-711	4.1	13
107	A cautionary response to SMFM statement: pharmacological treatment of gestational diabetes. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 219, 367.e1-367.e7	6.4	42
106	Cecal versus fecal microbiota in Ossabaw swine and implications for obesity. <i>Physiological Genomics</i> , 2018 , 50, 355-368	3.6	17
105	Maternal obesity impairs skeletal development in adult offspring. <i>Journal of Endocrinology</i> , 2018 , 239, 33-47	4.7	20
104	Associations between Early Pregnancy Maternal Body Mass Index (BMI) and Offspring Sex with Placental DNA Methylation at Term. <i>FASEB Journal</i> , 2018 , 32, 755.4	0.9	
103	Maternal High-Fat Diet Programs Offspring Liver Steatosis in a Sexually Dimorphic Manner in Association with Changes in Gut Microbial Ecology in Mice. <i>Scientific Reports</i> , 2018 , 8, 16502	4.9	44
102	Human Breast-Milk Feeding Enhances the Humoral and Cell-Mediated Immune Response in Neonatal Piglets. <i>Journal of Nutrition</i> , 2018 , 148, 1860-1870	4.1	15
101	Environmental Forces that Shape Early Development: What We Know and Still Need to Know. <i>Current Developments in Nutrition</i> , 2018 , 2, nzx002	0.4	2
100	EB 2017 Article: Soy protein isolate feeding does not result in reproductive toxicity in the pre-pubertal rat testis. <i>Experimental Biology and Medicine</i> , 2018 , 243, 695-707	3.7	2
99	Placental transcriptome co-expression analysis reveals conserved regulatory programs across gestation. <i>BMC Genomics</i> , 2017 , 18, 10	4.5	16
98	Obesity and pregnancy: mechanisms of short term and long term adverse consequences for mother and child. <i>BMJ, The</i> , 2017 , 356, j1	5.9	409
97	Obesity Modulates Inflammation and Lipid Metabolism Oocyte Gene Expression: A Single-Cell Transcriptome Perspective. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2029-2038	5.6	36
96	Soy compared with milk protein in a Western diet changes fecal microbiota and decreases hepatic steatosis in obese OLETF rats. <i>Journal of Nutritional Biochemistry</i> , 2017 , 46, 125-136	6.3	22
95	Enhanced offspring predisposition to steatohepatitis with maternal high-fat diet is associated with epigenetic and microbiome alterations. <i>PLoS ONE</i> , 2017 , 12, e0175675	3.7	94

94	Formula diet driven microbiota shifts tryptophan metabolism from serotonin to tryptamine in neonatal porcine colon. <i>Microbiome</i> , 2017 , 5, 77	16.6	56
93	Maternal obesity and gestational weight gain are modestly associated with umbilical cord DNA methylation. <i>Placenta</i> , 2017 , 57, 194-203	3.4	15
92	Early Postnatal Diets Affect the Bioregional Small Intestine Microbiome and Ileal Metabolome in Neonatal Pigs. <i>Journal of Nutrition</i> , 2017 , 147, 1499-1509	4.1	32
91	Dietary factors during early life program bone formation in female rats. <i>FASEB Journal</i> , 2017 , 31, 376-387.9	0.9	11
90	A Behavioral Intervention to Reduce Excessive Gestational Weight Gain. <i>Maternal and Child Health Journal</i> , 2017 , 21, 485-491	2.4	17
89	Early Diet Has Differential Effects on the Small Intestine Microbiome by Region in Neonatal Piglets. <i>FASEB Journal</i> , 2017 , 31, 444.1	0.9	
88	First trimester maternal adiposity is associated with infant body fat at age 2 weeks: a longitudinal follow-up study. <i>FASEB Journal</i> , 2017 , 31, 958.24	0.9	
87	Aerobic capacity and hepatic mitochondrial lipid oxidation alters susceptibility for chronic high-fat diet-induced hepatic steatosis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E749-E760	6	18
86	Are early first trimester weights valid proxies for preconception weight?. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 357	3.2	37
85	Formula diet alters small intestine morphology, microbial abundance and reduces VE-cadherin and IL-10 expression in neonatal porcine model. <i>BMC Gastroenterology</i> , 2016 , 16, 40	3	34
84	A Sex-Specific Role for Egr1 in Mediating Norepinephrine-Induced Contraction in Mesenteric Arteries. <i>FASEB Journal</i> , 2016 , 30, 738.3	0.9	
83	Persistent influence of maternal obesity on offspring health: Mechanisms from animal models and clinical studies. <i>Molecular and Cellular Endocrinology</i> , 2016 , 435, 7-19	4.4	32
82	Maternal obesity is associated with ovarian inflammation and upregulation of early growth response factor 1. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016 , 311, E269-77	6	15
81	Maternal Obesity Programs Senescence Signaling and Glucose Metabolism in Osteo-Progenitors From Rat and Human. <i>Endocrinology</i> , 2016 , 157, 4172-4183	4.8	28
80	Obesity-related changes in bone structural and material properties in hyperphagic OLETF rats and protection by voluntary wheel running. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 905-16	12.7	21
79	Transcriptomic and epigenomic landscapes during cell fusion in BeWo trophoblast cells. <i>Placenta</i> , 2015 , 36, 1342-51	3.4	31
78	Maternal adiposity negatively influences infant brain white matter development. <i>Obesity</i> , 2015 , 23, 1047-54	7.54	35
77	Longitudinal body composition of children born to mothers with normal weight, overweight, and obesity. <i>Obesity</i> , 2015 , 23, 1252-8	8	48

76	Reversing Fetal Undernutrition by Kick-Starting Early Growth. <i>Endocrinology</i> , 2015 , 156, 3059-62	4.8	1
75	Placental Transcriptomic Changes Due to Maternal Exercise are Dependent on Maternal Diet and Offspring Sex. <i>FASEB Journal</i> , 2015 , 29, 916.2	0.9	
74	Maternal obesity is associated with a lipotoxic placental environment. <i>Placenta</i> , 2014 , 35, 171-7	3.4	181
73	Distinct adipogenic differentiation phenotypes of human umbilical cord mesenchymal cells dependent on adipogenic conditions. <i>Experimental Biology and Medicine</i> , 2014 , 239, 1340-51	3.7	16
72	Maternal pregravid obesity changes gene expression profiles toward greater inflammation and reduced insulin sensitivity in umbilical cord. <i>Pediatric Research</i> , 2014 , 76, 202-10	3.2	23
71	A comprehensive analysis of the human placenta transcriptome. <i>Placenta</i> , 2014 , 35, 125-31	3.4	44
70	High fat diet and in utero exposure to maternal obesity disrupts circadian rhythm and leads to metabolic programming of liver in rat offspring. <i>PLoS ONE</i> , 2014 , 9, e84209	3.7	82
69	RNA-seq analysis of the rat placentation site reveals maternal obesity-associated changes in placental and offspring thyroid hormone signaling. <i>Placenta</i> , 2014 , 35, 1013-20	3.4	19
68	In utero exposure to prepregnancy maternal obesity and postweaning high-fat diet impair regulators of mitochondrial dynamics in rat placenta and offspring. <i>Physiological Genomics</i> , 2014 , 46, 841-50	3.6	51
67	Mammary gland morphology and gene expression signature of weanling male and female rats following exposure to exogenous estradiol. <i>Experimental Biology and Medicine</i> , 2013 , 238, 1033-46	3.7	9
66	Early growth response protein-1 mediates lipotoxicity-associated placental inflammation: role in maternal obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 305, E1-14	6	62
65	Maternal obesity enhances white adipose tissue differentiation and alters genome-scale DNA methylation in male rat offspring. <i>Endocrinology</i> , 2013 , 154, 4113-25	4.8	114
64	Feeding soy protein isolate and treatment with estradiol have different effects on mammary gland morphology and gene expression in weanling male and female rats. <i>Physiological Genomics</i> , 2013 , 45, 1072-83	3.6	10
63	Maternal pre-gravid body mass index and adiposity influence umbilical cord gene expression at term in AGA infants. <i>FASEB Journal</i> , 2013 , 27, 109.3	0.9	
62	Maternal but not paternal fat mass is positively associated with infant fat mass at age 2 weeks. <i>FASEB Journal</i> , 2013 , 27, 111.4	0.9	
61	Maternal obesity leads to an inflammatory response and insulin resistance in ovarian tissue. <i>FASEB Journal</i> , 2013 , 27, 109.5	0.9	
60	Dietary fat source alters hepatic gene expression profile and determines the type of liver pathology in rats overfed via total enteral nutrition. <i>FASEB Journal</i> , 2013 , 27, 1072.2	0.9	
59	Early growth response protein 1 (EGR1) regulates pro-inflammatory gene expression in response to palmitate and TNF α in human placenta cells and is induced in obese placenta. <i>FASEB Journal</i> , 2013 , 27, 109.8	0.9	1

58	Inhibition of fetal bone development through epigenetic down-regulation of HoxA10 in obese rats fed high-fat diet. <i>FASEB Journal</i> , 2012 , 26, 1131-41	0.9	45
57	Body fat mass of exclusively breastfed infants born to overweight mothers. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2012 , 112, 991-5	3.9	17
56	Differential effects of short term feeding of a soy protein isolate diet and estrogen treatment on bone in the pre-pubertal rat. <i>PLoS ONE</i> , 2012 , 7, e35736	3.7	14
55	Mammary gland morphology and gene expression differ in female rats treated with 17 β -estradiol or fed soy protein isolate. <i>Endocrinology</i> , 2012 , 153, 6021-32	4.8	13
54	Krüppel-like factor 9 and progesterone receptor coregulation of decidualizing endometrial stromal cells: implications for the pathogenesis of endometriosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E376-92	5.6	81
53	RNA-seq analysis of the functional compartments within the rat placentation site. <i>Endocrinology</i> , 2012 , 153, 1999-2011	4.8	20
52	Uterine physiological responses and global gene expression in ovariectomized (OVX) rats treated with soy protein isolate (SPI) or 17 β -estradiol. <i>FASEB Journal</i> , 2012 , 26, 243.2	0.9	
51	Differences in resting metabolic rate and physical activity patterns in lean and overweight/obese pregnant women. <i>FASEB Journal</i> , 2012 , 26, 113.1	0.9	
50	Lipid fatty acid profile analyses in liver and serum in rats with nonalcoholic steatohepatitis using improved gas chromatography-mass spectrometry methodology. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 747-54	5.7	31
49	Maternal obesity during gestation impairs fatty acid oxidation and mitochondrial SIRT3 expression in rat offspring at weaning. <i>PLoS ONE</i> , 2011 , 6, e24068	3.7	86
48	Hyperinsulinemia and ectopic fat deposition can develop in the face of hyperadiponectinemia in young obese rats. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 142-52	6.3	12
47	Bidirectional signaling of mammary epithelium and stroma: implications for breast cancer--preventive actions of dietary factors. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 605-11	6.3	13
46	Inhibition of NADPH oxidases prevents chronic ethanol-induced bone loss in female rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2011 , 336, 734-42	4.7	45
45	Enhanced expression and glucocorticoid-inducibility of hepatic cytochrome P450 3A involve recruitment of the pregnane-X-receptor to promoter elements in rats fed soy protein isolate. <i>Journal of Nutrition</i> , 2011 , 141, 10-6	4.1	12
44	Maternal obesity promotes a proinflammatory signature in rat uterus and blastocyst. <i>Endocrinology</i> , 2011 , 152, 4158-70	4.8	84
43	Formula feeding alters hepatic gene expression signature, iron and cholesterol homeostasis in the neonatal pig. <i>Physiological Genomics</i> , 2011 , 43, 1281-93	3.6	19
42	Feeding blueberry diets in early life prevent senescence of osteoblasts and bone loss in ovariectomized adult female rats. <i>PLoS ONE</i> , 2011 , 6, e24486	3.7	54
41	Pre-pregnancy BMI and body fat mass of 2 weeks old infants. <i>FASEB Journal</i> , 2011 , 25, 990.8	0.9	

40	Obesity reduces bone density associated with activation of PPAR β and suppression of Wnt/ β -catenin in rapidly growing male rats. <i>PLoS ONE</i> , 2010 , 5, e13704	3.7	93
39	Carbohydrate-responsive gene expression in the adipose tissue of rats. <i>Endocrinology</i> , 2010 , 151, 153-64.	4.8	33
38	Maternal overweight programs insulin and adiponectin signaling in the offspring. <i>Endocrinology</i> , 2010 , 151, 2577-89	4.8	92
37	Dietary-induced serum phenolic acids promote bone growth via p38 MAPK/ β -catenin canonical Wnt signaling. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 2399-411	6.3	96
36	A role for ethanol-induced oxidative stress in controlling lineage commitment of mesenchymal stromal cells through inhibition of Wnt/ β -catenin signaling. <i>Journal of Bone and Mineral Research</i> , 2010 , 25, 1117-27	6.3	81
35	Hyperinsulinemia and ectopic fat deposition develop in the face of hyperadiponectinemia in young obese rats. <i>FASEB Journal</i> , 2010 , 24, 105.6	0.9	
34	Feeding soy protein isolate (SPI) does not result in an estrogenic gene expression profile in the mammary of ovariectomized (OVX) female rats. <i>FASEB Journal</i> , 2010 , 24, 212.2	0.9	
33	Reduced bone mass in obese young rats through PPAR β -suppression of Wnt/ β -catenin signaling and direct action of free fatty acids (NEFA). <i>FASEB Journal</i> , 2010 , 24, 726.2	0.9	
32	Hepatic gene expression following consumption of soy protein isolate in female Sprague-Dawley rats differs from that produced by 17 β -estradiol treatment. <i>Journal of Endocrinology</i> , 2009 , 202, 141-52	4.7	22
31	Early soy exposure via maternal diet regulates rat mammary epithelial differentiation by paracrine signaling from stromal adipocytes. <i>Journal of Nutrition</i> , 2009 , 139, 945-51	4.1	25
30	The health implications of soy infant formula. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 1668S-1672S	7.5	88
29	Maternal obesity at conception programs obesity in the offspring. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 294, R528-38	3.2	283
28	Protective effects of estradiol on ethanol-induced bone loss involve inhibition of reactive oxygen species generation in osteoblasts and downstream activation of the extracellular signal-regulated kinase/signal transducer and activator of transcription 3/receptor activator of nuclear factor- κ B ligand signaling cascade. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2008 , 306, 102-11	4.7	68
27	Chronic ethanol consumption leads to disruption of vitamin D3 homeostasis associated with induction of renal 1,25 dihydroxyvitamin D3-24-hydroxylase (CYP24A1). <i>Endocrinology</i> , 2008 , 149, 1748-56	4.8	47
26	Cytokine and chemokine expression associated with steatohepatitis and hepatocyte proliferation in rats fed ethanol via total enteral nutrition. <i>Experimental Biology and Medicine</i> , 2008 , 233, 344-55	3.7	56
25	A new model for nonalcoholic steatohepatitis in the rat utilizing total enteral nutrition to overfeed a high-polyunsaturated fat diet. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 294, G27-38	5.1	98
24	Estrogenic status modulates aryl hydrocarbon receptor--mediated hepatic gene expression and carcinogenicity. <i>Carcinogenesis</i> , 2008 , 29, 227-36	4.6	32
23	N-acetylcysteine attenuates progression of liver pathology in a rat model of nonalcoholic steatohepatitis. <i>Journal of Nutrition</i> , 2008 , 138, 1872-9	4.1	71

22	Chronic ethanol consumption inhibits postlactational anabolic bone rebuilding in female rats. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 338-49	6.3	27
21	Diets containing soy or rice protein isolate (SPI, RPI) increase insulin sensitivity and improve lipid homeostasis in weanling rats fed high fat, high cholesterol Western diets as a result of activation of PPAR and LXR-mediated pathways. <i>FASEB Journal</i> , 2008 , 22, 892.2	0.9	
20	Role of CYP2E1 and saturation kinetics in the bioactivation of thioacetamide: Effects of diet restriction and phenobarbital. <i>Toxicology and Applied Pharmacology</i> , 2007 , 219, 72-84	4.6	27
19	Undernutrition enhances alcohol-induced hepatocyte proliferation in the liver of rats fed via total enteral nutrition. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, G355-64	5.1	26
18	Effects of pregnancy and nutritional status on alcohol metabolism. <i>Alcohol Research</i> , 2007 , 30, 55-9		22
17	IS SOY ESTROGENIC? HEPATIC GENE EXPRESSION IN THE PRESENCE OR ABSENCE OF ENDOGENOUS ESTROGEN.. <i>FASEB Journal</i> , 2007 , 21, A61	0.9	1
16	Different molecular mechanisms underlie ethanol-induced bone loss in cycling and pregnant rats. <i>Endocrinology</i> , 2006 , 147, 166-78	4.8	31
15	Estradiol protects against ethanol-induced bone loss by inhibiting up-regulation of receptor activator of nuclear factor-kappaB ligand in osteoblasts. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 1182-90	4.7	52
14	Physiologic and genomic analyses of nutrition-ethanol interactions during gestation: Implications for fetal ethanol toxicity. <i>Experimental Biology and Medicine</i> , 2006 , 231, 1379-97	3.7	36
13	The effects of pregnancy on ethanol clearance. <i>Life Sciences</i> , 2005 , 77, 2111-26	6.8	26
12	Effects of light and dark beer on hepatic cytochrome P-450 expression in male rats receiving alcoholic beverages as part of total enteral nutrition. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 888-95	3.7	14
11	Effects of N-acetylcysteine on ethanol-induced hepatotoxicity in rats fed via total enteral nutrition. <i>Free Radical Biology and Medicine</i> , 2005 , 39, 619-30	7.8	87
10	Saturation toxicokinetics of thioacetamide: role in initiation of liver injury. <i>Drug Metabolism and Disposition</i> , 2005 , 33, 1877-85	4	94
9	Potential of carbon tetrachloride hepatotoxicity and lethality in type 2 diabetic rats. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2004 , 308, 694-704	4.7	45
8	Molecular mechanisms of renal tissue repair in survival from acute renal tubule necrosis: role of ERK1/2 pathway. <i>Toxicologic Pathology</i> , 2003 , 31, 604-18	2.1	26
7	Type 1 diabetic mice are protected from acetaminophen hepatotoxicity. <i>Toxicological Sciences</i> , 2003 , 73, 220-34	4.4	44
6	Streptozotocin-induced diabetic mice are resistant to lethal effects of thioacetamide hepatotoxicity. <i>Toxicology and Applied Pharmacology</i> , 2003 , 188, 122-34	4.6	32
5	Renal injury and repair following S-1, 2 dichlorovinyl-L-cysteine administration to mice. <i>Toxicology and Applied Pharmacology</i> , 2003 , 188, 110-21	4.6	38

4	Calpain released from dying hepatocytes mediates progression of acute liver injury induced by model hepatotoxicants. <i>Toxicology and Applied Pharmacology</i> , 2003 , 191, 211-26	4.6	96
3	Activation of PPAR-alpha in streptozotocin-induced diabetes is essential for resistance against acetaminophen toxicity. <i>FASEB Journal</i> , 2003 , 17, 1748-50	0.9	56
2	Role of tissue repair in survival from s-(1,2-dichlorovinyl)-L-cysteine-induced acute renal tubular necrosis in the mouse. <i>Toxicological Sciences</i> , 2003 , 74, 215-27	4.4	29
1	Diallyl sulfide inhibition of CYP2E1 does not rescue diabetic rats from thioacetamide-induced mortality. <i>Toxicology and Applied Pharmacology</i> , 2001 , 173, 27-37	4.6	31