

# Kwan-Woo Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6207572/publications.pdf>

Version: 2024-02-01

37  
papers

762  
citations

687363

13  
h-index

552781

26  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1279  
citing authors

#	ARTICLE	IF	CITATIONS
1	Fermented kimchi reduces body weight and improves metabolic parameters in overweight and obese patients. <i>Nutrition Research</i> , 2011, 31, 436-443.	2.9	131
2	Visfatin Induces Inflammation and Insulin Resistance via the NF- $\kappa$ B and STAT3 Signaling Pathways in Hepatocytes. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-11.	2.3	89
3	IL-6 induction of TLR-4 gene expression via STAT3 has an effect on insulin resistance in human skeletal muscle. <i>Acta Diabetologica</i> , 2013, 50, 189-200.	2.5	59
4	Prevalence of Chronic Complications in Korean Patients with Type 2 Diabetes Mellitus Based on the Korean National Diabetes Program. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 504.	4.7	56
5	Atherosclerosis induced by a high-fat diet is alleviated by lithium chloride via reduction of VCAM expression in ApoE-deficient mice. <i>Vascular Pharmacology</i> , 2010, 53, 264-272.	2.1	45
6	Capsaicin attenuates palmitate-induced expression of macrophage inflammatory protein 1 and interleukin 8 by increasing palmitate oxidation and reducing c-Jun activation in THP-1 (human acute) Tj ETQq0 0 0 rBT /Overlock 10 Tf 5	2.9	29
7	Comparison of the Efficacy of Glimepiride, Metformin, and Rosiglitazone Monotherapy in Korean Drug-Naïve Type 2 Diabetic Patients: The Practical Evidence of Antidiabetic Monotherapy Study. <i>Diabetes and Metabolism Journal</i> , 2011, 35, 26.	4.7	32
8	Efficacy and safety of ipragliflozin as an add-on therapy to sitagliptin and metformin in Korean patients with inadequately controlled type 2 diabetes mellitus: A randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 2408-2415.	4.4	30
9	A new comprehensive diabetes health literacy scale: Development and psychometric evaluation. <i>International Journal of Nursing Studies</i> , 2018, 88, 1-8.	5.6	29
10	Intake of brown rice lees reduces waist circumference and improves metabolic parameters in type 2 diabetes. <i>Nutrition Research</i> , 2011, 31, 131-138.	2.9	24
11	Iron overload by transferrin receptor protein 1 regulation plays an important role in palmitate-induced insulin resistance in human skeletal muscle cells. <i>FASEB Journal</i> , 2019, 33, 1771-1786.	0.5	23
12	Risk of Dementia in Older Patients with Type 2 Diabetes on Dipeptidyl-Peptidase IV Inhibitors Versus Sulfonylureas: A Real-World Population-Based Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 28.	2.4	23
13	Association between insulin resistance and impairment of FGF21 signal transduction in skeletal muscles. <i>Endocrine</i> , 2016, 53, 97-106.	2.3	18
14	Impact of Cadmium Exposure on the Association between Lipopolysaccharide and Metabolic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 11396-11409.	2.6	14
15	Visfatin exacerbates hepatic inflammation and fibrosis in a methionine-choline-deficient diet mouse model. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2592-2600.	2.8	14
16	Association between Nutrient Intake and Obesity in Type 2 Diabetic Patients from the Korean National Diabetes Program: A Cross-Sectional Study. <i>Journal of Korean Medical Science</i> , 2012, 27, 1188.	2.5	13
17	Clinical and Economic Outcomes in Medication-Adherent and -Nonadherent Patients With Type 2 Diabetes Mellitus in the Republic of Korea. <i>Clinical Therapeutics</i> , 2014, 36, 245-254.	2.5	10
18	Failure of monotherapy in clinical practice in patients with type 2 diabetes: The Korean National Diabetes Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1144-1152.	2.4	10

#	ARTICLE	IF	CITATIONS
19	Dipeptidyl Peptidase-4 Inhibitors and the Risk of Pancreatitis in Patients with Type 2 Diabetes Mellitus: A Population-Based Cohort Study. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-10.	2.3	10
20	CCL20 induced by visfatin in macrophages via the NF- $\kappa$ B and MKK3/6-p38 signaling pathways contributes to hepatic stellate cell activation. <i>Molecular Biology Reports</i> , 2020, 47, 4285-4293.	2.3	10
21	Importance of family history of diabetes in computing a diabetes risk score in Korean prediabetic population. <i>Scientific Reports</i> , 2018, 8, 15958.	3.3	9
22	A Korean Version of the Appraisal of Diabetes Scale (ADS-K). <i>Journal of Transcultural Nursing</i> , 2015, 26, 270-278.	1.3	8
23	Efficacy and Safety of Switching to Tenziglipitin in Patients with Type 2 Diabetes Inadequately Controlled with Dipeptidyl Peptidase-4 Inhibitors: A 12-Week Interim Report. <i>Diabetes Therapy</i> , 2019, 10, 1271-1282.	2.5	8
24	Predictive Factors for Efficacy of AST-120 Treatment in Diabetic Nephropathy: a Prospective Single-Arm, Open-Label, Multi-Center Study. <i>Journal of Korean Medical Science</i> , 2019, 34, e117.	2.5	7
25	Supplementation of pyruvate prevents palmitate-induced impairment of glucose uptake in C2 myotubes. <i>Molecular and Cellular Endocrinology</i> , 2011, 345, 79-87.	3.2	5
26	Clinical Characteristics and Prevalence of Comorbidities according to Metformin Use in Korean Patients with Type 2 Diabetes. <i>International Journal of Endocrinology</i> , 2020, 2020, 1-7.	1.5	5
27	Pathways Linking Health Literacy to Self-Management in People with Type 2 Diabetes. <i>Healthcare (Switzerland)</i> , 2021, 9, 1734.	2.0	5
28	A compound (DW1182v) protecting high glucose/palmitate-induced glucolipototoxicity to INS-1 beta cells preserves islet integrity and improves hyperglycemia in obese db/db mouse. <i>European Journal of Pharmacology</i> , 2012, 696, 187-193.	3.5	4
29	A New Objective Health Numeracy Test for Patients with Type 2 Diabetes: Development and Evaluation of Psychometric Properties. <i>Asian Nursing Research</i> , 2020, 14, 66-72.	1.4	4
30	Comparison of the Efficacy and Safety of Glimepiride/Metformin Fixed Combination Versus Free Combination in Patients with Type 2 Diabetes: Multicenter, Randomized, Controlled Trial. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 466.	0.1	3
31	Efficacy Evaluation of Atorvastatin in Korean Hyperlipidemic Patients with Type 2 Diabetes Mellitus. <i>The Journal of Korean Diabetes Association</i> , 2006, 30, 292.	0.1	3
32	Outcome Research in Diabetes. <i>Journal of Korean Diabetes</i> , 2011, 12, 2.	0.3	3
33	Effects of foot complications in patients with Type 2 diabetes mellitus on public healthcare: An analysis based on the Korea National Diabetes Program Cohort. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 375-380.	2.3	3
34	A New Self-management Scale with a Hierarchical Structure for Patients with Type 2 Diabetes. <i>Asian Nursing Research</i> , 2020, 14, 249-256.	1.4	3
35	Efficacy and Safety of Switching to Tenziglipitin in Patients with Type 2 Diabetes Inadequately Controlled with Dipeptidyl Peptidase-4 Inhibitors: 52-Week Results from a Prospective Observational Study. <i>Diabetes Therapy</i> , 2021, 12, 2907-2920.	2.5	3
36	Characteristics and Clinical Course of Diabetes of the Exocrine Pancreas: A Nationwide Population-Based Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1141-1150.	8.6	3

#	ARTICLE	IF	CITATIONS
37	Blood adiponectin levels are not associated with risk of cardiovascular events in patients with type 2 diabetes. Diabetes and Vascular Disease Research, 2018, 15, 571-575.	2.0	2