Remi Neviere

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6207599/remi-neviere-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 61 38 4,004 h-index g-index citations papers 4,682 113 4.95 5.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
106	Restrictive spirometry pattern and abnormal cardiopulmonary response to exercise in transthyretin cardiac amyloidosis <i>European Respiratory Journal</i> , 2022 ,	13.6	1
105	Pulmonary 99mTc-HMDP uptake correlates with restrictive ventilatory defects and abnormal lung reactance in transthyretin cardiac amyloidosis patients <i>Respiratory Research</i> , 2022 , 23, 72	7.3	0
104	Lung amyloidosis: Innocent bystander, or novel target-organ in transthyretin amyloidosis?. <i>Respiratory Medicine</i> , 2022 , 197, 106830	4.6	
103	Risk of preeclampsia among women living in coastal areas impacted by sargassum strandings on the French Caribbean island of Martinique. <i>Environmental Toxicology and Pharmacology</i> , 2022 , 103894	5.8	1
102	Covid-19 in the Caribbean: lessons learned from the ongoing international medical and scientific cooperation. <i>Globalization and Health</i> , 2021 , 17, 55	10	O
101	Sargassum seaweed health menace in the Caribbean: clinical characteristics of a population exposed to hydrogen sulfide during the 2018 massive stranding. <i>Clinical Toxicology</i> , 2021 , 59, 215-223	2.9	10
100	Prognostic value of cardiopulmonary exercise testing in cardiac amyloidosis. <i>European Journal of Heart Failure</i> , 2021 , 23, 231-239	12.3	7
99	Case Report: Two Cases of Keratoconjunctivitis Tied to Algae Emanations. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021 , 104, 403-405	3.2	1
98	Effets sanitaires de la diomposition des algues sargasses lihoulis sur les rivages des Antilles frantises. <i>Toxicologie Analytique Et Clinique</i> , 2021 , 33, 216-221	0.4	1
97	Research challenges and opportunities in the Caribbean area: first bibliometric study in the French West Indies, from 1989 to 2018 <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2021 , 45, e159	4.1	
96	Bothrops Snakebite Envenomings in the Amazon Region. Current Tropical Medicine Reports, 2020, 7, 48-	69	2
95	Restrictive cardiac phenotype as primary cause of impaired aerobic capacity in Afro-Caribbean patients with val122ile variant transthyretin amyloid cardiomyopathy. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of</i>	2.7	1
94	Effect of 9 weeks continuous vs. interval aerobic training on plasma BDNF levels, aerobic fitness, cognitive capacity and quality of life among seniors with mild to moderate Alzheimer disease: a randomized controlled trial. European Review of Aging and Physical Activity, 2020, 17, 2	6.5	12
93	Antibiotic therapy for snakebite envenoming. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2020 , 26, e20190098	2.2	8
92	Infectious Complications Following Snakebite by in Martinique: A Case Series. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 102, 232-240	3.2	12
91	Snakebite envenoming in French Guiana: Assessment of the preclinical efficacy against the venom of Bothrops atrox of two polyspecific antivenoms. <i>Toxicon</i> , 2020 , 173, 1-4	2.8	6
90	Receptor for advanced glycation end products modulates oxidative stress and mitochondrial function in the soleus muscle of mice fed a high-fat diet. <i>Applied Physiology, Nutrition and Metabolism</i> , 2020 , 45, 1107-1117	3	O

(2016-2019)

89	Epicardial fat accumulation is an independent marker of impaired heart rate recovery in obese patients with obstructive sleep apnea. <i>Clinical Research in Cardiology</i> , 2019 , 108, 1226-1233	6.1	10
88	invasion in the Caribbean: the role of medical and scientific cooperation. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2019 , 43, e52	4.1	10
87	Sargassum seaweed on Caribbean islands: an international public health concern. <i>Lancet, The</i> , 2019 , 392, 2691	40	49
86	Preclinical evaluation of the neutralizing ability of a monospecific antivenom for the treatment of envenomings by Bothrops lanceolatus in Martinique. <i>Toxicon</i> , 2018 , 148, 50-55	2.8	10
85	Targeting Oxidative Stress and Mitochondrial Dysfunction in the Treatment of Impaired Wound Healing: A Systematic Review. <i>Antioxidants</i> , 2018 , 7,	7.1	139
84	Limited Exercise Capacity in Patients with Systemic Sclerosis: Identifying Contributing Factors with Cardiopulmonary Exercise Testing. <i>Journal of Rheumatology</i> , 2018 , 45, 95-102	4.1	8
83	Oral Microbiota of the Snake in Martinique. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	9
82	Reduced Insulin Resistance Contributes to the Beneficial Effect of Protein Tyrosine Phosphatase-1B Deletion in a Mouse Model of Sepsis. <i>Shock</i> , 2017 , 48, 355-363	3.4	6
81	Kidney, heart and brain: three organs targeted by ageing and glycation. Clinical Science, 2017, 131, 106	59 -1.9 92	2 48
80	Correction of Pectus Excavatum by Custom-Made Silicone Implants: Contribution of Computer-Aided Design Reconstruction. A 20-Year Experience and 401 Cases. <i>Plastic and Reconstructive Surgery</i> , 2017 , 139, 324e-325e	2.7	
79	Advanced glycation end products receptor RAGE controls myocardial dysfunction and oxidative stress in high-fat fed mice by sustaining mitochondrial dynamics and autophagy-lysosome pathway. <i>Free Radical Biology and Medicine</i> , 2017 , 112, 397-410	7.8	43
7 ⁸	Involvement of Mitochondrial Disorders in Septic Cardiomyopathy. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 4076348	6.7	35
77	eComment. Coronary artery revascularization and pectus excavatum repair: When and how?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 23, 334	1.8	
76	eComment. Cardiac function and aerobic capacity in adults following pectus excavatum repair. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 22, 529-30	1.8	
75	Implication of advanced glycation end products (Ages) and their receptor (Rage) on myocardial contractile and mitochondrial functions. <i>Glycoconjugate Journal</i> , 2016 , 33, 607-17	3	26
74	Endotoxemia Engages the RhoA Kinase Pathway to Impair Cardiac Function By Altering Cytoskeleton, Mitochondrial Fission, and Autophagy. <i>Antioxidants and Redox Signaling</i> , 2016 , 24, 529-4	2 ^{8.4}	39
73	Chronotropic incompetence can limit exercise tolerance in COPD patients with lung hyperinflation. <i>International Journal of COPD</i> , 2016 , 11, 2553-2561	3	8
72	Abnormal Mitochondrial cAMP/PKA Signaling Is Involved in Sepsis-Induced Mitochondrial and Myocardial Dysfunction. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	20

71	eComment. Morphologic and functional assessment of pectus excavatum. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 22, 46	1.8	
70	Predictive value of exhaled nitric oxide and aerobic capacity for sepsis complications after liver transplantation. <i>Transplant International</i> , 2016 , 29, 1307-1316	3	4
69	Acrylamide induces accelerated endothelial aging in a human cell model. <i>Food and Chemical Toxicology</i> , 2015 , 83, 140-5	4.7	8
68	Effects of the PPAR-Dagonist fenofibrate on acute and short-term consequences of brain ischemia. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 542-51	7.3	44
67	Gene deletion of protein tyrosine phosphatase 1B protects against sepsis-induced cardiovascular dysfunction and mortality. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2014 , 34, 1032-44	9.4	25
66	Cardiac contractile function and mitochondrial respiration in diabetes-related mouse models. <i>Cardiovascular Diabetology</i> , 2014 , 13, 118	8.7	27
65	Myocardial contractile dysfunction is associated with impaired mitochondrial function and dynamics in type 2 diabetic but not in obese patients. <i>Circulation</i> , 2014 , 130, 554-64	16.7	182
64	Evidence of normalized cardiopulmonary function after pectus excavatum repair. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 1123-4	2.7	5
63	Rev-erb-Imodulates skeletal muscle oxidative capacity by regulating mitochondrial biogenesis and autophagy. <i>Nature Medicine</i> , 2013 , 19, 1039-46	50.5	271
62	Mitochondrial dysfunction as an arrhythmogenic substrate: a translational proof-of-concept study in patients with metabolic syndrome in whom post-operative atrial fibrillation develops. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1466-73	15.1	80
61	Right ventricular pacing with mechanical dyssynchrony causes apoptosis interruptus and calcium mishandling. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 510-8	3.8	8
60	Longer term effects of closed repair of pectus excavatum on cardiopulmonary status. <i>Journal of Pediatric Surgery</i> , 2013 , 48, 1988-9	2.6	3
59	Pectus excavatum repair improves respiratory pump efficacy and cardiovascular function at exercise. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 145, 605-6	1.5	27
58	Contrasting effects of diabetes and metabolic syndrome on post-operative atrial fibrillation and in-hospital outcome after cardiac surgery. <i>International Journal of Cardiology</i> , 2013 , 167, 2347-50	3.2	8
57	Pectus excavatum repair improves cardiovascular function at maximal exercise by facilitating heart filling. <i>European Journal of Cardio-thoracic Surgery</i> , 2013 , 43, 661	3	4
56	eComment. Pectus excavatum surgical repair improves cardiopulmonary function in adults. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2013 , 16, 871	1.8	
55	Macrophage migration inhibitory factor induces contractile and mitochondria dysfunction by altering cytoskeleton network in the human heart. <i>Critical Care Medicine</i> , 2013 , 41, e125-33	1.4	8
54	Macrophage migration inhibitory factor inhibition is deleterious for high-fat diet-induced cardiac dysfunction. <i>PLoS ONE</i> , 2013 , 8, e58718	3.7	4

(2008-2012)

53	Non-invasive collection of exhaled breath condensate in rats: evaluation of pH, HIDIand NOx in lipopolysaccharide-induced acute lung injury. <i>Veterinary Journal</i> , 2012 , 194, 222-8	2.5	10
52	Cholestasis is associated with hepatic microvascular dysfunction and aberrant energy metabolism before and during ischemia-reperfusion. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 1109-23	8.4	36
51	Mitochondria death/survival signaling pathways in cardiotoxicity induced by anthracyclines and anticancer-targeted therapies. <i>Biochemistry Research International</i> , 2012 , 2012, 951539	2.4	48
50	Carbon monoxide improves cardiac function and mitochondrial population quality in a mouse model of metabolic syndrome. <i>PLoS ONE</i> , 2012 , 7, e41836	3.7	47
49	Nitric oxide scavenging modulates mitochondrial dysfunction induced by hypoxia/reoxygenation. <i>Pharmacological Reports</i> , 2011 , 63, 1189-94	3.9	8
48	Doxorubicin-induced cardiac dysfunction is attenuated by ciclosporin treatment in mice through improvements in mitochondrial bioenergetics. <i>Clinical Science</i> , 2011 , 121, 405-13	6.5	47
47	The presence of apoptotic bone marrow cells impairs the efficacy of cardiac cell therapy. <i>Cell Transplantation</i> , 2011 , 20, 1087-97	4	7
46	Doxorubicin induces mitochondrial permeability transition and contractile dysfunction in the human myocardium. <i>Mitochondrion</i> , 2011 , 11, 22-6	4.9	46
45	AMP-activated protein kinase deficiency reduces ozone-induced lung injury and oxidative stress in mice. <i>Respiratory Research</i> , 2011 , 12, 64	7.3	19
44	Cardiopulmonary response following surgical repair of pectus excavatum in adult patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2011 , 40, e77-82	3	21
43	Caspase-dependent protein phosphatase 2A activation contributes to endotoxin-induced cardiomyocyte contractile dysfunction. <i>Critical Care Medicine</i> , 2010 , 38, 2031-6	1.4	31
42	Inhibition of mitochondrial respiration mediates apoptosis induced by the anti-tumoral alkaloid lamellarin D. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2010 , 15, 769-81	5.4	81
41	Stabilization of mitochondrial membrane potential prevents doxorubicin-induced cardiotoxicity in isolated rat heart. <i>Toxicology and Applied Pharmacology</i> , 2010 , 244, 300-7	4.6	36
40	Carbon monoxide rescues mice from lethal sepsis by supporting mitochondrial energetic metabolism and activating mitochondrial biogenesis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 329, 641-8	4.7	155
39	Cardiac force-frequency relationship and frequency-dependent acceleration of relaxation are impaired in LPS-treated rats. <i>Critical Care</i> , 2009 , 13, R14	10.8	32
38	NADPH oxidases participate to doxorubicin-induced cardiac myocyte apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 388, 727-31	3.4	92
37	Clinical value of exercise Doppler echocardiography in patients with cardiac-valvular disease. <i>Archives of Cardiovascular Diseases</i> , 2008 , 101, 351-60	2.7	10
36	Left ventricular abnormal response during dynamic exercise in patients with heart failure and preserved left ventricular ejection fraction at rest. <i>Journal of Cardiac Failure</i> , 2008 , 14, 475-80	3.3	73

35	Endothelial glycocalyx damage during endotoxemia coincides with microcirculatory dysfunction and vascular oxidative stress. <i>Shock</i> , 2008 , 29, 572-6	3.4	150
34	Prevention of endotoxin-induced sarcoplasmic reticulum calcium leak improves mitochondrial and myocardial dysfunction. <i>Critical Care Medicine</i> , 2008 , 36, 2590-6	1.4	59
33	Cardiac correlates of exercise induced pulmonary hypertension in patients with chronic heart failure due to left ventricular systolic dysfunction. <i>Echocardiography</i> , 2008 , 25, 386-93	1.5	14
32	Left ventricular response to exercise in aortic stenosis: an exercise echocardiographic study. <i>Echocardiography</i> , 2007 , 24, 955-9	1.5	66
31	Inhaled nitric oxide increases endothelial permeability in Pseudomonas aeruginosa pneumonia. <i>Intensive Care Medicine</i> , 2007 , 33, 503-10	14.5	13
30	Annexin V detection of lipopolysaccharide-induced cardiac apoptosis. <i>Shock</i> , 2007 , 27, 69-74	3.4	12
29	Longitudinal changes in hyperinflation parameters and exercise capacity after giant bullous emphysema surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2006 , 132, 1203-7	1.5	11
28	Myocardial dysfunction and potential cardiac hypoxia in rats induced by carbon monoxide inhalation. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2006 , 174, 320-5	10.2	35
27	Intravenous administration of activated protein C in Pseudomonas-induced lung injury: impact on lung fluid balance and the inflammatory response. <i>Respiratory Research</i> , 2006 , 7, 41	7.3	47
26	Inhibition of mitochondrial permeability transition prevents sepsis-induced myocardial dysfunction and mortality. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 377-85	15.1	128
25	Significance and interpretation of elevated troponin in septic patients. <i>Critical Care</i> , 2006 , 10, 224	10.8	46
24	Sphingosine impairs mitochondrial function by opening permeability transition pore. <i>Mitochondrion</i> , 2006 , 6, 149-54	4.9	10
23	Cardiovascular protective role for activated protein C during endotoxemia in rats. <i>Intensive Care Medicine</i> , 2006 , 32, 899-905	14.5	26
22	Expression of apoptosis regulatory factors during myocardial dysfunction in endotoxemic rats. <i>Critical Care Medicine</i> , 2005 , 33, 492-6	1.4	38
21	Ventricular myocyte caspases are directly responsible for endotoxin-induced cardiac dysfunction. <i>Circulation</i> , 2005 , 111, 2596-604	16.7	104
20	Peroxynitrite decomposition catalysts prevent myocardial dysfunction and inflammation in endotoxemic rats. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 2348-58	15.1	86
19	Endotoxin-induced myocardial dysfunction: evidence for a role of sphingosine production. <i>Critical Care Medicine</i> , 2004 , 32, 495-501	1.4	76
18	Massive alveolar thrombin activation in Pseudomonas aeruginosa-induced acute lung injury. <i>Shock</i> , 2004 , 21, 444-51	3.4	39

LIST OF PUBLICATIONS

17	Calpain inhibitors improve myocardial dysfunction and inflammation induced by endotoxin in rats. <i>Shock</i> , 2004 , 21, 352-7	3.4	40
16	Ventilation-induced lung injury is associated with an increase in gut permeability. <i>Shock</i> , 2003 , 19, 559-6	53,.4	46
15	Protective effects of cyclosporin A from endotoxin-induced myocardial dysfunction and apoptosis in rats. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002 , 165, 449-55	10.2	45
14	Small intestine intramucosal PCO(2) and microvascular blood flow during hypoxic and ischemic hypoxia. <i>Critical Care Medicine</i> , 2002 , 30, 379-84	1.4	78
13	Antithrombin reduces mesenteric venular leukocyte interactions and small intestine injury in endotoxemic rats. <i>Shock</i> , 2001 , 15, 220-5	3.4	40
12	Beneficial effects of different flavonoids, on functional recovery after ischemia and reperfusion in isolated rat heart. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 23-7	2.9	32
11	Caspase inhibition prevents cardiac dysfunction and heart apoptosis in a rat model of sepsis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001 , 163, 218-25	10.2	163
10	Differential effects of caspase inhibitors on endotoxin-induced myocardial dysfunction and heart apoptosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 280, H1608-14	5.2	63
9	Inhaled nitric oxide modulates leukocyte kinetics in the mesenteric venules of endotoxemic rats. <i>Critical Care Medicine</i> , 2000 , 28, 1072-6	1.4	15
8	Keratinocyte growth factor protects against Pseudomonas aeruginosa-induced lung injury. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2000 , 279, L1199-209	5.8	62
7	Inhaled NO reduces leukocyte-endothelial cell interactions and myocardial dysfunction in endotoxemic rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000 , 278, H1783-9	o ^{5.2}	23
6	Gastric mucosal pH and blood flow during weaning from mechanical ventilation in patients with chronic obstructive pulmonary disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 1555-61	10.2	23
5	In Vivo Application of Intestinal pH Measurement Using 2,7EBis(carboxyethyl)-5,6-carboxyfluorescein (BCECF) Fluorescence Imaging. <i>Photochemistry and Photobiology</i> , 1999 , 70, 813-819	3.6	8
4	Conservative treatment of tracheal rupture. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1999 , 117, 399-401	1.5	42
3	Dobutamine improves gastrointestinal mucosal blood flow in a porcine model of endotoxic shock. <i>Critical Care Medicine</i> , 1997 , 25, 1371-7	1.4	85
2	Carbon dioxide rebreathing method of cardiac output measurement during acute respiratory failure in patients with chronic obstructive pulmonary disease. <i>Critical Care Medicine</i> , 1994 , 22, 81-5	1.4	10
1	Effects of bicarbonate therapy on hemodynamics and tissue oxygenation in patients with lactic acidosis: a prospective, controlled clinical study. <i>Critical Care Medicine</i> , 1991 , 19, 1352-6	1.4	231