

# Karoline Lukaschek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6207684/publications.pdf>

Version: 2024-02-01

32  
papers

799  
citations

471061

17  
h-index

525886

27  
g-index

42  
all docs

42  
docs citations

42  
times ranked

1445  
citing authors

#	ARTICLE	IF	CITATIONS
1	A metabolome-wide association study in the general population reveals decreased levels of serum laurycarnitine in people with depression. <i>Molecular Psychiatry</i> , 2021, 26, 7372-7383.	4.1	23
2	Impact of meteorological parameters on suicide mortality rates: A case-crossover analysis in Southern Germany (1990â€“2006). <i>Science of the Total Environment</i> , 2020, 707, 136053.	3.9	18
3	Symptom trajectories in patients with panic disorder in a primary care intervention: Results from a randomized controlled trial (PARADISE). <i>Scientific Reports</i> , 2019, 9, 7170.	1.6	4
4	eHealth-supported case management for patients with panic disorder or depression in primary care: Study protocol for a cRCT (PREMA). <i>Trials</i> , 2019, 20, 662.	0.7	5
5	Association of adult attachment and suicidal ideation in primary care patients with multiple chronic conditions. <i>Journal of Affective Disorders</i> , 2019, 246, 121-125.	2.0	7
6	Applicability of Motivational Interviewing for Chronic Disease Management in Primary Care Following a Web-Based E-Learning Course: Cross-Sectional Study. <i>JMIR Mental Health</i> , 2019, 6, e12540.	1.7	10
7	Panic Disorder in Primary Care: The Effects of a Team-Based Intervention. <i>Deutsches A&amp;#x0308;rztblatt International</i> , 2019, 116, 159-166.	0.6	12
8	OP II â€“ 5â€“...Impact of meteorological parameters on suicide rates: a case-crossover study in southern germany (1990â€“2006). , 2018, , .		0
9	Suicidal ideation in primary care patients suffering from panic disorder with or without agoraphobia. <i>BMC Psychiatry</i> , 2018, 18, 305.	1.1	15
10	Lack of supportive leadership behavior predicts suboptimal self-rated health independent of job strain after 10Âˆyears of follow-up: findings from the population-based MONICA/KORA study. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 623-631.	1.1	25
11	Collecting evidence from distributed sources to evaluate railway suicide and trespass prevention measures. <i>Ergonomics</i> , 2018, 61, 1433-1453.	1.1	16
12	Room for depressed and exhausted mood as a risk predictor for all-cause and cardiovascular mortality beyond the contribution of the classical somatic risk factors in men. <i>Atherosclerosis</i> , 2017, 257, 224-231.	0.4	37
13	â€œIn the mood for ageingâ€: determinants of subjective well-being in older men and women of the population-based KORA-Age study. <i>BMC Geriatrics</i> , 2017, 17, 126.	1.1	48
14	The Association of Social Inhibition and Posttraumatic Stress Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 261-266.	0.5	4
15	Cognitive Impairment Is Associated with a Low Omega-3 Index in the Elderly: Results from the KORA-Age Study. <i>Dementia and Geriatric Cognitive Disorders</i> , 2016, 42, 236-245.	0.7	36
16	Poor structural social support is associated with an increased risk of Type 2 diabetes mellitus: findings from the MONICA/KORA Augsburg cohort study. <i>Diabetic Medicine</i> , 2016, 33, 47-54.	1.2	26
17	No Correlation Between Rates of Suicidal Ideation and Completed Suicides in Europe: Analysis of 49,008 Participants (55+ Years) Based on the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>European Psychiatry</i> , 2015, 30, 874-879.	0.1	14
18	A pattern of unspecific somatic symptoms as long-term premonitory signs of type 2 diabetes: findings from the population-based MONICA/KORA cohort study, 1984-2009. <i>BMC Endocrine Disorders</i> , 2014, 14, 87.	0.9	11

#	ARTICLE	IF	CITATIONS
19	Determinants of completed railway suicides by psychiatric in-patients: case-control study. <i>British Journal of Psychiatry</i> , 2014, 205, 398-406.	1.7	23
20	Stable time patterns of railway suicides in Germany: comparative analysis of 7,187 cases across two observation periods (1995-1998; 2005-2008). <i>BMC Public Health</i> , 2014, 14, 124.	1.2	16
21	Adverse conditions at the workplace are associated with increased suicide risk. <i>Journal of Psychiatric Research</i> , 2014, 57, 90-95.	1.5	38
22	Living alone, obesity, and smoking increase risk for suicide independently of depressive mood findings from the population-based MONICA/KORA Augsburg cohort study. <i>Journal of Affective Disorders</i> , 2014, 152-154, 416-421.	2.0	52
23	Suizidprävention. <i>Public Health Forum</i> , 2014, 22, 46-48.	0.1	0
24	Lifetime traumatic experiences and their impact on PTSD: a general population study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 525-532.	1.6	60
25	Metabolomic profiles in individuals with negative affectivity and social inhibition: A population-based study of Type D personality. <i>Psychoneuroendocrinology</i> , 2013, 38, 1299-1309.	1.3	37
26	Relationship between posttraumatic stress disorder and Type 2 Diabetes in a population-based cross-sectional study with 2970 participants. <i>Journal of Psychosomatic Research</i> , 2013, 74, 340-345.	1.2	79
27	No evidence for an association of posttraumatic stress disorder with circulating levels of CRP and IL-18 in a population-based study. <i>Cytokine</i> , 2013, 63, 201-208.	1.4	20
28	Posttraumatic Stress Disorder and Not Depression Is Associated with Shorter Leukocyte Telomere Length: Findings from 3,000 Participants in the Population-Based KORA F4 Study. <i>PLoS ONE</i> , 2013, 8, e64762.	1.1	54
29	Suicide Mortality in Comparison to Traffic Accidents and Homicides as Causes of Unnatural Death. An Analysis of 14,441 Cases in Germany in the Year 2010. <i>International Journal of Environmental Research and Public Health</i> , 2012, 9, 924-931.	1.2	20
30	The railway suicide death of a famous German football player: Impact on the subsequent frequency of railway suicide acts in Germany. <i>Journal of Affective Disorders</i> , 2012, 136, 194-198.	2.0	53
31	Behaviour patterns preceding a railway suicide: Explorative study of German Federal Police officers' experiences. <i>BMC Public Health</i> , 2011, 11, 620.	1.2	25
32	P1-88 Decrease of railway suicides between 1998 and 2006: evaluation of the German railway suicide prevention project. <i>Journal of Epidemiology and Community Health</i> , 2011, 65, A91-A91.	2.0	3