
Stephen G Weber

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6209632/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	NRF2-regulation in brain health and disease: Implication of cerebral inflammation. Neuropharmacology, 2014, 79, 298-306.	4.1	311
2	Determination of binding constants by affinity capillary electrophoresis, electrospray ionization mass spectrometry and phase-distribution methods. TrAC - Trends in Analytical Chemistry, 2008, 27, 738-748.	11.4	130
3	Theoretical and practical limitations on the optimization of amperometric detectors. Analytical Chemistry, 1984, 56, 978-985.	6.5	128
4	Single-cell electroporation. Current Opinion in Biotechnology, 2003, 14, 29-34.	6.6	122
5	Characterization of Single-Cell Electroporation by Using Patch-Clamp and Fluorescence Microscopy. Biophysical Journal, 2000, 79, 1993-2001.	0.5	109
6	In Vivo Monitoring of Dopamine by Microdialysis with 1 min Temporal Resolution Using Online Capillary Liquid Chromatography with Electrochemical Detection. Analytical Chemistry, 2015, 87, 6088-6094.	6.5	95
7	Photoscissable Hydrogel Synthesis via Rapid Photopolymerization of Novel PEC-Based Polymers in the Absence of Photoinitiators⊥. Journal of the American Chemical Society, 1996, 118, 6235-6240.	13.7	93
8	Determination of Barbiturates by Solid-Phase Microextraction and Capillary Electrophoresis. Analytical Chemistry, 1997, 69, 1217-1222.	6.5	89
9	Single-cell electroporation. Analytical and Bioanalytical Chemistry, 2010, 397, 3235-3248.	3.7	89
10	Electroporation of Single Cells and Tissues with an Electrolyte-filled Capillary. Analytical Chemistry, 2001, 73, 4469-4477.	6.5	87
11	Effect of Cell Size and Shape on Single-Cell Electroporation. Analytical Chemistry, 2007, 79, 3589-3596.	6.5	83
12	Alterations in glutathione and amino acid concentrations after hypoxia–ischemia in the immature rat brain. Developmental Brain Research, 2000, 125, 51-60.	1.7	70
13	Effect of Dexamethasone on Gliosis, Ischemia, and Dopamine Extraction during Microdialysis Sampling in Brain Tissue. Analytical Chemistry, 2011, 83, 7662-7667.	6.5	65
14	Stimulated Efflux of Amino Acids and Glutathione from Cultured Hippocampal Slices by Omission of Extracellular Calcium. Journal of Biological Chemistry, 2008, 283, 10347-10356.	3.4	64
15	Electrical double-layer models of ion-modified (ion-pair) reversed-phase liquid chromatography. Journal of Chromatography A, 1993, 656, 549-576.	3.7	63
16	The dependence of current on flow rate in thin-layer electrochemical detectors used in liquid chromatography. Journal of Electroanalytical Chemistry and Interfacial Electrochemistry, 1983, 145, 1-7.	0.1	59
17	Impact of microdialysis probes on vasculature and dopamine in the rat striatum: A combined fluorescence and voltammetric study. Journal of Neuroscience Methods, 2008, 174, 177-185.	2.5	59
18	Simultaneous Determination of Biogenic Monoamines in Rat Brain Dialysates Using Capillary High-Performance Liquid Chromatography with Photoluminescence Following Electron Transfer. Analytical Chemistry, 2006, 78, 1755-1760.	6.5	58

#	Article	lF	CITATIONS
19	In Vivo Monitoring of Serotonin in the Striatum of Freely Moving Rats with One Minute Temporal Resolution by Online Microdialysis–Capillary High-Performance Liquid Chromatography at Elevated Temperature and Pressure. Analytical Chemistry, 2013, 85, 9889-9897.	6.5	56
20	Electrochemical detection of peptides. Analytical Chemistry, 1989, 61, 2664-2668.	6.5	53
21	Monitoring Dopamine Responses to Potassium Ion and Nomifensine by in Vivo Microdialysis with Online Liquid Chromatography at One-Minute Resolution. ACS Chemical Neuroscience, 2017, 8, 329-338.	3.5	53
22	Capillary Ultrahigh Performance Liquid Chromatography with Elevated Temperature for Sub-One Minute Separations of Basal Serotonin in Submicroliter Brain Microdialysate Samples. Analytical Chemistry, 2010, 82, 9611-9616.	6.5	52
23	Protrusive growth and periodic contractile motion in surface-adhered vesicles induced by Ca2+-gradients. Soft Matter, 2010, 6, 268-272.	2.7	48
24	Microring electrode/optical waveguide: electrochemical characterization and application to electrogenerated chemiluminescence. Analytical Chemistry, 1990, 62, 1631-1636.	6.5	47
25	Enhanced Glutathione Efflux from Astrocytes in Culture by Low Extracellular Ca2+ and Curcumin. Neurochemical Research, 2010, 35, 1231-1238.	3.3	46
26	Fabrication of Microchannel Structures in Fluorinated Ethylene Propylene. Analytical Chemistry, 2002, 74, 4566-4569.	6.5	41
27	Reductively Induced Dimerization of the Ligated Benzene in [Mn(η6-C6H6)(CO)3]+: Formation of the Initial Câ``C Bond by Anion/Cation Addition. Journal of the American Chemical Society, 1996, 118, 4190-4191.	13.7	40
28	Detection Limits and Selectivity in Electrochemical Detectors. Analytical Chemistry, 1988, 60, 903A-913A.	6.5	39
29	The Nrf2â€inducible antioxidant defense in astrocytes can be both up―and downâ€regulated by activated microglia:Involvement of p38 MAPK. Glia, 2011, 59, 785-799.	4.9	39
30	Fluorous media for extraction and transport. Journal of Chromatography A, 2010, 1217, 2287-2295.	3.7	38
31	Aptamer-functionalized neural recording electrodes for the direct measurement of cocaine in vivo. Journal of Materials Chemistry B, 2017, 5, 2445-2458.	5.8	38
32	Influence of tyrosine on the dual electrode electrochemical detection of copper(II)-peptide complexes. Analytical Chemistry, 1992, 64, 2897-2903.	6.5	37
33	Extraction of Pyridines into Fluorous Solvents Based on Hydrogen Bond Complex Formation with Carboxylic Acid Receptors. Analytical Chemistry, 2007, 79, 3117-3125.	6.5	36
34	High-Throughput Method for Lipophilicity Measurement. Analytical Chemistry, 2007, 79, 1043-1049.	6.5	36
35	Optical control over Pb2+ binding to a crown ether-containing chromene. Chemical Communications, 1997, , 287-288.	4.1	35
36	Glutathione Efflux Induced by NMDA and Kainate. Journal of Neurochemistry, 2002, 73, 1566-1572.	3.9	35

#	Article	IF	CITATIONS
37	Optimization for speed and sensitivity in capillary high performance liquid chromatography. The importance of column diameter in online monitoring of serotonin by microdialysis. Journal of Chromatography A, 2012, 1251, 54-62.	3.7	35
38	Net efflux of cysteine, glutathione and related metabolites from rat hippocampal slices during oxygen/glucose deprivation: dependence on γ-glutamyl transpeptidase. Brain Research, 1999, 815, 81-88.	2.2	33
39	Electrochemical Investigation of Pb2+Binding and Transport through a Polymerized Crystalline Colloidal Array Hydrogel Containing Benzo-18-crown-6. Analytical Chemistry, 2005, 77, 185-192.	6.5	33
40	Transport of Organic Solutes through Amorphous Teflon AF Films. Journal of the American Chemical Society, 2005, 127, 15112-15119.	13.7	33
41	Rapid Catalyst Screening by a Continuous-Flow Microreactor Interfaced with Ultra-High-Pressure Liquid Chromatography. Journal of Organic Chemistry, 2010, 75, 5619-5626.	3.2	32
42	Bivalent metal ion-dependent photochromism and photofluorochromism from a spiroquinoxazine. Journal of the Chemical Society Chemical Communications, 1995, , 2091.	2.0	30
43	Optical Control of Divalent Metal Ion Binding to a Photochromic Catechol:Â Photoreversal of Tightly Bound Zn2+. Analytical Chemistry, 1999, 71, 1146-1151.	6.5	29
44	Luminescence targeting and imaging using a nanoscale generation 3 dendrimer in an in vivo colorectal metastatic rat model. Nanomedicine: Nanotechnology, Biology, and Medicine, 2011, 7, 249-258.	3.3	29
45	Detection of bioactive oligopeptides after microbore HPLC with electrochemical detection of their Cu(II) complexes: effect of operating parameters on sensitivity and selectivity. Analytical Chemistry, 1995, 67, 3596-3604.	6.5	28
46	Direct Observation of Chloride Transfer across the Water/Organic Interface and the Transfer of Long-Chain Dicarboxylates. The Journal of Physical Chemistry, 1996, 100, 14714-14720.	2.9	28
47	Temperature-assisted on-column solute focusing: A general method to reduce pre-column dispersion in capillary high performance liquid chromatography. Journal of Chromatography A, 2014, 1354, 65-74.	3.7	28
48	Enhanced Extraction of Phenobarbital from Serum with a Designed Artificial Receptor. Analytical Chemistry, 1994, 66, 2397-2403.	6.5	27
49	Numerical Calculations of Single-Cell Electroporation with an Electrolyte-Filled Capillary. Biophysical Journal, 2007, 92, 3696-3705.	0.5	27
50	Quantitative evaluation of models for solvent-based, on-column focusing in liquid chromatography. Journal of Chromatography A, 2015, 1409, 116-124.	3.7	27
51	Improving the Sensitivity, Resolution, and Peak Capacity of Gradient Elution in Capillary Liquid Chromatography with Large-Volume Injections by Using Temperature-Assisted On-Column Solute Focusing. Analytical Chemistry, 2016, 88, 5112-5121.	6.5	27
52	Methods of Measuring Enzyme Activity Ex Vivo and In Vivo. Annual Review of Analytical Chemistry, 2018, 11, 509-533.	5.4	27
53	Capillary-Based, Serial-Loading, Parallel Microreactor for Catalyst Screening. Analytical Chemistry, 2006, 78, 1972-1979.	6.5	26
54	Determination of ζ-Potential in Rat Organotypic Hippocampal Cultures. Biophysical Journal, 2008, 94, 4561-4569.	0.5	26

#	Article	IF	CITATIONS
55	Electrochemical detection of dipeptides and dipeptide amides. Journal of Chromatography A, 1990, 515, 451-457.	3.7	25
56	Chromatographic Detection of Nitroaromatic and Nitramine Compounds by Electrochemical Reduction Combined with Photoluminescence following Electron Transfer. Analytical Chemistry, 2000, 72, 4928-4933.	6.5	25
57	Electrochemical and optical detectors for capillary and chip separations. TrAC - Trends in Analytical Chemistry, 2007, 26, 68-79.	11.4	25
58	Differences in Reperfusion-Induced Mitochondrial Oxidative Stress and Cell Death Between Hippocampal CA1 and CA3 Subfields Are Due to the Mitochondrial Thioredoxin System. Antioxidants and Redox Signaling, 2017, 27, 534-549.	5.4	25
59	Sensitivity and selectivity of the electrochemical detection of the copper(II) complexes of bioactive peptides, and comparison to model studies by rotating ring-disc electrode. Journal of Chromatography A, 1995, 691, 301-315.	3.7	24
60	Teflon AF Materials. Topics in Current Chemistry, 2011, 308, 307-337.	4.0	24
61	Temperature-based on-column solute focusing in capillary liquid chromatography reduces peak broadening from pre-column dispersion and volume overload when used alone or with solvent-based focusing. Journal of Chromatography A, 2015, 1405, 133-139.	3.7	24
62	Artificial Receptor-Facilitated Solid-Phase Microextraction of Barbiturates. Analytical Chemistry, 1999, 71, 2146-2151.	6.5	23
63	How Fluorous Is Poly(2,2-bis(trifluoromethyl)-4,5-difluoro-1,3-dioxide-co-tetrafluoroethylene) (Teflon) Tj ETQq1	1 0.784314 13.7	rggT /Overld
64	NMDA-receptor mediated efflux of N-acetylaspartate: physiological and/or pathological importance?. Neurochemistry International, 2004, 45, 1195-1204.	3.8	23
65	Scanning Electroporation of Selected Areas of Adherent Cell Cultures. Analytical Chemistry, 2007, 79, 4410-4418.	6.5	23
66	Lipophilicity screening of novel drug-like compounds and comparison to clogP. Journal of Chromatography A, 2012, 1258, 161-167.	3.7	23
67	An in Situ Measurement of Extracellular Cysteamine, Homocysteine, and Cysteine Concentrations in Organotypic Hippocampal Slice Cultures by Integration of Electroosmotic Sampling and Microfluidic Analysis. Analytical Chemistry, 2013, 85, 3095-3103.	6.5	23
68	On-Column Dimethylation with Capillary Liquid Chromatography-Tandem Mass Spectrometry for Online Determination of Neuropeptides in Rat Brain Microdialysate. Analytical Chemistry, 2018, 90, 4561-4568.	6.5	23
69	Rotating Ring-Disk Electrode Study of Copper(II) Complexes of the Model Peptides Triglycine, Tetraglycine, and Pentaglycine. Analytical Chemistry, 1995, 67, 541-551.	6.5	22
70	Chromatographic Detection Using Tris(2,2â€~-bipyridyl)ruthenium(III) as a Fluorogenic Electron-Transfer Reagent. Analytical Chemistry, 1999, 71, 1504-1512.	6.5	22
71	Minimizing Tissue Damage in Electroosmotic Sampling. Analytical Chemistry, 2010, 82, 6370-6376.	6.5	22
72	Iontophoresis From a Micropipet into a Porous Medium Depends on the ζ-Potential of the Medium. Analytical Chemistry, 2012, 84, 2179-2187.	6.5	22

#	Article	IF	CITATIONS
73	Photoelectroanalytical chemistry: possible interferences in serum and the selective detection of tris(2,2'-bipyridine)ruthenium(II) in the presence of interferents Clinical Chemistry, 1983, 29, 1665-1672.	3.2	21
74	Voltammetry in static and flowing solutions with a large-amplitude sine wave potential. Electroanalysis, 1992, 4, 429-437.	2.9	21
75	Use of Tris(2,2â€~-bipyridine)osmium as a Photoluminescence-Following Electron-Transfer Reagent for Postcolumn Detection in Capillary High-Performance Liquid Chromatography. Analytical Chemistry, 2006, 78, 1761-1768.	6.5	21
76	Molecular and Ionic Hydrogen Bond Formation in Fluorous Solvents. Journal of Physical Chemistry B, 2009, 113, 149-158.	2.6	21
77	Synthesis and Characterization of a Hydrogel with Controllable Electroosmosis: A Potential Brain Tissue Surrogate for Electrokinetic Transport. Langmuir, 2011, 27, 13635-13642.	3.5	21
78	Detection limits and selectivity in electrochemical detectors. Analytical Chemistry, 1988, 60, 903A-913A.	6.5	21
79	Liquid Chromatographic Determination of Acidic β-Aspartyl and γ-Glutamyl Peptides in Extracts of Rat Brain. Analytical Biochemistry, 1994, 217, 48-61.	2.4	20
80	Determination of the pharmaceutical peptide TP9201 by post-column reaction with copper(II) followed by electrochemical detection. Journal of Pharmaceutical and Biomedical Analysis, 1995, 14, 155-164.	2.8	20
81	Electrochemical studies on molecular recognition of anions: Complex formation between xylylenyl bis-iminoimidazolinium and dicarboxylates in nitrobenzene and water. Journal of Electroanalytical Chemistry, 1998, 441, 33-37.	3.8	20
82	Integration of a Precolumn Fluorogenic Reaction, Separation, and Detection of Reduced Glutathione. Analytical Chemistry, 2010, 82, 7267-7273.	6.5	20
83	Integrated Electroosmotic Perfusion of Tissue with Online Microfluidic Analysis to Track the Metabolism of Cystamine, Pantethine, and Coenzyme A. Analytical Chemistry, 2013, 85, 12020-12027.	6.5	20
84	Electroosmotic Push–Pull Perfusion: Description and Application to Qualitative Analysis of the Hydrolysis of Exogenous Galanin in Organotypic Hippocampal Slice Cultures. ACS Chemical Neuroscience, 2013, 4, 838-848.	3.5	20
85	TrkBâ€mediated activation of the phosphatidylinositolâ€3â€kinase/Akt cascade reduces the damage inflicted by oxygen–glucose deprivation in area <scp>CA</scp> 3 of the rat hippocampus. European Journal of Neuroscience, 2018, 47, 1096-1109.	2.6	20
86	Electrochemical detection of oligopeptides through the precolumn formation of biuret complexes. Journal of Chromatography A, 1991, 542, 345-350.	3.7	19
87	Investigations of prussian blue films using surface plasmon resonance. Sensors and Actuators B: Chemical, 2001, 72, 1-10.	7.8	19
88	Properties and Transport Behavior of Perfluorotripentylamine (FC-70)-Doped Amorphous Teflon AF 2400 Films. Journal of the American Chemical Society, 2010, 132, 17867-17879.	13.7	19
89	Photoelectroanalytical chemistry: electrochemical detection of a photochemically active species, tris(2,2'-bipyridine)ruthenium(II). Analytical Chemistry, 1985, 57, 1746-1751.	6.5	18
90	Direct Access and Control of the Intracellular Solution Environment in Single Cells. Analytical Chemistry, 2009, 81, 1810-1818.	6.5	18

#	Article	IF	CITATIONS
91	Determination of ζ-Potential and Tortuosity in Rat Organotypic Hippocampal Cultures from Electroosmotic Velocity Measurements under Feedback Control. Analytical Chemistry, 2009, 81, 3001-3007.	6.5	18
92	Electroosmotic Sampling. Application to Determination of Ectopeptidase Activity in Organotypic Hippocampal Slice Cultures. Analytical Chemistry, 2010, 82, 6377-6383.	6.5	18
93	Carbon fiber/epoxy composite ring–disk electrode: Fabrication, characterization and application to electrochemical detection in capillary high performance liquid chromatography. Journal of Electroanalytical Chemistry, 2009, 630, 75-80.	3.8	17
94	A simple method for measuring organotypic tissue slice culture thickness. Journal of Neuroscience Methods, 2011, 199, 78-81.	2.5	17
95	Electrochemical characterization of a microcellular carbon foam/epoxy composite electrode. Analytical Chemistry, 1990, 62, 1000-1003.	6.5	16
96	Effect of Peptide Primary Sequence on Biuret Complex Formation and Properties. Electroanalysis, 1999, 11, 331-336.	2.9	16
97	Simple method for the quantitative examination of extra column band broadening in microchromatographic systems. Journal of Chromatography A, 2003, 986, 247-251.	3.7	16
98	The rotating ring-disk electrochemistry of the copper(II) complex of thyrotropin-releasing hormone. Journal of Electroanalytical Chemistry, 2007, 600, 325-334.	3.8	16
99	Single-Cell Transfection by Electroporation Using an Electrolyte/Plasmid-Filled Capillary. Analytical Chemistry, 2009, 81, 4060-4067.	6.5	16
100	Electroosmotic perfusion of tissue: sampling the extracellular space and quantitative assessment of membrane-bound enzyme activity in organotypic hippocampal slice cultures. Analytical and Bioanalytical Chemistry, 2014, 406, 6455-6468.	3.7	16
101	Generation of Focused Electric Field Patterns at Dielectric Surfaces. Analytical Chemistry, 2005, 77, 4667-4672.	6.5	15
102	Optimized Real-Time Monitoring of Glutathione Redox Status in Single Pyramidal Neurons in Organotypic Hippocampal Slices during Oxygen–Glucose Deprivation and Reperfusion. ACS Chemical Neuroscience, 2015, 6, 1838-1848.	3.5	15
103	Electrokinetic Convection-Enhanced Delivery of Solutes to the Brain. ACS Chemical Neuroscience, 2020, 11, 2085-2093.	3.5	15
104	Chromatographic method for the determination of conditional equilibrium constants for the carbamate formation reaction from amino acids and peptides in aqueous solution. Journal of the American Chemical Society, 1993, 115, 7343-7350.	13.7	14
105	Separation of Neutral Compounds in Nonaqueous Solvents by Capillary Zone Electrophoresis. Journal of the American Chemical Society, 2000, 122, 3787-3788.	13.7	14
106	Techniques for neuropeptide determination. TrAC - Trends in Analytical Chemistry, 2003, 22, 522-527.	11.4	13
107	Analysis of the Performance of a Flow Reactor for Use with Microcolumn HPLC. Analytical Chemistry, 2004, 76, 639-645.	6.5	13
108	Preparation and assessment of fluorous supported liquid membranes based on porous alumina. Journal of Membrane Science, 2009, 345, 170-176.	8.2	13

#	Article	IF	CITATIONS
109	Morphology and free volume of nanocomposite Teflon AF 2400 films and their relationship to transport behavior. Journal of Membrane Science, 2013, 443, 115-123.	8.2	13
110	Higher Aminopeptidase Activity Determined by Electroosmotic Push–Pull Perfusion Contributes to Selective Vulnerability of the Hippocampal CA1 Region to Oxygen Glucose Deprivation. ACS Chemical Neuroscience, 2018, 9, 535-544.	3.5	13
111	Formation of .mucyanobis[pentacyanoruthenate](6-) by chemical oxidation, electrochemical oxidation and photooxidation of hexacyanoruthenate(4-). Inorganic Chemistry, 1987, 26, 1555-1558.	4.0	12
112	Miniaturized Electrochemical Flow Cells. Analytical Chemistry, 2003, 75, 1031-1036.	6.5	12
113	Binding of copper(II) to thyrotropin-releasing hormone (TRH) and its analogs. Inorganica Chimica Acta, 2005, 358, 2933-2942.	2.4	12
114	Nanocomposite Teflon AF 2400 Films as Tunable Platforms for Selective Transport. Analytical Chemistry, 2012, 84, 9920-9927.	6.5	12
115	Temperature-assisted solute focusing with sequential trap/release zones in isocratic and gradient capillary liquid chromatography: Simulation and experiment. Journal of Chromatography A, 2016, 1474, 95-108.	3.7	12
116	Optimization of a modified electrode for the sensitive and selective detection of $\hat{l}\pm$ -dipeptides. Journal of Chromatography A, 1995, 705, 171-184.	3.7	11
117	Solvatochromic Study of Poly(vinyl chloride) Plasticizers and Their Solutions in Chloroform:Â Application to Phenobarbital Partitioning and Molecular Recognition of Phenobarbital. Analytical Chemistry, 1997, 69, 3490-3495.	6.5	11
118	Controlling the Electrochemically Active Area of Carbon Fiber Microelectrodes by the Electrodeposition and Selective Removal of an Insulating Photoresist. Analytical Chemistry, 2006, 78, 5165-5171.	6.5	11
119	Experimentally Determining theiRDrop in Solution at Carbon Fiber Microelectrodes with Current Interruption and Application to Single-Cell Electroporation. Analytical Chemistry, 2007, 79, 3771-3778.	6.5	11
120	Extraction and Metalation of Porphyrins in Fluorous Liquids with Carboxylic Acids and Metal Salts. Journal of Physical Chemistry B, 2009, 113, 7449-7456.	2.6	11
121	Synthesis, characterization, and applications of fluorous resorcin[4]arenes. New Journal of Chemistry, 2010, 34, 2732.	2.8	11
122	Assessment of Tissue Viability Following Electroosmotic Push–Pull Perfusion from Organotypic Hippocampal Slice Cultures. ACS Chemical Neuroscience, 2013, 4, 849-857.	3.5	11
123	High temporal resolution delayed analysis of clinical microdialysate streams. Analyst, The, 2018, 143, 715-724.	3.5	11
124	Signal-to-noise enhancement using carbon fiber electrodes in the photoelectroanalytical detection of tris(2,2′-bipyridine)ruthenium(II). Journal of Electroanalytical Chemistry and Interfacial Electrochemistry, 1986, 208, 77-84.	0.1	10
125	Reversed-phase HPLC with UV detection for the determination of N-acetylaspartate and creatine. Analytical Biochemistry, 2005, 343, 179-182.	2.4	10
126	Influence of Chemical Kinetics on Postcolumn Reaction in a Capillary Taylor Reactor with Catechol Analytes and Photoluminescence Following Electron Transfer. Analytical Chemistry, 2005, 77, 974-982.	6.5	10

#	Article	IF	CITATIONS
127	Simultaneous Maximization of Cell Permeabilization and Viability in Single-Cell Electroporation Using an Electrolyte-Filled Capillary. Analytical Chemistry, 2007, 79, 161-167.	6.5	10
128	Electrokinetic infusions into hydrogels and brain tissue: Control of direction and magnitude of solute delivery. Journal of Neuroscience Methods, 2019, 311, 76-82.	2.5	10
129	Comparison of anion-exchange and ion-modified reversed-phase liquid chromatography for the determination of S-sulfocysteine. Biomedical Applications, 1998, 705, 251-259.	1.7	9
130	Nonaqueous affinity capillary electrophoresis investigation of small molecule molecular recognition. Electrophoresis, 2002, 23, 431.	2.4	9
131	Measurement of Association and Dissociation Rate Constants for Lead(II)/18-Crown-6 Using Square Wave Voltammetry at a Glassy Carbon Mercury Film Electrode. Analytical Chemistry, 2003, 75, 6560-6565.	6.5	9
132	A Screening Method for Chiral Selectors that Does Not Require Covalent Attachment. Journal of the American Chemical Society, 2006, 128, 2208-2209.	13.7	9
133	S-Sulfo-Cysteine is an Endogenous Amino Acid in Neonatal Rat Brain but an Unlikely Mediator of Cysteine Neurotoxicity. Neurochemical Research, 2008, 33, 301-307.	3.3	9
134	Synthesis of deep-cavity fluorous calix[4]arenes as molecular recognition scaffolds. Beilstein Journal of Organic Chemistry, 2008, 4, 36.	2.2	9
135	Graphical Method for Choosing Optimized Conditions Given a Pump Pressure and a Particle Diameter in Liquid Chromatography. Analytical Chemistry, 2016, 88, 11742-11749.	6.5	9
136	Electroosmotic Perfusion–Microdialysis Probe Created by Direct Laser Writing for Quantitative Assessment of Leucine Enkephalin Hydrolysis by Insulin-Regulated Aminopeptidase in Vivo. Analytical Chemistry, 2020, 92, 14558-14567.	6.5	9
137	Electrochemical detection of dipeptides with selectivity against amino acids. Journal of Chromatography A, 1993, 638, 1-8.	3.7	8
138	Molecular recognition of phenobarbital in plasticizers equilibrium investigations on the solubility of the barbiturate artificial receptor and its binding to phenobarbital in plasticizers. Journal of Chromatography A, 1996, 722, 47-57.	3.7	8
139	Capillary zone electrophoresis in laboratory-made fluorinated ethylene propylene capillaries. Journal of Chromatography A, 2002, 972, 283-287.	3.7	8
140	Searching for Mechanisms of N-Methyl-d-Aspartate-Induced Glutathione Efflux in Organotypic Hippocampal Cultures. Neurochemical Research, 2003, 28, 281-291.	3.3	8
141	High-Throughput Phase-Distribution Method to Determine Drug-Cyclodextrin Binding Constants. Journal of Pharmaceutical Sciences, 2009, 98, 229-238.	3.3	8
142	Control of the Release of Freely Diffusing Molecules in Single-Cell Electroporation. Analytical Chemistry, 2009, 81, 8001-8008.	6.5	8
143	Numerical Modeling of Electroosmotic Push–Pull Perfusion and Assessment of Its Application to Quantitative Determination of Enzymatic Activity in the Extracellular Space of Mammalian Tissue. Analytical Chemistry, 2017, 89, 5864-5873.	6.5	8
144	A crosslinked, low pH-stable, mixed-mode cation-exchange like stationary phase made using the thiol-yne click reaction. Journal of Chromatography A, 2020, 1618, 460851.	3.7	8

#	Article	IF	CITATIONS
145	Effect of Polymer Concentration on Partitioning and Molecular Recognition in Plasticized Poly(vinyl) Tj ETQq1	1 0.784314	ŀrg₿T /Overloo
146	Online preconcentration of thyrotropin-releasing hormone (TRH) by SDS-modified reversed phase column for microbore and capillary high-performance liquid chromatography (HPLC). Journal of Chromatography A, 2005, 1071, 179-184.	3.7	7
147	Development of a 1.0 mm inside diameter temperature-assisted focusing precolumn for use with 2.1 mm inside diameter columns. Journal of Chromatography A, 2017, 1523, 193-203.	3.7	7
148	Mitochondrial GSH Systems in CA1 Pyramidal Cells and Astrocytes React Differently during Oxygen-Glucose Deprivation and Reperfusion. ACS Chemical Neuroscience, 2018, 9, 738-748.	3.5	7
149	Evaluation of three temperature- and mobile phase-dependent retention models for reversed-phase liquid chromatographic retention and apparent retention enthalpy. Journal of Chromatography A, 2019, 1589, 73-82.	3.7	6
150	Novel solvent systems for the preparation of phase-inversion cellulose acetate size exclusion membranes: Voltammetric investigations. Electroanalysis, 1991, 3, 941-948.	2.9	5
151	Carbonized Microcellular Foam-Based Porous Flow-Through Electrodes with Unit Coulometric Efficiency. Analytical Chemistry, 1994, 66, 1204-1207.	6.5	5
152	Optical switching of the redox activity of a hydroxychromene. Journal of the Chemical Society Chemical Communications, 1995, , 1695.	2.0	5
153	Bicarbonate - sensitive cysteine induced elevation of extra cellular aspartate and glutamate in rat hippocampus in vitro. Neurochemistry International, 1997, 30, 253-259.	3.8	5
154	Cyclic voltammetry of S-sulfocysteine at a gold + mercury amalgam electrode and application to dual electrode electrochemical detection. Journal of Electroanalytical Chemistry, 1997, 435, 39-46.	3.8	5
155	Development of a liquid chromatographic method for picomole determination of S-sulfocysteine in trifluoroacetic acid extracts of neonatal rat brain. Journal of Pharmaceutical and Biomedical Analysis, 1999, 19, 261-268.	2.8	5
156	Porous alumina-based fluorous liquid membranes: Dependence of transport on fluorous solvent. Journal of Fluorine Chemistry, 2009, 130, 1022-1027.	1.7	5
157	Probing Enzymatic Activity Inside Single Cells. Analytical Chemistry, 2013, 85, 10126-10133.	6.5	5
158	A liquid chromatographic charge transfer stationary phase based on the thiol-yne reaction. Journal of Chromatography A, 2019, 1591, 1-6.	3.7	5
159	A pH-stable, crosslinked stationary phase based on the thiol-yne reaction. Journal of Chromatography A, 2019, 1598, 132-140.	3.7	5
160	Tris(2,2′-bipyridine)ruthenium(II) as a peroxide-producing replacement for enzymes as chemical labels. Biosensors and Bioelectronics, 1991, 6, 699-705.	10.1	4
161	Prediction of molecular recognition-enhanced phenobarbital extraction based on solvatochromic analysis. , 1998, 11, 28-31.		4
162	Kinetic Analysis of a Photosensitive Chelator and its Complex with Zn(II)¶. Photochemistry and Photobiology, 2002, 75, 211.	2.5	4

#	Article	IF	CITATIONS
163	Kinetics of the post-column complexation reaction of Cu(II) with N-formylmethionyl chemoattractant and chemotactic peptides. Analytica Chimica Acta, 2002, 474, 1-9.	5.4	4
164	Effect of an open tube in series with a packed capillary column on liquid chromatographic performance. Journal of Chromatography A, 2009, 1216, 1346-1352.	3.7	4
165	Fluorous receptor-facilitated solid phase microextraction. Journal of Chromatography A, 2014, 1360, 17-22.	3.7	4
166	Multiplicative On-Column Solute Focusing Using Spatially Dependent Temperature Programming for Capillary HPLC. Analytical Chemistry, 2019, 91, 2854-2860.	6.5	4
167	Steady-State Concentration Distribution of Artificial Receptor and Target Analyte in Plasticized PVC Membrane between Solutions Differing in Target Analyte Concentration. Analytical Chemistry, 2002, 74, 2184-2189.	6.5	3
168	Speed and miniaturization improve separation and sensitivity. TrAC - Trends in Analytical Chemistry, 2006, 25, 535-539.	11.4	3
169	Synthesis, Structure, and Acidity Constants of Ligated αâ€Boryl Acetic Acids. Chemistry - A European Journal, 2018, 24, 822-825.	3.3	3
170	Column-in-valve designs to minimize extra-column volumes. Journal of Chromatography A, 2021, 1637, 461779.	3.7	3
171	Optimization of post-column reactor radius in capillary high performance liquid chromatography. Journal of Chromatography A, 2006, 1113, 116-122.	3.7	2
172	From single-molecule detection to global climate change. TrAC - Trends in Analytical Chemistry, 2007, 26, 445-449.	11.4	2
173	Kinetic Analysis of a Photosensitive Chelator and its Complex with Zn(II)¶. Photochemistry and Photobiology, 2007, 75, 211-220.	2.5	2
174	From sampling through separations to sensors, Pittcon 2009 highlights progress. TrAC - Trends in Analytical Chemistry, 2009, 28, 627-634.	11.4	2
175	Validation of Dexamethasone-Enhanced Continuous-Online Microdialysis for Monitoring Glucose for 10 Days after Brain Injury. ACS Chemical Neuroscience, 2021, 12, 3588-3597.	3.5	2
176	Closed form approximations to predict retention times and peak widths in gradient elution under conditions of sample volume overload and sample solvent mismatch. Journal of Chromatography A, 2021, 1653, 462376.	3.7	2
177	Biological systems focus the mind. TrAC - Trends in Analytical Chemistry, 2004, 23, xiii-xvi.	11.4	1
178	A selective report on topics at Pittcon 2015. TrAC - Trends in Analytical Chemistry, 2015, 68, 133-139.	11.4	1
179	Electrocatalytic Determination of Biochemical Compounds. , 2002, , 87-108.		1
180	A Comprehensive Examination of Voltammetric Parameters in Fourier Transform Sineâ€wave Voltammetry (FTâ€SWV) Leading to Concentration Linearity and High Signalâ€toâ€background Ratio. Electroanalysis, 0, , .	2.9	1

#	Article	IF	CITATIONS
181	Electrochemical detection of biomolecules in liquid chromatography and capillary electrophoresis. Advances in Chromatography, 1996, 36, 273-313.	1.0	1
182	Pittsburgh Conference 2002. TrAC - Trends in Analytical Chemistry, 2002, 21, x-xiii.	11.4	0
183	Nanoscience, bio- and microanalysis. TrAC - Trends in Analytical Chemistry, 2003, 22, x-xiv.	11.4	0
184	Understanding illicit drug use. TrAC - Trends in Analytical Chemistry, 2003, 22, xiv.	11.4	0
185	Reasons to be optimistic. TrAC - Trends in Analytical Chemistry, 2004, 23, xii-xvi.	11.4	0
186	Pittcon provides a platform for interesting, important and novel work. TrAC - Trends in Analytical Chemistry, 2008, 27, 274-283.	11.4	0
187	Pittcon's strong program continues to thrive. TrAC - Trends in Analytical Chemistry, 2010, 29, 369-377.	11.4	0
188	From nanoscience to neuroscience, and a bit of separation and sample preparation in between. TrAC - Trends in Analytical Chemistry, 2011, 30, 807-813.	11.4	0
189	Advances made on many different fronts. TrAC - Trends in Analytical Chemistry, 2012, 36, 1-10.	11.4	0
190	Pittcon logs another success. TrAC - Trends in Analytical Chemistry, 2013, 47, 129-137.	11.4	0
191	Novel developments reported at Pittcon 2014. TrAC - Trends in Analytical Chemistry, 2014, 58, 154-161.	11.4	0
192	Novel developments reported at Pittcon 2016. TrAC - Trends in Analytical Chemistry, 2016, 80, 594-603.	11.4	0
193	IMPROVING TEMPORAL RESOLUTION IN ONLINE MICRODIALYSIS/LIQUID CHROMATOGRAPHY. , 2017, , 141-170		0
194	A rotating operant chamber for use with microdialysis. Journal of Neuroscience Methods, 2019, 326, 108387.	2.5	0