Charlotta Pisinger

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6209659/charlotta-pisinger-publications-by-year.pdf

Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers5,534
citations40
h-index71
g-index137
ext. papers6,598
ext. citations5.9
avg, IF5.6
L-index

#	Paper	IF	Citations
124	Are financial incentives more effective than health campaigns to quit smoking? A community-randomised smoking cessation trial in Denmark. <i>Preventive Medicine</i> , 2021 , 154, 106865	4.3	O
123	Smoking and stress in the general population in Denmark. <i>Tobacco Prevention and Cessation</i> , 2021 , 7, 27	1.2	2
122	Readiness for implementation of smoke-free work hours in private companies: A qualitative study of perceptions among middle managers. <i>Tobacco Prevention and Cessation</i> , 2021 , 7, 38	1.2	
121	Reducing smoking in youth by a smoke-free school environment: A stratified cluster randomized controlled trial of Focus, a multicomponent program for alternative high schools. <i>Tobacco Prevention and Cessation</i> , 2021 , 7, 42	1.2	2
120	E-cigarettes, heated tobacco and other novel nicotine-containing products: a help to smokers or a public health threat? 2021 , 33-55		1
119	Preventing the initiation of tobacco and e-cigarette use among the youth 2021 , 287-307		
118	E-cigaretter: en gevinst for folkesundheden eller endnu en udfordring i tobaksforebyggelsen?. <i>Aktuel Nordisk Odontologi</i> , 2021 , 46, 49-70	Ο	
117	Programme theory and realist evaluation of the Qmoke-Free Vocational SchoolsQesearch and intervention project: a study protocol. <i>BMJ Open</i> , 2021 , 11, e042728	3	1
116	A rational approach to e-cigarettes: challenging ERS policy on tobacco harm reduction. <i>European Respiratory Journal</i> , 2020 , 55,	13.6	1
115	A new Cochrane review on electronic cigarettes for smoking cessation: should we change our practice?. <i>European Respiratory Journal</i> , 2020 , 56,	13.6	6
114	Electronic cigarettes and health with special focus on cardiovascular effects: position paper of the European Association of Preventive Cardiology (EAPC). European Journal of Preventive Cardiology, 2020, 2047487320941993	3.9	13
113	TOB-STOP-COP (TOBacco STOP in COPd trial): study protocol-a randomized open-label, superiority, multicenter, two-arm intervention study of the effect of "high-intensity" vs. "low-intensity" smoking as a second control of the study of the effect of study of the effect of study of the effect of study of the study of the study of the effect of study of study of the effect of study of study	2.8	1
112	, 2020, 21, 730 The cardiovascular effects of electronic cigarettes: A systematic review of experimental studies. Preventive Medicine, 2019, 127, 105770	4.3	27
111	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 350-362	9.4	26
110	Soluble urokinase plasminogen activator receptor is linearly associated with dietary quality and predicts mortality. <i>British Journal of Nutrition</i> , 2019 , 121, 699-708	3.6	5
109	Healthy lifestyles reduce suPAR and mortality in alDanish general population study. <i>Immunity and Ageing</i> , 2019 , 16, 1	9.7	32
108	Maternal and fetal genetic effects on birth weight and their relevance to cardio-metabolic risk factors. <i>Nature Genetics</i> , 2019 , 51, 804-814	36.3	181

107	New Tobacco Products Do Not Protect Public Health. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 1363-1365	4.7	4
106	DOES IT HELP SMOKERS IF WE STIGMATIZE THEM? A TEST OF THE STIGMA-INDUCED IDENTITY THREAT MODEL AMONG U.S. AND DANISH SMOKERS. <i>Social Cognition</i> , 2019 , 37, 294-313	1.2	12
105	Only ITT analysis provides information about the actual effects of a health policy - Author response. Journal of Clinical Epidemiology, 2019 , 107, 125-126	5.7	
104	A conflict of interest is strongly associated with tobacco industry-favourable results, indicating no harm of e-cigarettes. <i>Preventive Medicine</i> , 2019 , 119, 124-131	4.3	30
103	Higher mortality in women living in high-participation areas of a population-based health check and lifestyle intervention study. <i>International Journal of Public Health</i> , 2019 , 64, 107-114	4	1
102	International Approaches to Tobacco Use Cessation Programs and Policy in Adolescents and Young Adults: Denmark. <i>Current Addiction Reports</i> , 2018 , 5, 42-53	3.9	8
101	A systematic approach to smoking cessation activities in Danish shelters. <i>Journal of Social Distress and the Homeless</i> , 2018 , 27, 118-125	1.4	
100	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 2018 , 3, 4	4.8	16
99	Ups and downs of a peer-based smoking cessation intervention help tailored to hospital-employees with low socioeconomic status: The RESPEKT Study. <i>Tobacco Prevention and Cessation</i> , 2018 , 4, 24	1.2	
98	Electronic cigarette use in youths: a position statement of the Forum of International Respiratory Societies. <i>European Respiratory Journal</i> , 2018 , 51,	13.6	54
97	A third perspective on the effects of general health checks may provide a less biased estimate. Author response. <i>Journal of Clinical Epidemiology</i> , 2018 , 102, 145-146	5.7	1
96	A multifactorial approach to explaining the stagnation in national smoking rates?. <i>Danish Medical Journal</i> , 2018 , 65,	3.8	3
95	Reply to "Is diabetes preventable in the general population?". <i>Preventive Medicine</i> , 2017 , 96, 158-159	4.3	
94	Genome-wide meta-analysis of 241,258 adults accounting for smoking behaviour identifies novel loci for obesity traits. <i>Nature Communications</i> , 2017 , 8, 14977	17.4	105
93	Genetic determinants of serum vitamin B12 and their relation to body mass index. <i>European Journal of Epidemiology</i> , 2017 , 32, 125-134	12.1	22
92	Exome-wide association study of plasma lipids in >300,000 individuals. <i>Nature Genetics</i> , 2017 , 49, 1758-	1 36 .6	310
91	Obesity Might Be a Predictor of Weight Reduction after Smoking Cessation. <i>Journal of Obesity</i> , 2017 , 2504078	3.7	2
90	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. <i>PLoS ONE</i> 2017 12 e0185881	3.7	19

89	The CHANGE trial: no superiority of lifestyle coaching plus care coordination plus treatment as usual compared to treatment as usual alone in reducing risk of cardiovascular disease in adults with schizophrenia spectrum disorders and abdominal obesity. <i>World Psychiatry</i> , 2016 , 15, 155-65	14.4	93
88	Longitudinal associations between lifestyle and vitamin D: A general population study with repeated vitamin D measurements. <i>Endocrine</i> , 2016 , 51, 342-50	4	37
87	Ready for a goodbye to tobacco? - Assessment of support for endgame strategies on smoking among adults in a Danish regional health survey. <i>Preventive Medicine</i> , 2016 , 83, 5-10	4.3	12
86	Reading the conflict of interest statement is as important as reading the result section: Response to the letter by Dr. Kosmider: ideology versus evidence: investigating the claim that the literature on e-cigarettes is undermined by material conflict of interest. <i>Preventive Medicine</i> , 2016 , 85, 115	4.3	3
85	Effects of general health checks differ under two different analyses perspectives-the Inter99 randomized study. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 120-2	5.7	6
84	Effect of general health screening and lifestyle counselling on incidence of diabetes in general population: Inter99 randomised trial. <i>Preventive Medicine</i> , 2016 , 91, 172-179	4.3	16
83	Genome-wide associations for birth weight and correlations with adult disease. <i>Nature</i> , 2016 , 538, 248-7	2 5 2.4	266
82	Is self-selection the main driver of positive interpretations of general health checks? The Inter99 randomized trial. <i>Preventive Medicine</i> , 2015 , 81, 42-8	4.3	23
81	The long-term effect of screening and lifestyle counseling on changes in physical activity and diet: the Inter99 Study - a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 33	8.4	18
80	Neighborhood social capital is associated with participation in health checks of a general population: a multilevel analysis of a population-based lifestyle intervention- the Inter99 study. <i>BMC Public Health</i> , 2015 , 15, 694	4.1	19
79	The Danish fat tax-Effects on consumption patterns and risk of ischaemic heart disease. <i>Preventive Medicine</i> , 2015 , 77, 200-3	4.3	22
78	The impact of birth weight on the level of lung function and lung function decline in the general adult population. The Inter99 study. <i>Respiratory Medicine</i> , 2015 , 109, 1293-9	4.6	15
77	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. <i>BMC Psychiatry</i> , 2015 , 15, 119	4.2	10
76	Smoking and All-cause Mortality in Older Adults: Results From the CHANCES Consortium. <i>American Journal of Preventive Medicine</i> , 2015 , 49, e53-e63	6.1	41
75	The long-term effect of a population-based life-style intervention on smoking and alcohol consumption. The Inter99 Studya randomized controlled trial. <i>Addiction</i> , 2015 , 110, 1853-60	4.6	31
74	The rise and fall of the world@first fat tax. <i>Health Policy</i> , 2015 , 119, 737-42	3.2	56
73	Psychological consequences of screening for cardiovascular risk factors in an un-selected general population: results from the Inter99 randomised intervention study. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 102-10	3	8
72	NHS health checks are a waste of resources. <i>BMJ, The</i> , 2015 , 350, h1006	5.9	2

(2012-2015)

71	Neighborhood deprivation is strongly associated with participation in a population-based health check. <i>PLoS ONE</i> , 2015 , 10, e0129819	3.7	20
70	A systematic review of health effects of electronic cigarettes. <i>Preventive Medicine</i> , 2014 , 69, 248-60	4.3	295
69	Risk factors associated with serum levels of the inflammatory biomarker soluble urokinase plasminogen activator receptor in a general population. <i>Biomarker Insights</i> , 2014 , 9, 91-100	3.5	48
68	Vitamin D status and chronic obstructive pulmonary disease: a prospective general population study. <i>PLoS ONE</i> , 2014 , 9, e90654	3.7	27
67	Filaggrin loss-of-function mutations and incident cancer: a population-based study. <i>British Journal of Dermatology</i> , 2014 , 171, 1407-14	4	17
66	Effect of screening and lifestyle counselling on incidence of ischaemic heart disease in general population: Inter99 randomised trial. <i>BMJ, The</i> , 2014 , 348, g3617	5.9	147
65	The impact of the Danish smoking ban on hospital admissions for acute myocardial infarction. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 65-73	3.9	23
64	Prospective population-based study of the association between serum 25-hydroxyvitamin-D levels and the incidence of specific types of cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1220-9	4	69
63	Socioeconomic position and participation in baseline and follow-up visits: the Inter99 study. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 899-905	3.9	56
62	Vitamin D status, liver enzymes, and incident liver disease and mortality: a general population study. <i>Endocrine</i> , 2014 , 47, 213-20	4	44
61	Cause-specific mortality according to urine albumin creatinine ratio in the general population. <i>PLoS ONE</i> , 2014 , 9, e93212	3.7	6
60	Vitamin D status and 5-year changes in urine albumin creatinine ratio and parathyroid hormone in a general population. <i>Endocrine</i> , 2013 , 44, 473-80	4	22
59	Vitamin D status and incident cardiovascular disease and all-cause mortality: a general population study. <i>Endocrine</i> , 2013 , 43, 618-25	4	52
58	Cross-sectional associations between the five factor personality traits and leisure-time sitting-time: the effect of general self-efficacy. <i>Journal of Physical Activity and Health</i> , 2013 , 10, 572-80	2.5	16
57	Vitamin D status, filaggrin genotype, and cardiovascular risk factors: a Mendelian randomization approach. <i>PLoS ONE</i> , 2013 , 8, e57647	3.7	45
56	Municipal tobacco control in the Capital Region of Denmark can be improved. <i>Danish Medical Journal</i> , 2013 , 60, A4571	3.8	
55	Does a population-based multi-factorial lifestyle intervention increase social inequality in dietary habits? The Inter99 study. <i>Preventive Medicine</i> , 2012 , 54, 88-93	4.3	9
54	The relationship between changes in health behaviour and initiation of lipid-lowering and antihypertensive medications in individuals at high risk of ischaemic heart disease. <i>BMC Public Health</i> , 2012 , 12, 626	4.1	2

53	Social disparities in children@ exposure to second hand smoke at home: a repeated cross-sectional survey. <i>Environmental Health</i> , 2012 , 11, 65	6	43
52	Vitamin D status and changes in cardiovascular risk factors: a prospective study of a general population. <i>Cardiology</i> , 2012 , 123, 62-70	1.6	69
51	Sedentary leisure time behavior, snacking habits and cardiovascular biomarkers: the Inter99 Study. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1111-9	3.9	27
50	Vitamin D status and cause-specific mortality: a general population study. <i>PLoS ONE</i> , 2012 , 7, e52423	3.7	32
49	Motives to quit smoking and reasons to relapse differ by socioeconomic status. <i>Preventive Medicine</i> , 2011 , 52, 48-52	4.3	45
48	The birth weight lowering C-allele of rs900400 near LEKR1 and CCNL1 associates with elevated insulin release following an oral glucose challenge. <i>PLoS ONE</i> , 2011 , 6, e27096	3.7	12
47	The diabetogenic VPS13C/C2CD4A/C2CD4B rs7172432 variant impairs glucose-stimulated insulin response in 5,722 non-diabetic Danish individuals. <i>Diabetologia</i> , 2011 , 54, 789-94	10.3	26
46	Type 2 diabetes risk allele near CENTD2 is associated with decreased glucose-stimulated insulin release. <i>Diabetologia</i> , 2011 , 54, 1052-6	10.3	34
45	The minor C-allele of rs2014355 in ACADS is associated with reduced insulin release following an oral glucose load. <i>BMC Medical Genetics</i> , 2011 , 12, 4	2.1	10
44	The association between active and passive smoking and frequent pain in a general population. <i>European Journal of Pain</i> , 2011 , 15, 77-83	3.7	39
43	Association between the Five Factor personality traits and perceived stress: is the effect mediated by general self-efficacy?. <i>Anxiety, Stress and Coping</i> , 2011 , 24, 407-19	3.1	164
42	Does a population-based multifactorial lifestyle intervention increase social inequality in physical activity? The Inter99 study. <i>British Journal of Sports Medicine</i> , 2011 , 45, 209-15	10.3	13
41	The potential of smoking cessation programmes and a smoking ban in public places: comparing gain in life expectancy and cost effectiveness. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 785-96	3	10
40	Family and population-based studies of variation within the ghrelin receptor locus in relation to measures of obesity. <i>PLoS ONE</i> , 2010 , 5, e10084	3.7	12
39	Genetic evidence that raised sex hormone binding globulin (SHBG) levels reduce the risk of type 2 diabetes. <i>Human Molecular Genetics</i> , 2010 , 19, 535-44	5.6	150
38	A cluster randomized trial in general practice with referral to a group-based or an Internet-based smoking cessation programme. <i>Journal of Public Health</i> , 2010 , 32, 62-70	3.5	16
37	Impact of size at birth and prematurity on adult anthropometry in 4744 middle-aged Danes - The Inter99 study. <i>Journal of Developmental Origins of Health and Disease</i> , 2010 , 1, 319-28	2.4	10
36	Identification of KCNJ15 as a susceptibility gene in Asian patients with type 2 diabetes mellitus. American Journal of Human Genetics, 2010 , 86, 54-64	11	45

(2008-2010)

birthweight. <i>Diabetologia</i> , 2010 , 53, 1908-16	10.3	56
Low birthweight and premature birth are both associated with type 2 diabetes in a random sample of middle-aged Danes. <i>Diabetologia</i> , 2010 , 53, 2526-30	10.3	68
Further evidence that mutations in INS can be a rare cause of Maturity-Onset Diabetes of the Young (MODY). <i>BMC Medical Genetics</i> , 2010 , 11, 42	2.1	62
Do gene variants influencing adult adiposity affect birth weight? A population-based study of 24 loci in 4,744 Danish individuals. <i>PLoS ONE</i> , 2010 , 5, e14190	3.7	20
The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. <i>PLoS ONE</i> , 2009 , 4, e5872	3.7	40
Insulin resistance as a predictor of incident asthma-like symptoms in adults. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 700-7	4.1	97
Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. <i>Nature Genetics</i> , 2009 , 41, 1110-5	36.3	356
Can lifestyle factors explain why body mass index and waist-to-hip ratio increase with increasing tobacco consumption? The Inter99 study. <i>Public Health</i> , 2009 , 123, 110-5	4	10
Screening for risk of cardiovascular disease is not associated with mental distress: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 48, 242-6	4.3	21
Five-year change in physical activity is associated with changes in cardiovascular disease risk factors: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 48, 326-31	4.3	64
The impact of a population-based multi-factorial lifestyle intervention on alcohol intake: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 115-21	4.3	12
Five years of lifestyle intervention improved self-reported mental and physical health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 424-8	4.3	22
The relationship between lifestyle and self-reported health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 418-23	4.3	46
Smoking reduction and cessation reduce chronic cough in a general population: the Inter99 study. <i>Clinical Respiratory Journal</i> , 2008 , 2, 41-6	1.7	6
The effectiveness of smoking cessation groups offered to hospitalised patients with symptoms of exacerbations of chronic obstructive pulmonary disease (COPD). <i>Clinical Respiratory Journal</i> , 2008 , 2, 158-65	1.7	25
Association of obesity and insulin resistance with asthma and aeroallergen sensitization. <i>Allergy:</i> European Journal of Allergy and Clinical Immunology, 2008 , 63, 575-82	9.3	75
The effect of adding group-based counselling to individual lifestyle counselling on changes in dietary intake. The Inter99 studya randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2008 , 5, 59	8.4	5
High risk strategy in smoking cessation is feasible on a population-based level. The Inter99 study. <i>Preventive Medicine</i> , 2008 , 46, 579-84	4.3	35
	Further evidence that mutations in INS can be a rare cause of Maturity-Onset Diabetes of the Young (MODY). <i>BMC Medical Genetics</i> , 2010 , 11, 42 Do gene variants influencing adult adiposity affect birth weight? A population-based study of 24 loci in 4,744 Danish individuals. <i>PLoS ONE</i> , 2010 , 5, e14190 The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. <i>PLoS ONE</i> , 2009 , 4, e5872 Insulin resistance as a predictor of incident asthma-like symptoms in adults. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 700-7 Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. <i>Nature Genetics</i> , 2009 , 41, 1110-5 Can lifestyle factors explain why body mass index and waist-to-hip ratio increase with increasing tobacco consumption? The Inter99 study. <i>Public Health</i> , 2009 , 123, 110-5 Screening for risk of cardiovascular disease is not associated with mental distress: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 48, 242-6 Five-year change in physical activity is associated with changes in cardiovascular disease risk factors: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 115-21 Five years of lifestyle intervention improved self-reported mental and physical health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 115-21 Five years of lifestyle intervention improved self-reported mental and physical health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 115-21 Five years of lifestyle intervention improved self-reported health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 424-8 The relationship between lifestyle and self-reported health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009 , 49, 418-23 Smoking reduction and cessation groups offered to hospitalised patients with symptoms of exacerbations of chronic obstructive pulmonary disease (COPD). <i>Clinica</i>	Further evidence that mutations in INS can be a rare cause of Maturity-Onset Diabetes of the Young (MODY). <i>BMC Medical Genetics</i> , 2010, 11, 42 Do gene variants influencing adult adiposity affect birth weight? A population-based study of 24 loci in 4,744 Danish individuals. <i>PLoS ONE</i> , 2010, 5, e14190 The type 2 diabetes associated minor allele of rs2237895 KCNQ1 associates with reduced insulin release following an oral glucose load. <i>PLoS ONE</i> , 2009, 4, e5872 Insulin resistance as a predictor of incident asthma-like symptoms in adults. <i>Clinical and Experimental Allergy</i> , 2009, 39, 700-7 Genetic variant near IRS1 is associated with type 2 diabetes, insulin resistance and hyperinsulinemia. <i>Nature Genetics</i> , 2009, 41, 1110-5 Can lifestyle factors explain why body mass index and waist-to-hip ratio increase with increasing tobacco consumption? The Inter99 study. <i>Public Health</i> , 2009, 123, 110-5 Screening for risk of cardiovascular disease is not associated with mental distress: the Inter99 study. <i>Preventive Medicine</i> , 2009, 48, 242-6 Five-year change in physical activity is associated with changes in cardiovascular disease risk factors: the Inter99 study. <i>Preventive Medicine</i> , 2009, 48, 326-31 The impact of a population-based multi-factorial lifestyle intervention on alcohol intake: the Inter99 study. <i>Preventive Medicine</i> , 2009, 49, 115-21 Five years of lifestyle intervention improved self-reported mental and physical health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009, 49, 242-8 The relationship between lifestyle and self-reported health in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2009, 49, 418-23 Smoking reduction and cessation reduce chronic cough in a general population: the Inter99 study. 2011, 213-214-6 The effectiveness of smoking cessation groups offered to hospitalised patients with symptoms of exacerbations of chronic obstructive pulmonary disease (COPD). <i>Clinical Respiratory Journal</i> , 2008, 2, 138-65 Association of obesity and insulin

17	The impact of a population-based multi-factorial lifestyle intervention on changes in long-term dietary habits: the Inter99 study. <i>Preventive Medicine</i> , 2008 , 47, 378-83	4.3	28
16	Is there a health benefit of reduced tobacco consumption? A systematic review. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 631-46	4.9	94
15	Diet and exercise intervention in a general population-mediators of participation and adherence: the Inter99 study. <i>European Journal of Public Health</i> , 2007 , 17, 455-63	2.1	57
14	Weight concerns and smoking in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2007 , 44, 283-9	4.3	71
13	Waist circumference and weight following smoking cessation in a general population: the Inter99 study. <i>Preventive Medicine</i> , 2007 , 44, 290-5	4.3	61
12	Smoking reduction intervention in a large population-based study. The Inter99 study. <i>Preventive Medicine</i> , 2005 , 40, 112-8	4.3	23
11	Smoking cessation intervention in a large randomised population-based study. The Inter99 study. <i>Preventive Medicine</i> , 2005 , 40, 285-92	4.3	57
10	It is possible to help smokers in early motivational stages to quit. The Inter99 study. <i>Preventive Medicine</i> , 2005 , 40, 278-84	4.3	49
9	It is possible to help smokers in early motivational stages to quit: The Inter99 study. <i>Preventive Medicine</i> , 2005 , 40, 278-284	4.3	32
8	Depression and chronic obstructive pulmonary disease (COPD). Impact on survival. <i>Acta Psychiatrica Scandinavica</i> , 2005 , 111, 320-3	6.5	37
7	Effects of smoking cessation and reduction in asthmatics. <i>Nicotine and Tobacco Research</i> , 2005 , 7, 139-4	18 4.9	80
6	Acceptance of the smoking cessation intervention in a large population-based study: the Inter99 study. <i>Scandinavian Journal of Public Health</i> , 2005 , 33, 138-45	3	30
5	Anxiety and depression in patients with chronic obstructive pulmonary disease (COPD). A review. <i>Nordic Journal of Psychiatry</i> , 2004 , 58, 65-70	2.3	216
4	Measurement of depression in patients with chronic obstructive pulmonary disease (COPD). <i>Nordic Journal of Psychiatry</i> , 2003 , 57, 297-301	2.3	20
3	A randomized non-pharmacological intervention study for prevention of ischaemic heart disease: baseline results Inter99. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2003 , 10, 377	7-86	366
2	Nicotine Replacement Therapy in Patients with Coronary Heart Disease. <i>CNS Drugs</i> , 1999 , 12, 99-110	6.7	1
1	Meta-analysis of exome array data identifies six novel genetic loci for lung function. <i>Wellcome Open Research</i> , 3, 4	4.8	6