

Daniela Micheline Dos Santos

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/620993/daniela-micheline-dos-santos-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

1,656
citations

21
h-index

29
g-index

166
ext. papers

1,949
ext. citations

2.5
avg, IF

4.57
L-index

#	Paper	IF	Citations
158	Patient satisfaction with maxillofacial prosthesis. Literature review. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009 , 62, 175-80	1.7	97
157	Prototyping for surgical and prosthetic treatment. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 914-7	1.2	51
156	Evaluation of hardness and surface roughness of two maxillofacial silicones following disinfection. <i>Brazilian Oral Research</i> , 2009 , 23, 49-53	2.6	42
155	Is the internal connection more efficient than external connection in mechanical, biological, and esthetical point of views? A systematic review. <i>Oral and Maxillofacial Surgery</i> , 2015 , 19, 229-42	1.6	41
154	Positioning Magnets on a Multiple/Sectional Maxillofacial Prosthesis. <i>Journal of Contemporary Dental Practice</i> , 2007 , 8, 101-107	0.7	41
153	Effect of accelerated aging on the microhardness and color stability of flexible resins for dentures. <i>Brazilian Oral Research</i> , 2010 , 24, 114-9	2.6	36
152	Influence of investment, disinfection, and storage on the microhardness of ocular resins. <i>Journal of Prosthodontics</i> , 2009 , 18, 32-5	3.9	36
151	Color stability after accelerated aging of two silicones, pigmented or not, for use in facial prostheses. <i>Brazilian Oral Research</i> , 2009 , 23, 144-8	2.6	32
150	Effect of thermocycling on hardness, absorption, solubility and colour change of soft liners. <i>Gerodontology</i> , 2012 , 29, e215-9	2.8	31
149	Evaluation of the Shore A hardness of silicone for facial prosthesis as to the effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 323-7	1.2	28
148	Color stability comparison of silicone facial prostheses following disinfection. <i>Journal of Prosthodontics</i> , 2009 , 18, 242-4	3.9	26
147	Influence of pigments and opacifiers on color stability of an artificially aged facial silicone. <i>Journal of Prosthodontics</i> , 2011 , 20, 205-8	3.9	24
146	Evaluation of marginal bone loss of dental implants with internal or external connections and its association with other variables: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 501-506	4.5	23
145	Color stability of maxillofacial silicone with nanoparticle pigment and opacifier submitted to disinfection and artificial aging. <i>Journal of Biomedical Optics</i> , 2011 , 16, 095004	3.5	23
144	Color alteration of the paint used for iris painting in ocular prostheses. <i>Brazilian Oral Research</i> , 2009 , 23, 386-92	2.6	23
143	Surface characterization of lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 1156-63	4	22
142	Analysis of masticatory cycle efficiency in complete denture wearers. <i>Journal of Prosthodontics</i> , 2010 , 19, 10-3	3.9	22

141	Hardness evaluation of prosthetic silicones containing opacifiers following chemical disinfection and accelerated aging. <i>Brazilian Oral Research</i> , 2010 , 24, 303-8	2.6	22
140	Prosthesis auricular with osseointegrated implants and quality of life. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 94-6	1.2	22
139	Fabrication techniques for ocular prostheses--an overview. <i>Orbit</i> , 2014 , 33, 229-33	1.5	21
138	Prosthetic treatments for patients with oronasal communication. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 1445-7	1.2	21
137	Care and cleaning of maxillofacial prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1270-3	1.2	21
136	Relationship Between Implant Stability Measurements Obtained by Two Different Devices: A Systematic Review. <i>Journal of Periodontology</i> , 2017 , 88, 281-288	4.6	20
135	Effect of different acidic solutions on the optical behavior of lithium disilicate ceramics. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 430-436	4	19
134	Antimicrobial activity of conventional and plant-extract disinfectant solutions on microbial biofilms on a maxillofacial polymer surface. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 136-43	4	19
133	Comparison of conventional and plant-extract disinfectant solutions on the hardness and color stability of a maxillofacial elastomer after artificial aging. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 501-8	4	19
132	Effect of chemical disinfection and accelerated aging on color stability of maxillofacial silicone with opacifiers. <i>Journal of Prosthodontics</i> , 2011 , 20, 566-9	3.9	19
131	Color stability of polymers for facial prosthesis. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 54-8	1.2	19
130	Stress distribution in implant-supported prosthesis with external and internal implant-abutment connections. <i>Acta Odontologica Scandinavica</i> , 2013 , 71, 283-8	2.2	18
129	Effect of weathering and thickness on the superficial microhardness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , 2009 , 32, 283-7	4.1	18
128	Assessment of the flexural strength of two heat-curing acrylic resins for artificial eyes. <i>Brazilian Oral Research</i> , 2009 , 23, 263-7	2.6	18
127	Factors to achieve aesthetics in all-ceramic restorations. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 2007-12	2.2	17
126	Electromyographic activity of the mandible muscles at the beginning and end of masticatory cycles in patients with complete dentures. <i>Gerontology</i> , 2008 , 54, 138-43	5.5	17
125	Effect of disinfection and accelerated aging on color stability of colorless and pigmented facial silicone. <i>Journal of Prosthodontics</i> , 2011 , 20, 305-9	3.9	16
124	Evaluation of hardness and colour change of soft liners after accelerated ageing. <i>Primary Dental Care</i> , 2009 , 16, 127-30		16

123	Retention systems to implant-supported craniofacial prostheses. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 889-91	1.2	16
122	The Effect of Surface Treatment on Shear Bond Strength between Y-TZP and Veneer Ceramic: A Systematic Review and Meta-Analysis. <i>Journal of Prosthodontics</i> , 2018 , 27, 624-635	3.9	16
121	Surface analysis and shear bond strength of zirconia on resin cements after non-thermal plasma treatment and/or primer application for metallic alloys. <i>Materials Science and Engineering C</i> , 2017 , 72, 284-292	8.3	15
120	Effect of addition of pigments and opacifier on the hardness, absorption, solubility and surface degradation of facial silicone after artificial ageing. <i>Polymer Degradation and Stability</i> , 2012 , 97, 1249-1253	4.7	15
119	Bond strength between acrylic resin and maxillofacial silicone. <i>Journal of Applied Oral Science</i> , 2012 , 20, 649-54	3.3	15
118	Cytotoxicity and antimicrobial effects of citronella oil (<i>Cymbopogon nardus</i>) and commercial mouthwashes on <i>S. aureus</i> and <i>C. albicans</i> biofilms in prosthetic materials. <i>Archives of Oral Biology</i> , 2020 , 109, 104577	2.8	15
117	Aging effect of atmospheric air on lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 780-7	4	14
116	Effect of weathering and thickness on roughness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , 2010 , 33, 124-7	4.1	14
115	Influence of nanoparticles on color stability, microhardness, and flexural strength of acrylic resins specific for ocular prosthesis. <i>International Journal of Nanomedicine</i> , 2014 , 9, 5779-87	7.3	14
114	Does the Presence of a Cantilever Influence the Survival and Success of Partial Implant-Supported Dental Prostheses? Systematic Review and Meta-Analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 815-823	2.8	13
113	Colour change of soft denture liners after storage in coffee and coke. <i>Gerodontology</i> , 2011 , 28, 140-5	2.8	13
112	Marginal deterioration of the silicone for facial prosthesis with pigments after effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 142-5	1.2	13
111	Influence of the ferrule effect on the failure of fiber-reinforced composite post-and-core restorations: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 239-245	4	13
110	Effect of different solutions on color stability of acrylic resin-based dentures. <i>Brazilian Oral Research</i> , 2014 , 28,	2.6	12
109	Effect of thermal cycling and disinfection on microhardness of acrylic resin denture base. <i>Journal of Medical Engineering and Technology</i> , 2013 , 37, 203-7	1.8	12
108	TMJ vibrations in asymptomatic patients using old and new complete dentures. <i>Journal of Prosthodontics</i> , 2010 , 19, 438-42	3.9	12
107	Chromatic stability of acrylic resins of artificial eyes submitted to accelerated aging and polishing. <i>Journal of Applied Oral Science</i> , 2010 , 18, 641-5	3.3	12
106	Influence of storage period and effect of different brands of acrylic resin on the dimensional accuracy of the maxillary denture base. <i>Brazilian Dental Journal</i> , 2008 , 19, 204-8	1.9	12

105	Stress distribution in implant-supported prostheses using different connection systems and cantilever lengths: digital photoelasticity. <i>Journal of Medical Engineering and Technology</i> , 2016 , 40, 35-42 ^{1.8}	1.8	11
104	Electromyography evaluation of masseter and temporalis, bite force, and quality of life in elderly patients during the adaptation of mandibular implant-supported overdentures. <i>Clinical Oral Implants Research</i> , 2017 , 28, e169-e174	4.8	11
103	Effects of pigment, disinfection, and accelerated aging on the hardness and deterioration of a facial silicone elastomer. <i>Polymer Degradation and Stability</i> , 2012 , 97, 1577-1580	4.7	11
102	Clinical viability of immediate loading of dental implants: part I--factors for success. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2139-42	1.2	11
101	Photoelastic analysis of stress distribution in oral rehabilitation. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 471-4	1.2	11
100	Management of orbital reconstruction. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1834-6	1.2	11
99	Most frequent tumors in maxillofacial area rehabilitated through surgical reconstruction and prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 396-9	1.2	11
98	Mobility, aesthetic, implants, and satisfaction of the ocular prostheses wearers. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 160-4	1.2	11
97	Positioning magnets on a multiple/sectional maxillofacial prosthesis. <i>Journal of Contemporary Dental Practice</i> , 2007 , 8, 101-7	0.7	11
96	Photoelastic analysis of implant-retained and conventional obturator prostheses with different attachment systems and soft relining. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 797-800	1.2	10
95	Clinical outcome of removable prostheses supported by mini dental implants. A systematic review. <i>Acta Odontologica Scandinavica</i> , 2018 , 76, 628-637	2.2	10
94	Complete denture masticatory efficiency: a literature review. <i>Journal of the California Dental Association</i> , 2008 , 36, 683-6	4.3	10
93	In vitro analysis of different properties of acrylic resins for ocular prosthesis submitted to accelerated aging with or without photopolymerized glaze. <i>Materials Science and Engineering C</i> , 2016 , 69, 995-1003	8.3	9
92	Effect of nonthermal plasma treatment on surface chemistry of commercially-pure titanium and shear bond strength to autopolymerizing acrylic resin. <i>Materials Science and Engineering C</i> , 2016 , 60, 37-44	8.3	9
91	Classification, History, and Future Prospects of Maxillofacial Prosthesis. <i>International Journal of Dentistry</i> , 2019 , 2019, 8657619	1.9	9
90	Effect of intrinsic nanoparticle pigmentation on the color stability of denture base acrylic resins. <i>Journal of Prosthetic Dentistry</i> , 2013 , 110, 101-6	4	9
89	Stress distribution on short implants with different designs: a photoelastic analysis. <i>Journal of Medical Engineering and Technology</i> , 2017 , 41, 115-121	1.8	9
88	Stress analysis in oral obturator prostheses over parallel and tilted implants: photoelastic imaging. <i>Journal of Biomedical Optics</i> , 2013 , 18, 106009	3.5	9

87	Influence of pigment and opacifier on dimensional stability and detail reproduction of maxillofacial silicone elastomer. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 1612-6	1.2	9
86	Insertion and follow-up of complete dentures: a literature review. <i>Gerodontology</i> , 2011 , 28, 197-204	2.8	9
85	Photoelastic analysis to compare implant-retained and conventional obturator dentures. <i>Journal of Biomedical Optics</i> , 2012 , 17, 061203	3.5	9
84	Postsurgical care for rehabilitation with implant-retained extraoral prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 565-7	1.2	9
83	Evaluation of dimensional change and detail reproduction in silicones for facial prostheses. <i>Acta Odontologica Latinoamericana: AOL</i> , 2008 , 21, 85-8	0.3	9
82	Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020 , 49, 1220-1231	2.9	8
81	Effect of different methods of polymerizing ocular prosthesis acrylic resin on a human conjunctival cell line. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 818-823	4	8
80	Immediate loading of overdentures: systematic review. <i>Oral and Maxillofacial Surgery</i> , 2014 , 18, 259-64	1.6	8
79	Dental implant fractures - aetiology, treatment and case report. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, 300-4	0	8
78	Photoelastic stress analysis in prosthetic implants of different diameters: mini, narrow, standard or wide. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, ZC86-90	0	8
77	Photoelastic stress analysis of different attachment systems on implant-retained and conventional palatal obturator prostheses. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 523-6	1.2	8
76	Effect of polymerization and accelerated aging on iris color stability of ocular prosthesis. <i>Contact Lens and Anterior Eye</i> , 2010 , 33, 215-8	4.1	8
75	Effect of acidic beverages on surface roughness and color stability of artificial teeth and acrylic resin. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 55-60	2.2	8
74	Microbiological analysis of conjunctival secretion in anophthalmic cavity, contralateral eye and ocular prosthesis of patients with maxillofacial abnormalities. <i>Letters in Applied Microbiology</i> , 2018 , 66, 104-109	2.9	7
73	An alternate impression technique for ocular prostheses. <i>Journal of Prosthodontics</i> , 2013 , 22, 338-40	3.9	7
72	Solutions for nasal defects. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2238-41	1.2	7
71	Surface degradation of lithium disilicate ceramic after immersion in acid and fluoride solutions. <i>American Journal of Dentistry</i> , 2015 , 28, 174-80	1.3	7
70	Alteration of blue pigment in artificial iris in ocular prosthesis: effect of paint, drying method and artificial aging. <i>Contact Lens and Anterior Eye</i> , 2011 , 34, 22-5	4.1	6

69	Stress analysis in oral obturator prostheses: imaging photoelastic. <i>Journal of Biomedical Optics</i> , 2013 , 18, 061203	3.5	6
68	Clinical viability for immediate loading of dental implants: part II--treatment alternatives. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2143-9	1.2	6
67	Prosthetic rehabilitation of a patient after a partial mandibulectomy. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 200-3	2	5
66	Toxicity analysis of ocular prosthesis acrylic resin with or without pigment incorporation in human conjunctival cell line. <i>Toxicology in Vitro</i> , 2016 , 36, 180-185	3.6	5
65	Tensile Bond Strength of a Soft Liner to an Acrylic Resin after Primer Application and Thermocycling. <i>Materials Research</i> , 2015 , 18, 1183-1187	1.5	5
64	Effect of beverages and mouthwashes on the hardness of polymers used in intraoral prostheses. <i>Journal of Prosthodontics</i> , 2014 , 23, 559-64	3.9	5
63	Influence of different disinfecting solutions on the color change of artificial irises used in ocular prostheses. <i>Color Research and Application</i> , 2014 , 39, 56-62	1.3	5
62	The use of fragments of thin veneers as a restorative therapy for anterior teeth disharmony: a case report with 3 years of follow-up. <i>Journal of Contemporary Dental Practice</i> , 2012 , 13, 416-20	0.7	5
61	Craniofacial implants success in facial rehabilitation. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 241-2	1.2	5
60	Implant-retained thumb prosthesis with anti-rotational attachment for a geriatric patient. <i>Gerodontology</i> , 2010 , 27, 243-7	2.8	5
59	Effect of different repair techniques on the accuracy of repositioning the fractured denture base. <i>Gerodontology</i> , 2009 , 26, 237-41	2.8	5
58	Effect of weathering and thickness on the opacity of acrylic resin and ocular button for artificial eyes. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 64-7	1.2	5
57	Color stability of the artificial iris button in an ocular prosthesis before and after acrylic resin polymerization. <i>Contact Lens and Anterior Eye</i> , 2015 , 38, 414-8	4.1	4
56	Biocompatibility of primers and an adhesive used for implant-retained maxillofacial prostheses: An invitro analysis. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 799-805	4	4
55	Chromatic changes to artificial irises produced using different techniques. <i>Journal of Biomedical Optics</i> , 2013 , 18, 58002	3.5	4
54	Patients'Satisfaction after surgical facial reconstruction or after rehabilitation with maxillofacial prosthesis. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 766-9	1.2	4
53	Stress Distribution in an Implant-Supported Mandibular Complete Denture Using Different Cantilever Lengths and Occlusal Coating Materials. <i>Implant Dentistry</i> , 2017 , 26, 106-111	2.4	3
52	Stress distribution in bone simulation model with pre-angled implants. <i>Journal of Medical Engineering and Technology</i> , 2015 , 39, 322-7	1.8	3

51	A photoelastic and strain gauge comparison of two attachments for obturator prostheses. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 685-689	4	3
50	Surface characterization of polymers used in fabrication of interim prostheses after treatment with photopolymerized glaze. <i>Materials Science and Engineering C</i> , 2017 , 71, 755-763	8.3	3
49	Silent period of masticatory cycles in dentate subjects and complete denture wearers. <i>Journal of Prosthodontics</i> , 2011 , 20, 130-4	3.9	3
48	Effect of nanoscale particles incorporation on microhardness of polymers for oral prosthesis. <i>Contemporary Clinical Dentistry</i> , 2016 , 7, 307-11	0.6	3
47	In vitro evaluation of the effect of different disinfectants on the biofilm of Staphylococcus epidermidis and Staphylococcus aureus formed on acrylic ocular prostheses. <i>PLoS ONE</i> , 2020 , 15, e0240116	3.7	3
46	Tear Strength Analysis of MDX4-4210 and A-2186 Silicones with Different Intrinsic Pigments Incorporated by Mechanical and Industrial Methods. <i>International Journal of Dentistry</i> , 2019 , 2019, 2573095	1.9	3
45	Electromyographic evaluation of masseter and anterior temporalis muscles in resting position and during maximum tooth clenching of edentulous patients before and after new complete dentures. <i>Acta Odontologica Latinoamericana: AOL</i> , 2007 , 20, 67-72	0.3	3
44	Influence of colorant solutions in properties of indirect resin composites. <i>American Journal of Dentistry</i> , 2015 , 28, 219-23	1.3	3
43	Finger prosthesis: the art of reconstruction. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2009 , 19, 670-1	0.7	3
42	Antimicrobial and protective effects of non-thermal plasma treatments on the performance of a resinous liner. <i>Archives of Oral Biology</i> , 2020 , 117, 104822	2.8	2
41	Effect of nonthermal plasma on the properties of a resinous liner submitted to aging. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 397-403	4	2
40	The importance of the lifelike esthetic appearance of all-ceramic restorations on anterior teeth. <i>Case Reports in Dentistry</i> , 2015 , 2015, 704348	0.6	2
39	Evaluation of Patients Satisfaction after Class III Orthognathic Surgery. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015 , 9, ZC23-7	0	2
38	Implant rehabilitation in bruxism patient. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	2
37	Implant-retained finger prosthesis with modified retention system. <i>Prosthetics and Orthotics International</i> , 2013 , 37, 324-8	1.5	2
36	Rehabilitation of maxillary cleft with hybrid obturator prosthesis. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, e517-21	1.2	2
35	Comparison of the Morse Cone Connection with the Internal Hexagon and External Hexagon Connections Based on Microleakage - Review. <i>Prague Medical Report</i> , 2021 , 122, 181-190	0.7	2
34	Effects of 50- and 70-Gy radiation doses on polymethyl methacrylate denture bases. <i>General Dentistry</i> , 2020 , 68, 56-59	1.2	2

33	Biomechanical evaluation of spring system for implant-supported prosthesis: analysis by photoelasticity and extensometry. <i>Journal of Medical Engineering and Technology</i> , 2017 , 41, 309-313	1.8	1
32	Evaluation of silent period on masticatory cycles of different muscles in dentate oral contraceptives users and nonusers. <i>European Journal of Dentistry</i> , 2015 , 9, 171-175	2.6	1
31	Bonding of facial silicon with nanoparticles to an acrylic resin substrate. <i>International Journal of Adhesion and Adhesives</i> , 2014 , 54, 206-213	3.4	1
30	Upper lip prosthesis retained to a palatal obturator. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, e59-62	1.2	1
29	Oral rehabilitation with implantations: association of fixed partial prosthesis, UCLA system, and EsthetiCone. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 155-8	1.2	1
28	Incidents malignant neoplasias maxillofacial area. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 1210-3	1.2	1
27	Silent period-dentate, edentulous, and patients with craniomandibular dysfunction. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1641-5	1.2	1
26	Surgical-allogeneic facial reconstruction: facial transplants. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2014 , 11, 733-9		1
25	Prosthetic Rehabilitation of an Eye Globe: Case Report. <i>Medicinski Arhiv = Medical Archives = Archives De Médecine</i> , 2019 , 73, 433-435	1.2	1
24	Expander Eye Prosthesis Assisting Ocular Rehabilitation in Child with Eye Loss. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, ZD06-ZD08	0	1
23	Analysis of Color and Hardness of a Medical Silicone with Extrinsic Pigmentation after Accelerated Aging. <i>European Journal of Dentistry</i> , 2020 , 14, 634-638	2.6	1
22	Effect of photopolymerized glaze application on bacterial adhesion on ocular acrylic resin surfaces submitted to accelerated ageing. <i>Letters in Applied Microbiology</i> , 2019 , 68, 120-127	2.9	1
21	Stress distribution of different implant connections associated with multiple implant-supported prostheses. <i>Journal of Medical Engineering and Technology</i> , 2018 , 42, 359-367	1.8	1
20	Silica deposition on zirconia via room-temperature atomic layer deposition (RT-ALD): Effect on bond strength to veneering ceramic.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 129, 105142	4.1	1
19	Analysis of physical properties of facial silicones with different pigmentations submitted to nonthermal plasma treatment and accelerated aging. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 815.e1-815.e7	4	0
18	Surface characterization of different surface treatments associations with plasma and bonding analysis of Y-TZP and the veneering ceramic. <i>Dental Materials</i> , 2021 , 37, 1873-1883	5.7	0
17	Marginal and internal adaptation of lithium disilicate partial restorations: A systematic review and meta-analysis. <i>Journal of Indian Prosthodontic Society, The</i> , 2020 , 20, 338-344	1.2	0
16	Influence of Different Pigmentations and Accelerated Aging on the Hardness and Tear Strength of the A-2186 and MDX4-4210 Silicones. <i>International Journal of Dentistry</i> , 2020 , 2020, 8492091	1.9	0

15	In situ melanoma of oral cavity: Diagnosis and treatment of a rare entity. <i>Oral Oncology</i> , 2021 , 115, 105116	1.6	o
14	Effects of rehabilitation with complete dentures on bite force and electromyography of jaw and neck muscles and the correlation with occlusal vertical dimension. <i>Clinical Oral Investigations</i> , 2021 , 25, 4691-4698	4.2	o
13	Influence of a light-activated glaze on the adhesion of <i>Streptococcus sanguinis</i> to the surface of polymers used in fabrication of interim prostheses. <i>Journal of Investigative and Clinical Dentistry</i> , 2019 , 10, e12452	2.3	
12	Can Nonthermal Plasma Improve the Adhesion between Acrylic Resin for Ocular Prostheses and Silicone-Based Relining Material?. <i>Journal of Prosthodontics</i> , 2019 , 28, 692-700	3.9	
11	Effect of nonthermal plasma treatment on the surface of dental resins immersed in artificial saliva. <i>Journal of Polymer Engineering</i> , 2016 , 36, 785-793	1.4	
10	Dynamic UCLA for single tilted implant in an aesthetic region. <i>International Journal of Surgery Case Reports</i> , 2015 , 7C, 149-53	0.8	
9	Patients from the Oral Oncology Center, UNESP, Araçatuba with an indication for prosthesis. <i>Molecular and Clinical Oncology</i> , 2013 , 1, 733-736	1.6	
8	Influence of Preparation and Exposure Periods of Eluates from Ocular Prosthesis Acrylic Resin in Human Conjunctival Cell Line. <i>Iranian Biomedical Journal</i> , 2019 , 23, 78-86	2	
7	The Impact of Surgery and Radiotherapy on Health-Related Quality of Life of Individuals with Oral and Oropharyngeal Carcinoma and Short-Term Follow up after Treatment. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 1227-1234	1.7	
6	Can innovative methods of polymerization improve the physical-mechanical behavior of acrylic resins?. <i>Materials Today Communications</i> , 2020 , 22, 100835	2.5	
5	Effect of handling material on mechanical and optical properties of feldspathic porcelain. <i>Journal of Esthetic and Restorative Dentistry</i> , 2021 , 33, 919-924	3.5	
4	Alcohol and light-polymerizing glaze effect on the physical and mechanical properties of a bisacrylate composite resin before and after immersion in chlorhexidine gluconate. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 832.e1-832.e6	4	
3	Extended-pour and conventional alginates: effect of storage time on dimensional accuracy and maintenance of details. <i>Dental Press Journal of Orthodontics</i> , 2021 , 26, e2119251	1.3	
2	Bacterial Adhesion on Lithium Disilicate Ceramic Surface Exposed to Different Hydrofluoric Solutions. <i>Ceramics</i> , 2018 , 1, 145-152	1.7	
1	Effect of processing methods on the cytotoxicity of methyl methacrylate-based ocular prostheses: An in vitro study. <i>Toxicology in Vitro</i> , 2021 , 76, 105211	3.6	