

Daniela Micheline Dos Santos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/620993/daniela-micheline-dos-santos-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

1,656
citations

21
h-index

29
g-index

166
ext. papers

1,949
ext. citations

2.5
avg, IF

4.57
L-index

#	Paper	IF	Citations
158	Silica deposition on zirconia via room-temperature atomic layer deposition (RT-ALD): Effect on bond strength to veneering ceramic.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 129, 105142	4.1	1
157	Comparison of the Morse Cone Connection with the Internal Hexagon and External Hexagon Connections Based on Microleakage - Review. <i>Prague Medical Report</i> , 2021 , 122, 181-190	0.7	2
156	Surface characterization of different surface treatments associations with plasma and bonding analysis of Y-TZP and the veneering ceramic. <i>Dental Materials</i> , 2021 , 37, 1873-1883	5.7	0
155	Effect of handling material on mechanical and optical properties of feldspathic porcelain. <i>Journal of Esthetic and Restorative Dentistry</i> , 2021 , 33, 919-924	3.5	
154	Alcohol and light-polymerizing glaze effect on the physical and mechanical properties of a bisacrylate composite resin before and after immersion in chlorhexidine gluconate. <i>Journal of Prosthetic Dentistry</i> , 2021 , 125, 832.e1-832.e6	4	
153	In situ melanoma of oral cavity: Diagnosis and treatment of a rare entity. <i>Oral Oncology</i> , 2021 , 115, 105116	4	0
152	Effects of rehabilitation with complete dentures on bite force and electromyography of jaw and neck muscles and the correlation with occlusal vertical dimension. <i>Clinical Oral Investigations</i> , 2021 , 25, 4691-4698	4.2	0
151	Extended-pour and conventional alginates: effect of storage time on dimensional accuracy and maintenance of details. <i>Dental Press Journal of Orthodontics</i> , 2021 , 26, e2119251	1.3	
150	Effect of processing methods on the cytotoxicity of methyl methacrylate-based ocular prostheses: An in vitro study. <i>Toxicology in Vitro</i> , 2021 , 76, 105211	3.6	
149	Analysis of physical properties of facial silicones with different pigmentations submitted to nonthermal plasma treatment and accelerated aging. <i>Journal of Prosthetic Dentistry</i> , 2020 , 124, 815.e1-815.e7	4.1	0
148	Antimicrobial and protective effects of non-thermal plasma treatments on the performance of a resinous liner. <i>Archives of Oral Biology</i> , 2020 , 117, 104822	2.8	2
147	Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020 , 49, 1220-1231	2.9	8
146	Effect of acidic beverages on surface roughness and color stability of artificial teeth and acrylic resin. <i>Journal of Advanced Prosthodontics</i> , 2020 , 12, 55-60	2.2	8
145	The Impact of Surgery and Radiotherapy on Health-Related Quality of Life of Individuals with Oral and Oropharyngeal Carcinoma and Short-Term Follow up after Treatment. <i>Asian Pacific Journal of Cancer Prevention</i> , 2020 , 21, 1227-1234	1.7	
144	Marginal and internal adaptation of lithium disilicate partial restorations: A systematic review and meta-analysis. <i>Journal of Indian Prosthodontic Society</i> , 2020 , 20, 338-344	1.2	0
143	Can innovative methods of polymerization improve the physical-mechanical behavior of acrylic resins?. <i>Materials Today Communications</i> , 2020 , 22, 100835	2.5	
142	In vitro evaluation of the effect of different disinfectants on the biofilm of Staphylococcus epidermidis and Staphylococcus aureus formed on acrylic ocular prostheses. <i>PLoS ONE</i> , 2020 , 15, e0240116	2.7	3

141	Analysis of Color and Hardness of a Medical Silicone with Extrinsic Pigmentation after Accelerated Aging. <i>European Journal of Dentistry</i> , 2020 , 14, 634-638	2.6	1
140	Influence of Different Pigmentations and Accelerated Aging on the Hardness and Tear Strength of the A-2186 and MDX4-4210 Silicones. <i>International Journal of Dentistry</i> , 2020 , 2020, 8492091	1.9	0
139	Influence of the ferrule effect on the failure of fiber-reinforced composite post-and-core restorations: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , 2020 , 123, 239-245	4	13
138	Cytotoxicity and antimicrobial effects of citronella oil (<i>Cymbopogon nardus</i>) and commercial mouthwashes on <i>S. aureus</i> and <i>C. albicans</i> biofilms in prosthetic materials. <i>Archives of Oral Biology</i> , 2020 , 109, 104577	2.8	15
137	Effects of 50- and 70-Gy radiation doses on polymethyl methacrylate denture bases. <i>General Dentistry</i> , 2020 , 68, 56-59	1.2	2
136	Influence of a light-activated glaze on the adhesion of <i>Streptococcus sanguinis</i> to the surface of polymers used in fabrication of interim prostheses. <i>Journal of Investigative and Clinical Dentistry</i> , 2019 , 10, e12452	2.3	
135	Can Nonthermal Plasma Improve the Adhesion between Acrylic Resin for Ocular Prostheses and Silicone-Based Relining Material?. <i>Journal of Prosthodontics</i> , 2019 , 28, 692-700	3.9	
134	Classification, History, and Future Prospects of Maxillofacial Prosthesis. <i>International Journal of Dentistry</i> , 2019 , 2019, 8657619	1.9	9
133	Influence of Preparation and Exposure Periods of Eluates from Ocular Prosthesis Acrylic Resin in Human Conjunctival Cell Line. <i>Iranian Biomedical Journal</i> , 2019 , 23, 78-86	2	
132	Prosthetic Rehabilitation of an Eye Globe: Case Report. <i>Medicinski Arhiv = Medical Archives = Archives De Médecine</i> , 2019 , 73, 433-435	1.2	1
131	Tear Strength Analysis of MDX4-4210 and A-2186 Silicones with Different Intrinsic Pigments Incorporated by Mechanical and Industrial Methods. <i>International Journal of Dentistry</i> , 2019 , 2019, 2573095	1.9	3
130	Effect of photopolymerized glaze application on bacterial adhesion on ocular acrylic resin surfaces submitted to accelerated ageing. <i>Letters in Applied Microbiology</i> , 2019 , 68, 120-127	2.9	1
129	Microbiological analysis of conjunctival secretion in anophthalmic cavity, contralateral eye and ocular prosthesis of patients with maxillofacial abnormalities. <i>Letters in Applied Microbiology</i> , 2018 , 66, 104-109	2.9	7
128	Effect of nonthermal plasma on the properties of a resinous liner submitted to aging. <i>Journal of Prosthetic Dentistry</i> , 2018 , 119, 397-403	4	2
127	Does the Presence of a Cantilever Influence the Survival and Success of Partial Implant-Supported Dental Prostheses? Systematic Review and Meta-Analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 815-823	2.8	13
126	The Effect of Surface Treatment on Shear Bond Strength between Y-TZP and Veneer Ceramic: A Systematic Review and Meta-Analysis. <i>Journal of Prosthodontics</i> , 2018 , 27, 624-635	3.9	16
125	Bacterial Adhesion on Lithium Disilicate Ceramic Surface Exposed to Different Hydrofluoric Solutions. <i>Ceramics</i> , 2018 , 1, 145-152	1.7	
124	Stress distribution of different implant connections associated with multiple implant-supported prostheses. <i>Journal of Medical Engineering and Technology</i> , 2018 , 42, 359-367	1.8	1

123	Clinical outcome of removable prostheses supported by mini dental implants. A systematic review. <i>Acta Odontologica Scandinavica</i> , 2018 , 76, 628-637	2.2	10
122	Effect of different acidic solutions on the optical behavior of lithium disilicate ceramics. <i>Journal of Prosthetic Dentistry</i> , 2017 , 118, 430-436	4	19
121	Stress Distribution in an Implant-Supported Mandibular Complete Denture Using Different Cantilever Lengths and Occlusal Coating Materials. <i>Implant Dentistry</i> , 2017 , 26, 106-111	2.4	3
120	Biomechanical evaluation of spring system for implant-supported prosthesis: analysis by photoelasticity and extensometry. <i>Journal of Medical Engineering and Technology</i> , 2017 , 41, 309-313	1.8	1
119	Surface analysis and shear bond strength of zirconia on resin cements after non-thermal plasma treatment and/or primer application for metallic alloys. <i>Materials Science and Engineering C</i> , 2017 , 72, 284-292	8.3	15
118	A photoelastic and strain gauge comparison of two attachments for obturator prostheses. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 685-689	4	3
117	Surface characterization of polymers used in fabrication of interim prostheses after treatment with photopolymerized glaze. <i>Materials Science and Engineering C</i> , 2017 , 71, 755-763	8.3	3
116	Biocompatibility of primers and an adhesive used for implant-retained maxillofacial prostheses: An <i>in vitro</i> analysis. <i>Journal of Prosthetic Dentistry</i> , 2017 , 117, 799-805	4	4
115	Relationship Between Implant Stability Measurements Obtained by Two Different Devices: A Systematic Review. <i>Journal of Periodontology</i> , 2017 , 88, 281-288	4.6	20
114	Stress distribution on short implants with different designs: a photoelastic analysis. <i>Journal of Medical Engineering and Technology</i> , 2017 , 41, 115-121	1.8	9
113	Electromyography evaluation of masseter and temporalis, bite force, and quality of life in elderly patients during the adaptation of mandibular implant-supported overdentures. <i>Clinical Oral Implants Research</i> , 2017 , 28, e169-e174	4.8	11
112	Expander Eye Prosthesis Assisting Ocular Rehabilitation in Child with Eye Loss. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2017 , 11, ZD06-ZD08	0	1
111	Toxicity analysis of ocular prosthesis acrylic resin with or without pigment incorporation in human conjunctival cell line. <i>Toxicology in Vitro</i> , 2016 , 36, 180-185	3.6	5
110	In vitro analysis of different properties of acrylic resins for ocular prosthesis submitted to accelerated aging with or without photopolymerized glaze. <i>Materials Science and Engineering C</i> , 2016 , 69, 995-1003	8.3	9
109	Effect of different methods of polymerizing ocular prosthesis acrylic resin on a human conjunctival cell line. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 818-823	4	8
108	Evaluation of marginal bone loss of dental implants with internal or external connections and its association with other variables: A systematic review. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 501-506	4.5	23
107	Stress distribution in implant-supported prostheses using different connection systems and cantilever lengths: digital photoelasticity. <i>Journal of Medical Engineering and Technology</i> , 2016 , 40, 35-42	1.8	11
106	Aging effect of atmospheric air on lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 780-7	4	14

105	Antimicrobial activity of conventional and plant-extract disinfectant solutions on microbial biofilms on a maxillofacial polymer surface. <i>Journal of Prosthetic Dentistry</i> , 2016 , 116, 136-43	4	19
104	Effect of nonthermal plasma treatment on the surface of dental resins immersed in artificial saliva. <i>Journal of Polymer Engineering</i> , 2016 , 36, 785-793	1.4	
103	Effect of nonthermal plasma treatment on surface chemistry of commercially-pure titanium and shear bond strength to autopolymerizing acrylic resin. <i>Materials Science and Engineering C</i> , 2016 , 60, 37-44	8.3	9
102	Comparison of conventional and plant-extract disinfectant solutions on the hardness and color stability of a maxillofacial elastomer after artificial aging. <i>Journal of Prosthetic Dentistry</i> , 2016 , 115, 501-8	4	19
101	Effect of nanoscale particles incorporation on microhardness of polymers for oral prosthesis. <i>Contemporary Clinical Dentistry</i> , 2016 , 7, 307-11	0.6	3
100	Color stability of the artificial iris button in an ocular prosthesis before and after acrylic resin polymerization. <i>Contact Lens and Anterior Eye</i> , 2015 , 38, 414-8	4.1	4
99	Prosthetic rehabilitation of a patient after a partial mandibulectomy. <i>Annals of Medicine and Surgery</i> , 2015 , 4, 200-3	2	5
98	Stress distribution in bone simulation model with pre-angled implants. <i>Journal of Medical Engineering and Technology</i> , 2015 , 39, 322-7	1.8	3
97	Tensile Bond Strength of a Soft Liner to an Acrylic Resin after Primer Application and Thermocycling. <i>Materials Research</i> , 2015 , 18, 1183-1187	1.5	5
96	The importance of the lifelike esthetic appearance of all-ceramic restorations on anterior teeth. <i>Case Reports in Dentistry</i> , 2015 , 2015, 704348	0.6	2
95	Evaluation of silent period on masticatory cycles of different muscles in dentate oral contraceptives users and nonusers. <i>European Journal of Dentistry</i> , 2015 , 9, 171-175	2.6	1
94	Evaluation of Patients Satisfaction after Class III Orthognathic Surgery. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2015 , 9, ZC23-7	0	2
93	Is the internal connection more efficient than external connection in mechanical, biological, and esthetical point of views? A systematic review. <i>Oral and Maxillofacial Surgery</i> , 2015 , 19, 229-42	1.6	41
92	Dynamic UCLA for single tilted implant in an aesthetic region. <i>International Journal of Surgery Case Reports</i> , 2015 , 7C, 149-53	0.8	
91	Surface degradation of lithium disilicate ceramic after immersion in acid and fluoride solutions. <i>American Journal of Dentistry</i> , 2015 , 28, 174-80	1.3	7
90	Influence of colorant solutions in properties of indirect resin composites. <i>American Journal of Dentistry</i> , 2015 , 28, 219-23	1.3	3
89	Surface characterization of lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , 2014 , 112, 1156-63	4	22
88	Immediate loading of overdentures: systematic review. <i>Oral and Maxillofacial Surgery</i> , 2014 , 18, 259-64	1.6	8

87	Effect of different solutions on color stability of acrylic resin-based dentures. <i>Brazilian Oral Research</i> , 2014 , 28,	2.6	12
86	Implant rehabilitation in bruxism patient. <i>BMJ Case Reports</i> , 2014 , 2014,	0.9	2
85	Bonding of facial silicon with nanoparticles to an acrylic resin substrate. <i>International Journal of Adhesion and Adhesives</i> , 2014 , 54, 206-213	3.4	1
84	Dental implant fractures - aetiology, treatment and case report. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, 300-4	0	8
83	Photoelastic stress analysis in prosthetic implants of different diameters: mini, narrow, standard or wide. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 2014 , 8, ZC86-90	0	8
82	Effect of beverages and mouthwashes on the hardness of polymers used in intraoral prostheses. <i>Journal of Prosthodontics</i> , 2014 , 23, 559-64	3.9	5
81	Fabrication techniques for ocular prostheses--an overview. <i>Orbit</i> , 2014 , 33, 229-33	1.5	21
80	Influence of different disinfecting solutions on the color change of artificial irises used in ocular prostheses. <i>Color Research and Application</i> , 2014 , 39, 56-62	1.3	5
79	Surgical-allogeneic facial reconstruction: facial transplants. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , 2014 , 11, 733-9		1
78	Influence of nanoparticles on color stability, microhardness, and flexural strength of acrylic resins specific for ocular prosthesis. <i>International Journal of Nanomedicine</i> , 2014 , 9, 5779-87	7.3	14
77	Stress distribution in implant-supported prosthesis with external and internal implant-abutment connections. <i>Acta Odontologica Scandinavica</i> , 2013 , 71, 283-8	2.2	18
76	Effect of intrinsic nanoparticle pigmentation on the color stability of denture base acrylic resins. <i>Journal of Prosthetic Dentistry</i> , 2013 , 110, 101-6	4	9
75	An alternate impression technique for ocular prostheses. <i>Journal of Prosthodontics</i> , 2013 , 22, 338-40	3.9	7
74	Stress analysis in oral obturator prostheses over parallel and tilted implants: photoelastic imaging. <i>Journal of Biomedical Optics</i> , 2013 , 18, 106009	3.5	9
73	Implant-retained finger prosthesis with modified retention system. <i>Prosthetics and Orthotics International</i> , 2013 , 37, 324-8	1.5	2
72	Chromatic changes to artificial irises produced using different techniques. <i>Journal of Biomedical Optics</i> , 2013 , 18, 58002	3.5	4
71	Effect of thermal cycling and disinfection on microhardness of acrylic resin denture base. <i>Journal of Medical Engineering and Technology</i> , 2013 , 37, 203-7	1.8	12
70	Rehabilitation of maxillary cleft with hybrid obturator prosthesis. <i>Journal of Craniofacial Surgery</i> , 2013 , 24, e517-21	1.2	2

69	Patients from the Oral Oncology Center, UNESP, Araçatuba with an indication for prosthesis. <i>Molecular and Clinical Oncology</i> , 2013 , 1, 733-736	1.6	
68	Stress analysis in oral obturator prostheses: imaging photoelastic. <i>Journal of Biomedical Optics</i> , 2013 , 18, 061203	3.5	6
67	Effect of addition of pigments and opacifier on the hardness, absorption, solubility and surface degradation of facial silicone after artificial ageing. <i>Polymer Degradation and Stability</i> , 2012 , 97, 1249-1253	4.7	15
66	The use of fragments of thin veneers as a restorative therapy for anterior teeth disharmony: a case report with 3 years of follow-up. <i>Journal of Contemporary Dental Practice</i> , 2012 , 13, 416-20	0.7	5
65	Effects of pigment, disinfection, and accelerated aging on the hardness and deterioration of a facial silicone elastomer. <i>Polymer Degradation and Stability</i> , 2012 , 97, 1577-1580	4.7	11
64	Bond strength between acrylic resin and maxillofacial silicone. <i>Journal of Applied Oral Science</i> , 2012 , 20, 649-54	3.3	15
63	Effect of thermocycling on hardness, absorption, solubility and colour change of soft liners. <i>Gerodontology</i> , 2012 , 29, e215-9	2.8	31
62	Photoelastic analysis to compare implant-retained and conventional obturator dentures. <i>Journal of Biomedical Optics</i> , 2012 , 17, 061203	3.5	9
61	Patients satisfaction after surgical facial reconstruction or after rehabilitation with maxillofacial prosthesis. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 766-9	1.2	4
60	Prototyping for surgical and prosthetic treatment. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 914-7	1.2	51
59	Upper lip prosthesis retained to a palatal obturator. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, e59-62	1.2	1
58	Oral rehabilitation with implantations: association of fixed partial prosthesis, UCLA system, and EsthetiCone. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 155-8	1.2	1
57	Craniofacial implants success in facial rehabilitation. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 241-2	1.2	5
56	Photoelastic stress analysis of different attachment systems on implant-retained and conventional palatal obturator prostheses. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 523-6	1.2	8
55	Photoelastic analysis of implant-retained and conventional obturator prostheses with different attachment systems and soft relining. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 797-800	1.2	10
54	Prosthetic treatments for patients with oronasal communication. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 1445-7	1.2	21
53	Influence of pigment and opacifier on dimensional stability and detail reproduction of maxillofacial silicone elastomer. <i>Journal of Craniofacial Surgery</i> , 2011 , 22, 1612-6	1.2	9
52	Influence of pigments and opacifiers on color stability of an artificially aged facial silicone. <i>Journal of Prosthodontics</i> , 2011 , 20, 205-8	3.9	24

51	Silent period of masticatory cycles in dentate subjects and complete denture wearers. <i>Journal of Prosthodontics</i> , 2011 , 20, 130-4	3.9	3
50	Effect of disinfection and accelerated aging on color stability of colorless and pigmented facial silicone. <i>Journal of Prosthodontics</i> , 2011 , 20, 305-9	3.9	16
49	Effect of chemical disinfection and accelerated aging on color stability of maxillofacial silicone with opacifiers. <i>Journal of Prosthodontics</i> , 2011 , 20, 566-9	3.9	19
48	Colour change of soft denture liners after storage in coffee and coke. <i>Gerodontology</i> , 2011 , 28, 140-5	2.8	13
47	Insertion and follow-up of complete dentures: a literature review. <i>Gerodontology</i> , 2011 , 28, 197-204	2.8	9
46	Alteration of blue pigment in artificial iris in ocular prosthesis: effect of paint, drying method and artificial aging. <i>Contact Lens and Anterior Eye</i> , 2011 , 34, 22-5	4.1	6
45	Color stability of maxillofacial silicone with nanoparticle pigment and opacifier submitted to disinfection and artificial aging. <i>Journal of Biomedical Optics</i> , 2011 , 16, 095004	3.5	23
44	Analysis of masticatory cycle efficiency in complete denture wearers. <i>Journal of Prosthodontics</i> , 2010 , 19, 10-3	3.9	22
43	TMJ vibrations in asymptomatic patients using old and new complete dentures. <i>Journal of Prosthodontics</i> , 2010 , 19, 438-42	3.9	12
42	Implant-retained thumb prosthesis with anti-rotational attachment for a geriatric patient. <i>Gerodontology</i> , 2010 , 27, 243-7	2.8	5
41	Hardness evaluation of prosthetic silicones containing opacifiers following chemical disinfection and accelerated aging. <i>Brazilian Oral Research</i> , 2010 , 24, 303-8	2.6	22
40	Effect of accelerated aging on the microhardness and color stability of flexible resins for dentures. <i>Brazilian Oral Research</i> , 2010 , 24, 114-9	2.6	36
39	Chromatic stability of acrylic resins of artificial eyes submitted to accelerated aging and polishing. <i>Journal of Applied Oral Science</i> , 2010 , 18, 641-5	3.3	12
38	Prosthesis auricular with osseointegrated implants and quality of life. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 94-6	1.2	22
37	Management of orbital reconstruction. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1834-6	1.2	11
36	Effect of weathering and thickness on the opacity of acrylic resin and ocular button for artificial eyes. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 64-7	1.2	5
35	Color stability of polymers for facial prosthesis. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 54-8	1.2	19
34	Evaluation of the Shore A hardness of silicone for facial prosthesis as to the effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 323-7	1.2	28

33	Most frequent tumors in maxillofacial area rehabilitated through surgical reconstruction and prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 396-9	1.2	11
32	Mobility, aesthetic, implants, and satisfaction of the ocular prostheses wearers. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 160-4	1.2	11
31	Postsurgical care for rehabilitation with implant-retained extraoral prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 565-7	1.2	9
30	Care and cleaning of maxillofacial prostheses. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1270-3	1.2	21
29	Factors to achieve aesthetics in all-ceramic restorations. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 2007-122		17
28	Marginal deterioration of the silicone for facial prosthesis with pigments after effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 142-5	1.2	13
27	Silent period-dentate, edentulous, and patients with craniomandibular dysfunction. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1641-5	1.2	1
26	Effect of weathering and thickness on roughness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , 2010 , 33, 124-7	4.1	14
25	Effect of polymerization and accelerated aging on iris color stability of ocular prosthesis. <i>Contact Lens and Anterior Eye</i> , 2010 , 33, 215-8	4.1	8
24	Evaluation of hardness and surface roughness of two maxillofacial silicones following disinfection. <i>Brazilian Oral Research</i> , 2009 , 23, 49-53	2.6	42
23	Color stability after accelerated aging of two silicones, pigmented or not, for use in facial prostheses. <i>Brazilian Oral Research</i> , 2009 , 23, 144-8	2.6	32
22	Evaluation of hardness and colour change of soft liners after accelerated ageing. <i>Primary Dental Care</i> , 2009 , 16, 127-30		16
21	Effect of weathering and thickness on the superficial microhardness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , 2009 , 32, 283-7	4.1	18
20	Effect of different repair techniques on the accuracy of repositioning the fractured denture base. <i>Gerodontology</i> , 2009 , 26, 237-41	2.8	5
19	Influence of investment, disinfection, and storage on the microhardness of ocular resins. <i>Journal of Prosthodontics</i> , 2009 , 18, 32-5	3.9	36
18	Color stability comparison of silicone facial prostheses following disinfection. <i>Journal of Prosthodontics</i> , 2009 , 18, 242-4	3.9	26
17	Patient satisfaction with maxillofacial prosthesis. Literature review. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2009 , 62, 175-80	1.7	97
16	Retention systems to implant-supported craniofacial prostheses. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 889-91	1.2	16

15	Incidents malignant neoplasias maxillofacial area. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 1210-3	1.2	1
14	Clinical viability of immediate loading of dental implants: part I--factors for success. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2139-42	1.2	11
13	Clinical viability for immediate loading of dental implants: part II--treatment alternatives. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2143-9	1.2	6
12	Photoelastic analysis of stress distribution in oral rehabilitation. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 471-4	1.2	11
11	Solutions for nasal defects. <i>Journal of Craniofacial Surgery</i> , 2009 , 20, 2238-41	1.2	7
10	Assessment of the flexural strength of two heat-curing acrylic resins for artificial eyes. <i>Brazilian Oral Research</i> , 2009 , 23, 263-7	2.6	18
9	Color alteration of the paint used for iris painting in ocular prostheses. <i>Brazilian Oral Research</i> , 2009 , 23, 386-92	2.6	23
8	Finger prosthesis: the art of reconstruction. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2009 , 19, 670-1	0.7	3
7	Electromyographic activity of the mandible muscles at the beginning and end of masticatory cycles in patients with complete dentures. <i>Gerontology</i> , 2008 , 54, 138-43	5.5	17
6	Influence of storage period and effect of different brands of acrylic resin on the dimensional accuracy of the maxillary denture base. <i>Brazilian Dental Journal</i> , 2008 , 19, 204-8	1.9	12
5	Evaluation of dimensional change and detail reproduction in silicones for facial prostheses. <i>Acta Odontologica Latinoamericana: AOL</i> , 2008 , 21, 85-8	0.3	9
4	Complete denture masticatory efficiency: a literature review. <i>Journal of the California Dental Association</i> , 2008 , 36, 683-6	4.3	10
3	Positioning Magnets on a Multiple/Sectional Maxillofacial Prosthesis. <i>Journal of Contemporary Dental Practice</i> , 2007 , 8, 101-107	0.7	41
2	Positioning magnets on a multiple/sectional maxillofacial prosthesis. <i>Journal of Contemporary Dental Practice</i> , 2007 , 8, 101-7	0.7	11
1	Electromyographic evaluation of masseter and anterior temporalis muscles in resting position and during maximum tooth clenching of edentulous patients before and after new complete dentures. <i>Acta Odontologica Latinoamericana: AOL</i> , 2007 , 20, 67-72	0.3	3