

Ken Kishida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6211288/publications.pdf>

Version: 2024-02-01

25
papers

2,126
citations

567144

15
h-index

580701

25
g-index

28
all docs

28
docs citations

28
times ranked

2885
citing authors

#	ARTICLE	IF	CITATIONS
1	Adipocyte-Derived Plasma Protein, Adiponectin, Suppresses Lipid Accumulation and Class A Scavenger Receptor Expression in Human Monocyte-Derived Macrophages. <i>Circulation</i> , 2001, 103, 1057-1063.	1.6	1,184
2	Absolute value of visceral fat area measured on computed tomography scans and obesity-related cardiovascular risk factors in large-scale Japanese general population (the VACATION-J study). <i>Annals of Medicine</i> , 2012, 44, 82-92.	1.5	156
3	Adiponectin as a routine clinical biomarker. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014, 28, 119-130.	2.2	147
4	Visceral adiposity as a target for the management of the metabolic syndrome. <i>Annals of Medicine</i> , 2012, 44, 233-241.	1.5	80
5	Clinical significance of visceral adiposity assessed by computed tomography: A Japanese perspective. <i>World Journal of Radiology</i> , 2014, 6, 409.	0.5	71
6	Disturbed secretion of mutant adiponectin associated with the metabolic syndrome. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 286-292.	1.0	66
7	Molecular Mechanisms of Diabetes and Atherosclerosis: Role of Adiponectin. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2012, 12, 118-131.	0.6	59
8	Relationships between Circulating Adiponectin Levels and Fat Distribution in Obese Subjects. <i>Journal of Atherosclerosis and Thrombosis</i> , 2011, 18, 592-595.	0.9	58
9	The Expression of SPARC in Adipose Tissue and Its Increased Plasma Concentration in Patients with Coronary Artery Disease. <i>Obesity</i> , 2001, 9, 388-393.	4.0	45
10	Visualized macrophage dynamics and significance of S100A8 in obese fat. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2058-66.	3.3	43
11	Reduction of Visceral Fat Correlates with the Decrease in the Number of Obesity-Related Cardiovascular Risk Factors in Japanese with Abdominal Obesity (VACATION-J Study). <i>Journal of Atherosclerosis and Thrombosis</i> , 2012, 19, 1006-1018.	0.9	39
12	Pioglitazone suppresses neuronal and muscular degeneration caused by polyglutamine-expanded androgen receptors. <i>Human Molecular Genetics</i> , 2015, 24, 314-329.	1.4	32
13	Correlation of insulin resistance and motor function in spinal and bulbar muscular atrophy. <i>Journal of Neurology</i> , 2017, 264, 839-847.	1.8	27
14	Accumulation of adiponectin in inflamed adipose tissues of obese mice. <i>Metabolism: Clinical and Experimental</i> , 2014, 63, 542-553.	1.5	26
15	Clinical Importance of Assessment of Type 2 Diabetes Mellitus with Visceral Obesity. A Japanese Perspective. <i>Current Diabetes Reviews</i> , 2012, 8, 84-91.	0.6	21
16	Clinical significance of visceral fat reduction through health education in preventing atherosclerotic cardiovascular disease - Lesson from the Amagasaki Visceral Fat Study: A Japanese perspective. <i>Nutrition and Metabolism</i> , 2011, 8, 57.	1.3	13
17	Serum C1q- binding adiponectin in maintenance hemodialysis patients. <i>BMC Nephrology</i> , 2013, 14, 50.	0.8	12
18	Importance of Assessing the Effect of Statins on the Function of High- Density Lipoproteins on Coronary Plaque. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2012, 12, 28-34.	0.2	11

#	ARTICLE	IF	CITATIONS
19	High serum C1q-binding adiponectin levels in male patients with acute coronary syndrome. <i>Cardiovascular Diabetology</i> , 2014, 13, 9.	2.7	11
20	Successful Use of ¹¹¹ In-Pentetreotide Scintigraphy for Localizing Ectopic Adrenocorticotropin-Producing Bronchial Carcinoid Tumor in a Patient with Cushing's Syndrome. <i>Internal Medicine</i> , 2003, 42, 996-1005.	0.3	7
21	Tracing the movement of adiponectin in a parabiosis model of wild-type and adiponectin-knockout mice. <i>FEBS Open Bio</i> , 2014, 4, 276-282.	1.0	5
22	Predictors of deterioration of glucose tolerance and effects of lifestyle intervention aimed at reducing visceral fat in normal glucose tolerance subjects with abdominal obesity. <i>Journal of Diabetes Investigation</i> , 2011, 2, 218-224.	1.1	4
23	Short-term intervention reduces bioelectrical impedance analysis-measured visceral fat in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, e27-e29.	1.1	4
24	Effects of pitavastatin on HDL metabolism. <i>Clinical Lipidology</i> , 2013, 8, 55-68.	0.4	3
25	Increased serum C1q-binding adiponectin complex to total-adiponectin ratio in men with multi-vessel coronary disease. <i>Diabetology and Metabolic Syndrome</i> , 2014, 6, 64.	1.2	2