

Jon O Ebbert

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6212022/jon-o-ebbert-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168
papers

4,398
citations

34
h-index

58
g-index

170
ext. papers

5,171
ext. citations

5.5
avg, IF

5.71
L-index

#	Paper	IF	Citations
168	A pooled analysis of waist circumference and mortality in 650,000 adults. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 335-45	6.4	225
167	Fat depots, free fatty acids, and dyslipidemia. <i>Nutrients</i> , 2013 , 5, 498-508	6.7	190
166	Why patients visit their doctors: assessing the most prevalent conditions in a defined American population. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 56-67	6.4	188
165	The relationship between cigarette smoking and quality of life after lung cancer diagnosis. <i>Chest</i> , 2004 , 126, 1733-41	5.3	172
164	Simultaneous Analysis of Nicotine, Nicotine Metabolites, and Tobacco Alkaloids in Serum or Urine by Tandem Mass Spectrometry, with Clinically Relevant Metabolic Profiles. <i>Clinical Chemistry</i> , 2002 , 48, 1460-1471	5.5	172
163	Prevalence of multimorbidity in a geographically defined American population: patterns by age, sex, and race/ethnicity. <i>Mayo Clinic Proceedings</i> , 2014 , 89, 1336-49	6.4	151
162	The Fagerstr�m Test for Nicotine Dependence-Smokeless Tobacco (FTND-ST). <i>Addictive Behaviors</i> , 2006 , 31, 1716-21	4.2	123
161	Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. <i>BMJ Open</i> , 2015 , 5, e006413	3	122
160	Comparisons of high-dose and combination nicotine replacement therapy, varenicline, and bupropion for smoking cessation: a systematic review and multiple treatment meta-analysis. <i>Annals of Medicine</i> , 2012 , 44, 588-97	1.5	114
159	Respiratory syncytial virus pneumonitis in immunocompromised adults: clinical features and outcome. <i>Respiration</i> , 2005 , 72, 263-9	3.7	108
158	Combination varenicline and bupropion SR for tobacco-dependence treatment in cigarette smokers: a randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 155-63	27.4	87
157	Age and sex patterns of drug prescribing in a defined American population. <i>Mayo Clinic Proceedings</i> , 2013 , 88, 697-707	6.4	83
156	Adverse events associated with nicotine replacement therapy (NRT) for smoking cessation. A systematic review and meta-analysis of one hundred and twenty studies involving 177,390 individuals. <i>Tobacco Induced Diseases</i> , 2010 , 8, 8	3.2	80
155	778. ID Rocks It: Infectious Disease Remotely Offered Consultative Knowledge and Support via Inpatient Telehealth. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S345-S346	1	78
154	Varenicline and bupropion sustained-release combination therapy for smoking cessation. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 234-9	4.9	73
153	Interventions for tobacco cessation in the dental setting. <i>The Cochrane Library</i> , 2012 , CD005084	5.2	68
152	A survey of the attitudes, beliefs and knowledge about medical cannabis among primary care providers. <i>BMC Family Practice</i> , 2019 , 20, 17	2.6	67

151	Combination treatment with varenicline and nicotine replacement therapy. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 572-6	4.9	64
150	Simultaneous analysis of nicotine, nicotine metabolites, and tobacco alkaloids in serum or urine by tandem mass spectrometry, with clinically relevant metabolic profiles. <i>Clinical Chemistry</i> , 2002 , 48, 1460-71	5.7	52
149	Adverse effects and tolerability of medications for the treatment of tobacco use and dependence. <i>Drugs</i> , 2010 , 70, 2357-72	12.1	46
148	Impact of differing definitions of dual tobacco use: implications for studying dual use and a call for operational definitions. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 523-31	4.9	44
147	Bupropion for the treatment of tobacco dependence: guidelines for balancing risks and benefits. <i>CNS Drugs</i> , 2003 , 17, 71-83	6.7	43
146	Medical Cannabis. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 1842-1847	6.4	43
145	Interventions for smokeless tobacco use cessation. <i>Cochrane Database of Systematic Reviews</i> , 2011 , CD004306	4.2	
144	Searching the medical literature using PubMed: a tutorial. <i>Mayo Clinic Proceedings</i> , 2003 , 78, 87-91	6.4	40
143	Emergency department and inpatient health care utilization among patients who require interpreter services. <i>BMC Health Services Research</i> , 2015 , 15, 214	2.9	39
142	Varenicline for smoking cessation: efficacy, safety, and treatment recommendations. <i>Patient Preference and Adherence</i> , 2010 , 4, 355-62	2.4	39
141	Bupropion for the treatment of nicotine dependence in spit tobacco users: a pilot study. <i>Nicotine and Tobacco Research</i> , 2002 , 4, 267-74	4.9	39
140	Treating tobacco dependence in a medical setting. <i>Ca-A Cancer Journal for Clinicians</i> , 2009 , 59, 314-26	220.7	38
139	Association between respiratory tract diseases and secondhand smoke exposure among never smoking flight attendants: a cross-sectional survey. <i>Environmental Health</i> , 2007 , 6, 28	6	38
138	The association of alcohol consumption with coronary heart disease mortality and cancer incidence varies by smoking history. <i>Journal of General Internal Medicine</i> , 2005 , 20, 14-20	4	37
137	Prevalence and Correlates of Tobacco and Nicotine Containing Product Use in a Sample of United States Air Force Trainees. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 416-23	4.9	34
136	Managing overweight and obesity in adults to reduce cardiovascular disease risk. <i>Current Atherosclerosis Reports</i> , 2014 , 16, 445	6	34
135	Portion control for the treatment of obesity in the primary care setting. <i>BMC Research Notes</i> , 2011 , 4, 346	2.3	34
134	Larval zebrafish model for FDA-approved drug repositioning for tobacco dependence treatment. <i>PLoS ONE</i> , 2014 , 9, e90467	3.7	34

133	Combination pharmacotherapy for stopping smoking: what advantages does it offer?. <i>Drugs</i> , 2010 , 70, 643-50	12.1	32
132	Treatment of nicotine dependence. <i>Mayo Clinic Proceedings</i> , 2000 , 75, 1311-6	6.4	31
131	Treatment of tobacco dependence. <i>Mayo Clinic Proceedings</i> , 2008 , 83, 479-83; quiz 483-4	6.4	30
130	Tobacco use quitline enrollment through dental practices: a pilot study. <i>Journal of the American Dental Association</i> , 2007 , 138, 595-601	1.9	30
129	Tobacco use harm reduction, elimination, and escalation in a large military cohort. <i>American Journal of Public Health</i> , 2010 , 100, 2487-92	5.1	29
128	The Prevalence of E-cigarette Use in a Sample of U.S. Air Force Recruits. <i>American Journal of Preventive Medicine</i> , 2015 , 49, 402-8	6.1	28
127	Varenicline for tobacco-dependence treatment in alcohol-dependent smokers: A randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2018 , 184, 12-17	4.9	28
126	Bupropion Sustained Release for Treatment of Tobacco Dependence. <i>Mayo Clinic Proceedings</i> , 2003 , 78, 1020-1024	6.4	28
125	Counseling patients on the use of electronic cigarettes. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 128-34	6.4	27
124	Telecoaching plus a portion control plate for weight care management: a randomized trial. <i>Trials</i> , 2015 , 16, 323	2.8	26
123	Bupropion SR for the treatment of smokeless tobacco use. <i>Drug and Alcohol Dependence</i> , 2007 , 90, 56-63	4.9	26
122	Associations Between Anxiety Disorder Diagnoses and Body Mass Index Differ by Age, Sex and Race: A Population Based Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2016 , 12, 67-74	3.2	26
121	New pharmacological treatments for the management of obesity. <i>Current Gastroenterology Reports</i> , 2014 , 16, 394	5	25
120	Emerging drugs for the treatment of tobacco dependence: 2014 update. <i>Expert Opinion on Emerging Drugs</i> , 2014 , 19, 243-60	3.7	25
119	Female smokers have the highest alcohol craving in a residential alcoholism treatment cohort. <i>Drug and Alcohol Dependence</i> , 2015 , 150, 179-82	4.9	24
118	Changes in social relationships during an initial "stay-at-home" phase of the COVID-19 pandemic: A longitudinal survey study in the U.S. <i>Social Science and Medicine</i> , 2021 , 274, 113779	5.1	24
117	Younger age at initiation of the human papillomavirus (HPV) vaccination series is associated with higher rates of on-time completion. <i>Preventive Medicine</i> , 2016 , 89, 327-333	4.3	24
116	Prevalence of alternative forms of tobacco use in a population of young adult military recruits. <i>Addictive Behaviors</i> , 2008 , 33, 69-82	4.2	23

115	Treating tobacco dependence: review of the best and latest treatment options. <i>Journal of Thoracic Oncology</i> , 2007 , 2, 249-56	8.9	23
114	Tobacco use during military deployment. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1348-54	4.9	22
113	A randomized clinical trial of nicotine lozenge for smokeless tobacco use. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 1415-23	4.9	22
112	Effect of high-dose nicotine patch therapy on tobacco withdrawal symptoms among smokeless tobacco users. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 43-52	4.9	22
111	Measuring nicotine dependence among smokeless tobacco users. <i>Addictive Behaviors</i> , 2006 , 31, 1511-21	4.2	22
110	A randomized controlled trial of Telephone Counseling with smokeless tobacco users: the ChewFree Minnesota study. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 1433-40	4.9	21
109	Attitudes, Beliefs, Practices, and Concerns Among Clinicians Prescribing Opioids in a Large Academic Institution. <i>Pain Medicine</i> , 2018 , 19, 1790-1798	2.8	20
108	Interventions for smokeless tobacco use cessation. <i>The Cochrane Library</i> , 2015 , CD004306	5.2	20
107	A comparison of three smokeless tobacco dependence measures. <i>Addictive Behaviors</i> , 2012 , 37, 1271-7	4.2	20
106	Residential treatment compared with outpatient treatment for tobacco use and dependence. <i>Mayo Clinic Proceedings</i> , 2011 , 86, 203-9	6.4	20
105	Treatments for spit tobacco use: a quantitative systematic review. <i>Addiction</i> , 2003 , 98, 569-83	4.6	20
104	A pilot study of the efficacy of varenicline for the treatment of smokeless tobacco users in Midwestern United States. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 820-6	4.9	19
103	Interventions for smokeless tobacco use cessation. <i>Cochrane Database of Systematic Reviews</i> , 2007 , CD004306		19
102	Cotinine as a biomarker of systemic nicotine exposure in spit tobacco users. <i>Addictive Behaviors</i> , 2004 , 29, 349-55	4.2	19
101	Using advanced search tools on PubMed for citation retrieval. <i>Mayo Clinic Proceedings</i> , 2004 , 79, 1295-9; quiz 1300	6.4	18
100	Changes in substance use among young adults during a respiratory disease pandemic. <i>SAGE Open Medicine</i> , 2020 , 8, 2050312120965321	2.4	17
99	Time trends of antidepressant drug prescriptions in men versus women in a geographically defined US population. <i>Archives of Women's Mental Health</i> , 2014 , 17, 485-92	5	17
98	Evaluation of a student-run smoking cessation clinic for a medically underserved population. <i>BMC Research Notes</i> , 2011 , 4, 55	2.3	17

97	A randomized clinical trial of St. John's wort for smoking cessation. <i>Journal of Alternative and Complementary Medicine</i> , 2010 , 16, 761-7	2.4	17
96	Predictors of Smokeless Tobacco Initiation in a Young Adult Military Cohort. <i>American Journal of Health Behavior</i> , 2006 , 30, 103-112	1.9	17
95	Smokeless tobacco: an emerging addiction. <i>Medical Clinics of North America</i> , 2004 , 88, 1593-605	7	17
94	Electronic nicotine delivery system design and aerosol toxicants: A systematic review. <i>PLoS ONE</i> , 2020 , 15, e0234189	3.7	16
93	Quitline referral vs. self-help manual for tobacco use cessation in the Emergency Department: a feasibility study. <i>BMC Emergency Medicine</i> , 2007 , 7, 15	2.4	16
92	Bupropion sustained release for treatment of tobacco dependence. <i>Mayo Clinic Proceedings</i> , 2003 , 78, 1020-4; quiz 1024	6.4	16
91	Co-located specialty care within primary care practice settings: A systematic review and meta-analysis. <i>Healthcare</i> , 2018 , 6, 52-66	1.8	15
90	Personalizing Aspirin Use for Targeted Breast Cancer Chemoprevention in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2016 , 91, 71-80	6.4	15
89	Efficacy of a Brief Tobacco Intervention for Tobacco and Nicotine Containing Product Use in the US Air Force. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1142-9	4.9	15
88	Clinical features of bronchioloalveolar carcinoma with new histologic and staging definitions. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1213-20	8.9	15
87	Dual tobacco user subtypes in the U.S. Air Force: dependence, attitudes, and other correlates of use. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 1216-23	4.9	14
86	Varenicline for Smoking Cessation in Light Smokers. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 2031-5	4.9	14
85	Designation of obesity as a disease: lessons learned from alcohol and tobacco. <i>Current Gastroenterology Reports</i> , 2014 , 16, 415	5	13
84	Developing a clinical trial unit to advance research in an academic institution. <i>Contemporary Clinical Trials</i> , 2015 , 45, 270-276	2.3	13
83	Smokeless tobacco reduction with the nicotine lozenge and behavioral intervention. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 823-7	4.9	13
82	A pilot study of mailed nicotine lozenges with assisted self-help for the treatment of smokeless tobacco users. <i>Addictive Behaviors</i> , 2010 , 35, 522-5	4.2	13
81	Smokeless tobacco reduction: preliminary study of tobacco-free snuff versus no snuff. <i>Nicotine and Tobacco Research</i> , 2008 , 10, 77-85	4.9	13
80	Combination Varenicline and Lorcaserin for Tobacco Dependence Treatment and Weight Gain Prevention in Overweight and Obese Smokers: A Pilot Study. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 994-998	4.9	12

79	Do primary care providers who prescribe more opioids have higher patient panel satisfaction scores?. <i>SAGE Open Medicine</i> , 2018 , 6, 2050312118782547	2.4	12
78	Tobacco Research in the Military: Reflections on 20 Years of Research in the United States Air Force. <i>Military Medicine</i> , 2015 , 180, 848-50	1.3	12
77	Impact of a countywide smoke-free workplace law on emergency department visits for respiratory diseases: a retrospective cohort study. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 6	3.5	12
76	Prevalence and predictors of hookah use in US Air Force military recruits. <i>Addictive Behaviors</i> , 2015 , 47, 5-10	4.2	11
75	Neuroimaging utilization and findings in headache outpatients: Significance of red and yellow flags. <i>Cephalalgia</i> , 2018 , 38, 1841-1848	6.1	11
74	Randomized trial of nicotine lozenges and phone counseling for smokeless tobacco cessation. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 309-15	4.9	11
73	Motivation for stopping tobacco use among emergency department patients. <i>Academic Emergency Medicine</i> , 2005 , 12, 568-71	3.4	11
72	Connecting low-income smokers to tobacco treatment services. <i>Addictive Behaviors</i> , 2016 , 52, 108-14	4.2	11
71	Time of Day is Associated with Opioid Prescribing for Low Back Pain in Primary Care. <i>Journal of General Internal Medicine</i> , 2018 , 33, 1828-1830	4	11
70	Depressive symptoms among patients receiving varenicline and bupropion for smoking cessation. <i>Journal of Substance Abuse Treatment</i> , 2015 , 52, 78-81	4.2	10
69	Tobacco dependence counseling in a randomized multisite clinical trial. <i>Contemporary Clinical Trials</i> , 2012 , 33, 576-82	2.3	10
68	Preventing lung cancer by treating tobacco dependence. <i>Clinics in Chest Medicine</i> , 2011 , 32, 645-57	5.3	10
67	No interaction of body mass index and smoking on diabetes mellitus risk in elderly women. <i>Preventive Medicine</i> , 2009 , 48, 74-8	4.3	10
66	Outcomes of COVID-19 With the Mayo Clinic Model of Care and Research. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 601-618	6.4	10
65	Pilot of integrated, colocated neurology in a primary care medical home. <i>Journal of Evaluation in Clinical Practice</i> , 2017 , 23, 548-553	2.5	9
64	A randomized, open-label pilot of the combination of low-level laser therapy and lorcaserin for weight loss. <i>BMC Obesity</i> , 2016 , 3, 42	3.6	9
63	Efficacy of a Tobacco Quitline in Active Duty Military and TRICARE Beneficiaries: A Randomized Trial. <i>Military Medicine</i> , 2015 , 180, 917-25	1.3	9
62	Nicotine lozenges for the treatment of smokeless tobacco use. <i>Nicotine and Tobacco Research</i> , 2007 , 9, 233-40	4.9	9

61	Nicotine percentage replacement among smokeless tobacco users with nicotine patch. <i>Drug and Alcohol Dependence</i> , 2007 , 89, 223-6	4.9	9
60	The Comparison of Segmental Multifrequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry for Estimating Fat Free Mass and Percentage Body Fat in an Ambulatory Population. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021 , 45, 1231-1238	4.2	9
59	Patient preferences for telehealth services in a large multispecialty practice. <i>Journal of Telemedicine and Telecare</i> , 2021 , 1357633X20980302	6.8	9
58	Changes in U.S. Preventive Services Task Force recommendations: effect on mammography screening in Olmsted County, MN 2004-2013. <i>Preventive Medicine</i> , 2014 , 69, 235-8	4.3	8
57	Telemonitoring Blood Pressure by Secure Message on a Patient Portal: Use, Content, and Outcomes. <i>Telemedicine Journal and E-Health</i> , 2015 , 21, 630-6	5.9	8
56	Low-level laser therapy for weight reduction: a randomized pilot study. <i>Lasers in Medical Science</i> , 2020 , 35, 663-675	3.1	8
55	Use of echocardiography in outpatients with chest pain and normal resting electrocardiograms referred to Mayo Clinic Rochester. <i>American Heart Journal</i> , 2018 , 196, 49-55	4.9	7
54	Pharmacologic agents for tobacco dependence treatment: 2011 update. <i>Current Atherosclerosis Reports</i> , 2012 , 14, 85-92	6	7
53	A Critical Review of Repurposing Apomorphine for Smoking Cessation. <i>Assay and Drug Development Technologies</i> , 2015 , 13, 612-22	2.1	7
52	Pharmacological interventions for the treatment of smokeless tobacco use. <i>CNS Drugs</i> , 2012 , 26, 1-10	6.7	7
51	Challenging obesity, diabetes, and addiction: the potential of lorcaserin extended release. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 469-478	3.4	7
50	Predictors of smokeless tobacco initiation in a young adult military cohort. <i>American Journal of Health Behavior</i> , 2006 , 30, 103-12	1.9	7
49	Controlled Substance Agreements for Opioids in a Primary Care Practice. <i>Journal of Pharmaceutical Policy and Practice</i> , 2017 , 10, 29	3.2	6
48	The safety of treatments for tobacco use disorder. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 333-41	4.1	6
47	Preventing smoking initiation or relapse following 8.5 weeks of involuntary smoking abstinence in basic military training: trial design, interventions, and baseline data. <i>Contemporary Clinical Trials</i> , 2014 , 38, 28-36	2.3	6
46	Effect of integrated community neurology on utilization, diagnostic testing, and access. <i>Neurology: Clinical Practice</i> , 2017 , 7, 306-315	1.7	6
45	Randomized controlled trial examining the adjunctive use of nicotine lozenges with MyLastDip: An eHealth smokeless tobacco cessation intervention. <i>Internet Interventions</i> , 2015 , 2, 69-76	4.4	6
44	Comparative effectiveness of the nicotine lozenge and tobacco-free snuff for smokeless tobacco reduction. <i>Addictive Behaviors</i> , 2013 , 38, 2140-5	4.2	6

43	A pilot study to assess smokeless tobacco use reduction with varenicline. <i>Nicotine and Tobacco Research</i> , 2010 , 12, 1037-40	4.9	6
42	Patient perception matters in weight management. <i>Primary Health Care Research and Development</i> , 2018 , 19, 197-204	1.6	6
41	Depression and Anxiety Among Patients on Chronic Opioid Therapy. <i>Health Services Research and Managerial Epidemiology</i> , 2018 , 5, 2333392818771243	1.4	6
40	Predicting smokeless tobacco initiation and re-initiation in the United States Air Force. <i>Addictive Behaviors Reports</i> , 2019 , 9, 100142	3.7	5
39	Is a switch to a different electronic health record associated with a change in patient satisfaction?. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2020 , 27, 867-876	8.6	5
38	Emerging drugs for the treatment of tobacco dependence. <i>Expert Opinion on Emerging Drugs</i> , 2009 , 14, 23-32	3.7	5
37	Clinicians' guide to new tools and features of PubMed. <i>Mayo Clinic Proceedings</i> , 2007 , 82, 480-3; quiz 484	6.4	5
36	Residential treatment for smokeless tobacco use: a case series. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 261-7	4.2	5
35	Use of Cannabis for Self-Management of Chronic Pelvic Pain. <i>Journal of Women's Health</i> , 2021 , 30, 1344-1351	3.51	5
34	Smokeless tobacco use among United States Air Force trainees. <i>Substance Abuse</i> , 2017 , 38, 278-284	3.8	4
33	Influence of gender and peer tobacco use on tobacco use intentions after a period of involuntary tobacco abstinence among U.S. Air Force trainees. <i>Preventive Medicine Reports</i> , 2019 , 13, 270-276	2.6	4
32	Loneliness and Migraine Self-Management: A Cross-Sectional Assessment. <i>Journal of Primary Care and Community Health</i> , 2020 , 11, 2150132720924874	2.1	4
31	Nicotine Metabolite Ratio Is Associated With Lozenge Use But Not Quitting in Smokeless Tobacco Users. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 366-70	4.9	4
30	SMART goals setting and biometric changes in obese adults with multimorbidity: Secondary analysis of a randomized controlled trial. <i>SAGE Open Medicine</i> , 2019 , 7, 2050312119858042	2.4	4
29	Creation of a Patient-Centered Journey Map to Improve the Patient Experience: A Mixed Methods Approach. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2019 , 3, 466-475	3.1	4
28	Use of Echocardiography in Olmsted County Outpatients With Chest Pain and Normal Resting Electrocardiograms Seen at Mayo Clinic Rochester. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1492-8	6.4	4
27	A randomized phase II clinical trial of high-dose nicotine patch therapy for smokeless tobacco users. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 2037-44	4.9	4
26	A survey of characteristics of smokeless tobacco users in a treatment program. <i>American Journal of Health Behavior</i> , 2005 , 29, 25-35	1.9	4

25	Social Relationship Quality Among Patients With Chronic Pain: A Population-Based Sample. <i>Journal of Patient Experience</i> , 2020 , 7, 316-323	1.3	4
24	Research Response to SARS-CoV-2/COVID-19. <i>Mayo Clinic Proceedings</i> , 2020 , 95, S52-S55	6.4	4
23	Fit & quit: An efficacy trial of two behavioral post-cessation weight gain interventions. <i>Contemporary Clinical Trials</i> , 2019 , 76, 31-40	2.3	4
22	A Before and After Analysis of Health Care Utilization by Patients Enrolled in Opioid Controlled Substance Agreements for Chronic Noncancer Pain. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 1431-1439	6.4	4
21	Enhancing the efficacy of a smoking quit line in the military: Study rationale, design and methods of the Freedom quit line. <i>Contemporary Clinical Trials</i> , 2017 , 59, 51-56	2.3	3
20	Trial of intensive acupuncture for smoking cessation: a pilot study. <i>Acupuncture in Medicine</i> , 2015 , 33, 375-80	1.9	3
19	The missing link in tobacco control. <i>Cmaj</i> , 2008 , 179, 123-4	3.5	3
18	Clinical utility of varenicline for smokers with medical and psychiatric comorbidity. <i>International Journal of COPD</i> , 2009 , 4, 421-30	3	3
17	Improved Self-Acceptance, Quality of Life, and Stress Level from Participation in a Worksite Yoga Foundations Program: A Pilot Study. <i>International Journal of Yoga Therapy</i> , 2018 , 28, 15-21	1.6	3
16	Predictors of smokeless tobacco abstinence. <i>American Journal of Health Behavior</i> , 2008 , 32, 735-40	1.9	3
15	Variation in Patient Experience Across the Clinic Day: a Multilevel Assessment of Four Primary Care Practices. <i>Journal of General Internal Medicine</i> , 2019 , 34, 2536-2541	4	2
14	Quit_line treatment protocols for users of non-cigarette tobacco and nicotine containing products. <i>Addictive Behaviors</i> , 2015 , 45, 259-62	4.2	2
13	Electronic Vaping Product Use among Young Adults Who Receive Care at a Major Medical Institution. <i>Substance Use and Misuse</i> , 2021 , 56, 224-237	2.2	2
12	Identifying high-cost episodes in lower extremity joint replacement. <i>Health Services Research</i> , 2019 , 54, 117-127	3.4	2
11	Endocannabinoids and Stroke Prevention: Review of Clinical Studies. <i>Cannabis and Cannabinoid Research</i> , 2020 , 5, 6-11	4.6	2
10	Step Care treatment for smoking cessation. <i>Health Education Research</i> , 2017 , 32, 1-11	1.8	1
9	Commercial Cannabidiol Caution: A New Gold Rush. <i>Mayo Clinic Proceedings</i> , 2020 , 95, 200	6.4	1
8	Frequently Reported Adverse Events With Smoking Cessation Medications: Post Hoc Analysis of a Randomized Trial. <i>Mayo Clinic Proceedings</i> , 2021 , 96, 1801-1811	6.4	1

7	Improving time to palliative care review with predictive modeling in an inpatient adult population: study protocol for a stepped-wedge, pragmatic randomized controlled trial. <i>Trials</i> , 2021 , 22, 635	2.8	1
6	Creation of a Multispecialty Clinic for Patients with Central Sensitization-Based Chronic Pain Conditions.. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2022 , 6, 45-54	3.1	0
5	Synchronous neurology-primary care collaboration in a medical home. <i>Neurology: Clinical Practice</i> , 2020 , 10, 388-395	1.7	0
4	Influence of gender on initiation of tobacco and nicotine containing product use among U.S. Air Force trainees. <i>Preventive Medicine Reports</i> , 2020 , 19, 101104	2.6	
3	Predictors of sedentary status in overweight and obese patients with multiple chronic conditions: a cohort study. <i>Journal of Pragmatic and Observational Research</i> , 2017 , 8, 203-209	7.4	
2	Sustained- Release Bupropion as a Pharmacological Aid to Smoking Cessation 2006 , 75-92		
1	Helpfulness of Clinical Visit Summary Content From Multi-Specialty Care: A Mixed-Methods Assessment. <i>Health Services Research and Managerial Epidemiology</i> , 2020 , 7, 2333392820950909	1.4	