

Hironobu Hamada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6213764/publications.pdf>

Version: 2024-02-01

159
papers

3,904
citations

172207

29
h-index

143772

57
g-index

170
all docs

170
docs citations

170
times ranked

4408
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparative Study of KL-6, Surfactant Protein-A, Surfactant Protein-D, and Monocyte Chemoattractant Protein-1 as Serum Markers for Interstitial Lung Diseases. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 378-381.	2.5	347
2	Prognostic value of circulating KL-6 in idiopathic pulmonary fibrosis. <i>Respirology</i> , 2006, 11, 164-168.	1.3	256
3	KL-6, a Mucin-like Glycoprotein, in Bronchoalveolar Lavage Fluid from Patients with Interstitial Lung Disease. <i>The American Review of Respiratory Disease</i> , 1993, 148, 637-642.	2.9	254
4	Circulating interleukin-6 levels in patients with bronchial asthma.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995, 151, 1354-1358.	2.5	213
5	Circulating KL-6 Predicts the Outcome of Rapidly Progressive Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998, 158, 1680-1684.	2.5	193
6	Difference in sero-diagnostic values among KL-6-associated mucins classified as cluster 9. <i>International Journal of Cancer</i> , 1994, 57, 81-83.	2.3	145
7	Circulating KL-6 levels in patients with drug induced pneumonitis. <i>Thorax</i> , 2003, 58, 872-875.	2.7	117
8	Comparative Evaluation of Serum Markers in Pulmonary Sarcoidosis. <i>Chest</i> , 2010, 137, 1391-1397.	0.4	111
9	Comparative Study of Circulating MMP-7, CCL18, KL-6, SP-A, and SP-D as Disease Markers of Idiopathic Pulmonary Fibrosis. <i>Disease Markers</i> , 2016, 2016, 1-8.	0.6	91
10	Circulating Antigen KL-6 and Lactate Dehydrogenase for Monitoring Irradiated Patients with Lung Cancer. <i>Chest</i> , 1992, 102, 117-122.	0.4	85
11	High dose of ascorbic acid induces cell death in mesothelioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 249-253.	1.0	85
12	Pre-existing interstitial lung abnormalities are risk factors for immune checkpoint inhibitor-induced interstitial lung disease in non-small cell lung cancer. <i>Respiratory Investigation</i> , 2019, 57, 451-459.	0.9	76
13	Monitoring of Serum KL-6 Antigen in a Patient with Radiation Pneumonia. <i>Chest</i> , 1992, 101, 858-860.	0.4	75
14	Prolonged Antigen Exposure Ameliorates Airway Inflammation But Not Remodeling in a Mouse Model of Bronchial Asthma. <i>International Archives of Allergy and Immunology</i> , 2001, 126, 126-134.	0.9	69
15	Inhibition of Plasminogen Activator Inhibitor-1 Attenuates Transforming Growth Factor- β -Dependent Epithelial Mesenchymal Transition and Differentiation of Fibroblasts to Myofibroblasts. <i>PLoS ONE</i> , 2016, 11, e0148969.	1.1	57
16	EGCG induces human mesothelioma cell death by inducing reactive oxygen species and autophagy. <i>Cancer Cell International</i> , 2013, 13, 19.	1.8	56
17	Evaluation of serum KL-6 levels in patients with pulmonary tuberculosis. <i>Tubercle and Lung Disease</i> , 1995, 76, 230-233.	2.1	47
18	Megakaryocyte potentiating factor as a tumor marker of malignant pleural mesothelioma: Evaluation in comparison with mesothelin. <i>Lung Cancer</i> , 2008, 62, 45-54.	0.9	46

#	ARTICLE	IF	CITATIONS
19	Usefulness of monitoring the circulating Krebs von den Lungenâ€6 levels to predict the clinical outcome of patients with advanced nonsmall cell lung cancer treated with epidermal growth factor receptor tyrosine kinase inhibitors. <i>International Journal of Cancer</i> , 2008, 122, 2612-2620.	2.3	44
20	Circulating KL-6/MUC1 mucin carrying sialyl Lewis x oligosaccharide is an independent prognostic factor in patients with lung adenocarcinoma. <i>International Journal of Cancer</i> , 2007, 120, 2643-2649.	2.3	41
21	Effect of Suplatast Tosilate (IPD-1151T) on a Mouse Model of Asthma: Inhibition of Eosinophilic Inflammation and Bronchial Hyperresponsiveness. <i>International Archives of Allergy and Immunology</i> , 2000, 121, 116-122.	0.9	40
22	Novel orthotopic implantation model of human malignant pleural mesothelioma (EHMES-10 cells) highly expressing vascular endothelial growth factor and its receptor. <i>Cancer Science</i> , 2006, 97, 183-191.	1.7	40
23	Krebs von den Lungenâ€6 (KLâ€6) is a prognostic biomarker in patients with surgically resected nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2012, 130, 377-387.	2.3	39
24	KL-6 as a Serologic Indicator of Pneumocystis carinii Pneumonia in Immunocompromised Hosts.. <i>Internal Medicine</i> , 1998, 37, 307-310.	0.3	37
25	Inhibition of PAI-1 Limits Tumor Angiogenesis Regardless of Angiogenic Stimuli in Malignant Pleural Mesothelioma. <i>Cancer Research</i> , 2016, 76, 3285-3294.	0.4	36
26	Expression Patterns of Sialylated Epitope Recognized by KL-6 Monoclonal Antibody in Ocular Surface Epithelium of Normals and Dry Eye Patients. , 2004, 45, 2212.		35
27	Usefulness of a selective neutrophil elastase inhibitor, sivelestat, in acute lung injury patients with sepsis. <i>Drug Design, Development and Therapy</i> , 2013, 7, 305.	2.0	35
28	Nivolumab-induced severe pancytopenia in a patient with lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 119, 21-24.	0.9	34
29	Mast Cell Basic Fibroblast Growth Factor in Silicosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000, 161, 2026-2034.	2.5	32
30	Association of Preexisting Interstitial Lung Abnormalities With Immune Checkpoint Inhibitorâ€“Induced Interstitial Lung Disease Among Patients With Nonlung Cancers. <i>JAMA Network Open</i> , 2020, 3, e2022906.	2.8	32
31	Serum highâ€mobility group box 1 is associated with the onset and severity of acute exacerbation of idiopathic pulmonary fibrosis. <i>Respirology</i> , 2020, 25, 275-280.	1.3	30
32	Change in serum KL-6 level from baseline is useful for predicting life-threatening EGFR-TKIs induced interstitial lung disease. <i>Respiratory Research</i> , 2011, 12, 97.	1.4	29
33	<i>AGER</i> gene polymorphisms and soluble receptor for advanced glycation end product in patients with idiopathic pulmonary fibrosis. <i>Respirology</i> , 2017, 22, 965-971.	1.3	28
34	Gene expression profiling of idiopathic interstitial pneumonias (IIPs): identification of potential diagnostic markers and therapeutic targets. <i>BMC Medical Genetics</i> , 2017, 18, 88.	2.1	26
35	Humidifier Lung: Possible Contribution of Endotoxin-induced Lung Injury.. <i>Internal Medicine</i> , 2002, 41, 1179-1182.	0.3	25
36	FAM13A polymorphism as a prognostic factor in patients with idiopathic pulmonary fibrosis. <i>Respiratory Medicine</i> , 2017, 123, 105-109.	1.3	25

#	ARTICLE	IF	CITATIONS
37	Albumin-globulin ratio is a predictive biomarker of antitumor effect of anti-PD-1 antibody in patients with non-small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 74-81.	1.0	25
38	Two Cases of Primary Pulmonary Osteosarcoma. <i>Internal Medicine</i> , 2005, 44, 632-637.	0.3	24
39	Overexpression of suppressor of cytokine signalling-5 augments eosinophilic airway inflammation in mice. <i>Clinical and Experimental Allergy</i> , 2007, 37, 735-742.	1.4	24
40	Beryllium-stimulated production of tumor necrosis factor- α by a mouse hybrid macrophage cell line. <i>Toxicology</i> , 2000, 143, 235-247.	2.0	23
41	Inhibition of PAI-1 limits chemotherapy resistance in lung cancer through suppressing myofibroblast characteristics of cancer-associated fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2984-2994.	1.6	23
42	Circulating KL-6/MUC1 as an independent predictor for disseminated intravascular coagulation in acute respiratory distress syndrome. <i>Journal of Internal Medicine</i> , 2008, 263, 432-439.	2.7	22
43	Intratracheal Administration of siRNA Dry Powder Targeting Vascular Endothelial Growth Factor Inhibits Lung Tumor Growth in Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 698-706.	2.3	22
44	High preoperative C-reactive protein level is a risk factor for acute exacerbation of interstitial lung disease after non-pulmonary surgery. <i>Medicine (United States)</i> , 2019, 98, e14296.	0.4	21
45	<i>In vitro</i> and <i>in vivo</i> therapeutic efficacy of the PPAR α agonist troglitazone in combination with cisplatin against malignant pleural mesothelioma cell growth. <i>Cancer Science</i> , 2010, 101, 1955-1964.	1.7	20
46	Therapeutic antitumor efficacy of anti-epidermal growth factor receptor antibody, cetuximab, against malignant pleural mesothelioma. <i>International Journal of Oncology</i> , 2012, 41, 1610-1618.	1.4	20
47	Acetaminophen-induced Eosinophilic Pneumonia. <i>Chest</i> , 1993, 104, 291-292.	0.4	19
48	Adoptive transfer of T-helper cell type 1 clones attenuates an asthmatic phenotype in mice. <i>European Respiratory Journal</i> , 2005, 25, 653-659.	3.1	19
49	Suplatast tosilate protects the lung against hyperoxic lung injury by scavenging hydroxyl radicals. <i>Free Radical Biology and Medicine</i> , 2017, 106, 1-9.	1.3	19
50	Combination therapy with sivelestat and recombinant human soluble thrombomodulin for ARDS and DIC patients. <i>Drug Design, Development and Therapy</i> , 2014, 8, 1211.	2.0	18
51	Clarithromycin-induced Eosinophilic Pneumonia. <i>Internal Medicine</i> , 2004, 43, 231-235.	0.3	17
52	Metastatic renal cell carcinoma presenting as multiple pleural tumours. <i>Respirology</i> , 2005, 10, 128-131.	1.3	17
53	A Case of Pulmonary Nodular Lymphoid Hyperplasia with a Resected Cavity, followed by Spontaneous Regression of the Remaining Lesions. <i>Internal Medicine</i> , 2010, 49, 1617-1621.	0.3	17
54	Evidence for centrally induced cholinergic vasodilatation in skeletal muscle during voluntary one-legged cycling and motor imagery in humans. <i>Physiological Reports</i> , 2013, 1, e00092.	0.7	17

#	ARTICLE	IF	CITATIONS
55	Antitussive effect of bakumondoto a fixed kampo medicine (six herbal components) for treatment of post-infectious prolonged cough: Controlled clinical pilot study with 19 patients. <i>Phytomedicine</i> , 2011, 18, 630-633.	2.3	16
56	<i>Pasteurella multocida</i> pneumonia: Zoonotic transmission confirmed by molecular epidemiological analysis. <i>Geriatrics and Gerontology International</i> , 2012, 12, 159-163.	0.7	16
57	Aminopeptidase N/CD13 as a potential therapeutic target in malignant pleural mesothelioma. <i>European Respiratory Journal</i> , 2018, 51, 1701610.	3.1	16
58	Hemoperitoneum Secondary to Spontaneous Rupture of Hepatic Metastasis from Lung Cancer. <i>Internal Medicine</i> , 2005, 44, 290-293.	0.3	15
59	Anti-KL-6/MUC1 monoclonal antibody reverses resistance to trastuzumab-mediated antibody-dependent cell-mediated cytotoxicity by capping MUC1. <i>Cancer Letters</i> , 2019, 442, 31-39.	3.2	15
60	Suplatast tosilate reduces radiation-induced lung injury in mice through suppression of oxidative stress. <i>Free Radical Biology and Medicine</i> , 2019, 136, 52-59.	1.3	14
61	A machine-learning based approach to quantify fine crackles in the diagnosis of interstitial pneumonia. <i>Medicine (United States)</i> , 2021, 100, e24738.	0.4	14
62	The extent of ground-glass attenuation is a risk factor of chemotherapy-related exacerbation of interstitial lung disease in patients with non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 131-139.	1.1	14
63	ORIGIN OF HETEROGENEITY OF INTERLEUKIN-6 (IL-6) LEVELS IN MALIGNANT PLEURAL EFFUSIONS. <i>Oncology Reports</i> , 1994, 1, 507-11.	1.2	13
64	Significance of Serum Uric Acid in Patients with Chronic Respiratory Failure Treated with Non-invasive Positive Pressure Ventilation. <i>Internal Medicine</i> , 2007, 46, 691-697.	0.3	13
65	C-C Motif Chemokine Ligand 15 May Be a Useful Biomarker for Predicting the Prognosis of Patients with Chronic Hypersensitivity Pneumonitis. <i>Respiration</i> , 2019, 98, 212-220.	1.2	13
66	Chemotherapy-associated Acute Exacerbation of Interstitial Lung Disease Shortens Survival Especially in Small Cell Lung Cancer. <i>Anticancer Research</i> , 2019, 39, 5725-5731.	0.5	13
67	Reduced endogenous secretory RAGE in blood and bronchoalveolar lavage fluid is associated with poor prognosis in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2020, 21, 145.	1.4	13
68	A New Serum Tumor Marker, CAM 123-6, Highly Specific to Pulmonary Adenocarcinoma. <i>Japanese Journal of Cancer Research</i> , 1994, 85, 211-219.	1.7	12
69	Attenuation of Biventricular Pressure Gradients by Cibenzoline in an 18-Year-Old Patient With Hypertrophic Obstructive Cardiomyopathy. <i>Circulation Journal</i> , 2002, 66, 1173-1175.	0.7	12
70	Long-term pulmonary complications of chemical weapons exposure in former poison gas factory workers. <i>Inhalation Toxicology</i> , 2016, 28, 343-348.	0.8	11
71	Extent of pulmonary fibrosis on high-resolution computed tomography is a prognostic factor in patients with pleuroparenchymal fibroelastosis. <i>Respiratory Investigation</i> , 2020, 58, 465-472.	0.9	11
72	IL-18 binding protein can be a prognostic biomarker for idiopathic pulmonary fibrosis. <i>PLoS ONE</i> , 2021, 16, e0252594.	1.1	11

#	ARTICLE	IF	CITATIONS
73	Clinical and molecular features of rapidly progressive chronic hypersensitivity pneumonitis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2017, 34, 48-57.	0.2	11
74	Beryllium-stimulation does not activate transcription factors in a mouse hybrid macrophage cell line. <i>Toxicology</i> , 2000, 143, 249-261.	2.0	10
75	Antitumor activity of MEK and PI3K inhibitors against malignant pleural mesothelioma cells in vitro and in vivo. <i>International Journal of Oncology</i> , 2012, 41, 449-456.	1.4	10
76	Characteristics of Patients with Severe Heart Failure Exhibiting Exercise Oscillatory Ventilation. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 267-272.	0.5	10
77	Plasminogen activator inhibitor-1 serves an important role in radiation-induced pulmonary fibrosis. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3070-3076.	0.8	9
78	Cerebral embolism during edoxaban administration for venous thromboembolism in a patient with lung adenocarcinoma. <i>Medicine (United States)</i> , 2019, 98, e14821.	0.4	9
79	Accelerated decline in lung function in adults with a history of remitted childhood asthma. <i>European Respiratory Journal</i> , 2022, 59, 2100305.	3.1	9
80	Pulmonary Oxidative Stress Is Induced by Maximal Exercise in Young Cigarette Smokers. <i>Nicotine and Tobacco Research</i> , 2012, 14, 243-247.	1.4	8
81	Central command increases muscular oxygenation of the non-exercising arm at the early period of voluntary one-armed cranking. <i>Physiological Reports</i> , 2017, 5, e13237.	0.7	8
82	MUC1 in lung adenocarcinoma: cross-sectional genetic and serological study. <i>BMC Cancer</i> , 2017, 17, 263.	1.1	8
83	Chronic Intestinal Pseudo-obstruction and Orthostatic Hypotension Associated with Small Cell Lung Cancer that Improved with Tumor Reduction after Chemoradiotherapy. <i>Internal Medicine</i> , 2017, 56, 2627-2631.	0.3	8
84	Effects of Hochuekkito combined with pulmonary rehabilitation in patients with chronic obstructive pulmonary disease. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 5236-5242.	0.8	8
85	Use of proton pump inhibitors is associated with increased mortality due to nosocomial pneumonia in bedridden patients receiving tube feeding. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1215-1218.	0.7	8
86	Baseline High-Resolution CT Findings Predict Acute Exacerbation of Idiopathic Pulmonary Fibrosis: German and Japanese Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 2069.	1.0	8
87	rs2070600 polymorphism elevates neutrophil-lymphocyte ratio and mortality in metastatic lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 94382-94392.	0.8	8
88	Effect of Inhaled Bronchodilators on Air Trapping in Patients with Stable Asthma. <i>Journal of Asthma</i> , 2006, 43, 125-129.	0.9	7
89	Differential contribution of ACh-muscarinic and β_2 -adrenergic receptors to vasodilatation in noncontracting muscle during voluntary one-legged exercise. <i>Physiological Reports</i> , 2014, 2, e12202.	0.7	7
90	Performance Status Is a Risk Factor for Depression before the Diagnosis of Lung Cancer Patients. <i>Internal Medicine</i> , 2019, 58, 915-920.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Alectinib-induced Immune Hemolytic Anemia in a Patient with Lung Adenocarcinoma. <i>Internal Medicine</i> , 2021, 60, 611-615.	0.3	7
92	Human bone marrow-derived mesenchymal stromal cells cultured in serum-free media demonstrate enhanced antifibrotic abilities via prolonged survival and robust regulatory T cell induction in murine bleomycin-induced pulmonary fibrosis. <i>Stem Cell Research and Therapy</i> , 2021, 12, 506.	2.4	7
93	Dupilumab as an adjunct treatment for a patient with steroid-dependent immunoglobulin G4-related disease complicated by asthma: a case report. <i>Journal of Asthma</i> , 2022, 59, 2395-2401.	0.9	7
94	Bacterial tracheobronchitis. A rare cause of adult airway stenosis. <i>Respirology</i> , 2009, 14, 1214-1216.	1.3	6
95	Plasma oxidative stress is induced by single sprint anaerobic exercise in young cigarette smokers. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 241-244.	0.5	6
96	Phase II trial of S-1 as third-line or further chemotherapy in patients with advanced non-small-cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2014, 19, 1005-1010.	1.0	6
97	Serial measurements of KL-6 for monitoring activity and recurrence of interstitial pneumonia with anti-aminoacyl-tRNA synthetase antibody. <i>Medicine (United States)</i> , 2018, 97, e13542.	0.4	6
98	Non-small Cell Lung Cancer Treated by an Anti-programmed Cell Death-1 Antibody without a Flare-up of Preexisting Granulomatosis with Polyangiitis. <i>Internal Medicine</i> , 2019, 58, 3129-3132.	0.3	6
99	Serum high-mobility group box 1 as a predictive marker for cytotoxic chemotherapy-induced lung injury in patients with lung cancer and interstitial lung disease. <i>Respiratory Medicine</i> , 2020, 172, 106131.	1.3	6
100	Tolerability and efficacy of IMpower133 regimen modified for dialysis patients with extensive stage small cell lung cancer: Two case reports. <i>Thoracic Cancer</i> , 2021, 12, 2956-2960.	0.8	6
101	Association of the RAGE/RAGE-ligand axis with interstitial lung disease and its acute exacerbation. <i>Respiratory Investigation</i> , 2022, , .	0.9	6
102	Successful Treatment of Obstructive Sleep Apnea Syndrome Improves Autonomic Nervous System Dysfunction. <i>Clinical and Experimental Hypertension</i> , 2005, 27, 259-267.	0.5	5
103	Phase-dependent modulation of corticospinal excitability during the observation of the initial phase of gait. <i>Somatosensory & Motor Research</i> , 2014, 31, 209-213.	0.4	5
104	Cigarette Smoking does not Induce Plasma or Pulmonary Oxidative Stress after Moderate-intensity Exercise. <i>Journal of Physical Therapy Science</i> , 2014, 26, 413-415.	0.2	5
105	Bevacizumab with Single-agent Chemotherapy in Previously Treated Non-squamous Non-small-cell Lung Cancer: Phase II Study. <i>In Vivo</i> , 2018, 32, 1155-1160.	0.6	5
106	Treatment rationale and design of the PROLONG study: safety and efficacy of pembrolizumab as first-line therapy for elderly patients with non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2020, 12, 1079-1084.	0.6	5
107	Correlations of forced oscillometric bronchodilator response with airway inflammation and disease duration in asthma. <i>Clinical Respiratory Journal</i> , 2021, 15, 48-55.	0.6	5
108	Predictive role of circulatory HMGB1 in postoperative acute exacerbation of interstitial lung disease in lung cancer patients. <i>Scientific Reports</i> , 2021, 11, 10105.	1.6	5

#	ARTICLE	IF	CITATIONS
109	Prognostic Significance of <i>EGFR</i> Gene Mutation in Patients With EGFR Mutated Non-small Cell Lung Cancer Who Received Best Supportive Care Alone. <i>Anticancer Research</i> , 2021, 41, 2661-2667.	0.5	5
110	The effect of exercise on blood fluidity: Use of the capillary model to assess the clogginess of blood. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 61, 559-569.	0.9	4
111	Comparison of anti-aminoacyl-tRNA synthetase antibody-related and idiopathic non-specific interstitial pneumonia. <i>Respiratory Medicine</i> , 2019, 152, 44-50.	1.3	4
112	Association between glucose intolerance and chemotherapy-induced lung injury in patients with lung cancer and interstitial lung disease. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 88, 857-865.	1.1	4
113	Antifibrotic effect of lung-resident progenitor cells with high aldehyde dehydrogenase activity. <i>Stem Cell Research and Therapy</i> , 2021, 12, 471.	2.4	4
114	Severe Inclusion Body Myositis with Interstitial Pneumonia.. <i>Internal Medicine</i> , 2001, 40, 940-944.	0.3	3
115	Refractory Pneumothorax Secondary to Lung Cancer in a Patient with Idiopathic Pulmonary Fibrosis. <i>Internal Medicine</i> , 2008, 47, 1251-1254.	0.3	3
116	Pulmonary tumor thrombotic microangiopathy associated with lung cancer. <i>Journal of Cardiology Cases</i> , 2010, 1, e120-e123.	0.2	3
117	Cardiac parasympathetic outflow during dynamic exercise in humans estimated from power spectral analysis of Pâ€P interval variability. <i>Experimental Physiology</i> , 2016, 101, 397-409.	0.9	3
118	Alternateâ€day administration of Sâ€1 for elderly patients with advanced nonâ€smallâ€cell lung carcinoma: A prospective feasibility study. <i>Molecular and Clinical Oncology</i> , 2018, 9, 539-544.	0.4	3
119	L-cysteine improves blood fluidity impaired by acetaldehyde: In vitro evaluation. <i>PLoS ONE</i> , 2019, 14, e0214585.	1.1	3
120	Coexisting TIF1 ³ -positive Primary Pulmonary Lymphoepithelioma-like Carcinoma and Anti-TIF1 ³ Antibody-positive Dermatomyositis. <i>Internal Medicine</i> , 2020, 59, 2553-2558.	0.3	3
121	Pulmonary arteriovenous malformation exhibiting recanalization >10 years after coil embolization. <i>Medicine (United States)</i> , 2020, 99, e18694.	0.4	3
122	Clinical significance of BIM deletion polymorphism in chemoradiotherapy for nonâ€small cell lung cancer. <i>Cancer Science</i> , 2021, 112, 369-379.	1.7	3
123	Risk factors associated with increased discontinuation rate of trimethoprimâ€sulfamethoxazole used as a primary prophylaxis for <i>Pneumocystis pneumonia</i> : A retrospective cohort study. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021, 67, 101999.	1.1	3
124	Firstâ€line osimertinib treatment in a patient with lung adenocarcinoma with coexisting <i>epidermal growth factor receptor</i> <sc>G719S</sc> and de novo <sc>T790M</sc> mutations. <i>Thoracic Cancer</i> , 2022, 13, 771-774.	0.8	3
125	Pneumonia and Meningoencephalitis Due to Varicella-zoster Virus Reinfection and Epstein-Barr Virus Reactivation in a Patient with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2022, 61, 2961-2965.	0.3	3
126	Secretion of Adrenocorticotrophic Hormone Induced by Allergen Inhalation in Patients with Atopic Asthma. <i>Journal of Asthma</i> , 2000, 37, 497-502.	0.9	2

#	ARTICLE	IF	CITATIONS
127	Pulmonary Oxidative Stress is not Increased by Short-period High Intensity Exercise in Healthy Young Subjects. <i>Rigakuryoho Kagaku</i> , 2011, 26, 287-290.	0.0	2
128	Additional Octreotide Therapy to Sirolimus Achieved a Decrease in Sirolimus-refractory Chylous Effusion Complicated with Lymphangiomyomatosis. <i>Internal Medicine</i> , 2017, 56, 3327-3331.	0.3	2
129	Effect of body weight support on predicted locomotive physical activity. <i>Journal of Physical Therapy Science</i> , 2018, 30, 759-763.	0.2	2
130	Increased oxygenation in the non-contracting forearm muscle during contralateral skilful hand movement. <i>Experimental Physiology</i> , 2020, 105, 950-965.	0.9	2
131	Autoantibody Positivity Is a Risk Factor for Chemotherapy-induced Exacerbation of Interstitial Pneumonia in Lung Cancer. <i>Anticancer Research</i> , 2021, 41, 1497-1506.	0.5	2
132	Analysis of microRNA Expression in Liquid-Based Cytology Samples May Be Useful for Primary Lung Cancer Diagnosis. <i>American Journal of Clinical Pathology</i> , 2021, 156, 644-652.	0.4	2
133	Role of Soluble Receptor for Advanced Glycation End Products in Postoperative Fibrotic Lung Injury. <i>Annals of Thoracic Surgery</i> , 2022, 113, 1617-1623.	0.7	2
134	Primary Pulmonary Mucosa-associated Lymphoid Tissue Lymphoma with the High Expression of IgG4. <i>Internal Medicine</i> , 2022, 61, 1043-1048.	0.3	2
135	Pneumatosis Intestinalis following Radiation Esophagitis during Chemoradiotherapy for Lung Cancer: A Case Report. <i>Case Reports in Oncology</i> , 2022, 14, 1454-1459.	0.3	2
136	Thymic carcinoma originating from the mid-posterior mediastinum. <i>Respirology</i> , 2005, 10, 689-691.	1.3	1
137	Successful treatment of secondary pulmonary hypertension by long-term non-invasive positive pressure ventilation. <i>Respiratory Medicine Extra</i> , 2006, 2, 120-122.	0.1	1
138	Myeloperoxidase antineutrophil cytoplasmic antibody-positive bronchiectasis in an elderly patient. <i>Geriatrics and Gerontology International</i> , 2007, 7, 409-412.	0.7	1
139	Successful treatment of severe bronchiectasis in the elderly using trimethoprim/sulfamethoxazole. <i>Geriatrics and Gerontology International</i> , 2013, 13, 507-509.	0.7	1
140	Comparative Evaluation of Serum Markers in Pulmonary Sarcoidosis. <i>The Japanese Journal of Sarcoidosis and Other Granulomatous Disorders</i> , 2013, 33, 53-56.	0.1	1
141	Effect of Different Levels of Pressure Relieving Air-Mattress Firmness on Cough Strength. <i>PLoS ONE</i> , 2016, 11, e0146714.	1.1	1
142	Posture and firmness changes in a pressure-relieving air mattress affect cough strength in elderly people with dysphagia. <i>PLoS ONE</i> , 2018, 13, e0208895.	1.1	1
143	A Case of Pulmonary Alveolar Proteinosis with Severe Respiratory Failure Improved by Segmental Lung Lavage with Fiberoptic Bronchoscopy under General Anesthesia. <i>Internal Medicine</i> , 2021, , .	0.3	1
144	Vocal cord dysfunction detected by a three-dimensional image of dynamic change in respiratory resistance in a patient with difficult-to-treat asthma: a case report. <i>Journal of Asthma</i> , 2021, , 1-5.	0.9	1

#	ARTICLE	IF	CITATIONS
145	Quantitative parameters of lymphocyte nuclear morphology in bronchoalveolar lavage fluid as novel biomarkers for sarcoidosis. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 298.	1.2	1
146	Pre-existing interstitial lung abnormalities are risk factors for immune checkpoint inhibitor-induced interstitial lung disease in non-NSCLC cancers.. <i>Journal of Clinical Oncology</i> , 2020, 38, e15171-e15171.	0.8	1
147	The Administration of Crizotinib to a ROS1-positive Advanced Non-small Cell Lung Carcinoma Patient Under Immunosuppressive Therapy After Renal Transplantation: a Case Report. <i>Japanese Journal of Lung Cancer</i> , 2020, 60, 197-201.	0.0	1
148	Two Cases of Cranial Nerve Metastasis Treated with Radiotherapy and Chemotherapy in Patients with Lung Adenocarcinoma. <i>Case Reports in Oncology</i> , 2021, 13, 1495-1500.	0.3	1
149	The Effect of the Muscle Metaboreflex with or without a Cold Stimulus on Cardiovascular Responses. <i>Rigakuryoho Kagaku</i> , 2011, 26, 405-409.	0.0	0
150	Attenuation of the Muscle Metaboreflex in Patients with Type 2 Diabetes. <i>Journal of Physical Therapy Science</i> , 2012, 24, 721-724.	0.2	0
151	Effect of the use of passive body trunk exercise equipment on oxygen consumption and self-efficacy for carrying out exercise in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1265-1271.	1.1	0
152	Concomitant emphysema might increase the false-negative rate of urinary antigen tests in patients with pneumococcal pneumonia: results from a retrospective study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 871-877.	1.3	0
153	Pulmonary lymphangitic carcinomatosis from recurrent gastric cancer 19 years after primary resection: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 484-488.	0.4	0
154	A Study on Muscle Oxygenation during Local Muscular Exercise in Young Smokers. <i>Journal of the Japanese Physical Therapy Association</i> , 2013, 16, 58.	0.1	0
155	Evidence of centrally-induced cholinergic vasodilatation in skeletal muscle during voluntary one-legged cycling and motor imagery. <i>FASEB Journal</i> , 2013, 27, 898.20.	0.2	0
156	EGFR gene mutation is not a significant prognostic factor in patients with EGFR mutated non-small cell lung cancer who receive best supportive care alone.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21736-e21736.	0.8	0
157	Clinical significance of BIM-deletion polymorphism on chemoradiotherapy in patients with non-small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21536-e21536.	0.8	0
158	Effects of L-arginine on impaired blood fluidity after high-intensity exercise: An in vitro evaluation. <i>Clinical Hemorheology and Microcirculation</i> , 2022, , 1-12.	0.9	0
159	Possible Therapeutic Utility of anti-Cell Adhesion Molecule 1 Antibodies for Malignant Pleural Mesothelioma. <i>Frontiers in Cell and Developmental Biology</i> , 0, 10, .	1.8	0