

Hironobu Hamada

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6213764/publications.pdf>

Version: 2024-02-01

159
papers

3,904
citations

172207

29
h-index

143772

57
g-index

170
all docs

170
docs citations

170
times ranked

4408
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Role of Soluble Receptor for Advanced Glycation End Products in Postoperative Fibrotic Lung Injury. <i>Annals of Thoracic Surgery</i> , 2022, 113, 1617-1623. | 0.7 | 2 |
| 2 | Accelerated decline in lung function in adults with a history of remitted childhood asthma. <i>European Respiratory Journal</i> , 2022, 59, 2100305. | 3.1 | 9 |
| 3 | Primary Pulmonary Mucosa-associated Lymphoid Tissue Lymphoma with the High Expression of IgG4. <i>Internal Medicine</i> , 2022, 61, 1043-1048. | 0.3 | 2 |
| 4 | Pneumatosis Intestinalis following Radiation Esophagitis during Chemoradiotherapy for Lung Cancer: A Case Report. <i>Case Reports in Oncology</i> , 2022, 14, 1454-1459. | 0.3 | 2 |
| 5 | First-line osimertinib treatment in a patient with lung adenocarcinoma with coexisting epidermal growth factor receptor G719S and de novo T790M mutations. <i>Thoracic Cancer</i> , 2022, 13, 771-774. | 0.8 | 3 |
| 6 | Pneumonia and Meningoencephalitis Due to Varicella-zoster Virus Reinfection and Epstein-Barr Virus Reactivation in a Patient with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2022, 61, 2961-2965. | 0.3 | 3 |
| 7 | Dupilumab as an adjunct treatment for a patient with steroid-dependent immunoglobulin G4-related disease complicated by asthma: a case report. <i>Journal of Asthma</i> , 2022, 59, 2395-2401. | 0.9 | 7 |
| 8 | Association of the RAGE/RAGE-ligand axis with interstitial lung disease and its acute exacerbation. <i>Respiratory Investigation</i> , 2022, , . | 0.9 | 6 |
| 9 | Effects of L-arginine on impaired blood fluidity after high-intensity exercise: An in vitro evaluation. <i>Clinical Hemorheology and Microcirculation</i> , 2022, , 1-12. | 0.9 | 0 |
| 10 | Concomitant emphysema might increase the false-negative rate of urinary antigen tests in patients with pneumococcal pneumonia: results from a retrospective study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 871-877. | 1.3 | 0 |
| 11 | Clinical significance of BIM deletion polymorphism in chemoradiotherapy for non-small cell lung cancer. <i>Cancer Science</i> , 2021, 112, 369-379. | 1.7 | 3 |
| 12 | Correlations of forced oscillometric bronchodilator response with airway inflammation and disease duration in asthma. <i>Clinical Respiratory Journal</i> , 2021, 15, 48-55. | 0.6 | 5 |
| 13 | A Case of Pulmonary Alveolar Proteinosis with Severe Respiratory Failure Improved by Segmental Lung Lavage with Fiberoptic Bronchoscopy under General Anesthesia. <i>Internal Medicine</i> , 2021, , . | 0.3 | 1 |
| 14 | A machine-learning based approach to quantify fine crackles in the diagnosis of interstitial pneumonia. <i>Medicine (United States)</i> , 2021, 100, e24738. | 0.4 | 14 |
| 15 | Alectinib-induced Immune Hemolytic Anemia in a Patient with Lung Adenocarcinoma. <i>Internal Medicine</i> , 2021, 60, 611-615. | 0.3 | 7 |
| 16 | Autoantibody Positivity Is a Risk Factor for Chemotherapy-induced Exacerbation of Interstitial Pneumonia in Lung Cancer. <i>Anticancer Research</i> , 2021, 41, 1497-1506. | 0.5 | 2 |
| 17 | Analysis of microRNA Expression in Liquid-Based Cytology Samples May Be Useful for Primary Lung Cancer Diagnosis. <i>American Journal of Clinical Pathology</i> , 2021, 156, 644-652. | 0.4 | 2 |
| 18 | Vocal cord dysfunction detected by a three-dimensional image of dynamic change in respiratory resistance in a patient with difficult-to-treat asthma: a case report. <i>Journal of Asthma</i> , 2021, , 1-5. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Risk factors associated with increased discontinuation rate of trimethoprimâ€“sulfamethoxazole used as a primary prophylaxis for <i>Pneumocystis pneumonia</i> : A retrospective cohort study. <i>Pulmonary Pharmacology and Therapeutics</i> , 2021, 67, 101999. | 1.1 | 3 |
| 20 | Predictive role of circulatory HMGB1 in postoperative acute exacerbation of interstitial lung disease in lung cancer patients. <i>Scientific Reports</i> , 2021, 11, 10105. | 1.6 | 5 |
| 21 | Prognostic Significance of <i>EGFR</i> Gene Mutation in Patients With <i>EGFR</i> Mutated Non-small Cell Lung Cancer Who Received Best Supportive Care Alone. <i>Anticancer Research</i> , 2021, 41, 2661-2667. | 0.5 | 5 |
| 22 | IL-18 binding protein can be a prognostic biomarker for idiopathic pulmonary fibrosis. <i>PLoS ONE</i> , 2021, 16, e0252594. | 1.1 | 11 |
| 23 | Quantitative parameters of lymphocyte nuclear morphology in bronchoalveolar lavage fluid as novel biomarkers for sarcoidosis. <i>Orphanet Journal of Rare Diseases</i> , 2021, 16, 298. | 1.2 | 1 |
| 24 | Association between glucose intolerance and chemotherapy-induced lung injury in patients with lung cancer and interstitial lung disease. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 88, 857-865. | 1.1 | 4 |
| 25 | Antifibrotic effect of lung-resident progenitor cells with high aldehyde dehydrogenase activity. <i>Stem Cell Research and Therapy</i> , 2021, 12, 471. | 2.4 | 4 |
| 26 | Human bone marrow-derived mesenchymal stromal cells cultured in serum-free media demonstrate enhanced antifibrotic abilities via prolonged survival and robust regulatory T cell induction in murine bleomycin-induced pulmonary fibrosis. <i>Stem Cell Research and Therapy</i> , 2021, 12, 506. | 2.4 | 7 |
| 27 | Tolerability and efficacy of <i>IMpower133</i> regimen modified for dialysis patients with extensive-stage small cell lung cancer: Two case reports. <i>Thoracic Cancer</i> , 2021, 12, 2956-2960. | 0.8 | 6 |
| 28 | Pulmonary lymphangitic carcinomatosis from recurrent gastric cancer 19 years after primary resection: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 484-488. | 0.4 | 0 |
| 29 | Two Cases of Cranial Nerve Metastasis Treated with Radiotherapy and Chemotherapy in Patients with Lung Adenocarcinoma. <i>Case Reports in Oncology</i> , 2021, 13, 1495-1500. | 0.3 | 1 |
| 30 | Albuminâ€“globulin ratio is a predictive biomarker of antitumor effect of anti-PD-1 antibody in patients with non-small cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2020, 25, 74-81. | 1.0 | 25 |
| 31 | Serum high-mobility group box 1 is associated with the onset and severity of acute exacerbation of idiopathic pulmonary fibrosis. <i>Respirology</i> , 2020, 25, 275-280. | 1.3 | 30 |
| 32 | Serum high-mobility group box 1 as a predictive marker for cytotoxic chemotherapy-induced lung injury in patients with lung cancer and interstitial lung disease. <i>Respiratory Medicine</i> , 2020, 172, 106131. | 1.3 | 6 |
| 33 | Extent of pulmonary fibrosis on high-resolution computed tomography is a prognostic factor in patients with pleuroparenchymal fibroelastosis. <i>Respiratory Investigation</i> , 2020, 58, 465-472. | 0.9 | 11 |
| 34 | Reduced endogenous secretory RAGE in blood and bronchoalveolar lavage fluid is associated with poor prognosis in idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2020, 21, 145. | 1.4 | 13 |
| 35 | Increased oxygenation in the non-contracting forearm muscle during contralateral skilful hand movement. <i>Experimental Physiology</i> , 2020, 105, 950-965. | 0.9 | 2 |
| 36 | Coexisting TIF1 ³ -positive Primary Pulmonary Lymphoepithelioma-like Carcinoma and Anti-TIF1 ³ Antibody-positive Dermatomyositis. <i>Internal Medicine</i> , 2020, 59, 2553-2558. | 0.3 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Effect of the use of passive body trunk exercise equipment on oxygen consumption and self-efficacy for carrying out exercise in patients with type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1265-1271. | 1.1 | 0 |
| 38 | Pulmonary arteriovenous malformation exhibiting recanalization >10 years after coil embolization. <i>Medicine (United States)</i> , 2020, 99, e18694. | 0.4 | 3 |
| 39 | Treatment rationale and design of the PROLONG study: safety and efficacy of pembrolizumab as first-line therapy for elderly patients with non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2020, 12, 1079-1084. | 0.6 | 5 |
| 40 | Association of Preexisting Interstitial Lung Abnormalities With Immune Checkpoint Inhibitor-Induced Interstitial Lung Disease Among Patients With Nonlung Cancers. <i>JAMA Network Open</i> , 2020, 3, e2022906. | 2.8 | 32 |
| 41 | Pre-existing interstitial lung abnormalities are risk factors for immune checkpoint inhibitor-induced interstitial lung disease in non-NSCLC cancers.. <i>Journal of Clinical Oncology</i> , 2020, 38, e15171-e15171. | 0.8 | 1 |
| 42 | The Administration of Crizotinib to a ROS1-positive Advanced Non-small Cell Lung Carcinoma Patient Under Immunosuppressive Therapy After Renal Transplantation: a Case Report. <i>Japanese Journal of Lung Cancer</i> , 2020, 60, 197-201. | 0.0 | 1 |
| 43 | EGFR gene mutation is not a significant prognostic factor in patients with EGFR mutated non-small cell lung cancer who receive best supportive care alone.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21736-e21736. | 0.8 | 0 |
| 44 | Clinical significance of BIM-deletion polymorphism on chemoradiotherapy in patients with non-small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2020, 38, e21536-e21536. | 0.8 | 0 |
| 45 | C-C Motif Chemokine Ligand 15 May Be a Useful Biomarker for Predicting the Prognosis of Patients with Chronic Hypersensitivity Pneumonitis. <i>Respiration</i> , 2019, 98, 212-220. | 1.2 | 13 |
| 46 | Non-small Cell Lung Cancer Treated by an Anti-programmed Cell Death-1 Antibody without a Flare-up of Preexisting Granulomatosis with Polyangiitis. <i>Internal Medicine</i> , 2019, 58, 3129-3132. | 0.3 | 6 |
| 47 | Pre-existing interstitial lung abnormalities are risk factors for immune checkpoint inhibitor-induced interstitial lung disease in non-small cell lung cancer. <i>Respiratory Investigation</i> , 2019, 57, 451-459. | 0.9 | 76 |
| 48 | Chemotherapy-associated Acute Exacerbation of Interstitial Lung Disease Shortens Survival Especially in Small Cell Lung Cancer. <i>Anticancer Research</i> , 2019, 39, 5725-5731. | 0.5 | 13 |
| 49 | L-cysteine improves blood fluidity impaired by acetaldehyde: In vitro evaluation. <i>PLoS ONE</i> , 2019, 14, e0214585. | 1.1 | 3 |
| 50 | Comparison of anti-aminoacyl-tRNA synthetase antibody-related and idiopathic non-specific interstitial pneumonia. <i>Respiratory Medicine</i> , 2019, 152, 44-50. | 1.3 | 4 |
| 51 | Suplatast tosilate reduces radiation-induced lung injury in mice through suppression of oxidative stress. <i>Free Radical Biology and Medicine</i> , 2019, 136, 52-59. | 1.3 | 14 |
| 52 | Inhibition of PAI-1 limits chemotherapy resistance in lung cancer through suppressing myofibroblast characteristics of cancer-associated fibroblasts. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 2984-2994. | 1.6 | 23 |
| 53 | Performance Status Is a Risk Factor for Depression before the Diagnosis of Lung Cancer Patients. <i>Internal Medicine</i> , 2019, 58, 915-920. | 0.3 | 7 |
| 54 | Baseline High-Resolution CT Findings Predict Acute Exacerbation of Idiopathic Pulmonary Fibrosis: German and Japanese Cohort Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 2069. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | High preoperative C-reactive protein level is a risk factor for acute exacerbation of interstitial lung disease after non-pulmonary surgery. <i>Medicine (United States)</i> , 2019, 98, e14296. | 0.4 | 21 |
| 56 | Cerebral embolism during edoxaban administration for venous thromboembolism in a patient with lung adenocarcinoma. <i>Medicine (United States)</i> , 2019, 98, e14821. | 0.4 | 9 |
| 57 | Anti-KL-6/MUC1 monoclonal antibody reverses resistance to trastuzumab-mediated antibody-dependent cell-mediated cytotoxicity by capping MUC1. <i>Cancer Letters</i> , 2019, 442, 31-39. | 3.2 | 15 |
| 58 | Nivolumab-induced severe pancytopenia in a patient with lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 119, 21-24. | 0.9 | 34 |
| 59 | Aminopeptidase N/CD13 as a potential therapeutic target in malignant pleural mesothelioma. <i>European Respiratory Journal</i> , 2018, 51, 1701610. | 3.1 | 16 |
| 60 | Serial measurements of KL-6 for monitoring activity and recurrence of interstitial pneumonia with anti-aminoacyl-tRNA synthetase antibody. <i>Medicine (United States)</i> , 2018, 97, e13542. | 0.4 | 6 |
| 61 | Effects of Hochuekkito combined with pulmonary rehabilitation in patients with chronic obstructive pulmonary disease. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 5236-5242. | 0.8 | 8 |
| 62 | Posture and firmness changes in a pressure-relieving air mattress affect cough strength in elderly people with dysphagia. <i>PLoS ONE</i> , 2018, 13, e0208895. | 1.1 | 1 |
| 63 | Alternate day administration of S ¹ for elderly patients with advanced non-small cell lung carcinoma: A prospective feasibility study. <i>Molecular and Clinical Oncology</i> , 2018, 9, 539-544. | 0.4 | 3 |
| 64 | Plasminogen activator inhibitor-1 serves an important role in radiation-induced pulmonary fibrosis. <i>Experimental and Therapeutic Medicine</i> , 2018, 16, 3070-3076. | 0.8 | 9 |
| 65 | Bevacizumab with Single-agent Chemotherapy in Previously Treated Non-squamous Non-small-cell Lung Cancer: Phase II Study. <i>In Vivo</i> , 2018, 32, 1155-1160. | 0.6 | 5 |
| 66 | Use of proton pump inhibitors is associated with increased mortality due to nosocomial pneumonia in bedridden patients receiving tube feeding. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1215-1218. | 0.7 | 8 |
| 67 | Effect of body weight support on predicted locomotive physical activity. <i>Journal of Physical Therapy Science</i> , 2018, 30, 759-763. | 0.2 | 2 |
| 68 | Intratracheal Administration of siRNA Dry Powder Targeting Vascular Endothelial Growth Factor Inhibits Lung Tumor Growth in Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 12, 698-706. | 2.3 | 22 |
| 69 | The extent of ground-glass attenuation is a risk factor of chemotherapy-related exacerbation of interstitial lung disease in patients with non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 81, 131-139. | 1.1 | 14 |
| 70 | AGER gene polymorphisms and soluble receptor for advanced glycation end product in patients with idiopathic pulmonary fibrosis. <i>Respirology</i> , 2017, 22, 965-971. | 1.3 | 28 |
| 71 | Suplatast tosilate protects the lung against hyperoxic lung injury by scavenging hydroxyl radicals. <i>Free Radical Biology and Medicine</i> , 2017, 106, 1-9. | 1.3 | 19 |
| 72 | Central command increases muscular oxygenation of the non-exercising arm at the early period of voluntary one-armed cranking. <i>Physiological Reports</i> , 2017, 5, e13237. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | FAM13A polymorphism as a prognostic factor in patients with idiopathic pulmonary fibrosis. <i>Respiratory Medicine</i> , 2017, 123, 105-109. | 1.3 | 25 |
| 74 | MUC1 in lung adenocarcinoma: cross-sectional genetic and serological study. <i>BMC Cancer</i> , 2017, 17, 263. | 1.1 | 8 |
| 75 | Gene expression profiling of idiopathic interstitial pneumonias (IIPs): identification of potential diagnostic markers and therapeutic targets. <i>BMC Medical Genetics</i> , 2017, 18, 88. | 2.1 | 26 |
| 76 | Additional Octreotide Therapy to Sirolimus Achieved a Decrease in Sirolimus-refractory Chylous Effusion Complicated with Lymphangiomyomatosis. <i>Internal Medicine</i> , 2017, 56, 3327-3331. | 0.3 | 2 |
| 77 | Chronic Intestinal Pseudo-obstruction and Orthostatic Hypotension Associated with Small Cell Lung Cancer that Improved with Tumor Reduction after Chemoradiotherapy. <i>Internal Medicine</i> , 2017, 56, 2627-2631. | 0.3 | 8 |
| 78 | AGER polymorphism elevates neutrophil-lymphocyte ratio and mortality in metastatic lung adenocarcinoma. <i>Oncotarget</i> , 2017, 8, 94382-94392. | 0.8 | 8 |
| 79 | Clinical and molecular features of rapidly progressive chronic hypersensitivity pneumonitis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2017, 34, 48-57. | 0.2 | 11 |
| 80 | Comparative Study of Circulating MMP-7, CCL18, KL-6, SP-A, and SP-D as Disease Markers of Idiopathic Pulmonary Fibrosis. <i>Disease Markers</i> , 2016, 2016, 1-8. | 0.6 | 91 |
| 81 | Effect of Different Levels of Pressure Relieving Air-Mattress Firmness on Cough Strength. <i>PLoS ONE</i> , 2016, 11, e0146714. | 1.1 | 1 |
| 82 | The effect of exercise on blood fluidity: Use of the capillary model to assess the clogginess of blood. <i>Clinical Hemorheology and Microcirculation</i> , 2016, 61, 559-569. | 0.9 | 4 |
| 83 | Inhibition of PAI-1 Limits Tumor Angiogenesis Regardless of Angiogenic Stimuli in Malignant Pleural Mesothelioma. <i>Cancer Research</i> , 2016, 76, 3285-3294. | 0.4 | 36 |
| 84 | Long-term pulmonary complications of chemical weapons exposure in former poison gas factory workers. <i>Inhalation Toxicology</i> , 2016, 28, 343-348. | 0.8 | 11 |
| 85 | Cardiac parasympathetic outflow during dynamic exercise in humans estimated from power spectral analysis of P interval variability. <i>Experimental Physiology</i> , 2016, 101, 397-409. | 0.9 | 3 |
| 86 | Inhibition of Plasminogen Activator Inhibitor-1 Attenuates Transforming Growth Factor- β -Dependent Epithelial Mesenchymal Transition and Differentiation of Fibroblasts to Myofibroblasts. <i>PLoS ONE</i> , 2016, 11, e0148969. | 1.1 | 57 |
| 87 | Combination therapy with sivelestat and recombinant human soluble thrombomodulin for ARDS and DIC patients. <i>Drug Design, Development and Therapy</i> , 2014, 8, 1211. | 2.0 | 18 |
| 88 | Phase-dependent modulation of corticospinal excitability during the observation of the initial phase of gait. <i>Somatosensory & Motor Research</i> , 2014, 31, 209-213. | 0.4 | 5 |
| 89 | Differential contribution of ACh-muscarinic and β -adrenergic receptors to vasodilatation in noncontracting muscle during voluntary one-legged exercise. <i>Physiological Reports</i> , 2014, 2, e12202. | 0.7 | 7 |
| 90 | Phase II trial of S-1 as third-line or further chemotherapy in patients with advanced non-small-cell lung cancer. <i>International Journal of Clinical Oncology</i> , 2014, 19, 1005-1010. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Cigarette Smoking does not Induce Plasma or Pulmonary Oxidative Stress after Moderate-intensity Exercise. <i>Journal of Physical Therapy Science</i> , 2014, 26, 413-415. | 0.2 | 5 |
| 92 | EGCG induces human mesothelioma cell death by inducing reactive oxygen species and autophagy. <i>Cancer Cell International</i> , 2013, 13, 19. | 1.8 | 56 |
| 93 | Plasma oxidative stress is induced by single sprint anaerobic exercise in young cigarette smokers. <i>Clinical Physiology and Functional Imaging</i> , 2013, 33, 241-244. | 0.5 | 6 |
| 94 | Characteristics of Patients with Severe Heart Failure Exhibiting Exercise Oscillatory Ventilation. <i>Clinical and Experimental Hypertension</i> , 2013, 35, 267-272. | 0.5 | 10 |
| 95 | Successful treatment of severe bronchiectasis in the elderly using trimethoprim/sulfamethoxazole. <i>Geriatrics and Gerontology International</i> , 2013, 13, 507-509. | 0.7 | 1 |
| 96 | Evidence for centrally induced cholinergic vasodilatation in skeletal muscle during voluntary one-legged cycling and motor imagery in humans. <i>Physiological Reports</i> , 2013, 1, e00092. | 0.7 | 17 |
| 97 | Usefulness of a selective neutrophil elastase inhibitor, sivelestat, in acute lung injury patients with sepsis. <i>Drug Design, Development and Therapy</i> , 2013, 7, 305. | 2.0 | 35 |
| 98 | Comparative Evaluation of Serum Markers in Pulmonary Sarcoidosis. <i>The Japanese Journal of Sarcoidosis and Other Granulomatous Disorders</i> , 2013, 33, 53-56. | 0.1 | 1 |
| 99 | A Study on Muscle Oxygenation during Local Muscular Exercise in Young Smokers. <i>Journal of the Japanese Physical Therapy Association</i> , 2013, 16, 58. | 0.1 | 0 |
| 100 | Evidence of centrally induced cholinergic vasodilatation in skeletal muscle during voluntary one-legged cycling and motor imagery. <i>FASEB Journal</i> , 2013, 27, 898.20. | 0.2 | 0 |
| 101 | Pulmonary Oxidative Stress Is Induced by Maximal Exercise in Young Cigarette Smokers. <i>Nicotine and Tobacco Research</i> , 2012, 14, 243-247. | 1.4 | 8 |
| 102 | Antitumor activity of MEK and PI3K inhibitors against malignant pleural mesothelioma cells in vitro and in vivo. <i>International Journal of Oncology</i> , 2012, 41, 449-456. | 1.4 | 10 |
| 103 | Attenuation of the Muscle Metaboreflex in Patients with Type 2 Diabetes. <i>Journal of Physical Therapy Science</i> , 2012, 24, 721-724. | 0.2 | 0 |
| 104 | Therapeutic antitumor efficacy of anti-epidermal growth factor receptor antibody, cetuximab, against malignant pleural mesothelioma. <i>International Journal of Oncology</i> , 2012, 41, 1610-1618. | 1.4 | 20 |
| 105 | <i>Pasteurella multocida</i> pneumonia: Zoonotic transmission confirmed by molecular epidemiological analysis. <i>Geriatrics and Gerontology International</i> , 2012, 12, 159-163. | 0.7 | 16 |
| 106 | Krebs von den Lungen-6 (KL6) is a prognostic biomarker in patients with surgically resected nonsmall cell lung cancer. <i>International Journal of Cancer</i> , 2012, 130, 377-387. | 2.3 | 39 |
| 107 | The Effect of the Muscle Metaboreflex with or without a Cold Stimulus on Cardiovascular Responses. <i>Rigakuryoho Kagaku</i> , 2011, 26, 405-409. | 0.0 | 0 |
| 108 | Pulmonary Oxidative Stress is not Increased by Short-period High Intensity Exercise in Healthy Young Subjects. <i>Rigakuryoho Kagaku</i> , 2011, 26, 287-290. | 0.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Antitussive effect of bakumondoto a fixed kampo medicine (six herbal components) for treatment of post-infectious prolonged cough: Controlled clinical pilot study with 19 patients. <i>Phytomedicine</i> , 2011, 18, 630-633. | 2.3 | 16 |
| 110 | Change in serum KL-6 level from baseline is useful for predicting life-threatening EGFR-TKIs induced interstitial lung disease. <i>Respiratory Research</i> , 2011, 12, 97. | 1.4 | 29 |
| 111 | Comparative Evaluation of Serum Markers in Pulmonary Sarcoidosis. <i>Chest</i> , 2010, 137, 1391-1397. | 0.4 | 111 |
| 112 | A Case of Pulmonary Nodular Lymphoid Hyperplasia with a Resected Cavity, followed by Spontaneous Regression of the Remaining Lesions. <i>Internal Medicine</i> , 2010, 49, 1617-1621. | 0.3 | 17 |
| 113 | Pulmonary tumor thrombotic microangiopathy associated with lung cancer. <i>Journal of Cardiology Cases</i> , 2010, 1, e120-e123. | 0.2 | 3 |
| 114 | <i>In vitro</i> and <i>in vivo</i> therapeutic efficacy of the PPAR α agonist troglitazone in combination with cisplatin against malignant pleural mesothelioma cell growth. <i>Cancer Science</i> , 2010, 101, 1955-1964. | 1.7 | 20 |
| 115 | High dose of ascorbic acid induces cell death in mesothelioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2010, 394, 249-253. | 1.0 | 85 |
| 116 | Bacterial tracheobronchitis. A rare cause of adult airway stenosis. <i>Respirology</i> , 2009, 14, 1214-1216. | 1.3 | 6 |
| 117 | Usefulness of monitoring the circulating Krebs von den Lungen-6 levels to predict the clinical outcome of patients with advanced nonsmall cell lung cancer treated with epidermal growth factor receptor tyrosine kinase inhibitors. <i>International Journal of Cancer</i> , 2008, 122, 2612-2620. | 2.3 | 44 |
| 118 | Circulating KL-6/MUC1 as an independent predictor for disseminated intravascular coagulation in acute respiratory distress syndrome. <i>Journal of Internal Medicine</i> , 2008, 263, 432-439. | 2.7 | 22 |
| 119 | Megakaryocyte potentiating factor as a tumor marker of malignant pleural mesothelioma: Evaluation in comparison with mesothelin. <i>Lung Cancer</i> , 2008, 62, 45-54. | 0.9 | 46 |
| 120 | Refractory Pneumothorax Secondary to Lung Cancer in a Patient with Idiopathic Pulmonary Fibrosis. <i>Internal Medicine</i> , 2008, 47, 1251-1254. | 0.3 | 3 |
| 121 | Significance of Serum Uric Acid in Patients with Chronic Respiratory Failure Treated with Non-invasive Positive Pressure Ventilation. <i>Internal Medicine</i> , 2007, 46, 691-697. | 0.3 | 13 |
| 122 | Circulating KL-6/MUC1 mucin carrying sialyl Lewis x oligosaccharide is an independent prognostic factor in patients with lung adenocarcinoma. <i>International Journal of Cancer</i> , 2007, 120, 2643-2649. | 2.3 | 41 |
| 123 | Myeloperoxidase antineutrophil cytoplasmic antibody-positive bronchiectasis in an elderly patient. <i>Geriatrics and Gerontology International</i> , 2007, 7, 409-412. | 0.7 | 1 |
| 124 | Overexpression of suppressor of cytokine signalling-5 augments eosinophilic airway inflammation in mice. <i>Clinical and Experimental Allergy</i> , 2007, 37, 735-742. | 1.4 | 24 |
| 125 | Effect of Inhaled Bronchodilators on Air Trapping in Patients with Stable Asthma. <i>Journal of Asthma</i> , 2006, 43, 125-129. | 0.9 | 7 |
| 126 | Prognostic value of circulating KL-6 in idiopathic pulmonary fibrosis. <i>Respirology</i> , 2006, 11, 164-168. | 1.3 | 256 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Novel orthotopic implantation model of human malignant pleural mesothelioma (EHMES-10 cells) highly expressing vascular endothelial growth factor and its receptor. <i>Cancer Science</i> , 2006, 97, 183-191. | 1.7 | 40 |
| 128 | Successful treatment of secondary pulmonary hypertension by long-term non-invasive positive pressure ventilation. <i>Respiratory Medicine Extra</i> , 2006, 2, 120-122. | 0.1 | 1 |
| 129 | Hemoperitoneum Secondary to Spontaneous Rupture of Hepatic Metastasis from Lung Cancer. <i>Internal Medicine</i> , 2005, 44, 290-293. | 0.3 | 15 |
| 130 | Two Cases of Primary Pulmonary Osteosarcoma. <i>Internal Medicine</i> , 2005, 44, 632-637. | 0.3 | 24 |
| 131 | Metastatic renal cell carcinoma presenting as multiple pleural tumours. <i>Respirology</i> , 2005, 10, 128-131. | 1.3 | 17 |
| 132 | Thymic carcinoma originating from the mid-posterior mediastinum. <i>Respirology</i> , 2005, 10, 689-691. | 1.3 | 1 |
| 133 | Successful Treatment of Obstructive Sleep Apnea Syndrome Improves Autonomic Nervous System Dysfunction. <i>Clinical and Experimental Hypertension</i> , 2005, 27, 259-267. | 0.5 | 5 |
| 134 | Adoptive transfer of T-helper cell type 1 clones attenuates an asthmatic phenotype in mice. <i>European Respiratory Journal</i> , 2005, 25, 653-659. | 3.1 | 19 |
| 135 | Expression Patterns of Sialylated Epitope Recognized by KL-6 Monoclonal Antibody in Ocular Surface Epithelium of Normals and Dry Eye Patients. , 2004, 45, 2212. | | 35 |
| 136 | Clarithromycin-induced Eosinophilic Pneumonia. <i>Internal Medicine</i> , 2004, 43, 231-235. | 0.3 | 17 |
| 137 | Circulating KL-6 levels in patients with drug induced pneumonitis. <i>Thorax</i> , 2003, 58, 872-875. | 2.7 | 117 |
| 138 | Humidifier Lung: Possible Contribution of Endotoxin-induced Lung Injury.. <i>Internal Medicine</i> , 2002, 41, 1179-1182. | 0.3 | 25 |
| 139 | Attenuation of Biventricular Pressure Gradients by Cibenzoline in an 18-Year-Old Patient With Hypertrophic Obstructive Cardiomyopathy.. <i>Circulation Journal</i> , 2002, 66, 1173-1175. | 0.7 | 12 |
| 140 | Comparative Study of KL-6, Surfactant Protein-A, Surfactant Protein-D, and Monocyte Chemoattractant Protein-1 as Serum Markers for Interstitial Lung Diseases. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2002, 165, 378-381. | 2.5 | 347 |
| 141 | Severe Inclusion Body Myositis with Interstitial Pneumonia.. <i>Internal Medicine</i> , 2001, 40, 940-944. | 0.3 | 3 |
| 142 | Prolonged Antigen Exposure Ameliorates Airway Inflammation But Not Remodeling in a Mouse Model of Bronchial Asthma. <i>International Archives of Allergy and Immunology</i> , 2001, 126, 126-134. | 0.9 | 69 |
| 143 | Beryllium-stimulated production of tumor necrosis factor- α by a mouse hybrid macrophage cell line. <i>Toxicology</i> , 2000, 143, 235-247. | 2.0 | 23 |
| 144 | Beryllium-stimulation does not activate transcription factors in a mouse hybrid macrophage cell line. <i>Toxicology</i> , 2000, 143, 249-261. | 2.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Mast Cell Basic Fibroblast Growth Factor in Silicosis. American Journal of Respiratory and Critical Care Medicine, 2000, 161, 2026-2034. | 2.5 | 32 |
| 146 | Effect of Suplatast Tosilate (IPD-1151T) on a Mouse Model of Asthma: Inhibition of Eosinophilic Inflammation and Bronchial Hyperresponsiveness. International Archives of Allergy and Immunology, 2000, 121, 116-122. | 0.9 | 40 |
| 147 | Secretion of Adrenocorticotrophic Hormone Induced by Allergen Inhalation in Patients with Atopic Asthma. Journal of Asthma, 2000, 37, 497-502. | 0.9 | 2 |
| 148 | Circulating KL-6 Predicts the Outcome of Rapidly Progressive Idiopathic Pulmonary Fibrosis. American Journal of Respiratory and Critical Care Medicine, 1998, 158, 1680-1684. | 2.5 | 193 |
| 149 | KL-6 as a Serologic Indicator of Pneumocystis carinii Pneumonia in Immunocompromised Hosts.. Internal Medicine, 1998, 37, 307-310. | 0.3 | 37 |
| 150 | Evaluation of serum KL-6 levels in patients with pulmonary tuberculosis. Tubercle and Lung Disease, 1995, 76, 230-233. | 2.1 | 47 |
| 151 | Circulating interleukin-6 levels in patients with bronchial asthma.. American Journal of Respiratory and Critical Care Medicine, 1995, 151, 1354-1358. | 2.5 | 213 |
| 152 | Difference in sero-diagnostic values among KL-6-associated mucins classified as cluster 9. International Journal of Cancer, 1994, 57, 81-83. | 2.3 | 145 |
| 153 | A New Serum Tumor Marker, CAM 123-6, Highly Specific to Pulmonary Adenocarcinoma. Japanese Journal of Cancer Research, 1994, 85, 211-219. | 1.7 | 12 |
| 154 | ORIGIN OF HETEROGENEITY OF INTERLEUKIN-6 (IL-6) LEVELS IN MALIGNANT PLEURAL EFFUSIONS. Oncology Reports, 1994, 1, 507-11. | 1.2 | 13 |
| 155 | KL-6, a Mucin-like Glycoprotein, in Bronchoalveolar Lavage Fluid from Patients with Interstitial Lung Disease. The American Review of Respiratory Disease, 1993, 148, 637-642. | 2.9 | 254 |
| 156 | Acetaminophen-induced Eosinophilic Pneumonia. Chest, 1993, 104, 291-292. | 0.4 | 19 |
| 157 | Monitoring of Serum KL-6 Antigen in a Patient with Radiation Pneumonia. Chest, 1992, 101, 858-860. | 0.4 | 75 |
| 158 | Circulating Antigen KL-6 and Lactate Dehydrogenase for Monitoring Irradiated Patients with Lung Cancer. Chest, 1992, 102, 117-122. | 0.4 | 85 |
| 159 | Possible Therapeutic Utility of anti-Cell Adhesion Molecule 1 Antibodies for Malignant Pleural Mesothelioma. Frontiers in Cell and Developmental Biology, 0, 10, . | 1.8 | 0 |