
Anton Vrieling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6213800/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Camera traps enable the estimation of herbaceous aboveground net primary production (<scp>ANPP</scp>) in an African savanna at high temporal resolution. Remote Sensing in Ecology and Conservation, 2022, 8, 583-600.	2.2	2
2	Identification of temporary livestock enclosures in Kenya from multi-temporal PlanetScope imagery. Remote Sensing of Environment, 2022, 279, 113110.	4.6	3
3	Earth observation for drought risk financing in pastoral systems of sub-Saharan Africa. Current Opinion in Environmental Sustainability, 2021, 48, 44-52.	3.1	10
4	Comparing land surface phenology of major European crops as derived from SAR and multispectral data of Sentinel-1 and -2. Remote Sensing of Environment, 2021, 253, 112232.	4.6	77
5	Rapid cloud-based temporal compositing of Sentinel-1 radar imagery for epibenthic shellfish inventory. Estuarine, Coastal and Shelf Science, 2021, 250, 107115.	0.9	3
6	Satellite support to insure farmers against extreme droughts. Nature Food, 2021, 2, 215-217.	6.2	10
7	Long-term assessment of ecosystem services at ecological restoration sites using Landsat time series. PLoS ONE, 2021, 16, e0243020.	1.1	4
8	A global assessment of PT-JPL soil evaporation in agroecosystems with optical, thermal, and microwave satellite data. Agricultural and Forest Meteorology, 2021, 306, 108455.	1.9	4
9	Satellite-based modelling of potential tsetse (Glossina pallidipes) breeding and foraging sites using teneral and non-teneral fly occurrence data. Parasites and Vectors, 2021, 14, 506.	1.0	5
10	Mapping saffron fields and their ages with Sentinel-2 time series in north-east Iran. International Journal of Applied Earth Observation and Geoinformation, 2021, 102, 102398.	1.4	3
11	Phenology of short vegetation cycles in a Kenyan rangeland from PlanetScope and Sentinel-2. Remote Sensing of Environment, 2020, 248, 112004.	4.6	92
12	Evaluation of a new 18-year MODIS-derived surface water fraction dataset for constructing Mediterranean wetland open surface water dynamics. Journal of Hydrology, 2020, 587, 124956.	2.3	6
13	Winter cover crops in Dutch maize fields: Variability in quality and its drivers assessed from multi-temporal Sentinel-2 imagery. International Journal of Applied Earth Observation and Geoinformation, 2020, 91, 102139.	1.4	12
14	Understanding Intra-Annual Dynamics of Ecosystem Services Using Satellite Image Time Series. Remote Sensing, 2020, 12, 710.	1.8	9
15	A new dense 18-year time series of surface water fraction estimates from MODIS for the Mediterranean region. Hydrology and Earth System Sciences, 2019, 23, 3037-3056.	1.9	21
16	Mapping Geospatial Processes Affecting the Environmental Fate of Agricultural Pesticides in Africa. International Journal of Environmental Research and Public Health, 2019, 16, 3523.	1.2	10
17	Exploring improvements to the design of an operational seasonal forage scarcity index from NDVI time series for livestock insurance in East Africa. International Journal of Applied Earth Observation and Geoinformation, 2019, 82, 101885.	1.4	12
18	Does the design matter? Comparing satellite-based indices for insuring pastoralists against drought. Ecological Economics, 2019, 162, 59-73.	2.9	29

ANTON VRIELING

#	Article	IF	CITATIONS
19	Analysis of Sentinel-2 and RapidEye for Retrieval of Leaf Area Index in a Saltmarsh Using a Radiative Transfer Model. Remote Sensing, 2019, 11, 671.	1.8	44
20	Mapping leaf chlorophyll content from Sentinel-2 and RapidEye data in spruce stands using the invertible forest reflectance model. International Journal of Applied Earth Observation and Geoinformation, 2019, 79, 58-70.	1.4	57
21	Annual Green Water Resources and Vegetation Resilience Indicators: Definitions, Mutual Relationships, and Future Climate Projections. Remote Sensing, 2019, 11, 2708.	1.8	14
22	Vegetation phenology from Sentinel-2 and field cameras for a Dutch barrier island. Remote Sensing of Environment, 2018, 215, 517-529.	4.6	153
23	Assessing trends and seasonal changes in elephant poaching risk at the small area level using spatio-temporal Bayesian modeling. International Journal of Geographical Information Science, 2018, 32, 622-636.	2.2	5
24	Monitoring the dynamics of surface water fraction from MODIS time series in a Mediterranean environment. International Journal of Applied Earth Observation and Geoinformation, 2018, 66, 135-145.	1.4	22
25	Prediction of drought-induced reduction of agricultural productivity in Chile from MODIS, rainfall estimates, and climate oscillation indices. Remote Sensing of Environment, 2018, 219, 15-30.	4.6	64
26	Evaluation of the Standardized Precipitation Index as an early predictor of seasonal vegetation production anomalies in the Sahel. Remote Sensing Letters, 2017, 8, 301-310.	0.6	13
27	Spatially detailed retrievals of spring phenology from single-season high-resolution image time series. International Journal of Applied Earth Observation and Geoinformation, 2017, 59, 19-30.	1.4	32
28	Peer review report 2 on "Spatio-temporal variability of erosivity determined by highly resolved and adjusted radar rain data (RADOLAN)― Agricultural and Forest Meteorology, 2017, 233, 2-4.	1.9	0
29	Insuring forage through satellites: testing alternative indices against grassland production estimates for France. International Journal of Remote Sensing, 2017, 38, 1912-1939.	1.3	14
30	The El Niño – La Niña cycle and recent trends in supply and demand of net primary productivity in African drylands. Climatic Change, 2016, 138, 111-125.	1.7	22
31	Elephant poaching risk assessed using spatial and non-spatial Bayesian models. Ecological Modelling, 2016, 338, 60-68.	1.2	13
32	Early assessment of seasonal forage availability for mitigating the impact of drought on East African pastoralists. Remote Sensing of Environment, 2016, 174, 44-55.	4.6	45
33	Predictive Factors and Risk Mapping for Rift Valley Fever Epidemics in Kenya. PLoS ONE, 2016, 11, e0144570.	1.1	38
34	Determining optimal seasonal integration times of NDVI series for index-based livestock insurance in East Africa. , 2015, , .		0
35	Evaluation of MODIS Spectral Indices for Monitoring Hydrological Dynamics of a Small, Seasonally-Flooded Wetland in Southern Spain. Wetlands, 2015, 35, 851-864.	0.7	45
36	Rapid mapping and impact estimation of illegal charcoal production in southern Somalia based on WorldView-1 imagery. Energy for Sustainable Development, 2015, 25, 40-49.	2.0	40

ANTON VRIELING

#	Article	IF	CITATIONS
37	Satellite- versus temperature-derived green wave indices for predicting the timing of spring migration of avian herbivores. Ecological Indicators, 2015, 58, 322-331.	2.6	24
38	Spatial and spatiotemporal clustering methods for detecting elephant poaching hotspots. Ecological Modelling, 2015, 297, 180-186.	1.2	28
39	The Potential and Uptake of Remote Sensing in Insurance: A Review. Remote Sensing, 2014, 6, 10888-10912.	1.8	111
40	Historical extension of operational NDVI products for livestock insurance in Kenya. International Journal of Applied Earth Observation and Geoinformation, 2014, 28, 238-251.	1.4	41
41	Towards large-scale monitoring of soil erosion in Africa: Accounting for the dynamics of rainfall erosivity. Clobal and Planetary Change, 2014, 115, 33-43.	1.6	61
42	A comparison of data sources for creating a long-term time series of daily gridded solar radiation for Europe. Solar Energy, 2014, 99, 152-171.	2.9	69
43	Exploring Spatiotemporal Phenological Patterns and Trajectories Using Self-Organizing Maps. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 1914-1921.	2.7	18
44	Calibration of solar radiation models for Europe using Meteosat Second Generation and weather station data. Agricultural and Forest Meteorology, 2013, 176, 1-9.	1.9	25
45	Preparing for an interdisciplinary future: A perspective from early-career researchers. Futures, 2013, 53, 22-32.	1.4	123
46	An auto-calibration procedure for empirical solar radiation models. Environmental Modelling and Software, 2013, 49, 118-128.	1.9	19
47	Constructing boundary-consistent population time series for the municipalities of the Netherlands, 1988–2011. Population Studies, 2013, 67, 195-208.	1.1	3
48	Length of Growing Period over Africa: Variability and Trends from 30 Years of NDVI Time Series. Remote Sensing, 2013, 5, 982-1000.	1.8	149
49	Impacts of extreme weather on wheat and maize in France: evaluating regional crop simulations against observed data. Climatic Change, 2012, 113, 751-765.	1.7	126
50	Variability of African farming systems from phenological analysis of NDVI time series. Climatic Change, 2011, 109, 455-477.	1.7	82
51	Assessing drought probability for agricultural areas in Africa with coarse resolution remote sensing imagery. Remote Sensing of Environment, 2011, 115, 343-352.	4.6	259
52	Satellite-based estimation of rainfall erosivity for Africa. Journal of Hydrology, 2010, 395, 235-241.	2.3	102
53	The response of African land surface phenology to large scale climate oscillations. Remote Sensing of Environment, 2010, 114, 2286-2296.	4.6	120
54	Migration and environment in Ghana: a cross-district analysis of human mobility and vegetation dynamics. Environment and Urbanization, 2010, 22, 107-123.	1.5	68

#	Article	IF	CITATIONS
55	Timing of erosion and satellite data: A multi-resolution approach to soil erosion risk mapping. International Journal of Applied Earth Observation and Geoinformation, 2008, 10, 267-281.	1.4	88
56	Recent trends in agricultural production of Africa based on AVHRR NDVI time series. , 2008, , .		14
57	Satellite remote sensing for water erosion assessment: A review. Catena, 2006, 65, 2-18.	2.2	308
58	Spatial evaluation of soil erosion risk in the West Usambara Mountains, Tanzania. Land Degradation and Development, 2006, 17, 301-319.	1.8	52
59	A Vision for Transdisciplinarity in Future Earth: Perspectives from Young Researchers. Journal of Agriculture, Food Systems, and Community Development, 0, , 249-260.	2.4	11