

Andras Arato

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6214508/andras-arato-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,490
citations

20
h-index

37
g-index

66
ext. papers

1,701
ext. citations

3.1
avg, IF

3.5
L-index

#	Paper	IF	Citations
53	Diagnostic approach and management of cow@-milk protein allergy in infants and children: ESPGHAN GI Committee practical guidelines. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 221-9	2.8	404
52	Increased expression of Toll-like receptor (TLR) 2 and TLR4 in the colonic mucosa of children with inflammatory bowel disease. <i>Clinical and Experimental Immunology</i> , 2008 , 151, 34-41	6.2	134
51	Incidence, Paris classification, and follow-up in a nationwide incident cohort of pediatric patients with inflammatory bowel disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 576-82	2.8	75
50	Increased mucosal expression of Toll-like receptor (TLR)2 and TLR4 in coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2007 , 45, 187-93	2.8	69
49	Mucosal expression of claudins 2, 3 and 4 in proximal and distal part of duodenum in children with coeliac disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010 , 456, 245-50	5.1	55
48	Jejuna of patients with insulin-dependent diabetes mellitus (IDDM) show signs of immune activation. <i>Clinical and Experimental Immunology</i> , 1999 , 116, 70-7	6.2	50
47	Genetic polymorphisms of CD14, toll-like receptor 4, and caspase-recruitment domain 15 are not associated with necrotizing enterocolitis in very low birth weight infants. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 42, 27-31	2.8	44
46	Role of Altered Expression of miR-146a, miR-155, and miR-122 in Pediatric Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 327-35	4.5	43
45	Intestinal alkaline phosphatase in the colonic mucosa of children with inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 3254-9	5.6	37
44	Risk of celiac disease in children with type 1 diabetes is modified by positivity for HLA-DQB1*02-DQA1*05 and TNF -308A. <i>Diabetes Care</i> , 2006 , 29, 858-63	14.6	33
43	Short-term omeprazole treatment does not influence biochemical parameters of bone turnover in children. <i>Calcified Tissue International</i> , 2002 , 71, 129-32	3.9	33
42	Diagnostic yield of upper endoscopy in paediatric patients with Crohn@ disease and ulcerative colitis. Subanalysis of the HUPIR registry. <i>Journal of Crohns and Colitis</i> , 2012 , 6, 86-94	1.5	29
41	Serum immunoglobulin E, IgA, and IgG antibodies to different cow@ milk proteins in children with cow@ milk allergy: association with prognosis and clinical manifestations. <i>Pediatric Allergy and Immunology</i> , 2002 , 13, 255-61	4.2	28
40	Bone mineral content and density in asymptomatic children with coeliac disease on a gluten-free diet. <i>European Journal of Gastroenterology and Hepatology</i> , 2001 , 13, 419-24	2.2	28
39	Pancreatic autoantibodies and autoantibodies against goblet cells in pediatric patients with inflammatory bowel disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 55, 429-35	2.8	26
38	Bone mineral density and bone acquisition in children and young adults with cystic fibrosis: a follow-up study. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 38, 401-6	2.8	26
37	Cytokines and adhesion molecules in duodenal mucosa of children with delayed-type food allergy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 37, 27-34	2.8	25

36	Frequency of coeliac disease in Hungarian children with type 1 diabetes mellitus. <i>European Journal of Pediatrics</i> , 2003 , 162, 1-5	4.1	24
35	Slight decrease in bone mineralization in cow milk-sensitive children. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2003 , 36, 44-9	2.8	23
34	Frequencies of genetic polymorphisms of TLR4 and CD14 and of HLA-DQ genotypes in children with celiac disease, type 1 diabetes mellitus, or both. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 283-7	2.8	22
33	Altered mucosal expression of microRNAs in pediatric patients with inflammatory bowel disease. <i>Digestive and Liver Disease</i> , 2017 , 49, 378-387	3.3	18
32	Decreased mucosal expression of intestinal alkaline phosphatase in children with coeliac disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 460, 157-61	5.1	18
31	Increased expression of hypoxia-inducible factor 1alpha in coeliac disease. <i>Pediatric Research</i> , 2010 , 68, 118-22	3.2	18
30	Increased expression of intercellular adhesion molecule-1 and mucosal adhesion molecule alpha4beta7 integrin in small intestinal mucosa of adult patients with food allergy. <i>Clinical Immunology</i> , 2001 , 99, 353-9	9	18
29	Characteristics of allergic colitis in breast-fed infants in the absence of cow@ milk allergy. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3824-30	5.6	16
28	Increased duodenal expression of miR-146a and -155 in pediatric Crohn@ disease. <i>World Journal of Gastroenterology</i> , 2016 , 22, 6027-35	5.6	15
27	227 A Low Platelet Count is Associated with Treatment Failure in Preterm Infants Treated with Ibuprofen for Patent Ductus Arteriosus (PDA). <i>Pediatric Research</i> , 2010 , 68, 118-119	3.2	14
26	Increased heat shock protein 72 expression in celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 573-8	2.8	13
25	Higher serum eosinophil cationic protein levels in children with cow@ milk allergy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 32, 475-9	2.8	13
24	Immune phenotype of children with newly diagnosed and gluten-free diet-treated celiac disease. <i>Digestive Diseases and Sciences</i> , 2011 , 56, 792-8	4	12
23	Partial protection against dextran sodium sulphate induced colitis in histamine-deficient, histidine decarboxylase knockout mice. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2004 , 39, 171-6	2.8	11
22	Regulatory T cells and T helper subsets in breast-fed infants with hematochezia caused by allergic colitis. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 51, 675-7	2.8	10
21	Baseline Characteristics and Disease Phenotype in Inflammatory Bowel Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 62, 50-5	2.8	10
20	Autoregressive cross-lagged models of IMPACT-III and Pediatric Crohn@ Disease Activity Indexes during one year infliximab therapy in pediatric patients with Crohn@ disease. <i>Journal of Crohns and Colitis</i> , 2014 , 8, 747-55	1.5	9
19	Expression of PARK7 is increased in celiac disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 401-8	5.1	9

18	Foreign body impaction in the sigmoid colon: a twenty euro bet. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3892-4	5.6	9
17	Low mannose-binding lectin (MBL) is associated with paediatric inflammatory bowel diseases and ileal involvement in patients with Crohn disease. <i>Journal of Crohns and Colitis</i> , 2013 , 7, 134-41	1.5	8
16	Seasonal variability of vitamin D and bone metabolism in infliximab-treated paediatric Crohn disease. <i>Digestive and Liver Disease</i> , 2015 , 47, 652-7	3.3	6
15	Increased expression of serum- and glucocorticoid-regulated kinase-1 in the duodenal mucosa of children with coeliac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2010 , 50, 147-53	2.8	6
14	Immune phenotype in children with therapy-naïve remitted and relapsed Crohn disease. <i>World Journal of Gastroenterology</i> , 2010 , 16, 6001-9	5.6	5
13	Peroxisome proliferator-activated receptor- β and thymic stromal lymphopoietin are involved in the pathophysiology of childhood coeliac disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 385-93	5.1	4
12	Duodenal ulceration in a patient with celiac disease and plasminogen I deficiency: coincidence or cofactors?. <i>Pediatrics</i> , 2011 , 128, e1302-6	7.4	4
11	Natural killer cell activity in celiac disease in children on a gluten-free diet and after gluten challenge. <i>Journal of Pediatrics</i> , 1988 , 112, 44-6	3.6	3
10	Altered calcium influx of peripheral Th2 cells in pediatric Crohn disease: infliximab may normalize activation patterns. <i>Oncotarget</i> , 2016 , 7, 44966-44974	3.3	3
9	Altered activation of peripheral CD8+ T cells in pediatric Crohn disease. <i>Immunology Letters</i> , 2017 , 185, 48-51	4.1	2
8	Physician perceptions on probiotics: Results of a multinational survey. <i>Digestive and Liver Disease</i> , 2014 , 46, e117-e118	3.3	2
7	Specific MicroRNA Pattern in Colon Tissue of Young Children with Eosinophilic Colitis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	1
6	Celiac disease as a frequent cause of abdominal symptoms in children with insulin-dependent diabetes mellitus. <i>Clinical Pediatrics</i> , 1997 , 36, 185-6	1.2	1
5	What is the role of cine-magnetic resonance imaging in the diagnosis of pediatric inflammatory bowel disease?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013 , 57, 417-8	2.8	
4	Decreased Na ⁺ /K ⁺ pump activity in the erythrocytes of children with treated celiac disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2001 , 32, 229-31	2.8	
3	Quality of life in children living with PKU - a single-center, cross-sectional, observational study from Hungary.. <i>Molecular Genetics and Metabolism Reports</i> , 2021 , 29, 100823	1.8	
2	Occurrence of Thyroid Autoimmunity in Children with Type 1 Diabetes Mellitus. <i>Hungarian Medical Journal</i> , 2008 , 2, 233-240		
1	Increased frequency of IgM antibodies to cow milk proteins in Hungarian children with newly diagnosed insulin-dependent diabetes mellitus. <i>European Journal of Pediatrics</i> , 1996 , 155, 885-889	4.1	

