
Caroline Hartley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6214721/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	fMRI reveals neural activity overlap between adult and infant pain. ELife, 2015, 4, .	2.8	161
2	A tool for functional brain imaging with lifespan compliance. Nature Communications, 2019, 10, 4785.	5.8	96
3	Analgesic efficacy and safety of morphine in the Procedural Pain in Premature Infants (Poppi) study: randomised placebo-controlled trial. Lancet, The, 2018, 392, 2595-2605.	6.3	81
4	Nociceptive brain activity as a measure of analgesic efficacy in infants. Science Translational Medicine, 2017, 9, .	5.8	74
5	Stroking modulates noxious-evoked brain activity in human infants. Current Biology, 2018, 28, R1380-R1381.	1.8	67
6	Caffeine in preterm infants: where are we in 2020?. ERJ Open Research, 2020, 6, 00330-2019.	1.1	56
7	The relationship between nociceptive brain activity, spinal reflex withdrawal and behaviour in newborn infants. Scientific Reports, 2015, 5, 12519.	1.6	55
8	The influence of the descending pain modulatory system on infant pain-related brain activity. ELife, 2018, 7, .	2.8	46
9	Neurophysiological measures of nociceptive brain activity in the newborn infant – the next steps. Acta Paediatrica, International Journal of Paediatrics, 2014, 103, 238-242.	0.7	43
10	Improving the treatment of infant pain. Current Opinion in Supportive and Palliative Care, 2017, 11, 112-117.	0.5	36
11	Changing Balance of Spinal Cord Excitability and Nociceptive Brain Activity in Early Human Development. Current Biology, 2016, 26, 1998-2002.	1.8	34
12	Behavioural discrimination of noxious stimuli in infants is dependent on brain maturation. Pain, 2019, 160, 493-500.	2.0	33
13	Long-Range Temporal Correlations in the EEG Bursts of Human Preterm Babies. PLoS ONE, 2012, 7, e31543.	1.1	26
14	Nociception and the neonatal brain. Seminars in Fetal and Neonatal Medicine, 2019, 24, 101016.	1.1	24
15	Identification of Criticality in Neuronal Avalanches: I. A Theoretical Investigation of the Non-driven Case. Journal of Mathematical Neuroscience, 2013, 3, 5.	2.4	22
16	Birth experience in newborn infants is associated with changes in nociceptive sensitivity. Scientific Reports, 2019, 9, 4117.	1.6	21
17	Electroencephalography during general anaesthesia differs between term-born and premature-born children. Clinical Neurophysiology, 2016, 127, 1216-1222.	0.7	20
18	Noxious stimulation in children receiving general anaesthesia evokes an increase in delta frequency brain activity. Pain, 2014, 155, 2368-2376.	2.0	19

CAROLINE HARTLEY

#	Article	IF	CITATIONS
19	Optimal echo time for functional MRI of the infant brain identified in response to noxious stimulation. Magnetic Resonance in Medicine, 2017, 78, 625-631.	1.9	19
20	Multimodal pain assessment improves discrimination between noxious and nonâ€noxious stimuli in infants. Paediatric and Neonatal Pain, 2019, 1, 21-30.	0.6	19
21	Quantifying noxious-evoked baseline sensitivity in neonates to optimise analgesic trials. ELife, 2021, 10,	2.8	15
22	Identification of Criticality in Neuronal Avalanches: II. A Theoretical and Empirical Investigation of the Driven Case. Journal of Mathematical Neuroscience, 2014, 4, 9.	2.4	12
23	A universal right to pain relief: balancing the risks in a vulnerable patient population. The Lancet Child and Adolescent Health, 2019, 3, 62-64.	2.7	10
24	Predicting severity of adverse cardiorespiratory effects of morphine in premature infants: a post hoc analysis of Procedural Pain in Premature Infants trial data. British Journal of Anaesthesia, 2021, 126, e133-e135.	1.5	10
25	Apnoea of Prematurity and Neurodevelopmental Outcomes: Current Understanding and Future Prospects for Research. Frontiers in Pediatrics, 2021, 9, 755677.	0.9	10
26	A blinded randomised placebo-controlled trial investigating the efficacy of morphine analgesia for procedural pain in infants: Trial protocol. Wellcome Open Research, 2016, 1, 7.	0.9	9
27	A blinded randomised placebo-controlled trial investigating the efficacy of morphine analgesia for procedural pain in infants: Trial protocol. Wellcome Open Research, 0, 1, 7.	0.9	8
28	Oral morphine analgesia for preventing pain during invasive procedures in non-ventilated premature infants in hospital: the Poppi RCT. Efficacy and Mechanism Evaluation, 2019, 6, 1-98.	0.9	8
29	Premature infants display discriminable behavioral, physiological, and brain responses to noxious and nonnoxious stimuli. Cerebral Cortex, 2022, 32, 3799-3815.	1.6	8
30	Temporal ordering of input modulates connectivity formation in a developmental neuronal network model of the cortex. PLoS ONE, 2020, 15, e0226772.	1.1	7
31	New method to measure interbreath intervals in infants for the assessment of apnoea and respiration. BMJ Open Respiratory Research, 2021, 8, e001042.	1.2	6
32	Using changes in brain activity to assess pain-relief in infants: Methodological considerations with Benoit et al. (2021). Early Human Development, 2021, 157, 105361.	0.8	4
33	Early life inflammation is associated with spinal cord excitability and nociceptive sensitivity in human infants. Nature Communications, 2022, 13, .	5.8	4
34	Toward personalized medicine for pharmacological interventions in neonates using vital signs. Paediatric and Neonatal Pain, 2021, 3, 147-155.	0.6	3
35	Online options for future conferences will have an important positive impact for Early Career Researchers in pediatric pain. Paediatric and Neonatal Pain, 2021, 3, 9-11.	0.6	2

Neuroimaging of Paediatric Pain. , 2017, , 485-506.

#	Article	IF	CITATIONS
37	Title is missing!. , 2020, 15, e0226772.		0
38	Title is missing!. , 2020, 15, e0226772.		0
39	Title is missing!. , 2020, 15, e0226772.		0