# Anna Bergstrm

## List of Publications by Year in Descending Order



| | | | |
|---|---|---|---|
| 131 papers | 4,692 citations | 32 h-index | 65 g-index |
| 143 ext. papers | 6,015 ext. citations | 6.6 avg, IF | 5.03 L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 131 | Prevalence and characteristics of atopic dermatitis among young adult females and males - report from the Swedish population-based study BAMSE.. *Journal of the European Academy of Dermatology and Venereology*, **2022**, | 4.6 | 2 |
| 130 | Predictors of electronic cigarette use and its association with respiratory health and obesity in young adulthood in Sweden; findings from the population-based birth cohort BAMSE.. *Environmental Research*, **2022**, 208, 112760 | 7.9 | 0 |
| 129 | Association of Short-term Air Pollution Exposure With SARS-CoV-2 Infection Among Young Adults in Sweden.. *JAMA Network Open*, **2022**, 5, e228109 | 10.4 | 2 |
| 128 | Dietary Fibre Intake in Relation to Asthma, Rhinitis and Lung Function Impairment-A Systematic Review of Observational Studies. *Nutrients*, **2021**, 13, | 6.7 | 1 |
| 127 | SARS-CoV-2-specific B- and T-cell immunity in a population-based study of young Swedish adults. *Journal of Allergy and Clinical Immunology*, **2021**, | 11.5 | 4 |
| 126 | Inflammation-related plasma protein levels and association with adiposity measurements in young adults. *Scientific Reports*, **2021**, 11, 11391 | 4.9 | 2 |
| 125 | Young adultsSperceptions of living with atopic dermatitis in relation to the concept of self-management: a qualitative study. *BMJ Open*, **2021**, 11, e044777 | 3 | 0 |
| 124 | Low-level exposure to polycyclic aromatic hydrocarbons is associated with reduced lung function among Swedish young adults. *Environmental Research*, **2021**, 197, 111169 | 7.9 | 2 |
| 123 | Characterization of Asthma Trajectories from Infancy to Young Adulthood. *Journal of Allergy and Clinical Immunology: in Practice*, **2021**, 9, 2368-2376.e3 | 5.4 | 6 |
| 122 | Prevalence and Progression of Recurrent Abdominal Pain, From Early Childhood to Adolescence. *Clinical Gastroenterology and Hepatology*, **2021**, 19, 930-938.e8 | 6.9 | 5 |
| 121 | Exposure to environmental phthalates during preschool age and obesity from childhood to young adulthood. *Environmental Research*, **2021**, 192, 110249 | 7.9 | 5 |
| 120 | Assessment of chronic bronchitis and risk factors in young adults: results from BAMSE. *European Respiratory Journal*, **2021**, 57, | 13.6 | 9 |
| 119 | Early-life risk factors for reversible and irreversible airflow limitation in young adults: findings from the BAMSE birth cohort. *Thorax*, **2021**, 76, 503-507 | 7.3 | 5 |
| 118 | Integration of gene expression and DNA methylation identifies epigenetically controlled modules related to PM exposure. *Environment International*, **2021**, 146, 106248 | 12.9 | 6 |
| 117 | Shared DNA methylation signatures in childhood allergy: The MeDALL study. *Journal of Allergy and Clinical Immunology*, **2021**, 147, 1031-1040 | 11.5 | 5 |
| 116 | Air pollution and IgE sensitization in 4 European birth cohorts-the MeDALL project. *Journal of Allergy and Clinical Immunology*, **2021**, 147, 713-722 | 11.5 | 9 |
| 115 | Resolved allergen-specific IgE sensitization among females and early poly-sensitization among males impact IgE sensitization up to age 24 years. *Clinical and Experimental Allergy*, **2021**, 51, 849-852 | 4.1 | 2 |

| | | | |
|---|---|---|---|
| 114 | Prevalence and early-life risk factors for tree nut sensitization and allergy in young adults. *Clinical and Experimental Allergy*, **2021**, 51, 1429-1437 | 4.1 | 4 |
| 113 | Non-adherence and sub-optimal treatment with asthma medications in young adults: a population-based cohort study. *Journal of Asthma*, **2021**, 1-9 | 1.9 | 0 |
| 112 | Allergy-related diseases in childhood and risk for abdominal pain-related functional gastrointestinal disorders at 16 years-a birth cohort study. *BMC Medicine*, **2021**, 19, 214 | 11.4 | 0 |
| 111 | Fruit, vegetable and dietary antioxidant intake in school age, respiratory health up to young adulthood. *Clinical and Experimental Allergy*, **2021**, | 4.1 | 6 |
| 110 | Intake of -3 polyunsaturated fatty acids in childhood, genotype and incident asthma. *European Respiratory Journal*, **2021**, 58, | 13.6 | 5 |
| 109 | Dietary and plasma levels of polyunsaturated fatty acids in childhood and adolescence in relation to asthma and lung function up to adulthood.. *American Journal of Clinical Nutrition*, **2021**, | 7 | 1 |
| 108 | Dietary antioxidant intake in school age and lung function development up to adolescence. *European Respiratory Journal*, **2020**, 55, | 13.6 | 5 |
| 107 | A Gap Between Asthma Guidelines and Management for Adolescents and Young Adults. *Journal of Allergy and Clinical Immunology: in Practice*, **2020**, 8, 3056-3065.e2 | 5.4 | 8 |
| 106 | Epigenome-wide meta-analysis of blood DNA methylation in newborns and children identifies numerous loci related to gestational age. *Genome Medicine*, **2020**, 12, 25 | 14.4 | 37 |
| 105 | Sensitization to grass pollen allergen molecules in a birth cohort-natural Phl p 4 as an early indicator of grass pollen allergy. *Journal of Allergy and Clinical Immunology*, **2020**, 145, 1174-1181.e6 | 11.5 | 11 |
| 104 | A novel whole blood gene expression signature for asthma, dermatitis, and rhinitis multimorbidity in children and adolescents. *Allergy: European Journal of Allergy and Clinical Immunology*, **2020**, 75, 3248-3260 | 9.3 | 27 |
| 103 | Effects of inhaled corticosteroids on DNA methylation in peripheral blood cells in children with asthma. *Allergy: European Journal of Allergy and Clinical Immunology*, **2020**, 75, 688-691 | 9.3 | 5 |
| 102 | Filaggrin gene mutations in relation to contact allergy and hand eczema in adolescence. *Contact Dermatitis*, **2020**, 82, 147-152 | 2.7 | 6 |
| 101 | Interaction between filaggrin mutations and neonatal cat exposure in atopic dermatitis. *Allergy: European Journal of Allergy and Clinical Immunology*, **2020**, 75, 1481-1485 | 9.3 | 4 |
| 100 | DNA methylation and body mass index from birth to adolescence: meta-analyses of epigenome-wide association studies. *Genome Medicine*, **2020**, 12, 105 | 14.4 | 15 |
| 99 | Male sex is strongly associated with IgE-sensitization to airborne but not food allergens: results up to age 24 years from the BAMSE birth cohort. *Clinical and Translational Allergy*, **2020**, 10, 15 | 5.2 | 21 |
| 98 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births. *PLoS Medicine*, **2020**, 17, e1003182 | 11.6 | 21 |
| 97 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |

| | | | |
|---|---|---|---|
| 96 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |
| 95 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |
| 94 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |
| 93 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |
| 92 | Changes in parental smoking during pregnancy and risks of adverse birth outcomes and childhood overweight in Europe and North America: An individual participant data meta-analysis of 229,000 singleton births **2020**, 17, e1003182 | | |
| 91 | Epigenome-wide meta-analysis of DNA methylation and childhood asthma. *Journal of Allergy and Clinical Immunology*, **2019**, 143, 2062-2074 | 11.5 | 87 |
| 90 | Traffic noise exposure in relation to adverse birth outcomes and body mass between birth and adolescence. *Environmental Research*, **2019**, 169, 362-367 | 7.9 | 18 |
| 89 | Prenatal Particulate Air Pollution and DNA Methylation in Newborns: An Epigenome-Wide Meta-Analysis. *Environmental Health Perspectives*, **2019**, 127, 57012 | 8.4 | 58 |
| 88 | Neighbourhood greenness and birth outcomes in a Swedish birth cohort - A short communication. *Health and Place*, **2019**, 57, 200-203 | 4.6 | 10 |
| 87 | Meta-analysis of epigenome-wide association studies in neonates reveals widespread differential DNA methylation associated with birthweight. *Nature Communications*, **2019**, 10, 1893 | 17.4 | 79 |
| 86 | Maternal body mass index, gestational weight gain, and the risk of overweight and obesity across childhood: An individual participant data meta-analysis. *PLoS Medicine*, **2019**, 16, e1002744 | 11.6 | 152 |
| 85 | Impact of maternal body mass index and gestational weight gain on pregnancy complications: an individual participant data meta-analysis of European, North American and Australian cohorts. *BJOG: an International Journal of Obstetrics and Gynaecology*, **2019**, 126, 984-995 | 3.7 | 97 |
| 84 | Sex-specific incidence of asthma, rhinitis and respiratory multimorbidity before and after puberty onset: individual participant meta-analysis of five birth cohorts collaborating in MeDALL. *BMJ Open Respiratory Research*, **2019**, 6, e000460 | 5.6 | 16 |
| 83 | Atopic dermatitis at preschool age and contact allergy in adolescence: a population-based cohort study. *British Journal of Dermatology*, **2019**, 180, 782-789 | 4 | 6 |
| 82 | Impact of IgE sensitization and rhinitis on inflammatory biomarkers and lung function in adolescents with and without asthma. *Pediatric Allergy and Immunology*, **2019**, 30, 74-80 | 4.2 | 12 |
| 81 | Smoking habits among adolescents with asthma - data from a population-based birth cohort. *Allergy: European Journal of Allergy and Clinical Immunology*, **2019**, 74, 1003-1005 | 9.3 | 2 |
| 80 | Milk and egg intervention during pregnancy and allergic disease in offspring up to 30 years of age. *Allergy: European Journal of Allergy and Clinical Immunology*, **2019**, 74, 402-405 | 9.3 | 0 |
| 79 | Use of emollients and topical glucocorticoids among adolescents with eczema: data from the population-based birth cohort BAMSE. *British Journal of Dermatology*, **2018**, 179, 709-716 | 4 | 8 |

| | | | |
|---|---|---|---|
| 78 | Early-life secondhand smoke exposure and food hypersensitivity through adolescence. *Allergy: European Journal of Allergy and Clinical Immunology*, **2018**, 73, 1558-1561 | 9.3 | 7 |
| 77 | Atopic dermatitis: Interaction between genetic variants of GSTP1, TNF, TLR2, and TLR4 and air pollution in early life. *Pediatric Allergy and Immunology*, **2018**, 29, 596-605 | 4.2 | 26 |
| 76 | Body mass index status and peripheral airway obstruction in school-age children: a population-based cohort study. *Thorax*, **2018**, 73, 538-545 | 7.3 | 23 |
| 75 | Environmental peanut exposure increases the risk of peanut sensitization in high-risk children. *Clinical and Experimental Allergy*, **2018**, 48, 586-593 | 4.1 | 16 |
| 74 | Does asthma affect school performance in adolescents? Results from the Swedish population-based birth cohort BAMSE. *Pediatric Allergy and Immunology*, **2018**, 29, 174-179 | 4.2 | 11 |
| 73 | Urban upbringing and childhood respiratory and allergic conditions: A multi-country holistic study. *Environmental Research*, **2018**, 161, 276-283 | 7.9 | 9 |
| 72 | Characterization of asthma in the adolescent population. *Allergy: European Journal of Allergy and Clinical Immunology*, **2018**, 73, 1744-1746 | 9.3 | 7 |
| 71 | Trends in paediatric asthma hospitalisations - differences between neighbouring countries. *Thorax*, **2018**, 73, 185-187 | 7.3 | 7 |
| 70 | Tobacco smoke exposure in early life and adolescence in relation to lung function. *European Respiratory Journal*, **2018**, 51, | 13.6 | 29 |
| 69 | Polyunsaturated fatty acids in plasma at 8 years and subsequent allergic disease. *Journal of Allergy and Clinical Immunology*, **2018**, 142, 510-516.e6 | 11.5 | 16 |
| 68 | Genetic and epigenetic regulation of YKL-40 in childhood. *Journal of Allergy and Clinical Immunology*, **2018**, 141, 1105-1114 | 11.5 | 18 |
| 67 | Maternal Smoking during Pregnancy and Early Childhood and Development of Asthma and Rhinoconjunctivitis - a MeDALL Project. *Environmental Health Perspectives*, **2018**, 126, 047005 | 8.4 | 26 |
| 66 | Does early onset asthma increase childhood obesity risk? A pooled analysis of 16 European cohorts. *European Respiratory Journal*, **2018**, 52, | 13.6 | 30 |
| 65 | Early life determinants of lung function change from childhood to adolescence. *Respiratory Medicine*, **2018**, 139, 48-54 | 4.6 | 21 |
| 64 | Age at adiposity rebound and body mass index trajectory from early childhood to adolescence; differences by breastfeeding and maternal immigration background. *Pediatric Obesity*, **2017**, 12, 75-84 | 4.6 | 11 |
| 63 | Mold and dampness exposure and allergic outcomes from birth to adolescence: data from the BAMSE cohort. *Allergy: European Journal of Allergy and Clinical Immunology*, **2017**, 72, 967-974 | 9.3 | 44 |
| 62 | Dietary total antioxidant capacity in early school age and subsequent allergic disease. *Clinical and Experimental Allergy*, **2017**, 47, 751-759 | 4.1 | 27 |
| 61 | Phthalates, non-phthalate plasticizers and bisphenols in Swedish preschool dust in relation to children's exposure. *Environment International*, **2017**, 102, 114-124 | 12.9 | 123 |

| | | | |
|---|---|---|---|
| 60 | Mechanisms of the Development of Allergy (MeDALL): Introducing novel concepts in allergy phenotypes. *Journal of Allergy and Clinical Immunology*, **2017**, 139, 388-399 | 11.5 | 103 |
| 59 | IgE sensitization in relation to preschool eczema and filaggrin mutation. *Journal of Allergy and Clinical Immunology*, **2017**, 140, 1572-1579.e5 | 11.5 | 29 |
| 58 | Experiences of Daily Life Among Adolescents With Asthma - A Struggle With Ambivalence. *Journal of Pediatric Nursing*, **2017**, 35, 23-29 | 2.2 | 6 |
| 57 | Sensitization trajectories in childhood revealed by using a cluster analysis. *Journal of Allergy and Clinical Immunology*, **2017**, 140, 1693-1699 | 11.5 | 19 |
| 56 | Genome-Wide Interaction Analysis of Air Pollution Exposure and Childhood Asthma with Functional Follow-up. *American Journal of Respiratory and Critical Care Medicine*, **2017**, 195, 1373-1383 | 10.2 | 71 |
| 55 | Variations in the prevalence of childhood asthma and wheeze in MeDALL cohorts in Europe. *ERJ Open Research*, **2017**, 3, | 3.5 | 32 |
| 54 | A population-based study of self-reported skin exposures and symptoms in relation to contact allergy in adolescents. *Contact Dermatitis*, **2017**, 77, 242-249 | 2.7 | 13 |
| 53 | Detection of IgE Reactivity to a Handful of Allergen Molecules in Early Childhood Predicts Respiratory Allergy in Adolescence. *EBioMedicine*, **2017**, 26, 91-99 | 8.8 | 48 |
| 52 | Hypomethylation of HOXA4 promoter is common in Silver-Russell syndrome and growth restriction and associates with stature in healthy children. *Scientific Reports*, **2017**, 7, 15693 | 4.9 | 9 |
| 51 | Combined effects of multiple risk factors on asthma in school-aged children. *Respiratory Medicine*, **2017**, 133, 16-21 | 4.6 | 21 |
| 50 | Body Mass Index Development and Asthma Throughout Childhood. *American Journal of Epidemiology*, **2017**, 186, 255-263 | 3.8 | 27 |
| 49 | Association between preschool eczema and medication for attention-deficit/hyperactivity disorder in school age. *Pediatric Allergy and Immunology*, **2017**, 28, 44-50 | 4.2 | 12 |
| 48 | Validation of an Online Food Frequency Questionnaire against Doubly Labelled Water and 24 h Dietary Recalls in Pre-School Children. *Nutrients*, **2017**, 9, | 6.7 | 10 |
| 47 | Asthma during adolescence impairs health-related quality of life. *Journal of Allergy and Clinical Immunology: in Practice*, **2016**, 4, 144-6.e2 | 5.4 | 17 |
| 46 | Anaphylaxis to foods in a population of adolescents: incidence, characteristics and associated risks. *Clinical and Experimental Allergy*, **2016**, 46, 1575-1587 | 4.1 | 15 |
| 45 | Medicine use and disease control among adolescents with asthma. *European Journal of Clinical Pharmacology*, **2016**, 72, 339-47 | 2.8 | 7 |
| 44 | Early life exposure to traffic-related air pollution and lung function in adolescence assessed with impulse oscillometry. *Journal of Allergy and Clinical Immunology*, **2016**, 138, 930-932.e5 | 11.5 | 20 |
| 43 | The independent role of prenatal and postnatal exposure to active and passive smoking on the development of early wheeze in children. *European Respiratory Journal*, **2016**, 48, 115-24 | 13.6 | 76 |

| | | | |
|---|---|---|---|
| 42 | Early-Life Exposure to Traffic-related Air Pollution and Lung Function in Adolescence. *American Journal of Respiratory and Critical Care Medicine*, **2016**, 193, 171-7 | 10.2 | 77 |
| 41 | Food-Related Symptoms and Food Allergy in Swedish Children from Early Life to Adolescence. *PLoS ONE*, **2016**, 11, e0166347 | 3.7 | 16 |
| 40 | Residential greenness is differentially associated with childhood allergic rhinitis and aeroallergen sensitization in seven birth cohorts. *Allergy: European Journal of Allergy and Clinical Immunology*, **2016**, 71, 1461-71 | 9.3 | 83 |
| 39 | IgE antibodies in relation to prevalence and multimorbidity of eczema, asthma, and rhinitis from birth to adolescence. *Allergy: European Journal of Allergy and Clinical Immunology*, **2016**, 71, 342-9 | 9.3 | 67 |
| 38 | Hospitalizations due to allergic reactions in Finnish and Swedish children during 1999-2011. *Allergy: European Journal of Allergy and Clinical Immunology*, **2016**, 71, 677-83 | 9.3 | 30 |
| 37 | DNA Methylation in Newborns and Maternal Smoking in Pregnancy: Genome-wide Consortium Meta-analysis. *American Journal of Human Genetics*, **2016**, 98, 680-96 | 11 | 489 |
| 36 | Parental smoking and development of allergic sensitization from birth to adolescence. *Allergy: European Journal of Allergy and Clinical Immunology*, **2016**, 71, 239-48 | 9.3 | 41 |
| 35 | Paving the way of systems biology and precision medicine in allergic diseases: the MeDALL success story: Mechanisms of the Development of ALLergy; EU FP7-CP-IP; Project No: 261357; 2010-2015. *Allergy: European Journal of Allergy and Clinical Immunology*, **2016**, 71, 1513-1525 | 9.3 | 63 |
| 34 | Chronic rhinosinusitis is rare but bothersome in adolescents from a Swedish population-based cohort. *Journal of Allergy and Clinical Immunology*, **2015**, 136, 512-4.e6 | 11.5 | 8 |
| 33 | Early childhood IgE reactivity to pathogenesis-related class 10 proteins predicts allergic rhinitis in adolescence. *Journal of Allergy and Clinical Immunology*, **2015**, 135, 1199-206.e1-11 | 11.5 | 98 |
| 32 | Fish and polyunsaturated fat intake and development of allergic and nonallergic rhinitis. *Journal of Allergy and Clinical Immunology*, **2015**, 136, 1247-53.e1-2 | 11.5 | 21 |
| 31 | Reversal of Immunoglobulin A Deficiency in Children. *Journal of Clinical Immunology*, **2015**, 35, 87-91 | 5.7 | 9 |
| 30 | A novel common variant in DCST2 is associated with length in early life and height in adulthood. *Human Molecular Genetics*, **2015**, 24, 1155-68 | 5.6 | 77 |
| 29 | Maternal body mass index in early pregnancy and offspring asthma, rhinitis and eczema up to 16 years of age. *Clinical and Experimental Allergy*, **2015**, 45, 283-91 | 4.1 | 50 |
| 28 | Food-induced anaphylaxis among a population of adolescents Report from the BAMSE survey. *Clinical and Translational Allergy*, **2015**, 5, O25 | 5.2 | 2 |
| 27 | Chronic rhinosinusitis in adolescence is a rare but bothersome condition - data from a Swedish population based cohort. *Clinical and Translational Allergy*, **2015**, 5, P27 | 5.2 | 78 |
| 26 | Atopic and nonatopic eczema in adolescence: is there a difference?. *British Journal of Dermatology*, **2015**, 173, 962-8 | 4 | 15 |
| 25 | Hand eczema and atopic dermatitis in adolescents: a prospective cohort study from the BAMSE project. *British Journal of Dermatology*, **2015**, 173, 1175-82 | 4 | 30 |

| | | | |
|---|---|---|---|
| 24 | The influence of childhood asthma on puberty and height in Swedish adolescents. *Pediatric Allergy and Immunology*, **2015**, 26, 474-81 | 4.2 | 11 |
| 23 | Are allergic multimorbidities and IgE polysensitization associated with the persistence or re-occurrence of foetal type 2 signalling? The MeDALL hypothesis. *Allergy: European Journal of Allergy and Clinical Immunology*, **2015**, 70, 1062-78 | 9.3 | 66 |
| 22 | Web-based self-reported height, weight, and body mass index among Swedish adolescents: a validation study. *Journal of Medical Internet Research*, **2015**, 17, e73 | 7.6 | 31 |
| 21 | A new mobile phone-based tool for assessing energy and certain food intakes in young children: a validation study. *JMIR MHealth and UHealth*, **2015**, 3, e38 | 5.5 | 16 |
| 20 | Infantile eczema: Prognosis and risk of asthma and rhinitis in preadolescence. *Journal of Allergy and Clinical Immunology*, **2014**, 133, 594-6 | 11.5 | 25 |
| 19 | Pre- and postnatal exposure to parental smoking and allergic disease through adolescence. *Pediatrics*, **2014**, 134, 428-34 | 7.4 | 88 |
| 18 | Childhood-to-adolescence evolution of IgE antibodies to pollens and plant foods in the BAMSE cohort. *Journal of Allergy and Clinical Immunology*, **2014**, 133, 580-2 | 11.5 | 41 |
| 17 | Puberty and asthma in a cohort of Swedish children. *Annals of Allergy, Asthma and Immunology*, **2014**, 112, 78-9 | 3.2 | 9 |
| 16 | Body mass index development from birth to early adolescence; effect of perinatal characteristics and maternal migration background in a Swedish cohort. *PLoS ONE*, **2014**, 9, e109519 | 3.7 | 6 |
| 15 | Effect of parental migration background on childhood nutrition, physical activity, and body mass index. *Journal of Obesity*, **2014**, 2014, 406529 | 3.7 | 28 |
| 14 | GSTP1 and TNF Gene variants and associations between air pollution and incident childhood asthma: the traffic, asthma and genetics (TAG) study. *Environmental Health Perspectives*, **2014**, 122, 418-24 | 8.4 | 56 |
| 13 | Factors associated with concordance between parental-reported use and dispensed asthma drugs in adolescents: findings from the BAMSE birth cohort. *Pharmacoepidemiology and Drug Safety*, **2014** , 23, 942-9 | 2.6 | 11 |
| 12 | Fish consumption in infancy and development of allergic disease up to age 12 y. *American Journal of Clinical Nutrition*, **2013**, 97, 1324-30 | 7 | 42 |
| 11 | Antioxidant intake and allergic disease in children. *Clinical and Experimental Allergy*, **2012**, 42, 1491-500 | 4.1 | 30 |
| 10 | Knowledge translation in Uganda: a qualitative study of Ugandan midwivesSand managersS perceived relevance of the sub-elements of the context cornerstone in the PARIHS framework. *Implementation Science*, **2012**, 7, 117 | 8.4 | 31 |
| 9 | Development and comorbidity of eczema, asthma and rhinitis to age 12: data from the BAMSE birth cohort. *Allergy: European Journal of Allergy and Clinical Immunology*, **2012**, 67, 537-44 | 9.3 | 128 |
| 8 | Fruit and vegetable consumption in relation to allergy: disease-related modification of consumption?. *Journal of Allergy and Clinical Immunology*, **2011**, 127, 1219-25 | 11.5 | 31 |
| 7 | The impact of newborn bathing on the prevalence of neonatal hypothermia in Uganda: a randomized, controlled trial. *Acta Paediatrica, International Journal of Paediatrics*, **2005**, 94, 1462-7 | 3.1 | 20 |

| | | | |
|---|---|---|---|
| 6 | Overweight as an avoidable cause of cancer in Europe. *International Journal of Cancer*, **2001**, 91, 421-30 | 7.5 | 584 |
| 5 | Physical activity and risk of renal cell cancer. *International Journal of Cancer*, **2001**, 92, 155-157 | 7.5 | 38 |
| 4 | Obesity and renal cell cancer--a quantitative review. *British Journal of Cancer*, **2001**, 85, 984-90 | 8.7 | 234 |
| 3 | Physical activity and risk of renal cell cancer. *International Journal of Cancer*, **2001**, 92, 155-7 | 7.5 | 12 |
| 2 | Occupational physical activity and renal cell cancer: a nationwide cohort study in Sweden. *International Journal of Cancer*, **1999**, 83, 186-91 | 7.5 | 25 |
| 1 | Obesity and renal cell cancer a quantitative review | | 21 |