

# Bradley McPherson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6215210/publications.pdf>

Version: 2024-02-01

121  
papers

2,111  
citations

270111

25  
h-index

355658

38  
g-index

121  
all docs

121  
docs citations

121  
times ranked

1682  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between ABO blood group status and cochlear/neural function: auditory brainstem response findings. <i>Acta Oto-Laryngologica</i> , 2021, 141, 273-278.	0.3	1
2	Indoor nocturnal noise is associated with body mass index and blood pressure: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 815.	1.2	7
3	Noise sensitivity associated with nonrestorative sleep in Chinese adults: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 643.	1.2	7
4	Effect of eye closure on speech recognition in noise: in light and in darkness. <i>International Journal of Audiology</i> , 2021, 60, 1-7.	0.9	1
5	A Short Form of the Chinese Version of the Weinstein Noise Sensitivity Scale through Optimal Test Assembly. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 879.	1.2	5
6	Integrating hearing health services for geriatric day care patients: a feasibility study. <i>Speech, Language and Hearing</i> , 2020, , 1-9.	0.6	0
7	Aided cortical auditory evoked measures with cochlear implantees: the challenge of stimulus artefacts. <i>Hearing, Balance and Communication</i> , 2019, 17, 229-238.	0.1	2
8	Otitis media with effusion in children: Cross-frequency correlation in pure tone audiometry. <i>PLoS ONE</i> , 2019, 14, e0221405.	1.1	12
9	Access to adults's hearing aids: policies and technologies used in eight countries. <i>Bulletin of the World Health Organization</i> , 2019, 97, 699-710.	1.5	40
10	Maternal knowledge and attitudes to universal newborn hearing screening: Reviewing an established program. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2018, 105, 146-153.	0.4	19
11	Pure tone hearing profiles in children with otitis media with effusion. <i>Disability and Rehabilitation</i> , 2018, 40, 1166-1175.	0.9	22
12	The Participation Scale: psychometric properties of a South Indian translation with hearing-impaired respondents. <i>Disability and Rehabilitation</i> , 2018, 40, 2650-2657.	0.9	5
13	ABO Blood Group and Cochlear Status: Otoacoustic Emission Markers. <i>Ear and Hearing</i> , 2018, 39, 555-562.	1.0	7
14	Hearing Loss in Children With Otitis Media With Effusion: Actual and Simulated Effects on Speech Perception. <i>Ear and Hearing</i> , 2018, 39, 645-655.	1.0	6
15	Deafness and hearing aids in low- and middle-income countries. <i>Paediatrics and International Child Health</i> , 2018, 38, 5-6.	0.3	0
16	Self-Reported Benefit and Satisfaction with a Beamforming Body-Worn Hearing Aid for Elderly Adults. <i>International Journal of Otolaryngology</i> , 2018, 2018, 1-14.	1.0	1
17	Hearing loss in children with otitis media with effusion: a systematic review. <i>International Journal of Audiology</i> , 2017, 56, 65-76.	0.9	72
18	Psychometric properties of the hearing handicap questionnaire: a Kannada (South-Indian) translation. <i>International Journal of Audiology</i> , 2017, 56, 194-201.	0.9	5

#	ARTICLE	IF	CITATIONS
19	Timely sensory stimulation and early childhood development. <i>Lancet, The</i> , 2017, 390, 2626.	6.3	6
20	Tone perception in Mandarin-speaking school age children with otitis media with effusion. <i>PLoS ONE</i> , 2017, 12, e0183394.	1.1	3
21	An international partnership analysis of a cohort of Vietnamese children with hearing impairment. <i>Speech, Language and Hearing</i> , 2016, 19, 27-35.	0.6	8
22	Behavioral Signs of (Central) Auditory Processing Disorder in Children with Nonsyndromic Cleft Lip and/or Palate: A Parental Questionnaire Approach. <i>Cleft Palate-Craniofacial Journal</i> , 2016, 53, 147-156.	0.5	10
23	Voice onset time of alveolar stop /t/ and realization of unaspirated affricates associated with Mandarin-speaking children with repaired cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 86, 150-155.	0.4	3
24	Chinese children with nonsyndromic cleft lip/palate: Factors associated with hearing disorder. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 88, 117-123.	0.4	4
25	Spectral moment analysis of affricates produced by Mandarin-speaking pre-adolescents with repaired cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016, 84, 137-142.	0.4	4
26	Otoacoustic emissions in young adults: Effects of blood group. <i>Hearing Research</i> , 2016, 333, 194-200.	0.9	9
27	Electrophysiological assessment of auditory processing disorder in children with non-syndromic cleft lip and/or palate. <i>PeerJ</i> , 2016, 4, e2383.	0.9	10
28	Consonant accuracy in Mandarin-speaking children with repaired cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 2270-2276.	0.4	7
29	Hearing screening in community centers for the elderly: Efficacy of distortion product otoacoustic emissions. <i>Speech, Language and Hearing</i> , 2015, 18, 16-24.	0.6	0
30	Over-the-Counter Hearing Aids: A Lost Decade for Change. <i>BioMed Research International</i> , 2015, 2015, 1-15.	0.9	23
31	Improving newborn hearing screening: Are automated auditory brainstem response ear inserts an effective option?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 1920-1925.	0.4	5
32	Adaptive tests of temporal resolution: Comparison with the gaps-in-noise test in normal-hearing young adults. <i>International Journal of Audiology</i> , 2015, 54, 29-36.	0.9	6
33	Spectral features and perceptual judgment of place of affricate in Putonghua-speaking pre-adolescents with normal and cleft palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 179-185.	0.4	7
34	Behavioral assessment of auditory processing disorder in children with non-syndromic cleft lip and/or palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2015, 79, 349-355.	0.4	11
35	Noise levels in an urban Asian school environment. <i>Noise and Health</i> , 2015, 17, 48.	0.4	29
36	Chronic exposure to broadband noise at moderate sound pressure levels spatially shifts tone-evoked responses in the rat auditory midbrain. <i>NeuroImage</i> , 2015, 122, 44-51.	2.1	26

#	ARTICLE	IF	CITATIONS
37	Long-term, passive exposure to non-traumatic acoustic noise induces neural adaptation in the adult rat medial geniculate body and auditory cortex. <i>NeuroImage</i> , 2015, 107, 1-9.	2.1	37
38	Hearing assistive technologies in developing countries: background, achievements and challenges. <i>Disability and Rehabilitation: Assistive Technology</i> , 2014, 9, 360-364.	1.3	30
39	Hearing screening for school children: utility of noise-cancelling headphones. <i>BMC Ear, Nose and Throat Disorders</i> , 2013, 13, 6.	2.6	27
40	Chinese speech audiometry material: Past, present, future. <i>Hearing, Balance and Communication</i> , 2013, 11, 52-63.	0.1	13
41	The Effect of rTMS on Auditory Processing in Adults with Chronic, Bilateral Tinnitus: A Placebo-Controlled Pilot Study. <i>Brain Stimulation</i> , 2013, 6, 752-759.	0.7	24
42	Response to the Letter to the Editor regarding "Neonatal otoacoustic emission screening and sudden infant death syndrome". <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013, 77, 614.	0.4	0
43	Xylene-Induced Auditory Dysfunction in Humans. <i>Ear and Hearing</i> , 2013, 34, 651-660.	1.0	18
44	Reading Strategies of Chinese Students With Severe to Profound Hearing Loss. <i>Journal of Deaf Studies and Deaf Education</i> , 2013, 18, 312-328.	0.7	1
45	Self-reported hearing performance in workers exposed to solvents. <i>Revista De Saude Publica</i> , 2013, 47, 86-93.	0.7	13
46	Hearing Loss Associated with Xylene Exposure in a Laboratory Worker. <i>Journal of the American Academy of Audiology</i> , 2012, 23, 824-830.	0.4	7
47	Structural Abnormalities of the Central Auditory Pathway in Infants with Nonsyndromic Cleft Lip and/or Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2012, 49, 137-145.	0.5	19
48	Evaluation of an Auditory Assessment Protocol for Chinese Infants with Nonsyndromic Cleft Lip and/or Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2012, 49, 566-573.	0.5	11
49	Cantonese Time-Compressed Speech Test: Normative Values for Young Adults. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 2012, 15, 197-210.	0.2	3
50	Neonatal otoacoustic emission screening and sudden infant death syndrome. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012, 76, 1485-1489.	0.4	8
51	Central auditory nervous system dysfunction in infants with non-syndromic cleft lip and/or palate. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2012, 76, 82-89.	0.4	13
52	Adaptation of the Amsterdam Inventory for Auditory Disability and Handicap into Spanish. <i>Disability and Rehabilitation</i> , 2012, 34, 2076-2084.	0.9	20
53	"I know you can hear me": Neural correlates of feigned hearing loss. <i>Human Brain Mapping</i> , 2012, 33, 1964-1972.	1.9	10
54	Newborn hearing screening in developing countries: needs & new directions. <i>Indian Journal of Medical Research</i> , 2012, 135, 152-3.	0.4	3

#	ARTICLE	IF	CITATIONS
55	Innovative Technology in Hearing Instruments. Trends in Amplification, 2011, 15, 209-214.	2.4	30
56	Telehealth in audiology: The need and potential to reach underserved communities. International Journal of Audiology, 2010, 49, 195-202.	0.9	182
57	Satisfaction with hearing aids: A consumer research perspective. International Journal of Audiology, 2009, 48, 405-427.	0.9	23
58	Costs of screening children for hearing disorders and delivery of hearing aids in China. BMC Health Services Research, 2009, 9, 64.	0.9	14
59	Racial Heritage/Melanin and Otoacoustic Emission Measures of Cochlear Function. Asia Pacific Journal of Speech Language and Hearing, 2009, 12, 1-12.	0.2	0
60	Tone burst-evoked otoacoustic emissions in neonates: normative data. BMC Ear, Nose and Throat Disorders, 2008, 8, 3.	2.6	3
61	Time-frequency analysis of click-evoked otoacoustic emissions by means of a minimum variance spectral estimation-based method. Hearing Research, 2008, 243, 18-27.	0.9	11
62	Neonatal hearing screening: A combined click evoked and tone burst otoacoustic emission approach. International Journal of Pediatric Otorhinolaryngology, 2008, 72, 351-360.	0.4	19
63	A review of otoacoustic emission hearing screening technology. Audiological Medicine, 2008, 6, 100-114.	0.4	7
64	Hearing Aid Low Frequency Cut: Effect on Mandarin Tone and Vowel Perception in Normal-Hearing Listeners. Folia Phoniatrica Et Logopaedica, 2008, 60, 179-187.	0.5	4
65	Central Auditory Damage Induced by Solvent Exposure. International Journal of Occupational Safety and Ergonomics, 2007, 13, 391-397.	1.1	15
66	Central Auditory Processing Effects Induced by Solvent Exposure. International Journal of Occupational Medicine and Environmental Health, 2007, 20, 271-9.	0.6	27
67	Cantonese Dichotic Digit Test: Test Creation and Normative Values for Children and Adults. Asia Pacific Journal of Speech Language and Hearing, 2007, 10, 105-122.	0.2	8
68	Hearing loss in Chinese school children with Down syndrome. International Journal of Pediatric Otorhinolaryngology, 2007, 71, 1905-1915.	0.4	27
69	Assessment and Management of Hearing Loss in Children with Cleft Lip and/or Palate: a Review. Asian Journal of Oral and Maxillofacial Surgery, 2007, 19, 77-88.	0.1	14
70	Progress towards early detection services for infants with hearing loss in developing countries. BMC Health Services Research, 2007, 7, 14.	0.9	66
71	Auditory processing tests for Spanish-speaking adults: An initial study. International Journal of Audiology, 2006, 45, 645-659.	0.9	39
72	Classrooms for Children with Developmental Disabilities: Sound-field and public address amplification systems compared. International Journal of Disability Development and Education, 2006, 53, 287-299.	0.6	8

#	ARTICLE	IF	CITATIONS
73	Organic solvents and hearing loss: The challenge for audiology. <i>International Journal of Audiology</i> , 2006, 45, 367-381.	0.9	79
74	Chinese Attitudes toward Cleft Lip and Palate: Effects of Personal Contact. <i>Cleft Palate-Craniofacial Journal</i> , 2006, 43, 731-739.	0.5	23
75	Globalization of Infant Hearing Screening: The Next Challenge before JCIH?. <i>Journal of the American Academy of Audiology</i> , 2006, 17, 293-295.	0.4	6
76	Neonatal Hearing Screening: Evaluation of Tone-Burst and Click-Evoked Otoacoustic Emission Test Criteria. <i>Ear and Hearing</i> , 2006, 27, 256-262.	1.0	28
77	Assessment of central auditory processing in a group of workers exposed to solvents. <i>Acta Oto-Laryngologica</i> , 2006, 126, 1188-1194.	0.3	35
78	Central Auditory Processing Disorder Associated With Moyamoya Disease. <i>Australian and New Zealand Journal of Audiology</i> , 2006, 28, 47-51.	0.4	1
79	Audiological Status of Chinese Patients with Cleft Lip/Palate. <i>Cleft Palate-Craniofacial Journal</i> , 2005, 42, 280-285.	0.5	38
80	Test-Retest Reliability of Distortion Product Otoacoustic Emissions in the 1 to 7 kHz Range. <i>Audiological Medicine</i> , 2005, 3, 108-115.	0.4	17
81	Noise Levels in Hong Kong Primary Schools: Implications for classroom listening. <i>International Journal of Disability Development and Education</i> , 2005, 52, 345-360.	0.6	37
82	Effectiveness of an affordable hearing aid with elderly persons. <i>Disability and Rehabilitation</i> , 2005, 27, 601-609.	0.9	25
83	Sound-field Amplification: Enhancing the Classroom Listening Environment for Aboriginal and Torres Strait Islander Children. <i>Australian Journal of Indigenous Education</i> , 2004, 33, 47-53.	0.5	20
84	A Fair Hearing for All. <i>Communication Disorders Quarterly</i> , 2004, 25, 219-223.	0.5	17
85	Auditory neuropathy/auditory dys-synchrony in school children with hearing loss: frequency of occurrence. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2004, 68, 175-183.	0.4	65
86	Skills workshops for a problem-based learning curriculum in speech-language pathology. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 2004, 9, 86-95.	0.2	1
87	Occupational hearing loss: screening with distortion-product otoacoustic emissions. <i>International Journal of Audiology</i> , 2004, 43, 323-329.	0.9	15
88	Real ear unaided response in Chinese young adults. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 2004, 9, 220-231.	0.2	1
89	Hearing Aid Expectations Among Chinese First-time Users: Relationships to Post-Fitting Satisfaction. <i>Australian and New Zealand Journal of Audiology</i> , 2004, 26, 53-69.	0.4	6
90	Hearing Aid Satisfaction: What Does Research from the Past 20 Years Say?. <i>Trends in Amplification</i> , 2003, 7, 117-161.	2.4	83

#	ARTICLE	IF	CITATIONS
91	Hearing screening for children in community settings using transient evoked otoacoustic emissions. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 2003, 8, 179-184.	0.2	2
92	Tympanometry and TEOAE Testing of Children with Down Syndrome in Special Schools. <i>Australian and New Zealand Journal of Audiology</i> , 2003, 25, 85-93.	0.4	12
93	Cherbourg Revisited: Hearing Health Changes in an Aboriginal Community, 1972 to 2000. <i>Australian and New Zealand Journal of Audiology</i> , 2003, 25, 49-53.	0.4	1
94	Student speech pathologist attitudes to disabled people: is there any need for change?. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 2002, 7, 111-121.	0.2	3
95	Audiometric configurations of hearing impaired children in Hong Kong: implications for amplification. <i>Disability and Rehabilitation</i> , 2002, 24, 904-913.	0.9	10
96	Transient evoked otoacoustic emissions in children studying in special schools. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2002, 64, 51-60.	0.4	13
97	Neonatal Transient Evoked Otoacoustic Emissions Screening: How Many Stimuli Are Enough?. <i>Australian and New Zealand Journal of Audiology</i> , 2002, 24, 49-53.	0.4	1
98	Seasonal effects on transient evoked otoacoustic emission screening outcomes in infants versus 6-year-old children. <i>Journal of the American Academy of Audiology</i> , 2002, 13, 392-9.	0.4	1
99	Handedness effects on transient evoked otoacoustic emissions in schoolchildren. <i>Journal of the American Academy of Audiology</i> , 2002, 13, 403-6.	0.4	8
100	Outcomes of transient evoked otoacoustic emission testing in 6-year-old school children: a comparison with pure tone screening and tympanometry. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001, 57, 67-76.	0.4	52
101	Screening for auditory neuropathy in a school for hearing impaired children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2001, 61, 39-46.	0.4	38
102	The effect of high-pass filtering on TEOAE in 2-month-old infants. <i>International Journal of Audiology</i> , 2001, 35, 67-85.	0.7	5
103	Effects of Speech Babble on Transient Evoked Otoacoustic Emissions in Normal-Hearing Adults. <i>Journal of the American Academy of Audiology</i> , 2001, 12, 371-378.	0.4	8
104	Over-the-Counter Hearing Aids: Electroacoustic Characteristics and Possible Target Client Groups. <i>International Journal of Audiology</i> , 2000, 39, 110-116.	0.9	28
105	Paediatric hearing screening in the community: a comparison of outcomes from transient evoked and distortion product otoacoustic emission measures. <i>Scandinavian Audiology</i> , 2000, 29, 83-92.	0.5	8
106	Test-Retest Reliability of Tone-Burst-Evoked Otoacoustic Emissions. <i>Acta Oto-Laryngologica</i> , 2000, 120, 825-834.	0.3	14
107	Transient evoked otoacoustic emissions in 6-year-old school children: a normative study. <i>Scandinavian Audiology</i> , 2000, 29, 103-110.	0.5	42
108	Transient Evoked Otoacoustic Emissions in Two-month-old Infants: A Normative Study. <i>International Journal of Audiology</i> , 1999, 38, 181-186.	0.9	19

#	ARTICLE	IF	CITATIONS
109	Otoacoustic emission criteria for neonatal hearing screening. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1999, 48, 9-15.	0.4	18
110	Measuring the understanding of connected discourse: an overview of methodology and clinical applications in rehabilitative audiology. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 1999, 4, 13-37.	0.2	6
111	Otoacoustic Emission Findings in Rett Syndrome. <i>Journal of the American Academy of Audiology</i> , 1999, 10, 436-444.	0.4	13
112	Infant hearing screening: a comparison of two techniques. <i>Australian and New Zealand Journal of Public Health</i> , 1998, 22, 261-265.	0.8	2
113	Effects of Background Noise on Click-Evoked Otoacoustic Emissions. <i>Ear and Hearing</i> , 1998, 19, 450-462.	1.0	40
114	Hearing screening for school children with otitis media using otoacoustic emission measures. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 1997, 2, 69-82.	0.2	11
115	Transient Evoked Otoacoustic Emissions in Infants: Effects of Gender, Ear Asymmetry and Activity Status. <i>International Journal of Audiology</i> , 1997, 36, 61-71.	0.9	60
116	Predicting the understanding of Cantonese connected discourse. <i>Asia Pacific Journal of Speech Language and Hearing</i> , 1997, 2, 203-226.	0.2	4
117	Childhood hearing loss in sub-Saharan Africa: a review and recommendations. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1997, 40, 1-18.	0.4	37
118	Hearing loss in Western Samoan children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1994, 29, 227-234.	0.4	8
119	External ear resonance as a screening technique in children with otitis media with effusion. <i>International Journal of Pediatric Otorhinolaryngology</i> , 1993, 25, 81-89.	0.4	2
120	Test-retest variability using the Liverpool screening audiometer in a field environment. <i>International Journal of Audiology</i> , 1992, 26, 139-141.	0.7	6
121	Simple Treatment for the Infected Ear. <i>Tropical Doctor</i> , 1986, 16, 31-32.	0.2	5