## Carlos R J Soares

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6215253/publications.pdf

Version: 2024-02-01

759233 677142 26 506 12 22 h-index citations g-index papers 27 27 27 501 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Biophysical properties of electrospun chitosan-grafted poly(lactic acid) nanofibrous scaffolds loaded with chondroitin sulfate and silver nanoparticles. Journal of Biomaterials Applications, 2022, 36, 1098-1110.	2.4	5
2	Periplasmic synthesis and purification of the human prolactin antagonist î"1-11-G129R-hPRL. AMB Express, 2021, 11, 62.	3.0	1
3	Poly(3-hydroxi-butyrate-co-3-hydroxy-valerate) (PHB-HV) microparticles loaded with holmium acetylacetonate as potential contrast agents for magnetic resonance images. International Journal of Nanomedicine, 2019, Volume 14, 6869-6889.	6.7	2
4	Suppression of Prolactin Secretion Partially Explains the Antidiabetic Effect of Bromocriptine in ob/ob Mice. Endocrinology, 2019, 160, 193-204.	2.8	13
5	Expression of glycosylated human prolactin in HEK293 cells and related N-glycan composition analysis. AMB Express, 2019, 9, 135.	3.0	6
6	Brain STAT5 signaling modulates learning and memory formation. Brain Structure and Function, 2018, 223, 2229-2241.	2.3	29
7	Determination of recombinant Interferon-α2 in E. coli periplasmic extracts by reversed-phase high-performance liquid chromatography. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2018, 1072, 193-198.	2.3	5
8	Distribution of growth hormone-responsive cells in the mouse brain. Brain Structure and Function, 2017, 222, 341-363.	2.3	66
9	Expression, purification and characterization of the authentic form of human growth hormone receptor antagonist G120R-hGH obtained in Escherichia coli periplasmic space. Protein Expression and Purification, 2017, 131, 91-100.	1.3	8
10	N-Glycoprofiling Analysis for Carbohydrate Composition and Site-Occupancy Determination in a Poly-Glycosylated Protein: Human Thyrotropin of Different Origins. International Journal of Molecular Sciences, 2017, 18, 131.	4.1	4
11	N-glycoprofiling analysis in a simple glycoprotein model: A comparison between recombinant and pituitary glycosylated human prolactin. Journal of Biotechnology, 2015, 202, 78-87.	3.8	8
12	Laboratory Production of Human Prolactin from CHO Cells Adapted to Serum-Free Suspension Culture. Applied Biochemistry and Biotechnology, 2012, 167, 2212-2224.	2.9	9
13	Expression, purification, and characterization of authentic mouse prolactin obtained in <i>Escherichia coli</i> periplasmic space. Biotechnology and Applied Biochemistry, 2012, 59, 178-185.	3.1	14
14	Improved Bioprocess with CHO-hTSH Cells on Higher Microcarrier Concentration Provides Higher Overall Biomass and Productivity for rhTSH. Applied Biochemistry and Biotechnology, 2011, 164, 401-409.	2.9	4
15	Synthesis, purification and characterization of recombinant glycosylated human prolactin (G-hPRL) secreted by cycloheximide-treated CHO cells. Journal of Biotechnology, 2010, 145, 334-340.	3.8	8
16	Enhancement of Human Prolactin Synthesis by Sodium Butyrate Addition to Serum-Free CHO Cell Culture. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-11.	3.0	12
17	A Molecular Mimic of Phosphorylated Prolactin (S179D PRL) Secreted by Eukaryotic Cells Has a Conformation with an Increased Positive Surface Charge Compared to That of Unmodified Prolactin. Biochemistry, 2009, 48, 6887-6897.	2.5	5
18	Distinct human prolactin (hPRL) and growth hormone (hGH) behavior under bacteriophage lambda PL promoter control: Temperature plays a major role in protein yields. Journal of Biotechnology, 2008, 133, 27-35.	3.8	21

#	Article	IF	CITATION
19	High-Level Secretion of Growth Hormone by Retrovirally Transduced Primary Human Keratinocytes: Prospects for an Animal Model of Cutaneous Gene Therapy. Molecular Biotechnology, 2006, 34, 239-246.	2.4	16
20	Human Macroprolactin Displays Low Biological Activity via Its Homologous Receptor in a New Sensitive Bioassay. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 1048-1055.	3.6	76
21	Periplasmic expression of human growth hormone via plasmid vectors containing the ÂPL promoter: use of HPLC for product quantification. Protein Engineering, Design and Selection, 2003, 16, 1131-1138.	2.1	56
22	Reversed-phase high-performance liquid chromatography method for the determination of prolactin in bacterial extracts and in its purified form. Journal of Chromatography A, 2002, 955, 229-236.	3.7	24
23	High-level expression of human thyroid-stimulating hormone in Chinese hamster ovary cells by co-transfection of dicistronic expression vectors followed by a dual-marker amplification strategy. Biotechnology and Applied Biochemistry, 2002, 35, 19.	3.1	29
24	High-level synthesis of human prolactin in Chinese-hamster ovary cells. Biotechnology and Applied Biochemistry, 2000, 32, 127.	3.1	23
25	High-yield purification of biosynthetic human growth hormone secreted in Escherichia coli periplasmic space. Journal of Chromatography A, 1999, 852, 441-450.	3.7	45
26	Synthesis and Characterization of Recombinant, Authentic Human Prolactin Secreted into the Periplasmic Space of Escherichia Coli. Biotechnology and Applied Biochemistry, 1998, 27, 63-70.	3.1	17