Jesper Harholt

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6216111/jesper-harholt-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57	5,795	34	58
papers	citations	h-index	g-index
58	7,010 ext. citations	9.8	6.09
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
57	Ancient origin of fucosylated xyloglucan in charophycean green algae. <i>Communications Biology</i> , 2021 , 4, 754	6.7	4
56	Analytical implications of different methods for preparing plant cell wall material. <i>Carbohydrate Polymers</i> , 2021 , 261, 117866	10.3	O
55	Phenolic cross-links: building and de-constructing the plant cell wall. <i>Natural Product Reports</i> , 2020 , 37, 919-961	15.1	53
54	Metabolism of polysaccharides in dynamic middle lamellae during cotton fibre development. <i>Planta</i> , 2019 , 249, 1565-1581	4.7	4
53	Amylopectin Chain Length Dynamics and Activity Signatures of Key Carbon Metabolic Enzymes Highlight Early Maturation as Culprit for Yield Reduction of Barley Endosperm Starch after Heat Stress. <i>Plant and Cell Physiology</i> , 2019 , 60, 2692-2706	4.9	3
52	Extensin arabinoside chain length is modulated in elongating cotton fibre. Cell Surface, 2019, 5, 100033	4.8	5
51	Identification of an algal xylan synthase indicates that there is functional orthology between algal and plant cell wall biosynthesis. <i>New Phytologist</i> , 2018 , 218, 1049-1060	9.8	35
50	Enzyme Activities at Different Stages of Plant Biomass Decomposition in Three Species of Fungus-Growing Termites. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	23
49	Third DWF1 paralog in Solanaceae, sterol Esomerase, branches withanolide biosynthesis from the general phytosterol pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8096-E8103	11.5	26
48	A Quick HYL1-Dependent Reactivation of MicroRNA Production Is Required for a Proper Developmental Response after Extended Periods of Light Deprivation. <i>Developmental Cell</i> , 2018 , 46, 236-247.e6	10.2	33
47	The Chara Genome: Secondary Complexity and Implications for Plant Terrestrialization. <i>Cell</i> , 2018 , 174, 448-464.e24	56.2	213
46	Glycosyltransferases of the GT47 Family 2018 , 265-283		2
45	Tracking polysaccharides through the brewing process. <i>Carbohydrate Polymers</i> , 2018 , 196, 465-473	10.3	13
44	Identification and evolution of a plant cell wall specific glycoprotein glycosyl transferase, ExAD. <i>Scientific Reports</i> , 2017 , 7, 45341	4.9	22
43	Development of novel monoclonal antibodies against starch and ulvan - implications for antibody production against polysaccharides with limited immunogenicity. <i>Scientific Reports</i> , 2017 , 7, 9326	4.9	15
42	Insoluble (1 -ப3), (1 -ப4)-ED-glucan is a component of cell walls in brown algae (Phaeophyceae) and is masked by alginates in tissues. <i>Scientific Reports</i> , 2017 , 7, 2880	4.9	46
41	Degradation of lignin Earyl ether units in Arabidopsis thaliana expressing LigD, LigF and LigG from Sphingomonas paucimobilis SYK-6. <i>Plant Biotechnology Journal</i> , 2017 , 15, 581-593	11.6	20

40	Why Plants Were Terrestrial from the Beginning. <i>Trends in Plant Science</i> , 2016 , 21, 96-101	13.1	88
39	Engineering temporal accumulation of a low recalcitrance polysaccharide leads to increased C6 sugar content in plant cell walls. <i>Plant Biotechnology Journal</i> , 2015 , 13, 903-14	11.6	30
38	Penium margaritaceum as a model organism for cell wall analysis of expanding plant cells. <i>Methods in Molecular Biology</i> , 2015 , 1242, 1-21	1.4	6
37	Evidence for land plant cell wall biosynthetic mechanisms in charophyte green algae. <i>Annals of Botany</i> , 2014 , 114, 1217-36	4.1	55
36	Palatability and chemical safety of apple juice fortified with pomegranate peel extract. <i>Food and Function</i> , 2013 , 4, 1468-73	6.1	10
35	Oxidative stability and chemical safety of mayonnaise enriched with grape seed extract. <i>Food and Function</i> , 2013 , 4, 1647-53	6.1	24
34	The Amborella genome and the evolution of flowering plants. <i>Science</i> , 2013 , 342, 1241089	33.3	546
33	Three Novel Rice Genes Closely Related to the Arabidopsis IRX9, IRX9L, and IRX14 Genes and Their Roles in Xylan Biosynthesis. <i>Frontiers in Plant Science</i> , 2013 , 4, 83	6.2	54
32	Reduced Wall Acetylation proteins play vital and distinct roles in cell wall O-acetylation in Arabidopsis. <i>Plant Physiology</i> , 2013 , 163, 1107-17	6.6	60
31	A Eglucuronosyltransferase from Arabidopsis thaliana involved in biosynthesis of type II arabinogalactan has a role in cell elongation during seedling growth. <i>Plant Journal</i> , 2013 , 76, 1016-29	6.9	60
30	Inactivation of OsIRX10 leads to decreased xylan content in rice culm cell walls and improved biomass saccharification. <i>Molecular Plant</i> , 2013 , 6, 570-3	14.4	33
29	Classification, naming and evolutionary history of glycosyltransferases from sequenced green and red algal genomes. <i>PLoS ONE</i> , 2013 , 8, e76511	3.7	25
28	XAX1 from glycosyltransferase family 61 mediates xylosyltransfer to rice xylan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 17117-22	11.5	140
27	The glycosyltransferase repertoire of the spikemoss Selaginella moellendorffii and a comparative study of its cell wall. <i>PLoS ONE</i> , 2012 , 7, e35846	3.7	52
26	Plant Glycosyltransferases Beyond CAZy: A Perspective on DUF Families. <i>Frontiers in Plant Science</i> , 2012 , 3, 59	6.2	52
25	ARAD proteins associated with pectic Arabinan biosynthesis form complexes when transiently overexpressed in planta. <i>Planta</i> , 2012 , 236, 115-28	4.7	56
24	Large-scale extraction of rhamnogalacturonan I from industrial potato waste. <i>Food Chemistry</i> , 2012 , 131, 1207-1216	8.5	34
23	Cell wall evolution and diversity. Frontiers in Plant Science, 2012, 3, 152	6.2	75

22	The Selaginella genome identifies genetic changes associated with the evolution of vascular plants. <i>Science</i> , 2011 , 332, 960-3	33.3	622
21	O-glycosylated cell wall proteins are essential in root hair growth. <i>Science</i> , 2011 , 332, 1401-3	33.3	220
20	The dynamics of plant cell-wall polysaccharide decomposition in leaf-cutting ant fungus gardens. <i>PLoS ONE</i> , 2011 , 6, e17506	3.7	36
19	Characterisation of the arabinose-rich carbohydrate composition of immature and mature marama beans (Tylosema esculentum). <i>Phytochemistry</i> , 2011 , 72, 1466-72	4	12
18	Genome sequencing and analysis of the model grass Brachypodium distachyon. <i>Nature</i> , 2010 , 463, 763-	-8 50.4	1399
17	Generation of transgenic wheat (Triticum aestivum L.) accumulating heterologous endo-xylanase or ferulic acid esterase in the endosperm. <i>Plant Biotechnology Journal</i> , 2010 , 8, 351-62	11.6	39
16	Autohydrolysis of plant xylans by apoplastic expression of thermophilic bacterial endo-xylanases. <i>Plant Biotechnology Journal</i> , 2010 , 8, 363-74	11.6	37
15	Glycosyltransferases of the GT47 Family 2010 , 265-283		4
14	Biosynthesis of pectin. <i>Plant Physiology</i> , 2010 , 153, 384-95	6.6	370
13	Characterization of the primary cell walls of seedlings of Brachypodium distachyona potential model plant for temperate grasses. <i>Phytochemistry</i> , 2010 , 71, 62-9	4	52
12	KORRIGAN1 and its aspen homolog PttCel9A1 decrease cellulose crystallinity in Arabidopsis stems. <i>Plant and Cell Physiology</i> , 2009 , 50, 1099-115	4.9	91
11	UDP-glucose pyrophosphorylase is not rate limiting, but is essential in Arabidopsis. <i>Plant and Cell Physiology</i> , 2009 , 50, 998-1011	4.9	63
10	Simultaneous in vivo truncation of pectic side chains. <i>Transgenic Research</i> , 2009 , 18, 961-9	3.3	20
9	Identification of a xylogalacturonan xylosyltransferase involved in pectin biosynthesis in Arabidopsis. <i>Plant Cell</i> , 2008 , 20, 1289-302	11.6	100
8	Xylogalacturonan exists in cell walls from various tissues of Arabidopsis thaliana. <i>Phytochemistry</i> , 2007 , 68, 1219-26	4	62
7	Disruption of ATCSLD5 results in reduced growth, reduced xylan and homogalacturonan synthase activity and altered xylan occurrence in Arabidopsis. <i>Plant Journal</i> , 2007 , 52, 791-802	6.9	85
6	ARABINAN DEFICIENT 1 is a putative arabinosyltransferase involved in biosynthesis of pectic arabinan in Arabidopsis. <i>Plant Physiology</i> , 2006 , 140, 49-58	6.6	210
5	Biosynthesis of pectin. <i>Physiologia Plantarum</i> , 2006 , 129, 283-295	4.6	87

LIST OF PUBLICATIONS

4	Cell adhesion in Arabidopsis thaliana is mediated by ECTOPICALLY PARTING CELLS 1a glycosyltransferase (GT64) related to the animal exostosins. <i>Plant Journal</i> , 2005 , 43, 384-97	6.9	35
3	QUASIMODO1 is expressed in vascular tissue of Arabidopsis thaliana inflorescence stems, and affects homogalacturonan and xylan biosynthesis. <i>Planta</i> , 2005 , 222, 613-22	4.7	76
2	Novel cell wall architecture of isoxaben-habituated Arabidopsis suspension-cultured cells: global transcript profiling and cellular analysis. <i>Plant Journal</i> , 2004 , 40, 260-75	6.9	116
1	Rhamnogalacturonan I in Solanum tuberosum tubers contains complex arabinogalactan structures. <i>Phytochemistry</i> , 2004 , 65, 1429-38	4	139