Hekun Liu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6217372/publications.pdf

Version: 2024-02-01

687363 752698 20 469 13 20 citations h-index g-index papers 21 21 21 743 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Induction of IL-6Rα by ATF3 enhances IL-6 mediated sorafenib and regorafenib resistance in hepatocellular carcinoma. Cancer Letters, 2022, 524, 161-171.	7.2	23
2	Regorafenib inhibits migration, invasion, and vasculogenic mimicry of hepatocellular carcinoma via targeting ID1â€mediated EMT. Molecular Carcinogenesis, 2021, 60, 151-163.	2.7	13
3	Inhibition of Death-associated Protein Kinase 1 protects against Epileptic Seizures in mice. International Journal of Biological Sciences, 2021, 17, 2356-2366.	6.4	10
4	The Pin1-CaMKII-AMPA Receptor Axis Regulates Epileptic Susceptibility. Cerebral Cortex, 2021, 31, 3082-3095.	2.9	6
5	TCP1 regulates Wnt7b/ \hat{l}^2 -catenin pathway through P53 to influence the proliferation and migration of hepatocellular carcinoma cells. Signal Transduction and Targeted Therapy, 2020, 5, 169.	17.1	16
6	Targeting PIN 1 exerts potent antitumor activity in pancreatic ductal carcinoma via inhibiting tumor metastasis. Cancer Science, 2019, 110, 2442-2455.	3.9	9
7	Pin1 inhibition potently suppresses gastric cancer growth and blocks PI3K/AKT and Wnt∫î²â€€atenin oncogenic pathways. Molecular Carcinogenesis, 2019, 58, 1450-1464.	2.7	24
8	Pin1 inhibition reverses the acquired resistance of human hepatocellular carcinoma cells to Regorafenib via the Gli1/Snail/E-cadherin pathway. Cancer Letters, 2019, 444, 82-93.	7.2	35
9	A novel controlled release formulation of the Pin1 inhibitor ATRA to improve liver cancer therapy by simultaneously blocking multiple cancer pathways. Journal of Controlled Release, 2018, 269, 405-422.	9.9	49
10	GOLPH2, a gene downstream of ras signaling, promotes the progression of pancreatic ductal adenocarcinoma. Molecular Medicine Reports, 2018, 17, 4187-4194.	2.4	11
11	Pin1 inhibition exerts potent activity against acute myeloid leukemia through blocking multiple cancer-driving pathways. Journal of Hematology and Oncology, 2018, 11, 73.	17.0	23
12	Lead Induces Genotoxicity via Oxidative Stress and Promoter Methylation of DNA Repair Genes in Human Lymphoblastoid TK6 Cells. Medical Science Monitor, 2018, 24, 4295-4304.	1.1	21
13	Chemical or genetic Pin1 inhibition exerts potent anticancer activity against hepatocellular carcinoma by blocking multiple cancer-driving pathways. Scientific Reports, 2017, 7, 43639.	3.3	39
14	MicroRNA-140-5p inhibits hepatocellular carcinoma by directly targeting the unique isomerase Pin1 to block multiple cancer-driving pathways. Scientific Reports, 2017, 7, 45915.	3.3	43
15	Inhibition of the prolyl isomerase Pin1 enhances the ability of sorafenib to induce cell death and inhibit tumor growth in hepatocellular carcinoma. Oncotarget, 2017, 8, 29771-29784.	1.8	30
16	Potential of the Antibody Against <i>cis</i> –Phosphorylated Tau in the Early Diagnosis, Treatment, and Prevention of Alzheimer Disease and Brain Injury. JAMA Neurology, 2016, 73, 1356.	9.0	64
17	Recognition of Cytosolic DNA Attenuates Glucose Metabolism and Induces AMPK Mediated Energy Stress Response. International Journal of Biological Sciences, 2015, 11, 587-594.	6.4	8
18	ADIPOQ +45T>G, +712A>G and +4545C>G variants are associated with dyslipidemia in Chinese pre-eclampsia women. International Journal of Diabetes in Developing Countries, 2015, 35, 206-210.	0.8	0

HEKUN LIU

#	Article	IF	CITATIONS
19	Association of â^394C>G and â^420C>G polymorphisms in the RETN gene with T2DM and CHD and a new potential SNP might be exist in exon 3 of RETN gene in Chinese. Molecular and Cellular Biochemistry, 2009, 330, 31-38.	3.1	14
20	APM1 gene variants â°'11377C/G and 4545G/C are associated respectively with obesity and with non-obesity in Chinese type 2 diabetes. Diabetes Research and Clinical Practice, 2009, 84, 205-210.	2.8	29