

Timothy W Jones

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6218610/timothy-w-jones-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

5,100
citations

37
h-index

70
g-index

122
ext. papers

6,205
ext. citations

8.3
avg, IF

5.27
L-index

#	Paper	IF	Citations
108	International Consensus on Use of Continuous Glucose Monitoring. <i>Diabetes Care</i> , 2017 , 40, 1631-1640	14.6	872
107	Exercise management in type 1 diabetes: a consensus statement. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 377-390	18.1	391
106	Effect of sensor-augmented insulin pump therapy and automated insulin suspension vs standard insulin pump therapy on hypoglycemia in patients with type 1 diabetes: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1240-7	27.4	295
105	Metabolic specialization associated with phenotypic switching in <i>Candida albicans</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 14907-12	11.5	242
104	Decreased epinephrine responses to hypoglycemia during sleep. <i>New England Journal of Medicine</i> , 1998 , 338, 1657-62	59.2	227
103	Glucose requirements to maintain euglycemia after moderate-intensity afternoon exercise in adolescents with type 1 diabetes are increased in a biphasic manner. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 963-8	5.6	177
102	Outcome Measures for Artificial Pancreas Clinical Trials: A Consensus Report. <i>Diabetes Care</i> , 2016 , 39, 1175-9	14.6	149
101	The impact of a decade of changing treatment on rates of severe hypoglycemia in a population-based cohort of children with type 1 diabetes. <i>Diabetes Care</i> , 2004 , 27, 2293-8	14.6	126
100	Long-term outcome of insulin pump therapy in children with type 1 diabetes assessed in a large population-based case-control study. <i>Diabetologia</i> , 2013 , 56, 2392-400	10.3	125
99	Both dietary protein and fat increase postprandial glucose excursions in children with type 1 diabetes, and the effect is additive. <i>Diabetes Care</i> , 2013 , 36, 3897-902	14.6	121
98	Incidence and predictive criteria of nocturnal hypoglycemia in young children with insulin-dependent diabetes mellitus. <i>Journal of Pediatrics</i> , 1997 , 130, 366-72	3.6	94
97	ISPAD Clinical Practice Consensus Guidelines 2014. Assessment and management of hypoglycemia in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , 2014 , 15 Suppl 20, 180-92	3.6	92
96	ISPAD Clinical Practice Consensus Guidelines 2018: Assessment and management of hypoglycemia in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , 2018 , 19 Suppl 27, 178-192	3.6	87
95	Reduction in Hypoglycemia With the Predictive Low-Glucose Management System: A Long-term Randomized Controlled Trial in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2018 , 41, 303-310	14.6	83
94	Prevalence of structural central nervous system abnormalities in early-onset type 1 diabetes mellitus. <i>Journal of Pediatrics</i> , 2008 , 153, 385-90	3.6	82
93	Cognitive functioning in children with early onset type 1 diabetes and severe hypoglycemia. <i>Journal of Pediatrics</i> , 2005 , 147, 680-5	3.6	69
92	ACE Inhibitors and Statins in Adolescents with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 377, 1733-1745	59.2	67

91	Independent effects of youth and poor diabetes control on responses to hypoglycemia in children. <i>Diabetes</i> , 1991 , 40, 358-63	0.9	66
90	Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. <i>Diabetes Care</i> , 2017 , 40, 1034-1040	14.6	65
89	A population-based study of risk factors for severe hypoglycaemia in a contemporary cohort of childhood-onset type 1 diabetes. <i>Diabetologia</i> , 2013 , 56, 2164-70	10.3	63
88	Reducing rates of severe hypoglycemia in a population-based cohort of children and adolescents with type 1 diabetes over the decade 2000-2009. <i>Diabetes Care</i> , 2011 , 34, 2379-80	14.6	60
87	Glycemia, Treatment Satisfaction, Cognition, and Sleep Quality in Adults and Adolescents with Type 1 Diabetes When Using a Closed-Loop System Overnight Versus Sensor-Augmented Pump with Low-Glucose Suspend Function: A Randomized Crossover Study. <i>Diabetes Technology and Therapeutics</i> , 2016 , 18, 772-783	8.1	59
86	Severe hypoglycemia rates are not associated with HbA1c: a cross-sectional analysis of 3 contemporary pediatric diabetes registry databases. <i>Pediatric Diabetes</i> , 2017 , 18, 643-650	3.6	56
85	Improving epinephrine responses in hypoglycemia unawareness with real-time continuous glucose monitoring in adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2011 , 34, 50-2	14.6	56
84	Impaired awareness of hypoglycemia in a population-based sample of children and adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2009 , 32, 1802-6	14.6	54
83	The Use of Continuous Glucose Monitoring With Remote Monitoring Improves Psychosocial Measures in Parents of Children With Type 1 Diabetes: A Randomized Crossover Trial. <i>Diabetes Care</i> , 2018 , 41, 2641-2643	14.6	52
82	Acute hyperglycaemia impairs cognitive function in children with IDDM. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 1996 , 9, 455-61	1.6	51
81	The Australasian Diabetes Data Network: first national audit of children and adolescents with type 1 diabetes. <i>Medical Journal of Australia</i> , 2017 , 206, 121-125	4	50
80	Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AdDIT): urinary screening and baseline biochemical and cardiovascular assessments. <i>Diabetes Care</i> , 2014 , 37, 805-13	14.6	49
79	Independent effects of socioeconomic status and place of residence on the incidence of childhood type 1 diabetes in Western Australia. <i>Pediatric Diabetes</i> , 2006 , 7, 94-100	3.6	47
78	Analysis of glucose responses to automated insulin suspension with sensor-augmented pump therapy. <i>Diabetes Care</i> , 2012 , 35, 1462-5	14.6	46
77	Assessment and management of hypoglycemia in children and adolescents with diabetes. <i>Pediatric Diabetes</i> , 2008 , 9, 165-74	3.6	45
76	Hypoglycemia in children with type 1 diabetes: current issues and controversies. <i>Pediatric Diabetes</i> , 2003 , 4, 143-50	3.6	45
75	Early atherosclerosis relates to urinary albumin excretion and cardiovascular risk factors in adolescents with type 1 diabetes: Adolescent type 1 Diabetes cardio-renal Intervention Trial (AdDIT). <i>Diabetes Care</i> , 2014 , 37, 3069-75	14.6	44
74	Progression of borderline increases in albuminuria in adolescents with insulin-dependent diabetes mellitus. <i>Diabetic Medicine</i> , 1997 , 14, 766-71	3.5	44

73	Neurocognitive outcomes in young adults with early-onset type 1 diabetes: a prospective follow-up study. <i>Diabetes Care</i> , 2011 , 34, 2192-7	14.6	43
72	Effect of Exercise Intensity on Glucose Requirements to Maintain Euglycemia During Exercise in Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 972-80	5.6	38
71	Feasibility of Outpatient 24-Hour Closed-Loop Insulin Delivery. <i>Diabetes Care</i> , 2015 , 38, e186-7	14.6	32
70	Effectiveness of a Predictive Algorithm in the Prevention of Exercise-Induced Hypoglycemia in Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016 , 18, 543-50	8.1	30
69	A cost-effectiveness analysis of sensor-augmented insulin pump therapy and automated insulin suspension versus standard pump therapy for hypoglycemic unaware patients with type 1 diabetes. <i>Value in Health</i> , 2014 , 17, 561-9	3.3	29
68	Prevention of Insulin-Induced Hypoglycemia in Type 1 Diabetes with Predictive Low Glucose Management System. <i>Diabetes Technology and Therapeutics</i> , 2016 , 18, 436-43	8.1	27
67	Six Months of Hybrid Closed-Loop Versus Manual Insulin Delivery With Fingerprick Blood Glucose Monitoring in Adults With Type 1 Diabetes: A Randomized, Controlled Trial. <i>Diabetes Care</i> , 2020 , 43, 3024-3033	14.6	27
66	Regular peaks and troughs in the Australian incidence of childhood type 1 diabetes mellitus (2000-2011). <i>Diabetologia</i> , 2015 , 58, 2513-6	10.3	25
65	School performance in children with type 1 diabetes: a contemporary population-based study. <i>Pediatric Diabetes</i> , 2016 , 17, 101-11	3.6	25
64	Exercise training improves vascular function in adolescents with type 2 diabetes. <i>Physiological Reports</i> , 2016 , 4, e12713	2.6	25
63	VEGF (Vascular Endothelial Growth Factor) Induces NRP1 (Neuropilin-1) Cleavage via ADAMs (a Disintegrin and Metalloproteinase) 9 and 10 to Generate Novel Carboxy-Terminal NRP1 Fragments That Regulate Angiogenic Signaling. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 1845-1858	9.4	25
62	Prevalence and risk factors for microalbuminuria in a population-based sample of children and adolescents with T1DM in Western Australia. <i>Pediatric Diabetes</i> , 2006 , 7, 165-72	3.6	25
61	Real-world outcomes of insulin pump compared to injection therapy in a population-based sample of children with type 1 diabetes. <i>Pediatric Diabetes</i> , 2018 , 19, 1459-1466	3.6	22
60	Renal and Cardiovascular Risk According to Tertiles of Urinary Albumin-to-Creatinine Ratio: The Adolescent Type 1 Diabetes Cardio-Renal Intervention Trial (AdDIT). <i>Diabetes Care</i> , 2018 , 41, 1963-1969	14.6	21
59	Exploration of the Performance of a Hybrid Closed Loop Insulin Delivery Algorithm That Includes Insulin Delivery Limits Designed to Protect Against Hypoglycemia. <i>Journal of Diabetes Science and Technology</i> , 2017 , 11, 68-73	4.1	20
58	Exercise Management for Young People With Type 1 Diabetes: A Structured Approach to the Exercise Consultation. <i>Frontiers in Endocrinology</i> , 2019 , 10, 326	5.7	19
57	Cardiac autonomic dysfunction is associated with high-risk albumin-to-creatinine ratio in young adolescents with type 1 diabetes in AdDIT (adolescent type 1 diabetes cardio-renal interventional trial). <i>Diabetes Care</i> , 2015 , 38, 676-81	14.6	19
56	Cyclical variation in the incidence of childhood type 1 diabetes in Western Australia (1985-2010). <i>Diabetes Care</i> , 2012 , 35, 2300-2	14.6	19

55	The normal ischiofemoral distance and its variations. <i>Journal of Hip Preservation Surgery</i> , 2016 , 3, 197-202		16
54	The Diabetes Control and Complications Trial: Implications for children and adolescents. <i>Medical Journal of Australia</i> , 1995 , 162, 369-372	4	16
53	A new strategy for vascular complications in young people with type 1 diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2019 , 15, 429-435	15.2	15
52	Australasian Diabetes Data Network: Building a Collaborative Resource. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 1015-26	4.1	15
51	Cost-effectiveness Analysis of Routine Screening Using Massively Parallel Sequencing for Maturity-Onset Diabetes of the Young in a Pediatric Diabetes Cohort: Reduced Health System Costs and Improved Patient Quality of Life. <i>Diabetes Care</i> , 2019 , 42, 69-76	14.6	15
50	Decreasing Trends in Mean HbA Are Not Associated With Increasing Rates of Severe Hypoglycemia in Children: A Longitudinal Analysis of Two Contemporary Population-Based Pediatric Type 1 Diabetes Registries From Australia and Germany/Austria Between 1995 and 2016. <i>Diabetes Care</i> , 2019 , 42, 1433-1436	14.6	14
49	Hypoglycemia does not change the threshold for arousal from sleep in adolescents with type 1 diabetes. <i>Diabetes Technology and Therapeutics</i> , 2012 , 14, 101-4	8.1	14
48	Standardised mortality is increased three-fold in a population-based sample of children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2013 , 14, 13-7	3.6	13
47	Angiotensinogen gene T235 variant: a marker for the development of persistent microalbuminuria in children and adolescents with type 1 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2008 , 22, 191-8	3.2	13
46	Longitudinal trajectories of BMI z-score: an international comparison of 11,513 Australian, American and German/Austrian/Luxembourgian youth with type 1 diabetes. <i>Pediatric Obesity</i> , 2020 , 15, e12582	4.6	13
45	Continuous Glucose Monitoring Adherence: Lessons From a Clinical Trial to Predict Outpatient Behavior. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 627-32	4.1	13
44	Comprehensive genetic screening: The prevalence of maturity-onset diabetes of the young gene variants in a population-based childhood diabetes cohort. <i>Pediatric Diabetes</i> , 2019 , 20, 57-64	3.6	13
43	Incidence of childhood onset type 1 diabetes in Western Australia from 1985 to 2016: Evidence for a plateau. <i>Pediatric Diabetes</i> , 2018 , 19, 690-692	3.6	12
42	Improvement in Psychosocial Outcomes in Children with Type 1 Diabetes and Their Parents Following Subsidy for Continuous Glucose Monitoring. <i>Diabetes Technology and Therapeutics</i> , 2019 , 21, 575-580	8.1	11
41	Reduced prevalence of impaired awareness of hypoglycemia in a population-based clinic sample of youth with type 1 diabetes. <i>Pediatric Diabetes</i> , 2017 , 18, 729-733	3.6	11
40	Short report: Care for children and adolescents with diabetes in Australia and New Zealand: have we achieved the defined goals?. <i>Journal of Paediatrics and Child Health</i> , 2013 , 49, E258-62	1.3	11
39	Early changes in 24-hour ambulatory blood pressure are associated with high normal albumin excretion rate in children with type 1 diabetes mellitus. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2005 , 18, 879-85	1.6	11
38	Performance of Medtronic Hybrid Closed-Loop Iterations: Results From a Randomized Trial in Adolescents with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2018 , 20, 693-697	8.1	11

37	A randomised controlled study of high intensity exercise as a dishabituating stimulus to improve hypoglycaemia awareness in people with type 1 diabetes: a proof-of-concept study. <i>Diabetologia</i> , 2020 , 63, 853-863	10.3	10
36	Defining relevant hypoglycemia measures in children and adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2018 , 19, 354-355	3.6	10
35	Effect of antecedent moderate-intensity exercise on the glycemia-increasing effect of a 30-sec maximal sprint: a sex comparison. <i>Physiological Reports</i> , 2015 , 3, e12386	2.6	10
34	Effect of 6 months hybrid closed-loop insulin delivery in young people with type 1 diabetes: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e020275	3	9
33	Diabetes--national action plan. <i>Medical Journal of Australia</i> , 1993 , 159, 838	4	9
32	Medication Adherence During Adjunct Therapy With Statins and ACE Inhibitors in Adolescents With Type 1 Diabetes. <i>Diabetes Care</i> , 2020 , 43, 1070-1076	14.6	8
31	Unexpected Management Behaviors in Adolescents With Type 1 Diabetes Using Sensor-Augmented Pump Therapy. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 592-598	4.1	8
30	The Importance of the Hawthorne Effect on Psychological Outcomes Unveiled in a Randomized Controlled Trial of Diabetes Technology. <i>Journal of Diabetes Science and Technology</i> , 2018 , 12, 735-736	4.1	8
29	Effect of a Hybrid Closed-Loop System on Glycemic and Psychosocial Outcomes in Children and Adolescents With Type 1 Diabetes: A Randomized Clinical Trial. <i>JAMA Pediatrics</i> , 2021 , 175, 1227-1235	8.3	8
28	Effect of 6 months of hybrid closed-loop insulin delivery in adults with type 1 diabetes: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e020274	3	7
27	Vascular Effects of ACE (Angiotensin-Converting Enzyme) Inhibitors and Statins in Adolescents With Type 1 Diabetes. <i>Hypertension</i> , 2020 , 76, 1734-1743	8.5	6
26	Comparable glycemic outcomes for pediatric type 1 diabetes patients in metropolitan and non-metropolitan regions of Western Australia: A population-based study. <i>Pediatric Diabetes</i> , 2018 , 19, 486-492	3.6	6
25	Incidence of and risk factors for hospitalisations due to vascular complications: A population-based type 1 diabetes cohort (n=1316) followed into early adulthood. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 843-849	3.2	4
24	Children and adolescents with type 1 diabetes in Australasia: An online survey of model of care, workforce and outcomes. <i>Journal of Paediatrics and Child Health</i> , 2019 , 55, 82-86	1.3	3
23	Effect of frequency of sensor use on glycaemic control in individuals on sensor-augmented pump therapy with and without Predictive Low Glucose Management System. <i>Diabetes Research and Clinical Practice</i> , 2020 , 159, 107989	7.4	3
22	T-Cell Expression and Release of Kidney Injury Molecule-1 in Response to Glucose Variations Initiates Kidney Injury in Early Diabetes. <i>Diabetes</i> , 2021 , 70, 1754-1766	0.9	3
21	Impact of Hybrid Closed Loop Therapy on Hypoglycemia Awareness in Individuals with Type 1 Diabetes and Impaired Hypoglycemia Awareness. <i>Diabetes Technology and Therapeutics</i> , 2021 , 23, 482-490	8.1	3
20	Determinants of Cardiovascular Risk in 7000 Youth With Type 1 Diabetes in the Australasian Diabetes Data Network. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 133-142	5.6	3

19	Effect of Exercise Intensity on Exogenous Glucose Requirements to Maintain Stable Glycemia At High Insulin Levels in Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e83-e93	5.6	3
18	Continuous Glucose Monitoring Improves Glycemic Outcomes in Children With Type 1 Diabetes: Real-World Data From a Population-Based Clinic. <i>Diabetes Care</i> , 2021 , 44, e171-e172	14.6	3
17	Managing hypoglycemia in children: what the clinician needs to know before advising parents. <i>Diabetes Management</i> , 2012 , 2, 503-512	0	2
16	Copeptin Kinetics and Its Relationship to Osmolality During Rehydration for Diabetic Ketoacidosis in Children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	2
15	Response to Comment on Craig et al. Prevalence of Celiac Disease in 52,721 Youth With Type 1 Diabetes: International Comparison Across Three Continents. <i>Diabetes Care</i> 2017;40:1034-1040. <i>Diabetes Care</i> , 2017 , 40, e168-e169	14.6	1
14	Neural-Network Detection of Hypoglycemic Episodes in Children with Type 1 Diabetes using Physiological Parameters		1
13	A Novel Mobile Health App to Educate and Empower Young People With Type 1 Diabetes to Exercise Safely: Prospective Single-Arm Mixed Methods Pilot Study. <i>JMIR Diabetes</i> , 2021 , 6, e29739	2.7	1
12	Biomarkers associated with early stages of kidney disease in adolescents with type 1 diabetes. <i>Pediatric Diabetes</i> , 2020 , 21, 1322-1332	3.6	1
11	Acute hyperglycaemia does not have a consistent adverse effect on exercise performance in recreationally active young people with type 1 diabetes: a randomised crossover in-clinic study. <i>Diabetologia</i> , 2021 , 64, 1737-1748	10.3	1
10	Advanced glycation end products as predictors of renal function in youth with type 1 diabetes. <i>Scientific Reports</i> , 2021 , 11, 9422	4.9	1
9	Progression of borderline increases in albuminuria in adolescents with insulin-dependent diabetes mellitus 1997 , 14, 766		1
8	Additional Insulin Is Required in Both the Early and Late Postprandial Periods for Meals High in Protein and Fat: A Randomized Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e3611-e3618	5.6	0
7	Less Nocturnal Hypoglycemia but Equivalent Time in Range Among Adults with Type 1 Diabetes Using Insulin Pumps Versus Multiple Daily Injections. <i>Diabetes Technology and Therapeutics</i> , 2021 , 23, 460-466	8.1	0
6	The relationship between meal carbohydrate quantity and the insulin to carbohydrate ratio required to maintain glycaemia is non-linear in young people with type 1 diabetes: A randomized crossover trial. <i>Diabetic Medicine</i> , 2021 , e14675	3.5	0
5	Meal-time glycaemia in adults with type 1 diabetes using multiple daily injections vs insulin pump therapy following carbohydrate-counting education and bolus calculator provision. <i>Diabetes Research and Clinical Practice</i> , 2021 , 179, 109000	7.4	0
4	Urinary albumin/creatinine ratio tertiles predict risk of diabetic retinopathy progression: a natural history study from the Adolescent Cardio-Renal Intervention Trial (AddIT) observational cohort.. <i>Diabetologia</i> , 2022 , 65, 872-878	10.3	0
3	Long-term cost-effectiveness of Dexcom G6 real-time continuous glucose monitoring system in people with type 1 diabetes IN Australia.. <i>Diabetic Medicine</i> , 2022 , e14831	3.5	0
2	Overnight Counter-Regulatory Hormone Levels and Next Day Glycemia in Adults with Type 1 Diabetes During Closed-Loop Insulin Delivery Versus Sensor-Augmented Pump with Low-Glucose Suspend. <i>Diabetes Technology and Therapeutics</i> , 2017 , 19, 438-439	8.1	

1	Response to Comment on Johnson et al. Cost-effectiveness Analysis of Routine Screening Using Massively Parallel Sequencing for Maturity-Onset Diabetes of the Young in a Pediatric Diabetes Cohort: Reduced Health System Costs and Improved Patient Quality of Life. <i>Diabetes Care</i> 2019;42:69-76. <i>Diabetes Care</i> , 2019 , 42, e79-e80	14.6
---	--	------