Monica Acevedo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6218832/monica-acevedo-publications-by-year.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42 853 18 28 g-index

60 959 2 3.23 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
42	Prevalence and determinants of ideal cardiovascular health in a latin women cohort: a cross-sectional study. <i>The Lancet Regional Health Americas</i> , 2021 , 4, 100071		1
41	Urinary sodium-to-potassium ratio and body mass index in relation to high blood pressure in a national health survey in Chile. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1041-1049	2.3	3
40	Low Cardiovascular Disease Awareness in Chilean Women: Insights from the ESCI Project. <i>Global Heart</i> , 2020 , 15, 55	2.9	3
39	Cardiorespiratory fitness improves prediction of mortality of standard cardiovascular risk scores in a Latino population. <i>Clinical Cardiology</i> , 2020 , 43, 1167-1174	3.3	3
38	Exthenes diagnticos cardiovasculares: ¿diferencias de gliero en su interpretacili?. <i>Revista Colombiana De Cardiologia</i> , 2018 , 25, 66-72	0.1	
37	Platelet tissue factor activity and membrane cholesterol are increased in hypercholesterolemia and normalized by rosuvastatin, but not by atorvastatin. <i>Atherosclerosis</i> , 2017 , 257, 164-171	3.1	23
36	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment: Expert position paper made by The Latin American Academy for the Study of Lipids (ALALIP) Endorsed by the Inter-American Society of Cardiology (IASC), the South American Society of Cardiology (SSC), the	3.2	28
35	Mobile phone text messaging improves antihypertensive drug adherence in the community. Journal of Clinical Hypertension, 2017 , 19, 1276-1284	2.3	35
34	Does Good Aerobic Capacity Attenuate the Effects of Aging on Cardiovascular Risk Factors? Results from a Cross-Sectional Study in a Latino Population. <i>International Journal of Endocrinology</i> , 2017 , 2017, 8351635	2.7	1
33	Comparison of Lipoprotein-Associated Phospholipase A2 and High Sensitive C-Reactive Protein as Determinants of Metabolic Syndrome in Subjects without Coronary Heart Disease: In Search of the Best Predictor. <i>International Journal of Endocrinology</i> , 2015 , 2015, 934681	2.7	15
32	Impaired Fasting Glucose in Nondiabetic Range: Is It a Marker of Cardiovascular Risk Factor Clustering?. <i>Disease Markers</i> , 2015 , 2015, 804739	3.2	6
31	Body fat and its relationship with clustering of cardiovascular risk factors. <i>Nutricion Hospitalaria</i> , 2015 , 31, 2253-60	1	8
30	Cholesterol levels and the association of statins with in-hospital mortality of myocardial infarction patients insights from a Chilean registry of myocardial infarction. <i>Clinical Cardiology</i> , 2013 , 36, 305-11	3.3	1
29	Tissue Factor-Dependent Pro-Coagulant Activity Of Human Platelets Is Directly Related To Membrane Cholesterol Content. Rosuvastatin, But Not Atorvastatin, Reduces The Platelet Cholesterol, Tissue Factor Protein and Clotting Activity In Hypercholesterolemic Patients. <i>Blood</i> ,	2.2	
28	2013 , 122, 34-34 Biochemical predictors of cardiac rhythm at 1 year follow-up in patients with non-valvular atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2012 , 33, 383	5.1	9
27	Common carotid artery intima-media thickness: the Cardiovascular Risk Factor Multiple Evaluation in Latin America (CARMELA) study results. <i>Cerebrovascular Diseases</i> , 2011 , 31, 43-50	3.2	24
26	Strain y Strain rate auricular izquierdo evaluado por speckle tracking est[relacionado a PCR ultrasensible en adolescentes obesos. <i>Revista Chilena De Cardiolog</i> ā, 2011 , 30, 95-102	0.3	

(2002-2011)

25	Perfil de riesgo cardiovascular en adultos jllenes asintombicos con grosor litima media carotbeo elevado. <i>Revista Medica De Chile</i> , 2011 , 139, 1322-1329	0.5	8
24	Cardiac Rehabilitation and Exercise in Secondary Prevention. <i>Current Cardiovascular Risk Reports</i> , 2011 , 5, 391-398	0.9	1
23	Adiponectin levels, cardiometabolic risk factors and markers of subclinical atherosclerosis in children. <i>International Journal of Cardiology</i> , 2010 , 138, 138-44	3.2	32
22	Dyslipidemia in seven Latin American cities: CARMELA study. <i>Preventive Medicine</i> , 2010 , 50, 106-11	4.3	211
21	lidice cintura estatura y agregacili de componentes cardiometablicos en nils y adolescentes de Santiago. <i>Revista Medica De Chile</i> , 2010 , 138, 1378-1385	0.5	8
20	Marcadores de aterosclerosis temprana y stidrome metablico en nits. <i>Revista Medica De Chile</i> , 2009 , 137,	0.5	6
19	Hypertension in adolescents. Expert Review of Cardiovascular Therapy, 2009, 7, 1595-603	2.5	16
18	Actividad fBica y potencia aerBica: ¿CEho influyen sobre los factores de riesgo cardiovascular clBicos y emergentes?. <i>Revista Medica De Chile</i> , 2009 , 137,	0.5	2
17	Cardiovascular risk factors for heart disease and stroke in women by age and time since menopause, in seven Latin American cities: The CARMELA study. <i>CVD Prevention and Control</i> , 2008 , 3, 181-189		5
16	High sensitivity C-reactive protein and endothelial function in Chilean patients with history of Kawasaki disease. <i>Clinical Rheumatology</i> , 2008 , 27, 845-50	3.9	18
15	Use of endovascular stents in atherosclerotic renovascular stenosis: blood pressure and renal function changes in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2007 , 9, 608-14	2.3	4
14	C-reactive protein and atrial fibrillation: "evidence for the presence of inflammation in the perpetuation of the arrhythmia". <i>International Journal of Cardiology</i> , 2006 , 108, 326-31	3.2	41
13	Effects of glucose-insulin-potassium solution on myocardial salvage and left ventricular function after primary angioplasty. <i>Critical Care Medicine</i> , 2003 , 31, 2152-5	1.4	28
12	Serum homocysteine levels and mortality in outpatients with or without coronary artery disease: an observational study. <i>American Journal of Medicine</i> , 2003 , 114, 685-8	2.4	6
11	Administration of growth hormone to patients with advanced cardiac heart failure: effects upon left ventricular function, exercise capacity, and neurohormonal status. <i>International Journal of Cardiology</i> , 2003 , 87, 185-91	3.2	40
10	Microalbuminuria: is it a valid predictor of cardiovascular risk?. <i>Cleveland Clinic Journal of Medicine</i> , 2003 , 70, 255-61	2.8	19
9	Blood glucose concentrations American Journal of Cardiology, 2002 , 89, 596-9	3	19
8	Elevated fibrinogen and homocysteine levels enhance the risk of mortality in patients from a high-risk preventive cardiology clinic. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002 , 22, 1042-5	5 ^{9.4}	33

7	Pilot study of coronary atherosclerotic risk and plaque burden in HIV patients: To call for cardiovascular prevention Tatherosclerosis, 2002, 163, 349-54	3.1	45
6	Fibrinogen: associations with cardiovascular events in an outpatient clinic. <i>American Heart Journal</i> , 2002 , 143, 277-82	4.9	21
5	Statins in acute coronary syndromes: start them in the hospital. <i>Cleveland Clinic Journal of Medicine</i> , 2002 , 69, 25-6, 31-3, 37	2.8	3
4	Association of noninvasive markers of coronary artery reperfusion to assess microvascular obstruction in patients with acute myocardial infarction treated with primary angioplasty. <i>American Journal of Cardiology</i> , 2001 , 88, 342-6	3	23
3	Non-traditional risk factors for atherosclerosis. <i>Revista Medica De Chile</i> , 2001 , 129, 1212-21	0.5	3
2	Selective increase in cardiac IGF-1 in a rat model of ventricular hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 243, 20-4	3.4	20
1	Enalapril restores depressed circulating insulin-like growth factor 1 in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 1998 , 4, 115-9	3.3	25