

# Maryam Ferdousi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6218899/publications.pdf>

Version: 2024-02-01

73  
papers

2,809  
citations

201385

27  
h-index

205818

48  
g-index

74  
all docs

74  
docs citations

74  
times ranked

2184  
citing authors

#	ARTICLE	IF	CITATIONS
1	Corneal nerve loss is related to the severity of painful diabetic neuropathy. <i>European Journal of Neurology</i> , 2022, 29, 286-294.	1.7	13
2	Artificial intelligence utilising corneal confocal microscopy for the diagnosis of peripheral neuropathy in diabetes mellitus and prediabetes. <i>Diabetologia</i> , 2022, 65, 457-466.	2.9	24
3	Glycated apolipoprotein B decreases after bariatric surgery in people with and without diabetes: A potential contribution to reduction in cardiovascular risk. <i>Atherosclerosis</i> , 2022, 346, 10-17.	0.4	4
4	Corneal confocal microscopy identifies small nerve fibre damage in patients with hypertriglyceridemia. <i>Journal of Clinical Lipidology</i> , 2022, 16, 463-471.	0.6	4
5	Progressive loss of corneal nerve fibers is associated with physical inactivity and glucose lowering medication associated with weight gain in type 2 diabetes. <i>Journal of Diabetes Investigation</i> , 2022, 13, 1703-1710.	1.1	6
6	Lipids, Lipid-Lowering Therapy, and Neuropathy: A Narrative Review. <i>Clinical Therapeutics</i> , 2022, 44, 1012-1025.	1.1	4
7	Vitamin D deficiency is associated with painful diabetic neuropathy. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3361.	1.7	29
8	Diagnosis of Neuropathy and Risk Factors for Corneal Nerve Loss in Type 1 and Type 2 Diabetes: A Corneal Confocal Microscopy Study. <i>Diabetes Care</i> , 2021, 44, 150-156.	4.3	60
9	Protection from neuropathy in extreme duration type 1 diabetes. <i>Journal of the Peripheral Nervous System</i> , 2021, 26, 49-54.	1.4	1
10	Improvements in Diabetic Neuropathy and Nephropathy After Bariatric Surgery: a Prospective Cohort Study. <i>Obesity Surgery</i> , 2021, 31, 554-563.	1.1	43
11	Corneal Keratocyte Density and Corneal Nerves Are Reduced in Patients With Severe Obesity and Improve After Bariatric Surgery. , 2021, 62, 20.		12
12	Greater small nerve fibre damage in the skin and cornea of type 1 diabetic patients with painful compared to painless diabetic neuropathy. <i>European Journal of Neurology</i> , 2021, 28, 1745-1751.	1.7	11
13	Corneal Confocal Microscopy Identifies Parkinson's Disease with More Rapid Motor Progression. <i>Movement Disorders</i> , 2021, 36, 1927-1934.	2.2	16
14	Tau associated peripheral and central neurodegeneration: Identification of an early imaging marker for tauopathy. <i>Neurobiology of Disease</i> , 2021, 151, 105273.	2.1	14
15	Corneal Confocal Microscopy: A Biomarker for Diabetic Peripheral Neuropathy. <i>Clinical Therapeutics</i> , 2021, 43, 1457-1475.	1.1	29
16	Small Nerve Fiber Damage and Langerhans Cells in Type 1 and Type 2 Diabetes and LADA Measured by Corneal Confocal Microscopy. , 2021, 62, 5.		17
17	No evidence of improvement in neuropathy after renal transplantation in patients with end stage kidney disease. <i>Journal of the Peripheral Nervous System</i> , 2021, 26, 269-275.	1.4	2
18	Spinal Inhibitory Dysfunction in Patients With Painful or Painless Diabetic Neuropathy. <i>Diabetes Care</i> , 2021, 44, 1835-1841.	4.3	9

#	ARTICLE	IF	CITATIONS
19	Lipids and peripheral neuropathy. <i>Current Opinion in Lipidology</i> , 2021, 32, 249-257.	1.2	23
20	The impact of atherosclerotic cardiovascular disease, dyslipidaemia and lipid lowering therapy on Coronavirus disease 2019 outcomes. <i>Current Opinion in Lipidology</i> , 2021, Publish Ahead of Print, 231-243.	1.2	2
21	The role of abnormalities of lipoproteins and HDL functionality in small fibre dysfunction in people with severe obesity. <i>Scientific Reports</i> , 2021, 11, 12573.	1.6	10
22	Artificial Intelligence-Based Classification of Diabetic Peripheral Neuropathy From Corneal Confocal Microscopy Images. <i>Diabetes Care</i> , 2021, 44, e151-e153.	4.3	17
23	Corneal Confocal Microscopy Predicts the Development of Diabetic Neuropathy: A Longitudinal Diagnostic Multinational Consortium Study. <i>Diabetes Care</i> , 2021, 44, 2107-2114.	4.3	28
24	Optimal Utility of H-Reflex RDD as a Biomarker of Spinal Disinhibition in Painful and Painless Diabetic Neuropathy. <i>Diagnostics</i> , 2021, 11, 1247.	1.3	5
25	Corneal Confocal Microscopy to Image Small Nerve Fiber Degeneration: Ophthalmology Meets Neurology. <i>Frontiers in Pain Research</i> , 2021, 2, 725363.	0.9	14
26	Corneal confocal microscopy identifies small fibre damage and progression of diabetic neuropathy. <i>Scientific Reports</i> , 2021, 11, 1859.	1.6	20
27	Bariatric surgery leads to an improvement in small nerve fibre damage in subjects with obesity. <i>International Journal of Obesity</i> , 2021, 45, 631-638.	1.6	31
28	Chemotherapy-Induced Peripheral Neuropathy: Epidemiology, Pathomechanisms and Treatment. <i>Oncology and Therapy</i> , 2021, 9, 385-450.	1.0	92
29	Corneal confocal microscopy for the diagnosis of diabetic sensorimotor polyneuropathy in people with type 1 and 2 diabetes mellitus. <i>The Cochrane Library</i> , 2021, 2021, .	1.5	0
30	An artificial intelligence-based deep learning algorithm for the diagnosis of diabetic neuropathy using corneal confocal microscopy: a development and validation study. <i>Diabetologia</i> , 2020, 63, 419-430.	2.9	88
31	Small fibre pathology is associated with erectile dysfunction in men with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3263.	1.7	7
32	Corneal confocal microscopy detects small fibre neurodegeneration in Parkinson's disease using automated analysis. <i>Scientific Reports</i> , 2020, 10, 20147.	1.6	16
33	An unbiased stereological method for corneal confocal microscopy in patients with diabetic polyneuropathy. <i>Scientific Reports</i> , 2020, 10, 12550.	1.6	8
34	The Utility of Corneal Nerve Fractal Dimension Analysis in Peripheral Neuropathies of Different Etiology. <i>Translational Vision Science and Technology</i> , 2020, 9, 43.	1.1	19
35	Corneal confocal microscopy detects small nerve fibre damage in patients with painful diabetic neuropathy. <i>Scientific Reports</i> , 2020, 10, 3371.	1.6	41
36	Diabetic Neuropathy Is Characterized by Progressive Corneal Nerve Fiber Loss in the Central and Inferior Whorl Regions. , 2020, 61, 48.		26

#	ARTICLE	IF	CITATIONS
37	Rapid Corneal Nerve Fiber Loss: A Marker of Diabetic Neuropathy Onset and Progression. <i>Diabetes Care</i> , 2020, 43, 1829-1835.	4.3	40
38	Corneal confocal microscopy compared with quantitative sensory testing and nerve conduction for diagnosing and stratifying the severity of diabetic peripheral neuropathy. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001801.	1.2	15
39	Male sexual dysfunction in obesity: The role of sex hormones and small fibre neuropathy. <i>PLoS ONE</i> , 2019, 14, e0221992.	1.1	13
40	Early corneal nerve fibre damage and increased Langerhans cell density in children with type 1 diabetes mellitus. <i>Scientific Reports</i> , 2019, 9, 8758.	1.6	48
41	Early nerve fibre regeneration in individuals with type 1 diabetes after simultaneous pancreas and kidney transplantation. <i>Diabetologia</i> , 2019, 62, 1478-1487.	2.9	91
42	Corneal Confocal Microscopy Detects Small-Fiber Neuropathy in Burning Mouth Syndrome: A Cross-Sectional Study. <i>Journal of Oral and Facial Pain and Headache</i> , 2019, 33, 337-341.	0.7	13
43	Hypertension Contributes to Neuropathy in Patients With Type 1 Diabetes. <i>American Journal of Hypertension</i> , 2019, 32, 796-803.	1.0	46
44	A gain-of-function sodium channel $\beta$ 2-subunit mutation in painful diabetic neuropathy. <i>Molecular Pain</i> , 2019, 15, 174480691984980.	1.0	38
45	An update on the diagnosis and treatment of diabetic somatic and autonomic neuropathy. <i>F1000Research</i> , 2019, 8, 186.	0.8	29
46	Diagnosing and managing diabetic somatic and autonomic neuropathy. <i>Therapeutic Advances in Endocrinology and Metabolism</i> , 2019, 10, 204201881982689.	1.4	10
47	Latent autoimmune diabetes of adulthood (<scp>LADA</scp>) is associated with small fibre neuropathy. <i>Diabetic Medicine</i> , 2019, 36, 1118-1124.	1.2	12
48	Greater corneal nerve loss at the inferior whorl is related to the presence of diabetic neuropathy and painful diabetic neuropathy. <i>Scientific Reports</i> , 2018, 8, 3283.	1.6	74
49	Biomolecular Corona Dictates $\text{A}\beta$ Fibrillation Process. <i>ACS Chemical Neuroscience</i> , 2018, 9, 1725-1734.	1.7	23
50	Diabetic Peripheral Neuropathy: Epidemiology, Diagnosis, and Pharmacotherapy. <i>Clinical Therapeutics</i> , 2018, 40, 828-849.	1.1	286
51	Corneal nerve fiber size adds utility to the diagnosis and assessment of therapeutic response in patients with small fiber neuropathy. <i>Scientific Reports</i> , 2018, 8, 4734.	1.6	70
52	A fully automated cell segmentation and morphometric parameter system for quantifying corneal endothelial cell morphology. <i>Computer Methods and Programs in Biomedicine</i> , 2018, 160, 11-23.	2.6	30
53	No Relation Between the Severity of Corneal Nerve, Epithelial, and Keratocyte Cell Morphology With Measures of Dry Eye Disease in Type 1 Diabetes. , 2018, 59, 5525.		15
54	Corneal Nerve Fractal Dimension: A Novel Corneal Nerve Metric for the Diagnosis of Diabetic Sensorimotor Polyneuropathy. , 2018, 59, 1113.		64

#	ARTICLE	IF	CITATIONS
55	Explanations for less small fibre neuropathy in South Asian versus European subjects with type 2 diabetes in the UK. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3044.	1.7	17
56	Keratocyte Density Is Reduced and Related to Corneal Nerve Damage in Diabetic Neuropathy. , 2018, 59, 3584.		30
57	Spinal Disinhibition in Experimental and Clinical Painful Diabetic Neuropathy. <i>Diabetes</i> , 2017, 66, 1380-1390.	0.3	58
58	Small-fibre neuropathy in men with type 1 diabetes and erectile dysfunction: a cross-sectional study. <i>Diabetologia</i> , 2017, 60, 1094-1101.	2.9	29
59	Corneal confocal microscopy is a rapid reproducible ophthalmic technique for quantifying corneal nerve abnormalities. <i>PLoS ONE</i> , 2017, 12, e0183040.	1.1	87
60	NerveCheck for the Detection of Sensory Loss and Neuropathic Pain in Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016, 18, 800-805.	2.4	12
61	Improvement in small fibre neuropathy and inflammatory biomarkers after bariatric surgery. <i>Atherosclerosis</i> , 2016, 255, 8-9.	0.4	3
62	Toxicity of serum albumin on microglia upon seeding effect of amyloid peptide. <i>Journal of Biochemistry</i> , 2016, 160, 325-332.	0.9	11
63	Zeolite Nanoparticles Inhibit A $\beta$ -Fibrinogen Interaction and Formation of a Consequent Abnormal Structural Clot. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 30768-30779.	4.0	47
64	The Reliability and Reproducibility of Corneal Confocal Microscopy in Children. , 2015, 56, 5636.		28
65	Automated Quantification of Neuropad Improves Its Diagnostic Ability in Patients with Diabetic Neuropathy. <i>Journal of Diabetes Research</i> , 2015, 2015, 1-7.	1.0	20
66	Corneal Confocal Microscopy Identifies Small-Fiber Neuropathy in Subjects With Impaired Glucose Tolerance Who Develop Type 2 Diabetes. <i>Diabetes Care</i> , 2015, 38, 1502-1508.	4.3	120
67	The Inferior Whorl For Detecting Diabetic Peripheral Neuropathy Using Corneal Confocal Microscopy. , 2015, 56, 2498.		73
68	Small fiber neuropathy in Parkinson's disease: A clinical, pathological and corneal confocal microscopy study. <i>Parkinsonism and Related Disorders</i> , 2015, 21, 1454-1460.	1.1	117
69	Corneal Confocal Microscopy Shows an Improvement in Small-Fiber Neuropathy in Subjects With Type 1 Diabetes on Continuous Subcutaneous Insulin Infusion Compared With Multiple Daily Injection. <i>Diabetes Care</i> , 2015, 38, e3-e4.	4.3	56
70	Insulin glycation coupled with liposomal lipid peroxidation and microglial cell death. <i>RSC Advances</i> , 2015, 5, 33114-33122.	1.7	3
71	Small Nerve Fiber Quantification in the Diagnosis of Diabetic Sensorimotor Polyneuropathy: Comparing Corneal Confocal Microscopy With Intraepidermal Nerve Fiber Density. <i>Diabetes Care</i> , 2015, 38, 1138-1144.	4.3	200
72	Normative Values for Corneal Nerve Morphology Assessed Using Corneal Confocal Microscopy: A Multinational Normative Data Set. <i>Diabetes Care</i> , 2015, 38, 838-843.	4.3	150

#	ARTICLE	IF	CITATIONS
73	Corneal Confocal Microscopy Detects Small Fibre Neuropathy in Patients with Upper Gastrointestinal Cancer and Nerve Regeneration in Chemotherapy Induced Peripheral Neuropathy. PLoS ONE, 2015, 10, e0139394.	1.1	86