

Gary J Loake

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6218943/publications.pdf>

Version: 2024-02-01

94
papers

10,071
citations

41344

49
h-index

42399

92
g-index

97
all docs

97
docs citations

97
times ranked

9476
citing authors

#	ARTICLE	IF	CITATIONS
1	Salicylic acid in plant defence—the players and protagonists. <i>Current Opinion in Plant Biology</i> , 2007, 10, 466-472.	7.1	688
2	Role of Reactive Oxygen Intermediates and Cognate Redox Signaling in Disease Resistance. <i>Plant Physiology</i> , 2000, 124, 21-30.	4.8	627
3	S-nitrosylation of NADPH oxidase regulates cell death in plant immunity. <i>Nature</i> , 2011, 478, 264-268.	27.8	596
4	A central role for S-nitrosothiols in plant disease resistance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 8054-8059.	7.1	511
5	Nitric oxide function in plant biology: a redox cue in deconvolution. <i>New Phytologist</i> , 2014, 202, 1142-1156.	7.3	415
6	Nitric oxide function in plant abiotic stress. <i>Plant, Cell and Environment</i> , 2017, 40, 462-472.	5.7	360
7	Nitric Oxide and Protein S-Nitrosylation Are Integral to Hydrogen Peroxide-Induced Leaf Cell Death in Rice. <i>Plant Physiology</i> , 2012, 158, 451-464.	4.8	290
8	Arabidopsis Mitogen-Activated Protein Kinase Kinases MKK1 and MKK2 Have Overlapping Functions in Defense Signaling Mediated by MEKK1, MPK4, and MKS1. <i>Plant Physiology</i> , 2008, 148, 212-222.	4.8	266
9	Drought tolerance established by enhanced expression of the CC-NBS-LRR gene, ADR1, requires salicylic acid, EDS1 and ABI1. <i>Plant Journal</i> , 2004, 38, 810-822.	5.7	253
10	Plant cell culture strategies for the production of natural products. <i>BMB Reports</i> , 2016, 49, 149-158.	2.4	237
11	Oxidative burst and cognate redox signalling reported by luciferase imaging: identification of a signal network that functions independently of ethylene, SA and Me-JA but is dependent on MAPKK activity. <i>Plant Journal</i> , 2000, 24, 569-582.	5.7	231
12	S-Nitrosylation of AtSABP3 Antagonizes the Expression of Plant Immunity. <i>Journal of Biological Chemistry</i> , 2009, 284, 2131-2137.	3.4	227
13	Transcription Dynamics in Plant Immunity. <i>Plant Cell</i> , 2011, 23, 2809-2820.	6.6	221
14	S-nitrosothiols regulate nitric oxide production and storage in plants through the nitrogen assimilation pathway. <i>Nature Communications</i> , 2014, 5, 5401.	12.8	199
15	Cross-talk of nitric oxide and reactive oxygen species in plant programmed cell death. <i>Frontiers in Plant Science</i> , 2013, 4, 314.	3.6	183
16	Cauliflower mosaic virus, a Compatible Pathogen of Arabidopsis, Engages Three Distinct Defense-Signaling Pathways and Activates Rapid Systemic Generation of Reactive Oxygen Species. <i>Plant Physiology</i> , 2005, 139, 935-948.	4.8	178
17	The redox switch: dynamic regulation of protein function by cysteine modifications. <i>Physiologia Plantarum</i> , 2010, 138, 360-371.	5.2	178
18	Selective Protein Denitrosylation Activity of Thioredoxin-h5 Modulates Plant Immunity. <i>Molecular Cell</i> , 2014, 56, 153-162.	9.7	169

#	ARTICLE	IF	CITATIONS
19	Ultraviolet radiation drives methane emissions from terrestrial plant pectins. <i>New Phytologist</i> , 2008, 180, 124-132.	7.3	166
20	Loss of actin cytoskeletal function and EDS1 activity, in combination, severely compromises non-host resistance in <i>Arabidopsis</i> against wheat powdery mildew. <i>Plant Journal</i> , 2003, 34, 768-777.	5.7	161
21	Potato Virus X-Induced Gene Silencing in Leaves and Tubers of Potato. <i>Plant Physiology</i> , 2004, 134, 1308-1316.	4.8	160
22	Redox-based protein modifications: the missing link in plant immune signalling. <i>Current Opinion in Plant Biology</i> , 2011, 14, 358-364.	7.1	160
23	Cultured cambial meristematic cells as a source of plant natural products. <i>Nature Biotechnology</i> , 2010, 28, 1213-1217.	17.5	158
24	Nitric oxide function and signalling in plant disease resistance. <i>Journal of Experimental Botany</i> , 2008, 59, 147-154.	4.8	154
25	AtGSNOR1 function is required for multiple developmental programs in <i>Arabidopsis</i> . <i>Planta</i> , 2012, 236, 887-900.	3.2	152
26	Paclitaxel: biosynthesis, production and future prospects. <i>New Biotechnology</i> , 2014, 31, 242-245.	4.4	151
27	Involvement of cathepsin B in the plant disease resistance hypersensitive response. <i>Plant Journal</i> , 2007, 52, 1-13.	5.7	147
28	Targeted Activation Tagging of the <i>Arabidopsis</i> NBS-LRR gene, ADR1, Conveys Resistance to Virulent Pathogens. <i>Molecular Plant-Microbe Interactions</i> , 2003, 16, 669-680.	2.6	140
29	Redox Regulation in Plant Immune Function. <i>Antioxidants and Redox Signaling</i> , 2014, 21, 1373-1388.	5.4	129
30	GSNOR-mediated de-nitrosylation in the plant defence response. <i>Plant Science</i> , 2011, 181, 540-544.	3.6	123
31	S-Nitrosylation: an emerging redox-based post-translational modification in plants. <i>Journal of Experimental Botany</i> , 2006, 57, 1777-1784.	4.8	118
32	Nitric oxide and S-nitrosoglutathione function additively during plant immunity. <i>New Phytologist</i> , 2016, 211, 516-526.	7.3	117
33	Cauliflower mosaic virus Protein P6 Inhibits Signaling Responses to Salicylic Acid and Regulates Innate Immunity. <i>PLoS ONE</i> , 2012, 7, e47535.	2.5	109
34	Nucleoredoxin guards against oxidative stress by protecting antioxidant enzymes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 8414-8419.	7.1	104
35	Functional redundancy in the <i>Arabidopsis</i> Cathepsin B gene family contributes to basal defence, the hypersensitive response and senescence. <i>New Phytologist</i> , 2009, 183, 408-418.	7.3	99
36	Regulating the regulator: nitric oxide control of post-translational modifications. <i>New Phytologist</i> , 2020, 227, 1319-1325.	7.3	91

#	ARTICLE	IF	CITATIONS
37	A sleigh ride through the SNO: regulation of plant immune function by protein S-nitrosylation. <i>Current Opinion in Plant Biology</i> , 2012, 15, 424-430.	7.1	84
38	S-nitrosylation of the zinc finger protein SRG1 regulates plant immunity. <i>Nature Communications</i> , 2018, 9, 4226.	12.8	78
39	The developmental selector <i>AS1</i> is an evolutionarily conserved regulator of the plant immune response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 18795-18800.	7.1	74
40	H ₂ O ₂ -induced Leaf Cell Death and the Crosstalk of Reactive Nitric/Oxygen Species. <i>Journal of Integrative Plant Biology</i> , 2013, 55, 202-208.	8.5	74
41	ADS1 encodes a MATE-transporter that negatively regulates plant disease resistance. <i>New Phytologist</i> , 2011, 192, 471-482.	7.3	62
42	Nitric oxide regulation of plant metabolism. <i>Molecular Plant</i> , 2022, 15, 228-242.	8.3	61
43	Activation tagging in plants: a tool for gene discovery. <i>Functional and Integrative Genomics</i> , 2004, 4, 258-66.	3.5	59
44	Identification of loci controlling non-host disease resistance in <i>Arabidopsis</i> against the leaf rust pathogen <i>Puccinia triticina</i> . <i>Molecular Plant Pathology</i> , 2007, 8, 773-784.	4.2	58
45	Transcriptome profile of NO-induced <i>Arabidopsis</i> transcription factor genes suggests their putative regulatory role in multiple biological processes. <i>Scientific Reports</i> , 2018, 8, 771.	3.3	57
46	Recommendations on terminology and experimental best practice associated with plant nitric oxide research. <i>New Phytologist</i> , 2020, 225, 1828-1834.	7.3	56
47	Post-translational protein modification as a tool for transcription reprogramming. <i>New Phytologist</i> , 2010, 186, 333-339.	7.3	55
48	The promoter of a basic PR1-like gene, <i>AtPRB1</i> , from <i>Arabidopsis</i> establishes an organ-specific expression pattern and responsiveness to ethylene and methyl jasmonate. <i>Plant Molecular Biology</i> , 2001, 47, 641-652.	3.9	53
49	Specificity in nitric oxide signalling. <i>Journal of Experimental Botany</i> , 2018, 69, 3439-3448.	4.8	53
50	Potato oxysterol binding protein and cathepsin B are rapidly up-regulated in independent defence pathways that distinguish R gene-mediated and field resistances to <i>Phytophthora infestans</i> . <i>Molecular Plant Pathology</i> , 2004, 5, 45-56.	4.2	50
51	Characterization of a Novel, Defense-Related <i>Arabidopsis</i> Mutant, <i>cir1</i> , Isolated By Luciferase Imaging. <i>Molecular Plant-Microbe Interactions</i> , 2002, 15, 557-566.	2.6	49
52	Nitric oxide: promoter or suppressor of programmed cell death?. <i>Protein and Cell</i> , 2010, 1, 133-142.	11.0	49
53	The G-box and H-box in a 39 bp region of a French bean chalcone synthase promoter constitute a tissue-specific regulatory element. <i>Plant Journal</i> , 1997, 11, 1105-1113.	5.7	47
54	Effects of various feedstocks on isotope fractionation of biogas and microbial community structure during anaerobic digestion. <i>Waste Management</i> , 2019, 84, 211-219.	7.4	45

#	ARTICLE	IF	CITATIONS
55	Nitric oxide accelerates germination via the regulation of respiration in chickpea. <i>Journal of Experimental Botany</i> , 2019, 70, 4539-4555.	4.8	43
56	<i>RTP1</i> encodes a novel endoplasmic reticulum (ER)-localized protein in <i>Arabidopsis</i> and negatively regulates resistance against biotrophic pathogens. <i>New Phytologist</i> , 2016, 209, 1641-1654.	7.3	39
57	Novel and conserved functions of S-nitrosoglutathione reductase in tomato. <i>Journal of Experimental Botany</i> , 2019, 70, 4877-4886.	4.8	39
58	Cambial meristematic cells: a platform for the production of plant natural products. <i>New Biotechnology</i> , 2015, 32, 581-587.	4.4	38
59	Plant natural products: history, limitations and the potential of cambial meristematic cells. <i>Biotechnology and Genetic Engineering Reviews</i> , 2012, 28, 47-60.	6.2	36
60	A role for S-nitrosylation of the SUMO-conjugating enzyme SCE1 in plant immunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 17090-17095.	7.1	35
61	Synthesis of and signalling by small, redox active molecules in the plant immune response. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2012, 1820, 770-776.	2.4	34
62	Synthesis of Redox-Active Molecules and Their Signaling Functions During the Expression of Plant Disease Resistance. <i>Antioxidants and Redox Signaling</i> , 2013, 19, 990-997.	5.4	34
63	Differential profiling of selected defence-related genes induced on challenge with <i>Alternaria brassicicola</i> in resistant white mustard and their comparative expression pattern in susceptible India mustard. <i>Molecular Plant Pathology</i> , 2008, 9, 763-775.	4.2	29
64	Seed Embryo Development Is Regulated via an AN3-MINI3 Gene Cascade. <i>Frontiers in Plant Science</i> , 2016, 7, 1645.	3.6	26
65	Redox regulation of pyruvate kinase M2 by cysteine oxidation and S-nitrosation. <i>Biochemical Journal</i> , 2018, 475, 3275-3291.	3.7	24
66	Activation tagging of <i>ADR2</i> conveys a spreading lesion phenotype and resistance to biotrophic pathogens. <i>New Phytologist</i> , 2009, 183, 1163-1175.	7.3	23
67	Transformation of <i>Fusarium oxysporum</i> by particle bombardment and characterisation of the resulting transformants expressing a GFP transgene. <i>Mycopathologia</i> , 2004, 158, 475-482.	3.1	21
68	Motifs specific for the ADR1 NBS-LRR protein family in <i>Arabidopsis</i> are conserved among NBS-LRR sequences from both dicotyledonous and monocotyledonous plants. <i>Planta</i> , 2005, 221, 597-601.	3.2	21
69	Differential expression of <i>AtWAKL10</i> in response to nitric oxide suggests a putative role in biotic and abiotic stress responses. <i>PeerJ</i> , 2019, 7, e7383.	2.0	21
70	Nitric oxide-releasing nanomaterials: from basic research to potential biotechnological applications in agriculture. <i>New Phytologist</i> , 2022, 234, 1119-1125.	7.3	21
71	Differential utilization of regulatory cis-elements for stress-induced and tissue-specific activity of a French bean chalcone synthase promoter. <i>Plant Science</i> , 1997, 124, 175-182.	3.6	20
72	Cytosolic Invertase-Mediated Root Growth Is Feedback Regulated by a Glucose-Dependent Signaling Loop. <i>Plant Physiology</i> , 2020, 184, 895-908.	4.8	20

#	ARTICLE	IF	CITATIONS
73	The role of nitric oxide in plant biology: current insights and future perspectives. <i>Journal of Experimental Botany</i> , 2021, 72, 777-780.	4.8	20
74	Glucose- and sucrose-signaling modules regulate the Arabidopsis juvenile-to-adult phase transition. <i>Cell Reports</i> , 2021, 36, 109348.	6.4	20
75	Recent advances in the regulation of plant immunity by <i>S</i> -nitrosylation. <i>Journal of Experimental Botany</i> , 2021, 72, 864-872.	4.8	19
76	Plant cell death: Unmasking the gatekeepers. <i>Current Biology</i> , 2001, 11, R1028-R1031.	3.9	17
77	A Novel DUF569 Gene Is a Positive Regulator of the Drought Stress Response in Arabidopsis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5316.	4.1	15
78	Regulation of Anticancer Styrylpyrone Biosynthesis in the Medicinal Mushroom <i>Inonotus obliquus</i> Requires Thioredoxin Mediated Transnitrosylation of S-nitrosoglutathione Reductase. <i>Scientific Reports</i> , 2016, 6, 37601.	3.3	14
79	<i>Ceratocystis fimbriata</i> Employs a Unique Infection Strategy Targeting Peltate Glandular Trichomes of Sweetpotato (<i>Ipomoea batatas</i>) Plants. <i>Phytopathology</i> , 2020, 110, 1923-1933.	2.2	13
80	The <i>Arabidopsis</i> zinc finger proteins SRG2 and SRG3 are positive regulators of plant immunity and are differentially regulated by nitric oxide. <i>New Phytologist</i> , 2021, 230, 259-274.	7.3	12
81	Sulfur: the heart of nitric oxide-dependent redox signalling. <i>Journal of Experimental Botany</i> , 2019, 70, 4279-4286.	4.8	11
82	In situ solid-liquid extraction enhances recovery of taxadiene from engineered <i>Saccharomyces cerevisiae</i> cell factories. <i>Separation and Purification Technology</i> , 2022, 290, 120880.	7.9	10
83	Identification of a drought-induced rice gene, OsSAP, that suppresses Bax-induced cell death in yeast. <i>Molecular Biology Reports</i> , 2013, 40, 6113-6121.	2.3	9
84	Perturbations in nitric oxide homeostasis promote <i>Arabidopsis</i> disease susceptibility towards <i>Phytophthora parasitica</i> . <i>Molecular Plant Pathology</i> , 2021, 22, 1134-1148.	4.2	9
85	A constitutivePR-1::luciferaseexpression screen identifies Arabidopsis mutants with differential disease resistance to both biotrophic and necrotrophic pathogens. <i>Molecular Plant Pathology</i> , 2005, 6, 31-41.	4.2	8
86	Assessment of the start-up process of anaerobic digestion utilizing swine manure: 13C fractionation of biogas and microbial dynamics. <i>Environmental Science and Pollution Research</i> , 2019, 26, 13275-13285.	5.3	8
87	The PHYTOGLOBIN-NO Cycle Regulates Plant Mycorrhizal Symbiosis. <i>Trends in Plant Science</i> , 2019, 24, 981-983.	8.8	7
88	Redox-Regulated Plant Transcription Factors. , 2016, , 373-384.		6
89	Feedback loop promotes sucrose accumulation in cotyledons to facilitate sugar-ethylene signaling-mediated, etiolated-seedling greening. <i>Cell Reports</i> , 2022, 38, 110529.	6.4	5
90	The immune-related, TGA1 redox-switch: to be or not to be?. <i>New Phytologist</i> , 2020, , .	7.3	4

#	ARTICLE	IF	CITATIONS
91	Detection of Nitric Oxide from Chickpea Using DAF Fluorescence and Chemiluminescence Methods. <i>Current Protocols</i> , 2022, 2, e420.	2.9	3
92	IDENTIFICATION OF T-DNA ACTIVATION TAGGED SYSTEMIC ACQUIRED RESISTANCE MUTANTS IN ARABIDOPSIS BY LUCIFERASE IMAGING. <i>Biochemical Society Transactions</i> , 2000, 28, A209-A209.	3.4	0
93	Identification of S-Nitrosothiols by the Sequential Cysteine Blocking Technique. <i>Methods in Molecular Biology</i> , 2016, 1424, 163-174.	0.9	0
94	Nitric Oxide Analyzer Quantification of Plant S-Nitrosothiols. <i>Methods in Molecular Biology</i> , 2018, 1747, 223-230.	0.9	0