

Arnoud Arntz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6220045/publications.pdf>

Version: 2024-02-01

385
papers

21,506
citations

7568

77
h-index

15265

126
g-index

440
all docs

440
docs citations

440
times ranked

13491
citing authors

#	ARTICLE	IF	CITATIONS
1	Schema therapy for violent PD offenders: a randomized clinical trial. <i>Psychological Medicine</i> , 2023, 53, 88-102.	4.5	33
2	Imagery Rescripting for Patients With Posttraumatic Stress Disorder: A Qualitative Study of Patients' and Therapists' Perspectives About the Elements of Change. <i>Cognitive and Behavioral Practice</i> , 2023, 30, 18-34.	1.5	8
3	Managing Dissociation in Imagery Rescripting for Voice Hearers With Trauma: Lessons From a Case Series. <i>Cognitive and Behavioral Practice</i> , 2022, 29, 434-445.	1.5	6
4	First Psychometric Properties of the Dutch Interview for Diagnostic Assessment of Autism Spectrum Disorder in Adult Males Without Intellectual Disability. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 3523-3535.	2.7	4
5	The societal cost of treatment-seeking patients with borderline personality disorder in Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 741-752.	3.2	15
6	Towards optimal treatment selection for borderline personality disorder patients (BOOTS): a study protocol for a multicenter randomized clinical trial comparing schema therapy and dialectical behavior therapy. <i>BMC Psychiatry</i> , 2022, 22, 89.	2.6	7
7	Treating PTSD with Imagery Rescripting in underweight eating disorder patients: a multiple baseline case series study. <i>Journal of Eating Disorders</i> , 2022, 10, 35.	2.7	6
8	An Explorative Study of Atypical Social Interaction Styles in Adult Men with Autism Spectrum Disorder, Men with Personality Disorders and Men from the General Population. <i>Journal of Autism and Developmental Disorders</i> , 2022, , .	2.7	0
9	Internet-delivered interventions for personality disorders – A scoping review. <i>Internet Interventions</i> , 2022, 28, 100525.	2.7	4
10	Effectiveness of Predominantly Group Schema Therapy and Combined Individual and Group Schema Therapy for Borderline Personality Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 287.	11.0	34
11	The use of borderline personality disorder severity index-iv feedback in adjusting borderline personality disorder treatment: therapists and patients perspectives. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	2
12	Jumping back onto the giants' shoulders: Why emotional memory should be considered in a network perspective of psychopathology. <i>Behaviour Research and Therapy</i> , 2022, 156, 104154.	3.1	4
13	Borderline personality disorder classification based on brain network measures during emotion regulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1169-1178.	3.2	8
14	Beneficial Effects of Role Reversal in Comparison to role-playing on negative cognitions about Other's Judgments for Social Anxiety Disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 70, 101599.	1.2	2
15	Toward a More Valid Assessment of Behavioral Aggression: An Open Source Platform and an Empirically Derived Scoring Method for Using the Competitive Reaction Time Task (CRTT). <i>Assessment</i> , 2021, 28, 1065-1079.	3.1	2
16	The Influence of Early Maladaptive Schemas on the Causal Links between Perceived Injustice, Negative Affect, and Aggression. <i>International Journal of Forensic Mental Health</i> , 2021, 20, 133-149.	1.0	6
17	A Schema Therapy Based Milieu in Secure Residential Youth Care: Effects on Aggression, Group Climate, Repressive Staff Interventions, and Team Functioning. <i>Residential Treatment for Children and Youth</i> , 2021, 38, 289-306.	0.9	4
18	Towards a Reformulated Theory Underlying Schema Therapy: Position Paper of an International Workgroup. <i>Cognitive Therapy and Research</i> , 2021, 45, 1007-1020.	1.9	36

#	ARTICLE	IF	CITATIONS
19	Group schema therapy for patients with clusterâ€C personality disorders: A case study on avoidant personality disorder. <i>Journal of Clinical Psychology</i> , 2021, 77, 1233-1248.	1.9	11
20	The network structure of schema modes. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1065-1078.	2.7	6
21	Patient and Therapist Perspectives on Treatment for Adults with PTSD from Childhood Trauma. <i>Journal of Clinical Medicine</i> , 2021, 10, 954.	2.4	11
22	Delivering Imagery Rescripting via Telehealth: Clinical Concerns, Benefits, and Recommendations. <i>Current Psychiatry Reports</i> , 2021, 23, 24.	4.5	7
23	How do adults with <scp>postâ€traumatic</scp> stress disorder from childhood trauma talk about single versus repeated traumas?. <i>Applied Cognitive Psychology</i> , 2021, 35, 924-934.	1.6	1
24	Borderline Personality Disorder With Versus Without Alcohol Use Disorder: Comparing Impulsivity and Schema Modes. <i>Journal of Personality Disorders</i> , 2021, , 1-18.	1.4	3
25	Looking at the bigger picture: Cortical volume, thickness and surface area characteristics in borderline personality disorder with and without posttraumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021, 311, 111283.	1.8	5
26	Impact of measurement frequency on self-reported depressive symptoms: An experimental study in a clinical setting. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100168.	1.7	3
27	The exploratory value of cross-sectional partial correlation networks: Predicting relationships between change trajectories in borderline personality disorder. <i>PLoS ONE</i> , 2021, 16, e0254496.	2.5	31
28	Differential Effects of Comorbid Psychiatric Disorders on Treatment Outcome in Posttraumatic Stress Disorder from Childhood Trauma. <i>Journal of Clinical Medicine</i> , 2021, 10, 3708.	2.4	5
29	Treating posttraumatic stress disorder in substance use disorder patients with co-occurring posttraumatic stress disorder: study protocol for a randomized controlled trial to compare the effectiveness of different types and timings of treatment. <i>BMC Psychiatry</i> , 2021, 21, 442.	2.6	10
30	The impact of childhood maltreatment on the severity of childhood-related posttraumatic stress disorder in adults. <i>Child Abuse and Neglect</i> , 2021, 120, 105208.	2.6	11
31	Addressing the punitive parent mode in schema therapy for borderline personality disorder: Short-term effects of the empty chair technique as compared to cognitive challenging.. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 73, 101678.	1.2	4
32	Attachment as a framework to facilitate empowerment for people with severe mental illness. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 407-425.	2.5	2
33	Effectiveness of Psychological Treatments for Borderline Personality Disorder and Predictors of Treatment Outcomes: A Multivariate Multilevel Meta-Analysis of Data from All Design Types. <i>Journal of Clinical Medicine</i> , 2021, 10, 5622.	2.4	19
34	The effect of twice-weekly versus once-weekly sessions of either imagery rescripting or eye movement desensitization and reprocessing for adults with PTSD from childhood trauma (IREM-Freq): a study protocol for an international randomized clinical trial. <i>Trials</i> , 2021, 22, 848.	1.6	7
35	The effectiveness of imagery work in schema therapy with couples: a clinical experiment comparing the effects of imagery rescripting and cognitive interventions in brief schema couples therapy. <i>Sexual and Relationship Therapy</i> , 2020, 35, 320-337.	1.2	3
36	Patients with borderline personality disorder and comorbid PTSD show biased attention for threat in the facial dot-probe task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 67, 101437.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Explosive Matters: Does Venting Anger Reduce or Increase Aggression? Differences in Anger Venting Effects in Violent Offenders. <i>Journal of Aggression, Maltreatment and Trauma</i> , 2020, 29, 611-627.	1.4	6
38	Impulse control under emotion processing: an fMRI investigation in borderline personality disorder compared to non-patients and cluster-C personality disorder patients. <i>Brain Imaging and Behavior</i> , 2020, 14, 2107-2121.	2.1	17
39	A plea for more attention to mental representations. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 67, 101510.	1.2	14
40	Imagery rescripting and eye movement desensitisation and reprocessing as treatment for adults with post-traumatic stress disorder from childhood trauma: randomised clinical trial. <i>British Journal of Psychiatry</i> , 2020, 217, 609-615.	2.8	48
41	Experiences of Patients With Borderline Personality Disorder With Imagery Rescripting in the Context of Schema Therapy—A Qualitative Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 550833.	2.6	3
42	Epidemiological, Factor-Analytic, and Cognitive Factors in the Position of Obsessive-Compulsive Personality Disorder among the Cluster C Personality Disorders: Commentary on Cluster C Anxious-Fearful Personality Pathology and Avoidance. , 2020, , 317-320.		0
43	Improvement of Conflict Handling: Hand-Holding During and After Conflict Discussions Affects Heart Rate, Mood, and Observed Communication Behavior in Romantic Partners. <i>Journal of Sex and Marital Therapy</i> , 2020, 46, 419-434.	1.5	7
44	The effects of once- versus twice-weekly sessions on psychotherapy outcomes in depressed patients. <i>British Journal of Psychiatry</i> , 2020, 216, 222-230.	2.8	60
45	Schematherapy in DID: treatment length and related studies on dissociative amnesia. <i>HÅrre Utbildning</i> , 2020, 11, 1711638.	3.0	1
46	Schema modes as a common mechanism of change in personality pathology and functioning: Results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 126, 103553.	3.1	22
47	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whom—Key Findings From an RCT. <i>American Journal of Psychotherapy</i> , 2020, 73, 8-14.	1.2	8
48	Schema Therapy with Emotionally Inhibited and Fearful Patients. <i>Journal of Contemporary Psychotherapy</i> , 2019, 49, 7-14.	1.2	11
49	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 465-473.	4.5	32
50	Anger provocation increases limbic and decreases medial prefrontal cortex connectivity with the left amygdala in reactive aggressive violent offenders. <i>Brain Imaging and Behavior</i> , 2019, 13, 1311-1323.	2.1	34
51	Investigating the effects of imagery rescripting on emotional memory: A series of analogue studies. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871985073.	0.8	18
52	Detecting Deceptive Intentions: Possibilities for Large-Scale Applications. , 2019, , 403-427.		3
53	Imagery rescripting for the treatment of trauma in voice hearers: a case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 709-725.	1.2	39
54	Crying in borderline personality disorder patients. <i>Psychiatry Research</i> , 2019, 273, 100-107.	3.3	3

#	ARTICLE	IF	CITATIONS
55	Being accurate about accuracy in verbal deception detection. PLoS ONE, 2019, 14, e0220228.	2.5	18
56	The effectiveness of individual schema therapy in older adults with borderline personality disorder: Protocol of a multiple-baseline study. Contemporary Clinical Trials Communications, 2019, 14, 100330.	1.1	12
57	Biased Attention to Facial Expressions of Ambiguous Emotions in Borderline Personality Disorder: An Eye-Tracking Study. Journal of Personality Disorders, 2019, 33, 671-S8.	1.4	19
58	Mediators of Change in Imagery Rescripting and Imaginal Exposure for Nightmares: Evidence From a Randomized Wait-List Controlled Trial. Behavior Therapy, 2019, 50, 978-993.	2.4	26
59	Positive cognitive behavior therapy in the treatment of depression: A randomized order within-subject comparison with traditional cognitive behavior therapy. Behaviour Research and Therapy, 2019, 116, 119-130.	3.1	46
60	Subjective emotional responses to IAPS pictures in patients with borderline personality disorder, cluster-C personality disorders, and non-patients. Psychiatry Research, 2019, 273, 712-718.	3.3	2
61	Case Formulation in Schema Therapy. , 2019, , 77-94.		7
62	Schema therapy for Dissociative Identity Disorder (DID): rationale and study protocol. HÅrgre Utbildning, 2019, 10, 1571377.	3.0	27
63	An integrative perspective on the interplay between early maladaptive schemas and mental health: The role of self-compassion and emotion regulation. Journal of Clinical Psychology, 2019, 75, 1098-1113.	1.9	24
64	Schema therapy for Dissociative Identity Disorder (DID): further explanation about the rationale and study protocol. HÅrgre Utbildning, 2019, 10, 1684629.	3.0	7
65	Hypothalamic-pituitary-adrenal axis functioning in borderline personality disorder: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 96, 316-334.	6.1	56
66	Intimate stimuli result in fronto-parietal activation changes in anorexia nervosa. Eating and Weight Disorders, 2019, 24, 1155-1164.	2.5	4
67	Cognitieve therapie bij posttraumatische stressstoornis. , 2019, , 207-227.		0
68	Automated verbal credibility assessment of intentions: The model statement technique and predictive modeling. Applied Cognitive Psychology, 2018, 32, 354-366.	1.6	22
69	The influence of comorbid anxiety on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. Journal of Affective Disorders, 2018, 232, 52-60.	4.1	15
70	Internalizing and Externalizing Behaviors Share a Common Predictor: the Effects of Early Maladaptive Schemas Are Mediated by Coping Responses and Schema Modes. Journal of Abnormal Child Psychology, 2018, 46, 907-920.	3.5	45
71	The Development and Psychometric Evaluation of the Group Schema Therapy Rating Scale â€“ Revised. Behavioural and Cognitive Psychotherapy, 2018, 46, 601-618.	1.2	4
72	Temperament, Character, and Personality Disorders in Adults with Autism Spectrum Disorder: a Systematic Literature Review and Meta-analysis. Review Journal of Autism and Developmental Disorders, 2018, 5, 176-197.	3.4	18

#	ARTICLE	IF	CITATIONS
73	Schema therapy for personality disorders in older adults: a multiple-baseline study. <i>Aging and Mental Health</i> , 2018, 22, 738-747.	2.8	70
74	The Italian Version of the Borderline Personality Disorder Severity Index IV: Psychometric Properties, Clinical Usefulness, and Possible Diagnostic Implications. <i>Journal of Personality Disorders</i> , 2018, 32, 207-219.	1.4	5
75	Validation of Schema Coping Inventory and Schema Mode Inventory in Adolescents. <i>Journal of Personality Disorders</i> , 2018, 32, 220-241.	1.4	18
76	Exploring mechanisms of change in schema therapy for chronic depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 58, 97-105.	1.2	25
77	Different aspects of emotional intelligence of borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, e51-e59.	2.7	3
78	Using Named Entities for Computer-Automated Verbal Deception Detection. <i>Journal of Forensic Sciences</i> , 2018, 63, 714-723.	1.6	33
79	Validation of the Spanish version of the Borderline Personality Disorder Checklist (BPD Checklist) in a sample of BPD patients: Study of psychometric properties. <i>European Journal of Psychiatry</i> , 2018, 32, 26-35.	1.3	2
80	The impact of personality disorder pathology on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 530-538.	4.1	15
81	Schema therapy for borderline personality disorder: A qualitative study of patients' perceptions. <i>PLoS ONE</i> , 2018, 13, e0206039.	2.5	24
82	Always on guard: emotion regulation in women with. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 37-47.	2.4	22
83	Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): a pragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. <i>BMC Psychiatry</i> , 2018, 18, 252.	2.6	15
84	PRO*BPD: effectiveness of outpatient treatment programs for borderline personality disorder: a comparison of Schema therapy and dialectical behavior therapy: study protocol for a randomized trial. <i>BMC Psychiatry</i> , 2018, 18, 341.	2.6	19
85	Cognitive predictors of reactive and proactive aggression in a forensic sample: A comparison with a non-clinical sample. <i>Psychiatry Research</i> , 2018, 269, 610-620.	3.3	2
86	Detecting Concealed Information on a Large Scale. , 2018, , 377-403.		2
87	The first direct replication on using verbal credibility assessment for the detection of deceptive intentions. <i>Applied Cognitive Psychology</i> , 2018, 32, 592-599.	1.6	4
88	Specialized psychotherapies for adults with borderline personality disorder: A systematic review and meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 949-961.	2.3	79
89	Responses to dominance challenge are a function of psychopathy level: A multimethod study.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018, 9, 305-314.	1.3	8
90	How to Train Experienced Therapists in a New Method: A Qualitative Study into Therapists' Views. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 359-372.	2.7	6

#	ARTICLE	IF	CITATIONS
91	Schema therapy as treatment for adults with autism spectrum disorder and comorbid personality disorder: Protocol of a multiple-baseline case series study testing cognitive-behavioral and experiential interventions. Contemporary Clinical Trials Communications, 2017, 5, 80-85.	1.1	16
92	Schema Therapy for Personality Disorders: a Qualitative Study of Patientsâ€™ and Therapistsâ€™ Perspectives. Behavioural and Cognitive Psychotherapy, 2017, 45, 31-45.	1.2	19
93	Evoking emotional states in personality disordered offenders: An experimental pilot study of experiential drama therapy techniques. Arts in Psychotherapy, 2017, 53, 80-88.	1.2	18
94	Imagery rescripting and eye movement desensitisation and reprocessing for treatment of adults with childhood trauma-related post-traumatic stress disorder: IREM study design. BMC Psychiatry, 2017, 17, 165.	2.6	27
95	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. Behaviour Research and Therapy, 2017, 94, 81-92.	3.1	56
96	Anger provocation in violent offenders leads to emotion dysregulation. Scientific Reports, 2017, 7, 3583.	3.3	27
97	Efficacy of imagery rescripting and imaginal exposure for nightmares: A randomized wait-list controlled trial. Behaviour Research and Therapy, 2017, 97, 14-25.	3.1	35
98	Deficient amygdalaâ€“prefrontal intrinsic connectivity after effortful emotion regulation in borderline personality disorder. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 551-565.	3.2	52
99	Unblending Borderline Personality and Bipolar Disorders. Journal of Psychiatric Research, 2017, 91, 90-97.	3.1	19
100	Validation of the schema mode concept in personality disordered offenders. Legal and Criminological Psychology, 2017, 22, 420-441.	2.0	30
101	Negative mood-induction modulates default mode network resting-state functional connectivity in chronic depression. Journal of Affective Disorders, 2017, 208, 590-596.	4.1	27
102	Imagery rescripting as a clinical intervention for aversive memories: A meta-analysis. Journal of Behavior Therapy and Experimental Psychiatry, 2017, 55, 6-15.	1.2	162
103	An Investigation on the Detectability of Deceptive Intent about Flying through Verbal Deception Detection. Collabra: Psychology, 2017, 3, .	1.8	8
104	Treatment of Intrusive Suicidal Imagery Using Eye Movements. International Journal of Environmental Research and Public Health, 2017, 14, 714.	2.6	10
105	The Borderline Personality Disorder Checklist: Psychometric evaluation and factorial structure in clinical and nonclinical samples. Roczniki Psychologiczne, 2017, 20, 311-336.	0.1	11
106	Schematherapie: theorie, praktijk en onderzoek. , 2017, , 363-392.		0
107	Schema modes in criminal and violent behaviour of forensic cluster B <sc>PD</sc> patients: A retrospective and prospective study. Legal and Criminological Psychology, 2016, 21, 56-76.	2.0	51
108	Emotion Regulation in Schema Therapy and Dialectical Behavior Therapy. Frontiers in Psychology, 2016, 7, 1373.	2.1	67

#	ARTICLE	IF	CITATIONS
109	Feasibility of Group Schema Therapy for Outpatients with Severe Borderline Personality Disorder in Germany: A Pilot Study with Three Year Follow-Up. <i>Frontiers in Psychology</i> , 2016, 7, 1851.	2.1	24
110	Executive (Dys)Functioning and Impulsivity as Possible Vulnerability Factors for Aggression in Forensic Patients. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 280-286.	1.0	21
111	Modeling Impulsivity in Forensic Patients: A Three-Dimensional Model of Impulsivity. <i>American Journal of Psychology</i> , 2016, 129, 429-441.	0.3	8
112	Special issue in honour of Marcel van den Hout, former Co-Editor of BTEP. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 53, 1.	1.2	1
113	Efficacy and mechanisms of imagery rescripting and imaginal exposure for nightmares: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 469.	1.6	6
114	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 487.	1.6	19
115	A Group-Administered social Skills Training for 8- to 12- Year-Old, high-Functioning Children With Autism Spectrum Disorders: An Evaluation of its Effectiveness in a Naturalistic Outpatient Treatment Setting. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 3493-3504.	2.7	34
116	Mechanisms of change in psychotherapy for depression: An empirical update and evaluation of research aimed at identifying psychological mediators. <i>Clinical Psychology Review</i> , 2016, 50, 95-107.	11.4	144
117	Attentional Bias for Emotional Stimuli in Borderline Personality Disorder: A Meta-Analysis. <i>Psychopathology</i> , 2016, 49, 383-396.	1.5	45
118	Cognitive predictors of violent incidents in forensic psychiatric inpatients. <i>Psychiatry Research</i> , 2016, 237, 229-237.	3.3	25
119	The Mask of Sanity: Facial Expressive, Self-Reported, and Physiological Consequences of Emotion Regulation in Psychopathic Offenders. <i>Journal of Personality Disorders</i> , 2016, 30, 828-S8.	1.4	9
120	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2016, 77, 170-176.	3.1	27
121	Schema therapy for chronic depression: Results of a multiple single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 51, 66-73.	1.2	73
122	Imagery rescripting: Is incorporation of the most aversive scenes necessary?. <i>Memory</i> , 2016, 24, 683-695.	1.7	43
123	The Role of the Insular Cortex in Retaliation. <i>PLoS ONE</i> , 2016, 11, e0152000.	2.5	25
124	Integration of eHealth Tools Into Face-to-Face Psychotherapy for Borderline Personality Disorder: A Chance to Close the Gap Between Demand and Supply?. <i>Journal of Clinical Psychology</i> , 2015, 71, 764-777.	1.9	18
125	Theory of Mind, Social Desirability, and Unlikely Symptom Reporting in Offenders With and Without Psychopathy. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 596-603.	1.0	15
126	Sex Bias in Classifying Borderline and Narcissistic Personality Disorder. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 804-808.	1.0	19

#	ARTICLE	IF	CITATIONS
127	Resilience as a predictor for emotional response to the diagnosis and surgery in breast cancer patients. <i>Psycho-Oncology</i> , 2015, 24, 1639-1645.	2.3	75
128	Emotional hyperreactivity in response to childhood abuse by primary caregivers in patients with borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 125-132.	1.2	8
129	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. <i>Behaviour Research and Therapy</i> , 2015, 74, 60-71.	3.1	55
130	Emotional sensitivity, emotion regulation and impulsivity in borderline personality disorder: A critical review of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 51, 64-76.	6.1	128
131	Identifying cognitive predictors of reactive and proactive aggression. <i>Aggressive Behavior</i> , 2015, 41, 51-64.	2.4	56
132	Clinical effectiveness of cognitive therapy <i>v.</i> interpersonal psychotherapy for depression: results of a randomized controlled trial. <i>Psychological Medicine</i> , 2015, 45, 2095-2110.	4.5	56
133	Neural correlates of self-referential processing and implicit self-associations in chronic depression. <i>Journal of Affective Disorders</i> , 2015, 186, 40-47.	4.1	23
134	Examining the influence of psychopathy, hostility biases, and automatic processing on criminal offenders' Theory of Mind. <i>International Journal of Law and Psychiatry</i> , 2015, 38, 92-99.	0.9	23
135	The influence of patients' attributions of the immediate effects of treatment of depression on long-term effectiveness of behavioural activation and antidepressant medication. <i>Behaviour Research and Therapy</i> , 2015, 69, 83-92.	3.1	4
136	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. <i>BMC Psychiatry</i> , 2015, 15, 137.	2.6	30
137	Reducing proactive aggression through non-invasive brain stimulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1303-1309.	3.0	93
138	Fear conditioning with film clips: A complex associative learning paradigm. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 47, 42-50.	1.2	24
139	The influence of stress on social cognition in patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2015, 52, 119-129.	2.7	80
140	Case-based reasoning for predicting the success of therapy. <i>Expert Systems</i> , 2015, 32, 165-177.	4.5	14
141	Out of control: Evidence for anterior insula involvement in motor impulsivity and reactive aggression. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 508-516.	3.0	91
142	The Structured Clinical Interview for DSM-IV Childhood Diagnoses (Kid-SCID): First Psychometric Evaluation in a Dutch Sample of Clinically Referred Youths. <i>Child Psychiatry and Human Development</i> , 2015, 46, 367-375.	1.9	19
143	No Effects of Bilateral tDCS over Inferior Frontal Gyrus on Response Inhibition and Aggression. <i>PLoS ONE</i> , 2015, 10, e0132170.	2.5	58
144	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. <i>PLoS ONE</i> , 2015, 10, e0140771.	2.5	131

#	ARTICLE	IF	CITATIONS
145	Economic Evaluation of Schema Therapy and Clarification-Oriented Psychotherapy for Personality Disorders. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1432-e1440.	2.2	21
146	Results of a Multicenter Randomized Controlled Trial of the Clinical Effectiveness of Schema Therapy for Personality Disorders. <i>American Journal of Psychiatry</i> , 2014, 171, 305-322.	7.2	371
147	The Role of Right Prefrontal and Medial Cortex in Response Inhibition: Interfering with Action Restraint and Action Cancellation Using Transcranial Magnetic Brain Stimulation. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 1775-1784.	2.3	65
148	A network approach to response inhibition: dissociating functional connectivity of neural components involved in action restraint and action cancellation. <i>European Journal of Neuroscience</i> , 2014, 39, 821-831.	2.6	56
149	Design of an international multicentre RCT on group schema therapy for borderline personality disorder. <i>BMC Psychiatry</i> , 2014, 14, 319.	2.6	41
150	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. <i>Psychological Medicine</i> , 2014, 44, 325-336.	4.5	46
151	Responding to the Treatment Challenge of Patients with Severe BPD: Results of Three Pilot Studies of Inpatient Schema Therapy. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 355-367.	1.2	38
152	Combined group and individual schema therapy for borderline personality disorder: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 242-251.	1.2	72
153	The influence of patients' preference/attitude towards psychotherapy and antidepressant medication on the treatment of major depressive disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 170-177.	1.2	28
154	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014, 152-154, 146-154.	4.1	16
155	The impact of comorbid depression on recovery from personality disorders and improvements in psychosocial functioning: Results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2014, 63, 55-62.	3.1	13
156	The value of an implicit self-associative measure specific to core beliefs of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 196-202.	1.2	13
157	Schema therapy for patients with chronic depression: A single case series study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 319-329.	1.2	75
158	Schema therapy for borderline personality disorder: A comprehensive review of its empirical foundations, effectiveness and implementation possibilities. <i>Clinical Psychology Review</i> , 2013, 33, 426-447.	11.4	116
159	Norms for the Beck Depression Inventory (BDI-II) in a Large Dutch Community Sample. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2013, 35, 93-98.	1.2	61
160	Behavioural activation <i>v.</i> antidepressant medication for treating depression in Iran: randomised trial. <i>British Journal of Psychiatry</i> , 2013, 202, 204-211.	2.8	60
161	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013, 145, 349-355.	4.1	28
162	Short-term group schema cognitive-behavioral therapy for young adults with personality disorders and personality disorder features: Associations with changes in symptomatic distress, schemas, schema modes and coping styles. <i>Behaviour Research and Therapy</i> , 2013, 51, 487-492.	3.1	51

#	ARTICLE	IF	CITATIONS
163	The influence of comorbid personality disorder on the effects of behavioural activation vs. antidepressant medication for major depressive disorder: Results from a randomized trial in Iran. Behaviour Research and Therapy, 2013, 51, 499-506.	3.1	19
164	Initial Validation of the Spanish Childhood Trauma Questionnaire-Short Form. Journal of Interpersonal Violence, 2013, 28, 1498-1518.	2.0	117
165	Treatment for chronic depression using schema therapy.. Clinical Psychology: Science and Practice, 2013, 20, 166-180.	0.9	50
166	Imagery Rescripting as treatment for complicated PTSD in refugees: A multiple baseline case series study. Behaviour Research and Therapy, 2013, 51, 274-283.	3.1	82
167	Brief Communication: Investigating the Relationship Between Psychopathy and Interoceptive Awareness. Journal of Personality Disorders, 2013, 27, 617-624.	1.4	21
168	Rejection Sensitivity Is a Mediator Between Borderline Personality Disorder Features and Facial Trust Appraisal. Journal of Personality Disorders, 2013, 27, 442-456.	1.4	80
169	A Commentary on the Study on Dual-Focused vs. Single-Focused Therapy for Personality Disorders and Substance Dependence by Ball et al. (2011). Journal of Nervous and Mental Disease, 2013, 201, 712-713.	1.0	4
170	The Relationship Between Adult Reactive and Proactive Aggression, Hostile Interpretation Bias, and Antisocial Personality Disorder. Journal of Personality Disorders, 2013, 27, 53-66.	1.4	88
171	Neither Dichotomous nor Split, but Schema-Related Negative Interpersonal Evaluations Characterize Borderline Patients. Journal of Personality Disorders, 2013, 27, 36-52.	1.4	21
172	Psychometric Properties of the German Version of the Borderline Personality Disorder Severity Index - Version IV. Psychopathology, 2013, 46, 396-403.	1.5	19
173	Reducing emotional reasoning: An experimental manipulation in individuals with fear of spiders. Cognition and Emotion, 2013, 27, 1504-1512.	2.0	9
174	Preliminary evaluation of psychometric properties of the Finnish Borderline Personality Disorder Severity Index: Oulu-BPD-Study. Nordic Journal of Psychiatry, 2013, 67, 312-319.	1.3	12
175	Schema Therapy for Personality Disorders – A Review. International Journal of Cognitive Therapy, 2013, 6, 171-185.	2.2	108
176	Borderline Personality Disorder and Emotional Intelligence. Journal of Nervous and Mental Disease, 2013, 201, 99-104.	1.0	19
177	A randomized clinical trial of cognitive behavioral therapy and interpersonal psychotherapy for panic disorder with agoraphobia. Psychological Medicine, 2012, 42, 2661-2672.	4.5	28
178	Relationships Between Childhood Maltreatment, Parenting Style, and Borderline Personality Disorder Criteria. Journal of Personality Disorders, 2012, 26, 727-736.	1.4	39
179	Emotion-Focused Techniques in Schema Therapy and the Role of Exposure Techniques. , 2012, , 167-181.		2
180	The state dependency of cognitive schemas in antisocial patients. Psychiatry Research, 2012, 198, 452-456.	3.3	5

#	ARTICLE	IF	CITATIONS
181	Consistency of reporting sexual and physical abuse during psychological treatment of personality disorder: An explorative study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, S43-S50.	1.2	8
182	Adding imagery rescripting during extinction leads to less ABA renewal. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 614-624.	1.2	60
183	Reduced intrusion development after post-trauma imagery rescripting; an experimental study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 808-814.	1.2	86
184	Changes in natural language use as an indicator of psychotherapeutic change in personality disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 191-202.	3.1	40
185	The effectiveness of long-term psychoanalytic psychotherapy – A meta-analysis of randomized controlled trials. <i>Clinical Psychology Review</i> , 2012, 32, 81-92.	11.4	58
186	Social cognition in borderline personality disorder: Evidence for dichotomous thinking but no evidence for less complex attributions. <i>Behaviour Research and Therapy</i> , 2012, 50, 707-718.	3.1	49
187	Effectiveness Studies. , 2012, , 493-510.		9
188	Imagery Rescripting as a Therapeutic Technique: Review of Clinical Trials, Basic Studies, and Research Agenda. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 189-208.	0.8	253
189	EXPERIMENTAL INVESTIGATION OF TARGETING RESPONSIBILITY VERSUS DANGER IN COGNITIVE THERAPY OF OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2012, 29, 629-637.	4.1	17
190	Assessing callous – unemotional traits across different groups of youths: Further cross-cultural validation of the Inventory of Callous – Unemotional Traits. <i>International Journal of Law and Psychiatry</i> , 2012, 35, 251-262.	0.9	92
191	Early maladaptive schemas in depressed patients: Stability and relation with depressive symptoms over the course of treatment. <i>Journal of Affective Disorders</i> , 2012, 136, 581-590.	4.1	108
192	Design of a multicentered randomized controlled trial on the clinical and cost effectiveness of schema therapy for personality disorders. <i>BMC Public Health</i> , 2012, 12, 75.	2.9	19
193	The Effects of Experimentally Induced Rumination, Positive Reappraisal, Acceptance, and Distancing When Thinking About a Stressful Event on Affect States in Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2012, 40, 73-84.	3.5	72
194	Games as personality profiling tools. , 2011, , .		54
195	Extended Schema Mode Conceptualizations for Specific Personality Disorders: An Empirical Study. <i>Journal of Personality Disorders</i> , 2011, 25, 41-58.	1.4	86
196	Comparison of different strategies to decrease negative affect and increase positive affect in women with borderline personality disorder. <i>Behaviour Research and Therapy</i> , 2011, 49, 68-73.	3.1	28
197	Interpretation bias in Cluster-C and borderline personality disorders. <i>Behaviour Research and Therapy</i> , 2011, 49, 472-481.	3.1	40
198	One-year follow-up results of unsupported online computerized cognitive behavioural therapy for depression in primary care: A randomized trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 89-95.	1.2	34

#	ARTICLE	IF	CITATIONS
199	Positive erotic picture stimuli for emotion research in heterosexual females. <i>Psychiatry Research</i> , 2011, 190, 348-351.	3.3	14
200	Modulation of responses to emotional information in pathological anxiety. <i>Journal of Experimental Psychopathology</i> , 2011, 2, 371-385.	0.8	4
201	Improving adherence and effectiveness of computerised cognitive behavioural therapy without support for depression: A qualitative study on patient experiences. <i>Journal of Affective Disorders</i> , 2011, 129, 117-125.	4.1	120
202	Early Maladaptive Schemas in the risk for bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2011, 133, 428-436.	4.1	37
203	Personality Disorder Patients' Perspectives on the Introduction of Imagery Within Schema Therapy: A Qualitative Study of Patients' Experiences. <i>Cognitive and Behavioral Practice</i> , 2011, 18, 482-490.	1.5	24
204	Imagery Rescripting for Personality Disorders. <i>Cognitive and Behavioral Practice</i> , 2011, 18, 466-481.	1.5	95
205	Behavioral Inhibition as a Risk Factor for the Development of Childhood Anxiety Disorders: A Longitudinal Study. <i>Journal of Child and Family Studies</i> , 2011, 20, 157-170.	1.3	131
206	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	2.6	16
207	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 150.	1.6	30
208	Inter-rater reliability of the Structured Clinical Interview for DSM-IV Axis I Disorders (SCID I) and Axis II Disorders (SCID II). <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 75-79.	2.7	883
209	Patient versus informant reports of personality disorders in forensic patients. <i>Journal of Forensic Psychiatry and Psychology</i> , 2011, 22, 52-71.	1.0	29
210	11 Cognitieve therapie bij posttraumatische stressstoornis. , 2011, , 289-319.		2
211	6 Cognitieve therapie bij gegeneraliseerde angststoornis. , 2011, , 137-165.		0
212	1 Cognitieve verwerking en psychopathologie: theorie en onderzoek. , 2011, , 3-29.		0
213	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010, 34, 196-205.	1.9	30
214	The Borderline Personality Disorder Severity Index-IV: Psychometric evaluation and dimensional structure. <i>Personality and Individual Differences</i> , 2010, 49, 136-141.	2.9	90
215	Performance measurement in mental health care: present situation and future possibilities. <i>International Journal of Health Planning and Management</i> , 2010, 25, 198-214.	1.7	23
216	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 418-426.	2.7	15

#	ARTICLE	IF	CITATIONS
217	Unresolved Issues Regarding Homework Assignments in Cognitive and Behavioural Therapies: An Expert Panel Discussion at AACBT. Behaviour Change, 2010, 27, 119-129.	1.3	11
218	Economic evaluation of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. British Journal of Psychiatry, 2010, 196, 310-318.	2.8	127
219	Reliability and Validity of the Short Schema Mode Inventory (SMI). Behavioural and Cognitive Psychotherapy, 2010, 38, 437-458.	1.2	155
220	Word use of outpatients with a personality disorder and concurrent or previous major depressive disorder. Behaviour Research and Therapy, 2010, 48, 44-51.	3.1	39
221	Emotional, cognitive and physiological correlates of abuse-related stress in borderline and antisocial personality disorder. Behaviour Research and Therapy, 2010, 48, 116-124.	3.1	51
222	Minor and major depression in the general population: does dysfunctional thinking play a role?. Comprehensive Psychiatry, 2010, 51, 266-274.	3.1	21
223	Does the weather make us sad? Meteorological determinants of mood and depression in the general population. Psychiatry Research, 2010, 180, 143-146.	3.3	59
224	Disentangling the Relationship Between Different Types of Childhood Maltreatment and Personality Disorders. Journal of Personality Disorders, 2010, 24, 285-295.	1.4	186
225	Taxometric Evidence for the Dimensional Structure of Cluster-C, Paranoid, and Borderline Personality Disorders. Journal of Personality Disorders, 2009, 23, 606-628.	1.4	67
226	Clinical effectiveness of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. British Journal of Psychiatry, 2009, 195, 73-80.	2.8	171
227	Use and acceptability of unsupported online computerized cognitive behavioral therapy for depression and associations with clinical outcome. Journal of Affective Disorders, 2009, 116, 227-231.	4.1	73
228	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. Child Abuse and Neglect, 2009, 33, 518-523.	2.6	218
229	Development and psychometric evaluation of a new assessment method for childhood maltreatment experiences: The interview for traumatic events in childhood (ITEC). Child Abuse and Neglect, 2009, 33, 505-517.	2.6	55
230	Implementation of outpatient schema therapy for borderline personality disorder: study design. BMC Psychiatry, 2009, 9, 64.	2.6	21
231	General practitioners' treatment orientations towards low back pain: Influence on treatment behaviour and patient outcome. European Journal of Pain, 2009, 13, 412-418.	2.8	21
232	Psychosocial predictors of chronic Post-Traumatic Stress Disorder in Sri Lankan tsunami survivors. Behaviour Research and Therapy, 2009, 47, 60-65.	3.1	25
233	Mind the gap: Improving the dissemination of CBT. Behaviour Research and Therapy, 2009, 47, 902-909.	3.1	484
234	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. Behaviour Research and Therapy, 2009, 47, 938-945.	3.1	18

#	ARTICLE	IF	CITATIONS
235	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. Behaviour Research and Therapy, 2009, 47, 961-973.	3.1	213
236	A comparative study of patients and therapists' reports of schema modes. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 571-579.	1.2	23
237	Effects of induced anger in patients with antisocial personality disorder. Psychological Medicine, 2009, 39, 557-568.	4.5	60
238	How to Deal with Cost Differences at Baseline. Pharmacoeconomics, 2009, 27, 519-528.	3.3	72
239	The EQ-5D: A useful quality of life measure in borderline personality disorder?. European Psychiatry, 2009, 24, 79-85.	0.2	36
240	Theory of Mind in Borderline and Cluster-C Personality Disorder. Journal of Nervous and Mental Disease, 2009, 197, 801-807.	1.0	75
241	Reduced specificity of autobiographical memory in Cluster C personality disorders and the role of depression, worry, and experiential avoidance.. Journal of Abnormal Psychology, 2009, 118, 520-530.	1.9	39
242	17 Schemagerichte therapie. , 2009, , 301-318.		2
243	Can assessors and therapists predict the outcome of long-term psychotherapy in borderline personality disorder?. Journal of Clinical Psychology, 2008, 64, 667-686.	1.9	13
244	Difficulties in Calculating Productivity Costs: Work Disability Associated with Borderline Personality Disorder. Value in Health, 2008, 11, 637-644.	0.3	28
245	Clinical and cost-effectiveness of computerised cognitive behavioural therapy for depression in primary care: Design of a randomised trial. BMC Public Health, 2008, 8, 224.	2.9	31
246	Effects of neuroticism on depression and anxiety: Rumination as a possible mediator. Personality and Individual Differences, 2008, 44, 576-586.	2.9	149
247	Psychometric properties of the Trauma Relevant Assumptions Scale. Journal of Anxiety Disorders, 2008, 22, 1496-1509.	3.2	7
248	The influence of data-driven versus conceptually-driven processing on the development of PTSD-like symptoms. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 546-557.	1.2	29
249	An empirical test of schema mode conceptualizations in personality disorders. Behaviour Research and Therapy, 2008, 46, 854-860.	3.1	123
250	All we need is a cue to remember: The effect of an extinction cue on renewal. Behaviour Research and Therapy, 2008, 46, 1070-1077.	3.1	53
251	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. Behaviour Research and Therapy, 2008, 46, 1283-1289.	3.1	224
252	How to push someone's buttons: A comparison of four anger-induction methods. Cognition and Emotion, 2008, 22, 353-373.	2.0	105

#	ARTICLE	IF	CITATIONS
253	Out-patient psychotherapy for borderline personality disorder: Cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. British Journal of Psychiatry, 2008, 192, 450-457.	2.8	142
254	Implicit self- and other-associations in obsessive-compulsive personality disorder traits. Cognition and Emotion, 2008, 22, 1253-1275.	2.0	15
255	11 Schematherapie voor Forensische Patiënten. , 2008, , 123-129.		1
256	3 Theoretisch model: schema's, copingstrategieën en modi. , 2008, , 17-32.		0
257	2 Een beknopte geschiedenis van schematherapie. , 2008, , 9-16.		0
258	21 Effectiviteitsstudies. , 2008, , 235-250.		0
259	Successful Psychotherapy Reduces Hypervigilance in Borderline Personality Disorder. Behavioural and Cognitive Psychotherapy, 2007, 35, 387-402.	1.2	27
260	Deployment-related stress and trauma in Dutch soldiers returning from Iraq. British Journal of Psychiatry, 2007, 191, 140-145.	2.8	171
261	Questions Concerning the Randomized Trial of Schema-Focused Therapy vs Transference-Focused Psychotherapy—Reply. Archives of General Psychiatry, 2007, 64, 610.	12.3	14
262	The context of a noxious stimulus affects the pain it evokes. Pain, 2007, 133, 64-71.	4.2	123
263	Responsibility and obsessive-compulsive disorder: An experimental test. Behaviour Research and Therapy, 2007, 45, 425-435.	3.1	108
264	Hypervigilance in patients with borderline personality disorder: Specificity, automaticity, and predictors. Behaviour Research and Therapy, 2007, 45, 1011-1024.	3.1	74
265	On the links between self-discrepancies, rumination, metacognitions, and symptoms of depression in undergraduates. Behaviour Research and Therapy, 2007, 45, 1295-1305.	3.1	70
266	Effectiveness of treatment of childhood memories in cognitive therapy for personality disorders: A controlled study contrasting methods focusing on the present and methods focusing on childhood memories. Behaviour Research and Therapy, 2007, 45, 2133-2143.	3.1	78
267	Perceptual and conceptual processing as predictors of treatment outcome in PTSD. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 491-506.	1.2	37
268	Treatment of PTSD: A comparison of imaginal exposure with and without imagery rescripting. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 345-370.	1.2	250
269	Imagery rescripting in cognitive behaviour therapy: Images, treatment techniques and outcomes. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 297-305.	1.2	364
270	The cost of borderline personality disorder: societal cost of illness in BPD-patients. European Psychiatry, 2007, 22, 354-361.	0.2	212

#	ARTICLE	IF	CITATIONS
271	The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder.. Journal of Consulting and Clinical Psychology, 2007, 75, 104-115.	2.0	150
272	Schema Focused Therapy in Forensic Settings: Theoretical Model and Recommendations for Best Clinical Practice. International Journal of Forensic Mental Health, 2007, 6, 169-183.	1.0	157
273	Netherlands Journal of Psychology, 2007, number 3 Shedding light on schema modes: a clarification of the mode concept and its current research status. Netherlands Journal of Psychology, 2007, 63, 69-78.	0.5	64
274	Low specificity of symptoms on the post-traumatic stress disorder (PTSD) symptom scale: A comparison of individuals with PTSD, individuals with other anxiety disorders and individuals without psychopathology. British Journal of Clinical Psychology, 2007, 46, 449-456.	3.5	100
275	Schemagerichte therapie. , 2007, , 285-302.		4
276	On the measurement of rumination: A psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. Journal of Behavior Therapy and Experimental Psychiatry, 2006, 37, 299-313.	1.2	74
277	Reassurance that there is no serious disease seems essential in the development of benign pain complaints. Journal of Clinical Epidemiology, 2006, 59, 868-869.	5.0	0
278	Can personality disorders be changed?. Netherlands Journal of Psychology, 2006, 62, 8-18.	0.5	9
279	Dependent personality traits and information processing: Assessing the interpretation of ambiguous information using the Thematic Apperception Test. British Journal of Clinical Psychology, 2006, 45, 273-278.	3.5	13
280	Ook angstpatiënten zonder ptss hebben last van ptss-symptomen. Dth, 2006, 26, 28-31.	0.2	0
281	Outpatient Psychotherapy for Borderline Personality Disorder. Archives of General Psychiatry, 2006, 63, 649.	12.3	1,062
282	21 Persoonlijkheidsstoornissen. , 2006, , 443-477.		4
283	Post-traumatic stress after non-traumatic events. British Journal of Psychiatry, 2006, 188, 291-291.	2.8	0
284	Symptoms of post-traumatic stress disorder after non-traumatic events: evidence from an open population study. British Journal of Psychiatry, 2005, 186, 494-499.	2.8	256
285	Influences of beliefs and personality disorders on treatment outcome in anxiety patients.. Journal of Consulting and Clinical Psychology, 2005, 73, 936-944.	2.0	36
286	Pathological dependency: Distinguishing functional from emotional dependency.. Clinical Psychology: Science and Practice, 2005, 12, 411-416.	0.9	14
287	Emotional memory is perceptual. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 19-34.	1.2	82
288	The fallacy of ex-consequencia reasoning and the persistence of PTSD. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 35-42.	1.2	18

#	ARTICLE	IF	CITATIONS
289	World assumptions and the role of trauma in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 197-208.	1.2	31
290	Evaluations of emotional noninterpersonal situations by patients with borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 209-225.	1.2	35
291	An experimental test of the schema mode model of borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 226-239.	1.2	114
292	Schema modes and childhood abuse in borderline and antisocial personality disorders. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 240-253.	1.2	117
293	Introduction to special issue: Cognition and emotion in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 167-172.	1.2	11
294	Pain patients in a randomized trial did not show a significant effect of a positive consultation. Journal of Clinical Epidemiology, 2005, 58, 708-713.	5.0	22
295	A longitudinal study on the predictive validity of the fear-avoidance model in low back pain. Pain, 2005, 117, 162-170.	4.2	100
296	Behandeling van patiënten met een posttraumatische stress-stoornis met exposure. , 2005, , 76-85.		0
297	Beliefs in personality disorders: a test with the Personality Disorder Belief Questionnaire. Behaviour Research and Therapy, 2004, 42, 1215-1225.	3.1	100
298	The effects of failing to control pain: an experimental investigation. Pain, 2004, 107, 227-233.	4.2	31
299	The meaning of pain influences its experienced intensity. Pain, 2004, 109, 20-25.	4.2	127
300	Protocolaire behandeling van patiënten met een gegeneraliseerde angststoornis: , 2004, , 98-124.		0
301	PMH11 PRODUCTION LOSSES IN BORDERLINE PERSONALITY DISORDER: SHORTCOMINGS IN THE STANDARD METHODS OF VALUATION. Value in Health, 2003, 6, 692.	0.3	0
302	Peritraumatic dissociation and posttraumatic stress after pregnancy loss: a prospective study. Behaviour Research and Therapy, 2003, 41, 67-78.	3.1	98
303	Cognitive therapy versus applied relaxation as treatment of generalized anxiety disorder. Behaviour Research and Therapy, 2003, 41, 633-646.	3.1	119
304	Short-Interval Test-Retest Interrater Reliability of the Dutch Version of the Structured Clinical Interview for DSM-IV Personality Disorders (SCID-II). Journal of Personality Disorders, 2003, 17, 562-567.	1.4	106
305	Reliability and Validity of the Borderline Personality Disorder Severity Index. Journal of Personality Disorders, 2003, 17, 45-59.	1.4	243
306	Traumatic events in a general practice population: the patient's perspective. Family Practice, 2002, 19, 390-396.	1.9	11

#	ARTICLE	IF	CITATIONS
307	PMH7 BOTTOM-UP OR TOP-DOWN? IMPACT OF PATIENT SELECTION ON COST-OF-ILLNESS RESULTS. Value in Health, 2002, 5, 516.	0.3	1
308	Cognitive therapy versus interoceptive exposure as treatment of panic disorder without agoraphobia. Behaviour Research and Therapy, 2002, 40, 325-341.	3.1	79
309	Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. Behaviour Research and Therapy, 2002, 40, 439-457.	3.1	322
310	No evidence for overgeneral memories in borderline personality disorder. Behaviour Research and Therapy, 2002, 40, 1063-1068.	3.1	57
311	A longitudinal study of "intrusion-based reasoning" and posttraumatic stress disorder after exposure to a train disaster. Behaviour Research and Therapy, 2002, 40, 1415-1424.	3.1	79
312	Correlates of autobiographical memory specificity: the role of depression, anxiety and childhood trauma. Behaviour Research and Therapy, 2001, 39, 409-421.	3.1	147
313	Emotion- and intrusion-based reasoning in Vietnam veterans with and without chronic posttraumatic stress disorder. Behaviour Research and Therapy, 2001, 39, 1339-1348.	3.1	55
314	Evaluations of Others by Borderline Patients. Journal of Nervous and Mental Disease, 2001, 189, 513-521.	1.0	96
315	Posttraumatic stress disorder after pregnancy loss. General Hospital Psychiatry, 2001, 23, 62-66.	2.4	186
316	Real-Life Stress and Opioid-Mediated Analgesia in Novice Parachute Jumpers. Journal of Psychophysiology, 2001, 15, 106-113.	0.7	15
317	Multidimensional Dichotomous Thinking Characterizes Borderline Personality Disorder. Cognitive Therapy and Research, 2000, 24, 23-45.	1.9	96
318	Hypervigilance in Borderline Disorder: A Test with the Emotional Stroop Paradigm. Journal of Personality Disorders, 2000, 14, 366-373.	1.4	112
319	Personality disorders have no excessively negative impact on therapist-rated therapy process in the cognitive and behavioural treatment of Axis I anxiety disorders. Clinical Psychology and Psychotherapy, 1999, 6, 384-394.	2.7	12
320	No interactive effects of naltrexone and benzodiazepines on pain during phobic fear. Behaviour Research and Therapy, 1999, 37, 77-86.	3.1	25
321	Psychometric properties of the Multidimensional Pain Inventory, Dutch language version (MPI-DLV). Behaviour Research and Therapy, 1999, 37, 167-182.	3.1	109
322	Assumptions in borderline personality disorder: specificity, stability and relationship with etiological factors. Behaviour Research and Therapy, 1999, 37, 545-557.	3.1	95
323	Avoidant personality disorder and implicit schema-congruent information processing bias: a pilot study with a pragmatic inference task. Behaviour Research and Therapy, 1999, 37, 619-632.	3.1	29
324	Treatment of childhood memories: theory and practice. Behaviour Research and Therapy, 1999, 37, 715-740.	3.1	366

#	ARTICLE	IF	CITATIONS
325	Do personality disorders exist? On the validity of the concept and its cognitive-behavioral formulation and treatment. Behaviour Research and Therapy, 1999, 37, S97-S134.	3.1	69
326	No Threat-Related Processing Bias in Low Trait-Anxious/High State-Anxious Novice Parachuters. Cognitive Therapy and Research, 1998, 22, 125-135.	1.9	3
327	Anxiety and pain: epinephrine-induced hyperalgesia and attentional influences. Pain, 1998, 76, 309-316.	4.2	49
328	The impact of personality disorders on treatment outcome of anxiety disorders: Best-evidence synthesis. Behaviour Research and Therapy, 1998, 36, 483-504.	3.1	101
329	Underpredicted pain disrupts more than correctly predicted pain, but does not hurt more. Behaviour Research and Therapy, 1998, 36, 1121-1129.	3.1	26
330	Short-Interval Test-Retest Interrater Reliability of the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II) in Outpatients. Journal of Personality Disorders, 1998, 12, 138-148.	1.4	64
331	Patient-Informant Concordance on the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II). Journal of Personality Disorders, 1998, 12, 149-161.	1.4	44
332	Personality disorders do not influence the results of cognitive and behavior therapy for obsessive compulsive disorder. Journal of Anxiety Disorders, 1997, 11, 503-521.	3.2	59
333	Cued UCS rehearsal and the impact of painful conditioned stimuli: UCS rehearsal increases SCRs but reduces experienced pain. Behaviour Research and Therapy, 1997, 35, 591-605.	3.1	11
334	No evidence for opioid-mediated analgesia induced by phobic fear. Behaviour Research and Therapy, 1997, 35, 823-830.	3.1	24
335	Anxiety and pain: attentional and endorphinergic influences. Pain, 1996, 66, 145-150.	4.2	96
336	Psychological treatments of panic disorder without agoraphobia: Cognitive therapy versus applied relaxation. Behaviour Research and Therapy, 1996, 34, 113-121.	3.1	72
337	Why do people tend to overpredict pain? On the asymmetries between underpredictions and overpredictions of pain. Behaviour Research and Therapy, 1996, 34, 545-554.	3.1	20
338	The placebo effect in pain reduction: The influence of conditioning experiences and response expectancies. International Journal of Behavioral Medicine, 1996, 3, 14-29.	1.7	48
339	Efficacy of a self-control therapy program in a psychiatric day-treatment center. Acta Psychiatrica Scandinavica, 1995, 92, 25-29.	4.5	15
340	Covariation bias in phobic women: The relationship between a priori expectancy, on-line expectancy, autonomic responding, and a posteriori contingency judgment.. Journal of Abnormal Psychology, 1995, 104, 55-62.	1.9	56
341	Social Phobia and Personality Disorder: Severity of Complaint and Treatment Effectiveness. Journal of Personality Disorders, 1995, 9, 143-159.	1.4	35
342	Chronic low back pain and inaccurate predictions of pain: Is being too tough a risk factor for the development and maintenance of chronic pain?. Behaviour Research and Therapy, 1995, 33, 49-53.	3.1	26

#	ARTICLE	IF	CITATIONS
343	Stimulus estimation and the overprediction of fear: a reply to Taylor. Behaviour Research and Therapy, 1995, 33, 817-818.	3.1	1
344	“œlf I feel anxious, there must be danger” Ex-consequentia reasoning in inferring danger in anxiety disorders. Behaviour Research and Therapy, 1995, 33, 917-925.	3.1	203
345	The influence of anxiety on pain: attentional and attributional mediators. Pain, 1994, 56, 307-314.	4.2	147
346	Treatment of borderline personality disorder: A challenge for cognitive-behavioural therapy. Behaviour Research and Therapy, 1994, 32, 419-430.	3.1	62
347	Exposure reduced agoraphobia but not panic, and cognitive therapy reduced panic but not agoraphobia. Behaviour Research and Therapy, 1994, 32, 447-451.	3.1	56
348	Overprediction of anxiety, and disconfirmatory processes, in anxiety disorders. Behaviour Research and Therapy, 1994, 32, 709-722.	3.1	35
349	Cognitive therapy for obsessive-compulsive disorder. Behaviour Research and Therapy, 1994, 32, 79-87.	3.1	194
350	Personality disorders do not influence the results of cognitive behavior therapies for anxiety disorders. Comprehensive Psychiatry, 1994, 35, 265-274.	3.1	71
351	Personality disorders and features in social phobia and panic disorder.. Journal of Abnormal Psychology, 1994, 103, 391-395.	1.9	46
352	Dth jaargang 1993, nummer 1 Cognitieve gedragstherapie bij persoonlijkheidsstoornissen. Dth, 1993, 13, 1-11.	0.2	1
353	The role of evaluative learning and disgust sensitivity in the etiology and treatment of spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 243-255.	3.0	102
354	Negative beliefs of spider phobics: A psychometric evaluation of the spider phobia beliefs questionnaire. Advances in Behaviour Research and Therapy, 1993, 15, 257-277.	3.0	164
355	Attentional bias and facilitated escape: A pictorial test. Advances in Behaviour Research and Therapy, 1993, 15, 279-289.	3.0	13
356	The startle probe response as an instrument for evaluating exposure effects in spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 301-316.	3.0	16
357	Anxiety, attention and pain. Journal of Psychosomatic Research, 1993, 37, 423-431.	2.6	90
358	Effects of endorphin blocking on conditioned SCR in humans. Behaviour Research and Therapy, 1993, 31, 775-779.	3.1	4
359	Attentional bias and spider phobia: Conceptual and clinical issues. Behaviour Research and Therapy, 1993, 31, 17-24.	3.1	148
360	Endorphins stimulate approach behaviour, but do not reduce subjective fear. A pilot study. Behaviour Research and Therapy, 1993, 31, 403-405.	3.1	10

#	ARTICLE	IF	CITATIONS
361	The role of conditioning in the placebo response: a comment on Voudouris et al., PAIN , 43 (1990) 121-128. Pain, 1993, 54, 232-233.	4.2	8
362	Effects of endorphine blocking on conditioned SCRs. International Journal of Psychophysiology, 1993, 14, 137.	1.0	0
363	Does Stimulus Elaboration Potentiate Exposure <i>in vivo</i> Treatment? Two Forms of One-Session Treatment of Spider Phobia. Behavioural Psychotherapy, 1993, 21, 1-12.	0.5	57
364	Opioid antagonist affects behavioral effects of exposure <i>in vivo</i> .. Journal of Consulting and Clinical Psychology, 1993, 61, 865-870.	2.0	38
365	Covariation detection in treated and untreated spider phobics.. Journal of Abnormal Psychology, 1992, 101, 724-727.	1.9	84
366	Hyperventilation is not diagnostically specific to panic patients.. Psychosomatic Medicine, 1992, 54, 182-191.	2.0	47
367	The interrater reliability of a Dutch version of the Structured Clinical Interview for DSM-III-R Personality Disorders. Acta Psychiatrica Scandinavica, 1992, 85, 394-400.	4.5	82
368	Pathways to spider phobia. Behaviour Research and Therapy, 1992, 30, 543-546.	3.1	62
369	Attention, not anxiety, influences pain. Behaviour Research and Therapy, 1991, 29, 41-50.	3.1	169
370	The overprediction and underprediction of pain. Clinical Psychology Review, 1991, 11, 339-355.	11.4	92
371	The effects of incorrect pain expectations on acquired fear and pain responses. Behaviour Research and Therapy, 1991, 29, 547-560.	3.1	36
372	Avoidance of pain of unpredictable intensity. Behaviour Research and Therapy, 1991, 29, 197-201.	3.1	16
373	Imagery ability and exposure <i>in vivo</i> in spider phobia. Behaviour Research and Therapy, 1991, 29, 203-205.	3.1	16
374	Conditioning experiences in spider phobics. Behaviour Research and Therapy, 1991, 29, 333-335.	3.1	38
375	Eyeblink startle responses in spider phobias before and after treatment: A pilot study. Journal of Psychopathology and Behavioral Assessment, 1991, 13, 213-223.	1.2	31
376	Illusory correlation, on-line probability estimates, and electrodermal responding in a (quasi)-conditioning paradigm. Biological Psychology, 1990, 31, 201-212.	2.2	22
377	Is the match/mismatch model based on a statistical artefact?. Behaviour Research and Therapy, 1990, 28, 249-253.	3.1	11
378	The effects of underestimated pain and their relationship to habituation. Behaviour Research and Therapy, 1990, 28, 15-28.	3.1	45

#	ARTICLE	IF	CITATIONS
379	Predictions of dental pain: The fear of any expected evil, is worse than the evil itself. Behaviour Research and Therapy, 1990, 28, 29-41.	3.1	172
380	Effects of matches and mismatches in agoraphobic and neutral situations. Behaviour Research and Therapy, 1990, 28, 43-50.	3.1	3
381	The relationship between underpredicted pain and escape. Behaviour Research and Therapy, 1990, 28, 87-90.	3.1	17
382	Generalizability of the match/mismatch model of fear. Behaviour Research and Therapy, 1988, 26, 207-223.	3.1	33
383	Psychological research and chronic low back pain: A stand-still or breakthrough?. Social Science and Medicine, 1987, 25, 1095-1104.	3.8	9
384	Some limitations of the attributional learned helplessness model on understanding effects of (non-) contingency: A controlled study in Dutch adolescents. Advances in Behaviour Research and Therapy, 1986, 8, 1-42.	3.0	8
385	Attributional style questioned: Psychometric evaluation of the ASQ in Dutch adolescents. Advances in Behaviour Research and Therapy, 1985, 7, 55-89.	3.0	28