Jin Gu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6220510/publications.pdf

Version: 2024-02-01

759233 501196 3,932 31 12 28 citations h-index g-index papers 32 32 32 8369 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 1 | Radiological findings from 81 patients with COVID-19 pneumonia in Wuhan, China: a descriptive study. Lancet Infectious Diseases, The, 2020, 20, 425-434. | 9.1 | 2,881 |
| 2 | Six-month Follow-up Chest CT Findings after Severe COVID-19 Pneumonia. Radiology, 2021, 299, E177-E186. | 7.3 | 437 |
| 3 | MicroRNA-181a promotes tumor growth and liver metastasis in colorectal cancer by targeting the tumor suppressor WIF-1. Molecular Cancer, 2014, 13, 86. | 19.2 | 127 |
| 4 | Novel Coronavirus Disease 2019 (COVID-19) Pneumonia Progression Course in 17 Discharged Patients: Comparison of Clinical and Thin-Section Computed Tomography Features During Recovery. Clinical Infectious Diseases, 2020, 71, 723-731. | 5 . 8 | 92 |
| 5 | Combination of radiotherapy and suppression of Tregs enhances abscopal antitumor effect and inhibits metastasis in rectal cancer., 2020, 8, e000826. | | 74 |
| 6 | Caution against corticosteroid-based COVID-19 treatment. Lancet, The, 2020, 395, 1759-1760. | 13.7 | 64 |
| 7 | Enhancement of Sensitivity to Chemo/Radiation Therapy by Using miR-15b against DCLK1 in Colorectal Cancer. Stem Cell Reports, 2018, 11, 1506-1522. | 4.8 | 48 |
| 8 | Baseline characteristics and risk factors for short-term outcomes in 132 COVID-19 patients with diabetes in Wuhan China: A retrospective study. Diabetes Research and Clinical Practice, 2020, 166, 108299. | 2.8 | 40 |
| 9 | Prognostic value of baseline clinical and HRCT findings in 101 patients with severe COVID-19 in Wuhan, China. Scientific Reports, 2020, 10, 17543. | 3.3 | 20 |
| 10 | CT features associated with EGFR mutations and ALK positivity in patients with multiple primary lung adenocarcinomas. Cancer Imaging, 2020, 20, 51. | 2.8 | 18 |
| 11 | Radiological and Clinical Features and Outcomes of Patients with Primary Pulmonary Salivary Gland-Type Tumors. Canadian Respiratory Journal, 2019, 2019, 1-10. | 1.6 | 17 |
| 12 | Effectiveness comparison of indocyanine green retention test with the cirrhotic severity scoring in evaluating the pathological severity of liver cirrhosis in patients with hepatocellular carcinoma and Child-Pugh grade A liver function. World Journal of Surgical Oncology, 2020, 18, 79. | 1.9 | 14 |
| 13 | Predicting the severity of liver cirrhosis through clinical parameters. Journal of Surgical Research, 2016, 204, 274-281. | 1.6 | 13 |
| 14 | Liver Collagen Contents Are Closely Associated with the Severity of Cirrhosis and Posthepatectomy Liver Failure in Patients with Hepatocellular Carcinoma and Child–Pugh Grade A Liver Function. Annals of Surgical Oncology, 2021, 28, 4227-4235. | 1.5 | 11 |
| 15 | Quantitative inspiratory–expiratory chest CT findings in COVID-19 survivors at the 6-month follow-up. Scientific Reports, 2022, 12, 7402. | 3.3 | 10 |
| 16 | Value of CT features for predicting EGFR mutations and ALK positivity in patients with lung adenocarcinoma. Scientific Reports, 2021, 11, 5679. | 3.3 | 9 |
| 17 | Predictive values of multiple non-invasive markers for myocardial fibrosis in hypertrophic cardiomyopathy patients with preserved ejection fraction. Scientific Reports, 2021, 11, 4297. | 3.3 | 8 |
| 18 | Hemolysin BL from novel <i>Bacillus toyonensis</i> BV-17 induces antitumor activity both in vitro and in vivo. Gut Microbes, 2020, 12, 1782158. | 9.8 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Assessment of regional left ventricular myocardial strain in patients with left anterior descending coronary stenosis using computed tomography feature tracking. BMC Cardiovascular Disorders, 2020, 20, 362. | 1.7 | 6 |
| 20 | Image Quality and Radiation Dose for Prospectively Triggered Coronary CT Angiography: 128-Slice Single-Source CT versus First-Generation 64-Slice Dual-Source CT. Scientific Reports, 2016, 6, 34795. | 3.3 | 5 |
| 21 | Associations of B-type natriuretic peptide (BNP) and dialysis vintage with CMRI-derived cardiac indices in stable hemodialysis patients with a preserved left ventricular ejection fraction. International Journal of Cardiovascular Imaging, 2020, 36, 2265-2278. | 1.5 | 5 |
| 22 | Use of Direct Liver Stiffness Measurement in Evaluating the Severity of Liver Cirrhosis in Patients with Hepatocellular Carcinoma. World Journal of Surgery, 2020, 44, 2777-2783. | 1.6 | 5 |
| 23 | MicroRNA expression profiling in patients with hepatocellular carcinoma of familial aggregation and hepatitis B virus infection. Oncology Letters, 2017, 14, 971-976. | 1.8 | 4 |
| 24 | New method for ultrasound-guided inferior vena cava filter placement. Journal of Vascular Surgery: Venous and Lymphatic Disorders, 2018, 6, 450-456. | 1.6 | 4 |
| 25 | Sub-Classification of Cirrhosis Affects Surgical Outcomes for Early Hepatocellular Carcinoma Independent of Portal Hypertension. Frontiers in Oncology, 2021, 11, 671313. | 2.8 | 4 |
| 26 | Utility of ECG-Gated CTA for Detecting and Classifying Coronary Artery Involvement in Patients With Type A Aortic Dissection and Sinus of Valsalva Involvement. American Journal of Roentgenology, 2021, 217, 1334-1343. | 2.2 | 4 |
| 27 | Surgical treatment of locally recurrent rectal cancer: a narrative review. Annals of Translational Medicine, 2021, 9, 1026-1026. | 1.7 | 3 |
| 28 | Author's Reply: Use of Direct Liver Stiffness Measurement in Evaluating the Severity of Liver Cirrhosis in Patients with Hepatocellular Carcinoma. World Journal of Surgery, 2021, 45, 344-345. | 1.6 | 1 |
| 29 | Prognostic Nomograms Based on the Cirrhotic Severity Scoring for Preoperative Prediction of Long-Term Outcomes in Patients with HBV-Related Hepatocellular Carcinoma and Child-Pugh Grade A Liver Function. Journal of Oncology, 2022, 2022, 1-10. | 1.3 | 1 |
| 30 | ASO Author Reflections: Collagen Contents of Liver Tissue Are Significantly Correlated with the Severity of Cirrhosis and Posthepatectomy Liver Failure in Hepatocellular Carcinoma Patients with Child–Pugh Grade A Liver Function. Annals of Surgical Oncology, 2021, 28, 4236-4237. | 1.5 | 0 |
| 31 | Differentiating synchronous double primary lung adenocarcinomas from intrapulmonary metastasis by CT features, EGFR mutations and ALK rearrangement status. Journal of Thoracic Disease, 2020, 12, 5505-5516. | 1.4 | 0 |