

# Gareth Lloyd-Jones

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6220745/publications.pdf>

Version: 2024-02-01

38  
papers

1,576  
citations

331670

21  
h-index

330143

37  
g-index

38  
all docs

38  
docs citations

38  
times ranked

1956  
citing authors

#	ARTICLE	IF	CITATIONS
1	Integrating softwood biorefinery lignin into polyhydroxybutyrate composites and application in 3D printing. <i>Materials Today Communications</i> , 2019, 19, 286-296.	1.9	106
2	Manipulating intradiol dioxygenases by C-terminus truncation. <i>Enzyme and Microbial Technology</i> , 2019, 125, 21-28.	3.2	6
3	Versatile catechol dioxygenases in <i>Sphingobium scionense</i> WPO1T. <i>Antonie Van Leeuwenhoek</i> , 2018, 111, 2293-2301.	1.7	2
4	Evaluating Lignins as Enzyme Substrates: Insights and Methodological Recommendations from a Study of Laccase-Catalyzed Lignin Polymerization. <i>BioResources</i> , 2014, 9, .	1.0	10
5	Heterologous hybridisation to a Pinus microarray: profiling of gene expression in Pinus radiata saplings exposed to ethephon. <i>New Zealand Journal of Forestry Science</i> , 2014, 44, .	0.8	5
6	Softwood hydrolysate as a carbon source for polyhydroxyalkanoate production. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1030-1037.	3.2	38
7	The bacterial microbiota of <i>Stoloterpes ruficeps</i> ( <i>Stolotermitidae</i> ), a phylogenetically basal termite endemic to New Zealand. <i>FEMS Microbiology Ecology</i> , 2014, 90, 678-688.	2.7	11
8	Proteomic Phenotyping of <i>Novosphingobium nitrogenifigens</i> Reveals a Robust Capacity for Simultaneous Nitrogen Fixation, Polyhydroxyalkanoate Production, and Resistance to Reactive Oxygen Species. <i>Applied and Environmental Microbiology</i> , 2012, 78, 4802-4815.	3.1	25
9	Biodiversity of Active and Inactive Bacteria in the Gut Flora of Wood-Feeding Huhu Beetle Larvae ( <i>Prionoplus reticularis</i> ). <i>Applied and Environmental Microbiology</i> , 2011, 77, 7000-7006.	3.1	86
10	Formation of Poly- $\gamma$ -hydroxybutyrate from Polycyclic Aromatic Hydrocarbons by <i>Sphingobium scionense</i> sp. WPO1. , 2011, , .		5
11	Characterization of fractionated lignins polymerized by fungal laccases. <i>BioResources</i> , 2011, 6, 1105-1121.	1.0	40
12	Identifying diazotrophs by incorporation of nitrogen from $^{15}\text{N}_2$ into RNA. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 2313-2322.	3.6	13
13	Protease- and keratinase-producing microbial strains for compost bioaugmentation. <i>International Biodeterioration and Biodegradation</i> , 2010, 64, 574-580.	3.9	6
14	<i>Sphingobium scionense</i> sp. nov., an aromatic hydrocarbon-degrading bacterium isolated from contaminated sawmill soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 413-416.	1.7	44
15	Stable isotope probing: Technical considerations when resolving $^{15}\text{N}$ -labeled RNA in gradients. <i>Journal of Microbiological Methods</i> , 2010, 80, 70-75.	1.6	19
16	Bacterial community composition of a wastewater treatment system reliant on $\text{N}_2$ fixation. <i>Applied Microbiology and Biotechnology</i> , 2008, 79, 285-292.	3.6	27
17	Composition of <i>nifH</i> in a wastewater treatment system reliant on $\text{N}_2$ fixation. <i>Applied Microbiology and Biotechnology</i> , 2008, 79, 811-818.	3.6	24
18	<i>Novosphingobium nitrogenifigens</i> sp. nov., a polyhydroxyalkanoate-accumulating diazotroph isolated from a New Zealand pulp and paper wastewater. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2467-2471.	1.7	62

#	ARTICLE	IF	CITATIONS
19	Use of protoplasts from paired heterogenic bacterial species to detect tin contaminants: Prospects for biosensor development. <i>Biosensors and Bioelectronics</i> , 2007, 22, 1251-1259.	10.1	4
20	Bacterial oxygenases: In vivo enzyme biosensors for organic pollutants. <i>Biosensors and Bioelectronics</i> , 2007, 22, 2400-2407.	10.1	13
21	The Te-Assay: A black and white method for environmental sample pre-screening exploiting tellurite reduction. <i>Journal of Microbiological Methods</i> , 2006, 67, 549-556.	1.6	7
22	Characterization of fluoranthene- and pyrene-degrading <i>Mycobacterium</i> -like strains by RAPD and SSU sequencing. <i>FEMS Microbiology Letters</i> , 2006, 153, 51-56.	1.8	23
23	A resazurin-based biosensor for organic pollutants. <i>Biosensors and Bioelectronics</i> , 2006, 22, 759-763.	10.1	41
24	Quantification of the <i>Pseudomonas</i> population in New Zealand soils by fluorogenic PCR assay and culturing techniques. <i>Journal of Microbiological Methods</i> , 2005, 60, 217-224.	1.6	37
25	Comparison of rapid DNA extraction methods applied to contrasting New Zealand soils. <i>Soil Biology and Biochemistry</i> , 2001, 33, 2053-2059.	8.8	55
26	Quantification of phnAc and nahAc in Contaminated New Zealand Soils by Competitive PCR. <i>Applied and Environmental Microbiology</i> , 2000, 66, 1814-1817.	3.1	101
27	Analysis of catabolic genes for naphthalene and phenanthrene degradation in contaminated New Zealand soils. <i>FEMS Microbiology Ecology</i> , 1999, 29, 69-79.	2.7	88
28	Conserved and Hybrid meta-Cleavage Operons from PAH-degrading <i>Burkholderia</i> RP007. <i>Biochemical and Biophysical Research Communications</i> , 1999, 262, 308-314.	2.1	32
29	Analysis of catabolic genes for naphthalene and phenanthrene degradation in contaminated New Zealand soils. <i>FEMS Microbiology Ecology</i> , 1999, 29, 69-79.	2.7	3
30	The <i>phn</i> Genes of <i>Burkholderia</i> sp. Strain RP007 Constitute a Divergent Gene Cluster for Polycyclic Aromatic Hydrocarbon Catabolism. <i>Journal of Bacteriology</i> , 1999, 181, 531-540.	2.2	191
31	In vivo and in vitro cloning and phenotype characterization of tellurite resistance determinant conferred by plasmid pTE53 of a clinical isolate of <i>Escherichia coli</i> . <i>Folia Microbiologica</i> , 1998, 43, 589-599.	2.3	25
32	A molecular view of microbial diversity in a dynamic landfill in Québec. <i>FEMS Microbiology Letters</i> , 1998, 162, 219-226.	1.8	18
33	Novel Carbazole Degradation Genes of <i>Sphingomonas</i> CB3: Sequence Analysis, Transcription, and Molecular Ecology. <i>Biochemical and Biophysical Research Communications</i> , 1998, 247, 129-135.	2.1	65
34	Inactivation of 2,3-dihydroxybiphenyl 1,2-dioxygenase from <i>Pseudomonas</i> sp. strain CB406 by 3,4-dihydroxybiphenyl (4-phenylcatechol). <i>Biodegradation</i> , 1995, 6, 11-17.	3.0	10
35	A review of bacterial-degradation of pesticides. <i>Soil Research</i> , 1995, 33, 925.	1.1	216
36	Accumulation and intracellular fate of tellurite in tellurite-resistant <i>Escherichia coli</i> : A model for the mechanism of resistance. <i>FEMS Microbiology Letters</i> , 1994, 118, 113-119.	1.8	61

#	ARTICLE	IF	CITATIONS
37	Recombination of the <i>bph</i> (Biphenyl) Catabolic Genes from Plasmid pWW100 and Their Deletion during Growth on Benzoate. <i>Applied and Environmental Microbiology</i> , 1994, 60, 691-696.	3.1	40
38	The degradation of alicyclic hydrocarbons by a microbial consortium. <i>International Biodeterioration</i> , 1989, 25, 197-206.	0.2	17