## Timo E Strandberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/622081/publications.pdf

Version: 2024-02-01

282 papers

13,200 citations

54 h-index 28224 105 g-index

286 all docs

286 docs citations

times ranked

286

17994 citing authors

#	Article	IF	CITATIONS
1	A 2 year multidomain intervention of diet, exercise, cognitive training, and vascular risk monitoring versus control to prevent cognitive decline in at-risk elderly people (FINGER): a randomised controlled trial. Lancet, The, 2015, 385, 2255-2263.	6.3	2,307
2	Risk thresholds for alcohol consumption: combined analysis of individual-participant data for 599â€^912 current drinkers in 83 prospective studies. Lancet, The, 2018, 391, 1513-1523.	6.3	858
3	Microbes and Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 51, 979-984.	1.2	426
4	The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER): Study design and progress. Alzheimer's and Dementia, 2013, 9, 657-665.	0.4	385
5	The roles of senescence and telomere shortening in cardiovascular disease. Nature Reviews Cardiology, 2013, 10, 274-283.	6.1	303
6	Mortality and incidence of cancer during 10-year follow-up of the Scandinavian Simvastatin Survival Study (4S). Lancet, The, 2004, 364, 771-777.	6.3	299
7	Hypertension Management in Older and Frail Older Patients. Circulation Research, 2019, 124, 1045-1060.	2.0	241
8	Multidomain lifestyle intervention benefits a large elderly population at risk for cognitive decline and dementia regardless of baseline characteristics: The FINGER trial. Alzheimer's and Dementia, 2018, 14, 263-270.	0.4	236
9	Adult height and the risk of cause-specific death and vascular morbidity in 1 million people: individual participant meta-analysis. International Journal of Epidemiology, 2012, 41, 1419-1433.	0.9	230
10	Baseline serum cholestanol as predictor of recurrent coronary events in subgroup of Scandinavian simvastatin survival study. BMJ: British Medical Journal, 1998, 316, 1127-1130.	2.4	229
11	C-Reactive Protein, Cardiovascular Risk Factors, and Mortality in a Prospective Study in the Elderly. Arteriosclerosis, Thrombosis, and Vascular Biology, 2000, 20, 1057-1060.	1.1	206
12	Risk of cardiovascular disease morbidity and mortality in frail and pre-frail older adults: Results from a meta-analysis and exploratory meta-regression analysis. Ageing Research Reviews, 2017, 35, 63-73.	5.0	182
13	Physical inactivity, cardiometabolic disease, and risk of dementia: an individual-participant meta-analysis. BMJ: British Medical Journal, 2019, 365, l1495.	2.4	168
14	Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study. Lancet Diabetes and Endocrinology,the, 2022, 10, 253-263.	5.5	160
15	Frailty in elderly people. Lancet, The, 2007, 369, 1328-1329.	6.3	153
16	What is the most important component of blood pressure: systolic, diastolic or pulse pressure?. Current Opinion in Nephrology and Hypertension, 2003, 12, 293-297.	1.0	143
17	Body mass index is negatively associated with telomere length: a collaborative cross-sectional meta-analysis of 87 observational studies. American Journal of Clinical Nutrition, 2018, 108, 453-475.	2.2	137
18	Effect of the Apolipoprotein E Genotype on Cognitive Change During a Multidomain Lifestyle Intervention. JAMA Neurology, 2018, 75, 462.	4.5	136

#	Article	IF	CITATIONS
19	Explaining the obesity paradox: cardiovascular risk, weight change, and mortality during long-term follow-up in men. European Heart Journal, 2009, 30, 1720-1727.	1.0	132
20	The "Sarcopenia and Physical fRailty IN older people: multi-componenT Treatment strategies―(SPRINTT) randomized controlled trial: design and methods. Aging Clinical and Experimental Research, 2017, 29, 89-100.	1.4	131
21	Positive life orientation as a predictor of 10-year outcome in an aged population. Journal of Clinical Epidemiology, 2004, 57, 409-414.	2.4	125
22	Birth Outcome in Relation to Licorice Consumption during Pregnancy. American Journal of Epidemiology, 2001, 153, 1085-1088.	1.6	123
23	Impact of Viral and Bacterial Burden on Cognitive Impairment in Elderly Persons With Cardiovascular Diseases. Stroke, 2003, 34, 2126-2131.	1.0	115
24	Polypharmacy in the Aging Patient. JAMA - Journal of the American Medical Association, 2015, 314, 170.	3.8	113
25	Evaluation and Treatment of Older Patients With Hypercholesterolemia. JAMA - Journal of the American Medical Association, 2014, 312, 1136.	3.8	108
26	Long-term Mortality After 5-Year Multifactorial Primary Prevention of Cardiovascular Diseases in Middle-aged Men. JAMA - Journal of the American Medical Association, 1991, 266, 1225.	3.8	102
27	Effects of Exercise on Cognition: The Finnish Alzheimer Disease Exercise Trial: A Randomized, Controlled Trial. Journal of the American Geriatrics Society, 2016, 64, 731-738.	1.3	100
28	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. Lancet Diabetes and Endocrinology, the, 2018, 6, 705-713.	5 <b>.</b> 5	100
29	<p>Preserving Mobility in Older Adults with Physical Frailty and Sarcopenia: Opportunities, Challenges, and Recommendations for Physical Activity Interventions</p> . Clinical Interventions in Aging, 2020, Volume 15, 1675-1690.	1.3	100
30	Isolated diastolic hypertension, pulse pressure, and mean arterial pressure as predictors of mortality during a follow-up of up to 32 years. Journal of Hypertension, 2002, 20, 399-404.	0.3	96
31	Blood pressure and mortality in an older population: A 5-year follow-up of the Helsinki Ageing Study. European Heart Journal, 1997, 18, 1019-1023.	1.0	93
32	Association of Telomere Length in Older Men With Mortality and Midlife Body Mass Index and Smoking. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 815-820.	1.7	93
33	Cholesterol and Glucose Metabolism and Recurrent Cardiovascular Events Among the Elderly. Journal of the American College of Cardiology, 2006, 48, 708-714.	1.2	90
34	Multicomponent intervention to prevent mobility disability in frail older adults: randomised controlled trial (SPRINTT project). BMJ, The, 2022, 377, e068788.	3.0	90
35	The Effect of Smoking in Midlife on Health-Related Quality of Life in Old Age. Archives of Internal Medicine, 2008, 168, 1968.	4.3	86
36	Association of midlife obesity and cardiovascular risk with old age frailty: a 26-year follow-up of initially healthy men. International Journal of Obesity, 2012, 36, 1153-1157.	1.6	83

#	Article	IF	CITATIONS
37	The "Obesity Paradox," Frailty, Disability, and Mortality in Older Men: A Prospective, Longitudinal Cohort Study. American Journal of Epidemiology, 2013, 178, 1452-1460.	1.6	83
38	Midlife Obesity and Risk of Frailty in Old Age During a 22-Year Follow-up in Men and Women: The Mini-Finland Follow-up Survey. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69, 73-78.	1.7	81
39	Association between alcohol consumption in healthy midlife and telomere length in older men. The Helsinki Businessmen Study. European Journal of Epidemiology, 2012, 27, 815-822.	2.5	80
40	Effects of Selfâ€Management Groups for People with Dementia and Their Spousesâ€"Randomized Controlled Trial. Journal of the American Geriatrics Society, 2016, 64, 752-760.	1.3	79
41	Poor sleep and neurocognitive function in early adolescence. Sleep Medicine, 2015, 16, 1207-1212.	0.8	75
42	Brain volumes and cortical thickness on MRI in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's Research and Therapy, 2019, 11, 53.	3.0	75
43	White coat effect, blood pressure and mortality in men: prospective cohort study. European Heart Journal, 2000, 21, 1714-1718.	1.0	73
44	Multifactorial intervention to prevent recurrent cardiovascular events in patients 75 years or older: The Drugs and Evidence-Based Medicine in the Elderly (DEBATE) study: A randomized, controlled trial. American Heart Journal, 2006, 152, 585-592.	1.2	73
45	Recruitment and Baseline Characteristics of Participants in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER)—A Randomized Controlled Lifestyle Trial. International Journal of Environmental Research and Public Health, 2014, 11, 9345-9360.	1.2	69
46	Hospital-treated infectious diseases and the risk of dementia: a large, multicohort, observational study with a replication cohort. Lancet Infectious Diseases, The, 2021, 21, 1557-1567.	4.6	65
47	Metabolic variables of cholesterol during squalene feeding in humans: comparison with cholestyramine treatment. Journal of Lipid Research, 1990, 31, 1637-43.	2.0	65
48	Dietary changes and cognition over 2 years within a multidomain intervention trialâ€"The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2019, 15, 410-417.	0.4	63
49	The "Sarcopenia and Physical fRailty IN older people: multi-componenT Treatment strategies―(SPRINTT) randomized controlled trial: Case finding, screening and characteristics of eligible participants. Experimental Gerontology, 2018, 113, 48-57.	1.2	61
50	A Transactional Model of Temperamental Development: Evidence of a Relationship between Child Temperament and Maternal Stress over Five Years. Social Development, 2008, 17, 326-340.	0.8	60
51	Glucose tolerance and blood pressure: long term follow up in middle aged men BMJ: British Medical Journal, 1991, 302, 493-496.	2.4	59
52	Physical activity in midlife and telomere length measured in old age. Experimental Gerontology, 2013, 48, 81-84.	1.2	59
53	Preterm Birth and Licorice Consumption during Pregnancy. American Journal of Epidemiology, 2002, 156, 803-805.	1.6	56
54	Mortality in participants and non-participants of a multifactorial prevention study of cardiovascular diseases: a 28 year follow up of the Helsinki Businessmen Study Heart, 1995, 74, 449-454.	1.2	55

#	Article	IF	Citations
55	Multifactorial cardiovascular disease prevention in patients aged 75 years and older: A randomized controlled trial. American Heart Journal, 2001, 142, 945-951.	1.2	54
56	Prospective study of Helicobacter pylori seropositivity and cardiovascular diseases in a general elderly population. BMJ: British Medical Journal, 1997, 314, 1317-1317.	2.4	54
57	Association of Anticholinergic Drugs with Hospitalization and Mortality among Older Cardiovascular Patients. Drugs and Aging, 2011, 28, 131-138.	1.3	53
58	Leisure-Time Physical Activity in Midlife Is Related to Old Age Frailty. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2013, 68, 1433-1438.	1.7	53
59	Relation of Statin Use and Mortality in Community-Dwelling Frail Older Patients With Coronary Artery Disease. American Journal of Cardiology, 2016, 118, 1624-1630.	0.7	52
60	Associations between change in C-reactive protein and serum lipids during statin treatment. Annals of Medicine, 2000, 32, 579-583.	1.5	51
61	Twelve-week, multicenter, randomized, open-label comparisonof the effects of rosuvastatin 10 mg/d and atorvastatin 10 mg/d in high-risk adults: a DISCOVERY study. Clinical Therapeutics, 2004, 26, 1821-1833.	1.1	51
62	The association of the dopamine transporter gene and the dopamine receptor 2 gene with delirium, a metaâ€analysis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 648-655.	1.1	50
63	AIRWAYS-ICPs (European Innovation Partnership on Active and Healthy Ageing) from concept to implementation. European Respiratory Journal, 2016, 47, 1028-1033.	3.1	50
64	Associations of Fasting Blood Glucose With Cholesterol Absorption and Synthesis in Nondiabetic Middle-Aged Men. Diabetes, 1996, 45, 755-761.	0.3	49
65	Long-term mortality after 5-year multifactorial primary prevention of cardiovascular diseases in middle-aged men. JAMA - Journal of the American Medical Association, 1991, 266, 1225-9.	3.8	49
66	Serum plant and other noncholesterol sterols, cholesterol metabolism and 22-year mortality among middle-aged men. Atherosclerosis, 2010, 210, 282-287.	0.4	48
67	Geriatric syndromes—vascular disorders?. Annals of Medicine, 2013, 45, 265-273.	1.5	48
68	The Effect of a 2-Year Intervention Consisting of Diet, Physical Exercise, Cognitive Training, and Monitoring of Vascular Risk on Chronic Morbidityâ€"the FINGER Randomized Controlled Trial. Journal of the American Medical Directors Association, 2018, 19, 355-360.e1.	1.2	48
69	Prognostic significance of serum cholesterol, lathosterol, and sitosterol in old age; a 17-year population study. Annals of Medicine, 2011, 43, 292-301.	1.5	47
70	Associations of CAIDE Dementia Risk Score with MRI, PIB-PET measures, andÂcognition. Journal of Alzheimer's Disease, 2017, 59, 695-705.	1.2	44
71	The epigenetic clock and pubertal, neuroendocrine, psychiatric, and cognitive outcomes in adolescents. Clinical Epigenetics, 2018, 10, 96.	1.8	43
72	Alcoholic Beverage Preference, 29-Year Mortality, and Quality of Life in Men in Old Age. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2007, 62, 213-218.	1.7	42

#	Article	IF	Citations
73	Statin Treatment and Mortality in Community-Dwelling Frail Older Patients with Diabetes Mellitus: A Retrospective Observational Study. PLoS ONE, 2015, 10, e0130946.	1.1	41
74	Alcohol consumption in midlife and old age and risk of frailty. Age and Ageing, 2018, 47, 248-254.	0.7	40
75	Interaction of herpesviridae, APOE gene, and education in cognitive impairment. Neurobiology of Aging, 2005, 26, 1001-1004.	1.5	39
76	Cohort Profile: The Helsinki Businessmen Study (HBS). International Journal of Epidemiology, 2016, 45, 1074-1074h.	0.9	39
77	Positive life orientation predicts good survival prognosis in old age. Archives of Gerontology and Geriatrics, 2012, 55, 133-137.	1.4	38
78	Definition of frailty in older men according to questionnaire data (RAND-36/SF-36): The Helsinki Businessmen study. Journal of Nutrition, Health and Aging, 2011, 15, 783-787.	1.5	37
79	Is It Possible to Reduce Polypharmacy in the Elderly?. Drugs and Aging, 2001, 18, 143-149.	1.3	36
80	Long-term use of probucol in the multifactorial primary prevention of vascular disease. American Journal of Cardiology, 1986, 57, H49-H54.	0.7	35
81	Alcohol consumption, 29-y total mortality, and quality of life in men in old age. American Journal of Clinical Nutrition, 2004, 80, 1366-1371.	2.2	35
82	Role of Statin Therapy in Primary Prevention of Cardiovascular Disease in Elderly Patients. Current Atherosclerosis Reports, 2019, 21, 28.	2.0	35
83	The Effect of Multidomain Lifestyle Intervention on Daily Functioning in Older People. Journal of the American Geriatrics Society, 2019, 67, 1138-1144.	1.3	35
84	Leisure-time physical activity, cardiovascular risk factors and mortality during a 34-year follow-up in men. European Journal of Epidemiology, 2010, 25, 619-625.	2.5	34
85	Association of Self-Rated Health in Midlife With Mortality and Old Age Frailty: A 26-Year Follow-Up of Initially Healthy Men. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2016, 71, 923-928.	1.7	32
86	Impact of midlife weight change on mortality and quality of life in old age. Prospective cohort study. International Journal of Obesity, 2003, 27, 950-954.	1.6	31
87	Possibilities of multifactorial cardiovascular disease prevention in patients aged 75 and older: a randomized controlled trial Drugs and Evidence Based Medicine in the Elderly (DEBATE) Study. European Heart Journal, 2003, 24, 1216-1222.	1.0	31
88	COGNITIVE IMPAIRMENT AND INFECTIOUS BURDEN IN THE ELDERLY. Archives of Gerontology and Geriatrics, 2004, 38, 419-423.	1.4	31
89	Low cholesterol, mortality, and quality of life in old age during a 39-year follow-up. Journal of the American College of Cardiology, 2004, 44, 1002-1008.	1.2	31
90	Predictors of Mortality in Homeâ€Dwelling Patients with Cardiovascular Disease Aged 75 and Older. Journal of the American Geriatrics Society, 2009, 57, 279-284.	1.3	31

#	Article	IF	CITATIONS
91	Nutrient intake and dietary changes during a 2-year multi-domain lifestyle intervention among older adults: secondary analysis of the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER) randomised controlled trial. British Journal of Nutrition, 2017, 118, 291-302.	1.2	31
92	High proportions of older people with normal nutritional status have poor protein intake and low diet quality. Archives of Gerontology and Geriatrics, 2016, 67, 40-45.	1.4	30
93	Association between sarcopenia and diabetes: a systematic review and meta-analysis of observational studies. European Geriatric Medicine, 2019, 10, 685-696.	1.2	30
94	Clinical trials in older people. Age and Ageing, 2022, 51, .	0.7	30
95	Differing effects of oral and transdermal hormone replacement therapy on cardiovascular risk factors in healthy postmenopausal women. American Journal of Cardiology, 2003, 92, 212-214.	0.7	29
96	Adult attachment dimensions and recollections of childhood family context: associations with dispositional optimism and pessimism. European Journal of Personality, 2004, 18, 193-207.	1.9	29
97	Chocolate, well-being and health among elderly men. European Journal of Clinical Nutrition, 2008, 62, 247-253.	1.3	29
98	Sleep and Lipid Profile During Transition from Childhood to Adolescence. Journal of Pediatrics, 2016, 177, 173-178.e1.	0.9	28
99	One-Hour Glucose, Mortality, and Risk of Diabetes: A 44-Year Prospective Study in Men. Archives of Internal Medicine, 2011, 171, 941.	4.3	27
100	Telomere Length in Old Age and Cholesterol Across the Life Course. Journal of the American Geriatrics Society, 2011, 59, 1979-1981.	1.3	27
101	Effect of Protein Supplementation on Physical Performance in Older People With Sarcopenia–A Randomized Controlled Trial. Journal of the American Medical Directors Association, 2020, 21, 226-232.e1.	1.2	27
102	The sarcopenia and physical frailty in older people: multi-component treatment strategies (SPRINTT) project: description and feasibility of a nutrition intervention in community-dwelling older Europeans. European Geriatric Medicine, 2021, 12, 303-312.	1.2	27
103	Transactional development of parent personality and child temperament. European Journal of Personality, 2008, 22, 553-573.	1.9	25
104	A follow-up study found that cardiovascular risk in middle age predicted mortality and quality of life in old age. Journal of Clinical Epidemiology, 2004, 57, 415-421.	2.4	24
105	MALNUTRITION ACCORDING TO THE MINI NUTRITIONAL ASSESSMENT IN OLDER ADULTS IN DIFFERENT SETTINGS. Journal of the American Geriatrics Society, 2011, 59, 765-766.	1.3	24
106	Low protein and micronutrient intakes in heterogeneous older population samples. Archives of Gerontology and Geriatrics, 2015, 61, 464-471.	1.4	24
107	The effect of adherence on cognition in a multidomain lifestyle intervention (FINGER). Alzheimer's and Dementia, 2022, 18, 1325-1334.	0.4	24
108	Comparative Effect of Atorvastatin (80 mg) Versus Simvastatin (20 to 40 mg) in Preventing Hospitalizations for Heart Failure in Patients With Previous Myocardial Infarction. American Journal of Cardiology, 2009, 103, 1381-1385.	0.7	23

#	Article	IF	CITATIONS
109	Quantifying dementia prevention potential in the FINGER randomized controlled trial using the LIBRA prevention index. Alzheimer's and Dementia, 2021, 17, 1205-1212.	0.4	23
110	Effects of cholestyramine and squalene feeding on hepatic and serum plant sterols in the rat. Lipids, 1989, 24, 705-708.	0.7	22
111	Precipitating factors of delirium: Stress response to multiple triggers among patients with and without dementia. Experimental Gerontology, 2014, 59, 42-46.	1.2	22
112	Do you want to live to be 100? Answers from older people. Age and Ageing, 2016, 45, 543-549.	0.7	22
113	SIRT6 polymorphism rs117385980 is associated with longevity and healthy aging in Finnish men. BMC Medical Genetics, 2017, 18, 41.	2.1	21
114	DNA methylation signatures of aggression and closely related constructs: A meta-analysis of epigenome-wide studies across the lifespan. Molecular Psychiatry, 2021, 26, 2148-2162.	4.1	21
115	Baseline Telomere Length and Effects of a Multidomain Lifestyle Intervention on Cognition: The FINGER Randomized Controlled Trial. Journal of Alzheimer's Disease, 2017, 59, 1459-1470.	1.2	20
116	Effects of Cognitive Training on Cognition and Quality of Life of Older Persons with Dementia. Journal of the American Geriatrics Society, 2018, 66, 664-670.	1.3	20
117	Physical Activity at Midlife and Health-Related Quality of Life in Older Men. Archives of Internal Medicine, 2010, 170, 1171.	4.3	19
118	Comparison of normal fasting and one-hour glucose levels as predictors of future diabetes during a 34-year follow-up. Annals of Medicine, 2013, 45, 336-340.	1.5	19
119	Genetic risk factors for schizophrenia associate with sleep spindle activity in healthy adolescents. Journal of Sleep Research, 2019, 28, e12762.	1.7	19
120	Macronutrient composition and sarcopenia in the oldest-old men. Clinical Nutrition, 2020, 39, 3839-3841.	2.3	19
121	Effects of ketoconazole on cholesterol synthesis and precursor concentrations in the rat liver. Lipids, 1987, 22, 1020-1024.	0.7	18
122	Cholesterol lowering after participation in the Scandinavian Simvastatin Survival Study (4S) in Finland. European Heart Journal, 1997, 18, 1725-1727.	1.0	18
123	Elevated Fasting Plasma Insulin in a General Aged Population: An Innocent Companion of Cardiovascular Diseases. Journal of the American Geriatrics Society, 1997, 45, 407-412.	1.3	18
124	Inverse Relation Between Height and Cardiovascular Mortality in Men During 30-Year Follow-Up. American Journal of Cardiology, 1997, 80, 349-350.	0.7	18
125	Insulins NPH, glargine, and detemir, and risk of severe hypoglycemia among working-age adults*. Annals of Medicine, 2017, 49, 357-364.	1.5	18
126	Changes in disability, self-rated health, comorbidities and psychological wellbeing in community-dwelling 75–95-year-old cohorts over two decades in Helsinki. Scandinavian Journal of Primary Health Care, 2017, 35, 279-285.	0.6	18

#	Article	IF	Citations
127	Circadian preference and sleep timing from childhood to adolescence in relation to genetic variants from a genome-wide association study. Sleep Medicine, 2018, 50, 36-41.	0.8	18
128	Association of Alcohol-Induced Loss of Consciousness and Overall Alcohol Consumption With Risk for Dementia. JAMA Network Open, 2020, 3, e2016084.	2.8	18
129	Mortality and Cholesterol Metabolism in Subjects Aged 75 Years and Older: The Helsinki Businessmen Study. Journal of the American Geriatrics Society, 2020, 68, 281-287.	1.3	18
130	The associations between adolescent sleep, diurnal cortisol patterns and cortisol reactivity to dexamethasone suppression test. Psychoneuroendocrinology, 2014, 49, 150-160.	1.3	17
131	Relationship of Neuropsychiatric Symptoms with Falls in Alzheimer's Disease – Does Exercise Modify the Risk?. Journal of the American Geriatrics Society, 2018, 66, 2377-2381.	1.3	17
132	White Matter Changes on Diffusion Tensor Imaging in the FINGER Randomized Controlled Trial. Journal of Alzheimer's Disease, 2020, 78, 75-86.	1.2	17
133	Change in CAIDE Dementia Risk Score and Neuroimaging Biomarkers During a 2-Year Multidomain Lifestyle Randomized Controlled Trial: Results of a Post-Hoc Subgroup Analysis. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1407-1414.	1.7	17
134	Stressed parents: a dyadic perspective on perceived infant temperament. Infant and Child Development, 2006, 15, 75-87.	0.9	16
135	Low midlife blood pressure, survival, comorbidity, and health-related quality of life in old age. Journal of Hypertension, 2014, 32, 1797-1804.	0.3	16
136	C9orf72 hexanucleotide repeat length in older population: normal variation and effects on cognition. Neurobiology of Aging, 2019, 84, 242.e7-242.e12.	1.5	16
137	Carriership of two copies of C9orf72 hexanucleotide repeat intermediate-length alleles is a risk factor for ALS in the Finnish population. Acta Neuropathologica Communications, 2020, 8, 187.	2.4	16
138	Effect of a Multidomain Lifestyle Intervention on Estimated Dementia Risk. Journal of Alzheimer's Disease, 2021, 82, 1461-1466.	1.2	16
139	Congestive heart failure is associated with lipoprotein components in statin-treated patients with coronary heart disease. Atherosclerosis, 2009, 205, 522-527.	0.4	15
140	Lipid-lowering drugs and heart failure: where do we go after the statin trials?. Current Opinion in Cardiology, 2010, 25, 385-393.	0.8	15
141	Probucol in long-term treatment of hypercholesterolemia. General Pharmacology, 1988, 19, 317-320.	0.7	14
142	Fecal <i>Bifidobacterium</i> Levels in Elderly Nursing Home Patients. Bioscience and Microflora, 2010, 29, 111-113.	0.5	14
143	Effect of Cholesterol on Mortality and Quality of Life up to a 46-Year Follow-Up. American Journal of Cardiology, 2011, 108, 677-681.	0.7	14
144	White Matter Lesions Are Associated With Hospital Admissions Because of Hip-Fractures and Trauma After Ischemic Stroke. Stroke, 2014, 45, 2948-2951.	1.0	14

#	Article	IF	CITATIONS
145	Sitagliptin does not reduce the risk of cardiovascular death or hospitalization for heart failure following myocardial infarction in patients with diabetes: observations from TECOS. Cardiovascular Diabetology, 2019, 18, 116.	2.7	14
146	Cardiovascular Risk in Midlife and Psychological Well-being Among Older Men. Archives of Internal Medicine, 2006, 166, 2266.	4.3	13
147	Interest in healthy lifestyle and adherence to medications: Impact on mortality among elderly cardiovascular patients in the DEBATE Study. Patient Education and Counseling, 2007, 67, 44-49.	1.0	13
148	How Do Community-Dwelling Persons with Alzheimer Disease Fall Falls in the FINALEX Study. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 195-203.	0.6	13
149	Polygenic risk score of SERPINA6 / SERPINA1 associates with diurnal and stress-induced HPA axis activity in children. Psychoneuroendocrinology, 2018, 93, 1-7.	1.3	13
150	Statin Treatment Is Associated With a Neutral Effect on Health-Related Quality of Life Among Community-Dwelling Octogenarian Men: The Helsinki Businessmen Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1418-1423.	1.7	13
151	Major cardiovascular disease (CVD) risk factors in midlife and extreme longevity. Aging Clinical and Experimental Research, 2020, 32, 299-304.	1.4	13
152	National Early Warning Score 2 (NEWS2) and 3-level triage scale as risk predictors in frail older adults in the emergency department. BMC Emergency Medicine, 2020, 20, 83.	0.7	13
153	Factors related to the development of diabetes during a 20-year follow-up. A prospective study in a homogeneous group of middle-aged men. Nutrition, Metabolism and Cardiovascular Diseases, 2000, 10, 239-46.	1.1	13
154	Physical activity and hypothalamic–pituitary–adrenocortical axis function in adolescents. Psychoneuroendocrinology, 2014, 49, 96-105.	1.3	12
155	Statins and newâ€onset diabetes mellitus – a risk lacking in familial hypercholesterolaemia. Journal of Internal Medicine, 2016, 279, 358-361.	2.7	12
156	Cardiovascular risk factors and glucose tolerance in midlife and risk of cognitive disorders in old age up to a 49-year follow-up of the Helsinki businessmen study. Annals of Medicine, 2017, 49, 462-469.	1.5	12
157	Bioimpedance analysis and physical functioning as mortality indicators among older sarcopenic people. Experimental Gerontology, 2019, 122, 42-46.	1.2	12
158	Toward a geriatric approach to patients with advanced age and cardiovascular diseases: position statement of the EuGMS Special Interest Group on Cardiovascular Medicine. European Geriatric Medicine, 2020, 11, 179-184.	1.2	12
159	A tale of two therapies lipid-lowering vs. anti-inflammatory therapy: a false dichotomy?. European Heart Journal - Cardiovascular Pharmacotherapy, 2021, 7, 238-241.	1.4	12
160	Phenotypic frailty and multimorbidity are independent 18-year mortality risk indicators in older men. European Geriatric Medicine, 2021, 12, 953-961.	1.2	12
161	Effect of Exercise on Drug-Related Falls Among Persons with Alzheimer's Disease: A Secondary Analysis of the FINALEX Study. Drugs and Aging, 2018, 35, 1017-1023.	1.3	11
162	Associations between Prospective and Retrospective Subjective Memory Complaints and Neuropsychological Performance in Older Adults: The Finger Study. Journal of the International Neuropsychological Society, 2018, 24, 1099-1109.	1.2	11

#	Article	IF	CITATIONS
163	Association of midlife body composition with old-age health-related quality of life, mortality, and reaching 90 years of age: a 32-year follow-up of a male cohort. American Journal of Clinical Nutrition, 2020, 112, 1287-1294.	2.2	11
164	Parents' optimism is related to their ratings of their children's behaviour. European Journal of Personality, 2006, 20, 421-445.	1.9	10
165	Clinical and laboratory characteristics of active and healthy aging (AHA) in octogenarian men. Aging Clinical and Experimental Research, 2015, 27, 581-587.	1.4	10
166	Working hours and sleep duration in midlife as determinants of health-related quality of life among older businessmen. Age and Ageing, 2016, 46, 108-112.	0.7	10
167	Associations of sleep quality, quantity and nutrition in oldest-old men The Helsinki Businessmen Study (HBS). European Geriatric Medicine, 2021, 12, 117-122.	1.2	10
168	Coronary artery disease: â€~gout' in the artery?. European Heart Journal, 2021, 42, 2761-2764.	1.0	10
169	Mortality Rates after Multifactorial Primary Prevention of Cardiovascular Diseases. Annals of Medicine, 1989, 21, 441-446.	1.5	9
170	Do You Wish to Live to the Age of 100? A Survey of Older Men. Journal of the American Geriatrics Society, 2012, 60, 1983-1984.	1.3	9
171	Serum thyroid-stimulating hormone and cognition in older people. Age and Ageing, 2016, 45, 155-157.	0.7	9
172	Health-related quality of life as a predictor of mortality in heterogeneous samples of older adults. European Geriatric Medicine, 2018, 9, 227-234.	1.2	9
173	Sauna bathing, health, and quality of life among octogenarian men: the Helsinki Businessmen Study. Aging Clinical and Experimental Research, 2018, 30, 1053-1057.	1.4	9
174	Happiness of the oldest-old men is associated with fruit and vegetable intakes. European Geriatric Medicine, 2018, 9, 687-690.	1.2	9
175	Midlife predictors of active and healthy aging (AHA) among older businessmen. Aging Clinical and Experimental Research, 2019, 31, 225-231.	1.4	9
176	Early middle age cholesterol levels and the association with ageâ€related macular degeneration. Acta Ophthalmologica, 2021, 99, e1063-e1069.	0.6	9
177	Familial hypercholesterolemia and COVID-19: A menacing but treatable vasculopathic condition. Atherosclerosis Plus, 2021, 43, 3-6.	0.3	9
178	Dementia prevention: The potential longâ€term costâ€effectiveness of the FINGER prevention program. Alzheimer's and Dementia, 2023, 19, 999-1008.	0.4	9
179	ALANINE AMINOTRANSFERASE ACTIVITY AND MORTALITY IN OLDER PEOPLE. Journal of the American Geriatrics Society, 2010, 58, 1399-1401.	1.3	8
180	Systematic geriatric assessment for older patients with frailty in the emergency department: a randomised controlled trial. BMC Geriatrics, 2021, 21, 408.	1.1	8

#	Article	IF	Citations
181	Physiological and pharmacological regulation of small intestinal cholesterol synthesis. General Pharmacology, 1988, 19, 321-329.	0.7	7
182	Impacts of components of the metabolic syndrome on health status and survival in an aged population. European Journal of Epidemiology, 1997, 13, 429-434.	2.5	7
183	Against age discrimination. Lancet, The, 2015, 386, 337-338.	6.3	7
184	Blood Pressure in a 100-Year Perspective. Circulation, 2019, 140, 101-102.	1.6	7
185	Lowering Low-Density Lipoprotein Cholesterol Concentration with Plant Stanol Esters to Reduce the Risk of Atherosclerotic Cardiovascular Disease Events at a Population Level: A Critical Discussion. Nutrients, 2020, 12, 2346.	1.7	7
186	Earlier life leisure-time physical activity in relation to age-related frailty syndrome. Age and Ageing, 2021, 50, 161-168.	0.7	7
187	Intestinal cholesterol and phytosterol absorption and the risk of coronary artery disease. European Heart Journal, 2021, 42, 281-282.	1.0	7
188	Implications of Recent Results of Long Term Multifactorial Primary Prevention of Cardiovascular Diseases. Annals of Medicine, 1992, 24, 85-89.	1.5	6
189	Benefits of Optimising Drug Treatment in Home-Dwelling Elderly Patients with Coronary Artery Disease. Drugs and Aging, 2003, 20, 585-595.	1.3	6
190	The Association Between Weight Gain Up to Midlife, 30-Year Mortality, and Quality of Life in Older Men. Archives of Internal Medicine, 2007, 167, 2260.	4.3	6
191	Statin treatment, phenotypic frailty and mortality among community-dwelling octogenarian men: the HBS cohort. Age and Ageing, 2020, 49, 258-263.	0.7	6
192	Vascular and Alzheimer Disease in Dementia. Annals of Neurology, 2020, 87, 788-788.	2.8	6
193	Secular trends in functional abilities, health and psychological well-being among community-dwelling 75- to 95-year-old cohorts over three decades in Helsinki, Finland. Scandinavian Journal of Public Health, 2022, 50, 524-531.	1.2	6
194	Deprescribing Statinsâ€"Is It Ethical?. Journal of the American Geriatrics Society, 2016, 64, 1926-1927.	1.3	5
195	Evaluating the effectiveness and risks of oral anticoagulant treatments in multimorbid frail older subjects with atrial fibrillation using the multidimensional prognostic index: the EURopean study of older subjects with atrial fibrillation—EUROSAF. European Geriatric Medicine, 2018, 9, 149-154.	1.2	5
196	O3â€05â€05: EFFECTS OF A MULTIDOMAIN LIFESTYLE INTERVENTION ON OVERALL RISK FOR DEMENTIA: THE FINGER RANDOMIZED CONTROLLED TRIAL. Alzheimer's and Dementia, 2018, 14, P1024.	0.4	5
197	Self and Informant Memory Reports in FINGER: Associations with Two-Year Cognitive Change. Journal of Alzheimer's Disease, 2019, 71, 785-795.	1.2	5
198	Monetary value of informal caregiving in dementia from a societal perspective. Age and Ageing, 2021, 50, 861-867.	0.7	5

#	Article	IF	CITATIONS
199	Associations of coffee drinking with physical performance in the oldest-old community-dwelling men The Helsinki Businessmen Study (HBS). Aging Clinical and Experimental Research, 2021, 33, 1371-1375.	1.4	5
200	Protecting older patients with cardiovascular diseases from COVID-19 complications using current medications. European Geriatric Medicine, 2021, 12, 725-739.	1.2	5
201	Sex Difference in Serious Infections. Epidemiology, 2021, 32, e26-e27.	1.2	5
202	Future Perspectives on the Role of Frailty in Cardiovascular Diseases. Advances in Experimental Medicine and Biology, 2020, 1216, 149-152.	0.8	5
203	Psychosocial determinants for adherence to a healthy lifestyle and intervention participation in the FINGER trial: an exploratory analysis of a randomised clinical trial. Aging Clinical and Experimental Research, 2022, 34, 1793-1805.	1.4	5
204	HIGHER CARDIOVASCULAR RISK IN MIDLIFE IS ASSOCIATED WITH WORSE COGNITIVE FUNCTION 29 YEARS LATER, IN OLD AGE. Journal of the American Geriatrics Society, 2008, 56, 2152-2153.	1.3	4
205	Associations Between Cytomegalovirus Infection, Comorbidity, Quality of Life, and Functional Impairment in Older People. Journal of the American Geriatrics Society, 2012, 60, 1387-1389.	1.3	4
206	Cataracts and Statin Use. JAMA Ophthalmology, 2014, 132, 365.	1.4	4
207	Increased Mortality Despite Successful Multifactorial Cardiovascular Risk Reduction in Healthy Men: 40-Year Follow-Up of the Helsinki Businessmen Study Intervention Trial. Journal of Nutrition, Health and Aging, 2018, 22, 885-891.	1.5	4
208	Serum noncholesterol sterols in Alzheimer's disease: the Helsinki Businessmen Study. Translational Research, 2018, 202, 120-128.	2.2	4
209	Response by Benetos et al to Letter Regarding Article, "Hypertension Management in Older and Frail Older Patients― Circulation Research, 2019, 125, e3-e4.	2.0	4
210	Midlife Cardiovascular Status and Old Age Physical Functioning Trajectories in Older Businessmen. Journal of the American Geriatrics Society, 2019, 67, 2490-2496.	1.3	4
211	The associations of body mass index, bioimpedance spectroscopy-based calf intracellular resistance, single-frequency bioimpedance analysis and physical performance of older people. Aging Clinical and Experimental Research, 2020, 32, 1077-1083.	1.4	4
212	Occupational complexity and cognition in the FINGER multidomain intervention trial. Alzheimer's and Dementia, 2022, 18, 2438-2447.	0.4	4
213	Association Between Use of Statin Medication and Weight Change in Older Men. Journal of the American Geriatrics Society, 2012, 60, 1588-1590.	1.3	3
214	Midlife Characteristics of Older Men Using Statins. Journal of the American Geriatrics Society, 2013, 61, 831-832.	1.3	3
215	Thyroidâ€Stimulating Hormone and Mortality in Older People. Journal of the American Geriatrics Society, 2013, 61, 1823-1824.	1.3	3
216	High Intake of Nonmilk Extrinsic Sugars Is Associated With Protein and Micronutrient Dilution in Home-Dwelling and Institutionalized Older People. Journal of the American Medical Directors Association, 2017, 18, 301-305.	1.2	3

#	Article	IF	Citations
217	Heterozygous TYROBP deletion (PLOSLFIN) is not a strong risk factor for cognitive impairment. Neurobiology of Aging, 2018, 64, 159.e1-159.e4.	1.5	3
218	Nutrition, Daily Walking and Resilience are Associated with Physical Function in the Oldest Old Men. Journal of Nutrition, Health and Aging, 2018, 22, 1176-1182.	1.5	3
219	Contributions of vascular and Alzheimer's disease pathology to dementia. Alzheimer's and Dementia, 2019, 15, 1004-1005.	0.4	3
220	Life course explains the â€~obesity paradox'?. European Heart Journal, 2020, 41, 3963-3964.	1.0	3
221	Impaired breathing, sleeping, vitality, and depression, and negative impact of L-T4 treatment characterize health-related quality of life in older people with stable CVD. Aging Clinical and Experimental Research, 2020, 32, 2041-2047.	1.4	3
222	Older Familial Hypercholesterolemia Patients with COVID-19. Gerontology, 2021, 67, 1-3.	1.4	3
223	Increased mortality risk associated with statins in the CORONADO study. Diabetes and Metabolism, 2021, 47, 101250.	1.4	3
224	Low body temperature and mortality in older patients with frailty in the emergency department. Aging Clinical and Experimental Research, 2022, 34, 1453-1457.	1.4	3
225	Low Low-Density Lipoprotein Cholesterol and Cancer Risk. Journal of the American College of Cardiology, 2008, 51, 91-92.	1.2	2
226	Shingles and Statin Treatment: Confounding by Cholesterol or APOE4 Status?. Clinical Infectious Diseases, 2014, 58, 1042-1043.	2.9	2
227	O2-02-06: FEASIBILITY OF DIETARY INTERVENTION AMONG INDIVIDUALS WITH ELEVATED RISK OF DEMENTIA: 1ST-YEAR RESULTS FROM THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER)., 2014, 10, P166-P167.		2
228	Healthy ageing requires a triple strategy. Aging Clinical and Experimental Research, 2016, 28, 369-370.	1.4	2
229	Association of midlife value priorities with health-related quality of life, frailty and mortality among older men: a 26-year follow-up of the Helsinki Businessmen Study (HBS). Quality of Life Research, 2018, 27, 1269-1275.	1.5	2
230	SGLT-2 inhibitors for people with type 2 diabetes. Lancet, The, 2019, 394, 560.	6.3	2
231	Preventive Effects of Physical Activity in Older People. , 2019, , 169-178.		2
232	Challenges of a Statin Trial in Older People. Journal of the American Geriatrics Society, 2019, 67, 856-857.	1.3	2
233	Self-Perception of Economic Means is Associated with Dietary Choices, Diet Quality and Physical Health in the Oldest Old Men from the Highest Socioeconomic Group. Journal of Nutrition, Health and Aging, 2019, 23, 60-62.	1.5	2
234	Associations of overweight and metabolic health with successful aging: 32-year follow-up of the Helsinki Businessmen Study. Clinical Nutrition, 2020, 39, 1491-1496.	2.3	2

#	Article	IF	CITATIONS
235	Association of nutritional components with falls in oldest-old men. Experimental Gerontology, 2020, 142, 111105.	1.2	2
236	Associations of protein source, distribution and healthy dietary pattern with appendicular lean mass in oldest-old men: the Helsinki Businessmen Study (HBS). European Geriatric Medicine, 2020, 11, 699-704.	1.2	2
237	Dietary Fat Composition and Frailty in Oldestâ€Old Men. Journal of the American Geriatrics Society, 2020, 68, 1346-1348.	1.3	2
238	Associations of perceived poor societal treatment among the oldest-old. Archives of Gerontology and Geriatrics, 2021, 93, 104318.	1.4	2
239	Retirement as a predictor of physical functioning trajectories among older businessmen. BMC Geriatrics, 2022, 22, 279.	1.1	2
240	FEAR OF FALLING: IS IT PERSISTENT?. Journal of the American Geriatrics Society, 2008, 56, 942-943.	1.3	1
241	WEIGHT CHANGE AFTER MIDDLE AGE AND DISABILITY IN OLDER MEN. Journal of the American Geriatrics Society, 2010, 58, 189-190.	1.3	1
242	Cochrane Review: Statins for children with familial hypercholesterolemia. Evidence-Based Child Health: A Cochrane Review Journal, 2011, 6, 1086-1129.	2.0	1
243	Re: "Association of Leukocyte Telomere Length With Breast Cancer Risk: Nested Case-control Findings From the Shanghai Women's Health Study". American Journal of Epidemiology, 2013, 178, 662-663.	1.6	1
244	Higher Polyunsaturated Fatty Acid to Saturated Fatty Acid Ratio Is Associated With Cognition, Mobility, Nutrient Intakes, and Higher Diet Quality in Heterogeneous Older Populations. Journal of the American Medical Directors Association, 2017, 18, 729-731.	1.2	1
245	[P1–616]: DIETARY INTERVENTION ADHERENCE AND COGNITIVE CHANGES AMONG INDIVIDUALS WITH ELEVATED RISK OF DEMENTIA: THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P532.	0.4	1
246	Incident Dementia in Trials of Antihypertensive Treatments. Journal of Nutrition, Health and Aging, 2019, 23, 914-915.	1.5	1
247	From Frailty to Gerastenia. Journal of the American Geriatrics Society, 2019, 67, 2209-2210.	1.3	1
248	Effect of berries and fruits on cognitive change during a 2â€year multiâ€domain lifestyle intervention: The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2020, 16, e042431.	0.4	1
249	Challenges of treating cardiovascular risk in old age. The Lancet Healthy Longevity, 2021, 2, e308-e309.	2.0	1
250	Frailty and multimorbidity are independent and additive prognostic factors. Journal of the American Geriatrics Society, 2022, 70, 1881-1882.	1.3	1
251	Associations of Depressive Symptoms and Cognition in the FINGER Trial: A Secondary Analysis of a Randomised Clinical Trial. Journal of Clinical Medicine, 2022, 11, 1449.	1.0	1
252	Plasma ceramides independently predict all-cause mortality in men aged 85+. Age and Ageing, 2022, 51, .	0.7	1

#	Article	IF	CITATIONS
253	Mood Disorders and Cholesterol-Lowering Drugs. CNS Drugs, 1995, 3, 409-415.	2.7	0
254	Response to Letter to the Editor by Dr Martin Fortin. American Heart Journal, 2007, 153, e31-e32.	1.2	0
255	Biogerontology in Finland. Biogerontology, 2011, 12, 71-75.	2.0	O
256	A Geripill for Successful Aging. Journal of the American Geriatrics Society, 2013, 61, 1640-1640.	1.3	0
257	Comparison of statins and apples was unfair. BMJ, The, 2014, 348, g327-g327.	3.0	0
258	NNT is highly misleading when assessing chronic disease prevention. BMJ, The, 2014, 349, g4167-g4167.	3.0	0
259	Response to Dr. Gerald M Reaven: good news for patients with familial hypercholesterolaemia: statins are not diabetogenic in this disease. Journal of Internal Medicine, 2016, 280, 419-420.	2.7	0
260	[P1â€"019]: MULTIDOMAIN LIFESTYLE INTERVENTION BENEFITS A LARGE ELDERLY POPULATION AT RISK FOR COGNITIVE DECLINE: SUBGROUP ANALYSES OF THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P239.	0.4	0
261	[P1–071]: MULTIDOMAIN LIFESTYLE INTERVENTION BENEFITS A LARGE ELDERLY POPULATION AT RISK FOR COGNITIVE DECLINE: SUBGROUP ANALYSES OF THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P265.	0.4	0
262	[P3–574]: ASSOCIATIONS OF LEUCOCYTE TELOMERE LENGTH WITH BRAINÂMRIÂAND PIBâ€PET MEASURES: THEÂFINGER STUDY. Alzheimer's and Dementia, 2017, 13, P1199.	0.4	0
263	[P3–579]: IMPACT OF BASELINE BRAIN MRI MEASURES ON COGNITIVE EFFECTS OF A MULTIDOMAIN INTERVENTION: THE FINGER RANDOMIZED CONTROLLED TRIAL. Alzheimer's and Dementia, 2017, 13, P1202.	0.4	O
264	[P3–581]: THE IMPACT OF ADHERENCE TO MULTIDOMAIN LIFESTYLE INTERVENTION ON COGNITION: THE FINNISH GERIATRIC INTERVENTION STUDY TO PREVENT COGNITIVE IMPAIRMENT AND DISABILITY (FINGER). Alzheimer's and Dementia, 2017, 13, P1203.	0.4	0
265	Cardiovascular, Cerebrovascular, and Renovascular Consequences of Ageing May Be Challenged. Practical Issues in Geriatrics, 2019, , 61-70.	0.3	0
266	APOE genotype and multimorbidity in the FINGER multidomain lifestyle trial. Alzheimer's and Dementia, 2020, 16, e043512.	0.4	0
267	Longâ€term dietary intervention adherence among individuals with elevated risk of dementia: The Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2020, 16, e045150.	0.4	O
268	Reply to the Letter "Coffee consumption and extreme longevity: a risk assessment― Aging Clinical and Experimental Research, 2021, 33, 201-201.	1.4	0
269	Pathways to longevity – but is it successful?. Journal of Internal Medicine, 2021, 289, 264-266.	2.7	O
270	Alcoholic Beverage Preference, Morbidity and Mortality. , 2010, , 1619-1631.		0

#	Article	IF	CITATIONS
271	Paradoxes in Old Age. , 2019, , 18-18.		0
272	Vascular Diseases of Ageing. , 2020, , 1-13.		0
273	Retirement age and type as predictors of frailty: a retrospective cohort study of older businessmen. BMJ Open, 2020, 10, e037722.	0.8	0
274	Vascular Diseases of Ageing. , 2021, , 5346-5358.		0
275	The geriatrician remains responsible for appropriate pharmacotherapy. European Geriatric Medicine, 2022, , $1.$	1.2	0
276	Attitude changes of general practitioners towards lowering LDL cholesterol. European Journal of Cardiovascular Prevention and Rehabilitation, 1998, 5, 43-6.	1.5	0
277	Comment on: "What is aging-related disease? An epidemiological perspective―by Le Couteur and Thillainadesan. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2022, , .	1.7	0
278	Occupational complexity and neuroimaging measures of structural MRI and PETâ€amyloid in a randomized controlled trial: FINGER. Alzheimer's and Dementia, 2021, 17, .	0.4	0
279	Development of a healthy lifestyle index within a multidomain intervention aimed at prevention of cognitive impairment and dementia, and its association with cognition: Results from the FINGER trial. Alzheimer's and Dementia, 2021, 17, .	0.4	0
280	Lifestyle and behavior changes during the COVID19 pandemic in the Finnish Geriatric Intervention Study to Prevent Cognitive Impairment and Disability (FINGER). Alzheimer's and Dementia, 2021, 17, .	0.4	0
281	Association of plasma gelsolin with frailty phenotype and mortality among octogenarian community-dwelling men: a cohort study. Aging Clinical and Experimental Research, 2022, , 1.	1.4	0
282	Screening — An Important Starting Point for Effective Loneliness Interventions among Older Adults. Journal of Nutrition, Health and Aging, 2022, 26, 419-420.	1.5	0