

Ralf Peters

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6221713/publications.pdf>

Version: 2024-02-01

113
papers

2,814
citations

172457

29
h-index

197818

49
g-index

119
all docs

119
docs citations

119
times ranked

1986
citing authors

#	ARTICLE	IF	CITATIONS
1	An Overview of Promising Alternative Fuels for Road, Rail, Air, and Inland Waterway Transport in Germany. <i>Energies</i> , 2022, 15, 1443.	3.1	25
2	A Techno-Economic Assessment of Fischer-Tropsch Fuels Based on Syngas from Co-Electrolysis Processes. <i>Processes</i> , 2022, 10, 699.	2.8	13
3	Combined near-ambient pressure photoelectron spectroscopy and temporal analysis of products study of CH ₄ oxidation on Pd/ ¹³ -Al ₂ O ₃ catalysts. <i>Catalysis Today</i> , 2021, 360, 444-453.	4.4	4
4	Future Power Train Solutions for Long-Haul Trucks. <i>Sustainability</i> , 2021, 13, 2225.	3.2	14
5	The biogas-oxyfuel process as a carbon source for power-to-fuel synthesis: Enhancing availability while reducing separation effort. <i>Journal of CO₂ Utilization</i> , 2021, 45, 101410.	6.8	7
6	Elucidating the Influence of the d-Band Center on the Synthesis of Isobutanol. <i>Catalysts</i> , 2021, 11, 406.	3.5	1
7	An Investigation of the Redox Stability of an Anode-Supported SOFC Stack Using Acoustic Emission Monitoring. <i>ECS Transactions</i> , 2021, 103, 1395-1402.	0.5	0
8	Performance and Stability of Solid Oxide Cell Stacks in CO ₂ -Electrolysis Mode. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 202-202.	0.0	1
9	Development of a 10/40kW-Class Reversible Solid Oxide Cell System at Forschungszentrum Jülich. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 195-195.	0.0	0
10	Experimental Investigation of Efficiency Maximization in Solid Oxide Electrolysis Systems by Internal Steam and Heat Recovery. <i>ECS Transactions</i> , 2021, 103, 555-560.	0.5	2
11	Development of a 10/40kW-Class Reversible Solid Oxide Cell System at Forschungszentrum Jülich. <i>ECS Transactions</i> , 2021, 103, 289-297.	0.5	4
12	Experimental Investigation of Efficiency Maximization in Solid Oxide Electrolysis Systems by Internal Steam and Heat Recovery. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 221-221.	0.0	0
13	An Investigation of the Redox Stability of an Anode-Supported SOFC Stack Using Acoustic Emission Monitoring. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 60-60.	0.0	0
14	How to reduce the greenhouse gas emissions and air pollution caused by light and heavy duty vehicles with battery-electric, fuel cell-electric and catenary trucks. <i>Environment International</i> , 2021, 152, 106474.	10.0	65
15	Performance and Stability of Solid Oxide Cell Stacks in CO ₂ -Electrolysis Mode. <i>ECS Transactions</i> , 2021, 103, 363-374.	0.5	5
16	Modeling of Reversible Solid Oxide Cell Stacks with an Open-Source Library. <i>ECS Meeting Abstracts</i> , 2021, MA2021-03, 224-224.	0.0	0
17	Modeling of Reversible Solid Oxide Cell Stacks with an Open-Source Library. <i>ECS Transactions</i> , 2021, 103, 569-580.	0.5	3
18	Methanol as a renewable energy carrier: An assessment of production and transportation costs for selected global locations. <i>Advances in Applied Energy</i> , 2021, 3, 100050.	13.2	81

#	ARTICLE	IF	CITATIONS
19	The autothermal reforming of oxymethylenether from the power-to-fuel process. International Journal of Hydrogen Energy, 2021, 46, 31984-31994.	7.1	5
20	A Compact, Self-Sustaining Fuel Cell Auxiliary Power Unit Operated on Diesel Fuel. Energies, 2021, 14, 5909.	3.1	4
21	Greener production of dimethyl carbonate by the Power-to-Fuel concept: a comparative techno-economic analysis. Green Chemistry, 2021, 23, 1734-1747.	9.0	31
22	H2-based synthetic fuels: A techno-economic comparison of alcohol, ether and hydrocarbon production. International Journal of Hydrogen Energy, 2020, 45, 5395-5414.	7.1	109
23	Recent advances in diesel autothermal reformer design. International Journal of Hydrogen Energy, 2020, 45, 2279-2288.	7.1	22
24	Ethanol Dehydrogenation: A Reaction Path Study by Means of Temporal Analysis of Products. Catalysts, 2020, 10, 1151.	3.5	11
25	Reforming of diesel and jet fuel for fuel cells on a systems level: Steady-state and transient operation. Applied Energy, 2020, 279, 115882.	10.1	15
26	Life cycle assessment of a small-scale methanol production system: A Power-to-Fuel strategy for biogas plants. Journal of Cleaner Production, 2020, 271, 122476.	9.3	58
27	Property Data Estimation for Hemiformals, Methylene Glycols and Polyoxymethylene Dimethyl Ethers and Process Optimization in Formaldehyde Synthesis. Energies, 2020, 13, 3401.	3.1	6
28	Thermodynamic and ecological preselection of synthetic fuel intermediates from biogas at farm sites. Energy, Sustainability and Society, 2020, 10, .	3.8	10
29	The impact of diesel vehicles on NOx and PM10 emissions from road transport in urban morphological zones: A case study in North Rhine-Westphalia, Germany. Science of the Total Environment, 2020, 727, 138583.	8.0	29
30	A techno economic analysis of the power to gas route. Journal of CO2 Utilization, 2019, 34, 616-634.	6.8	61
31	An autothermal reforming system for diesel and jet fuel with quick start-up capability. International Journal of Hydrogen Energy, 2019, 44, 27749-27764.	7.1	17
32	Quantitative analysis of sub-ppm traces of hydrocarbons in the product gas from diesel reforming. International Journal of Hydrogen Energy, 2019, 44, 4020-4030.	7.1	10
33	Off-grid power-to-fuel systems for a market launch scenario – A techno-economic assessment. Applied Energy, 2019, 250, 1099-1109.	10.1	37
34	Non-fossil CO2 recycling – The technical potential for the present and future utilization for fuels in Germany. Journal of CO2 Utilization, 2019, 30, 130-141.	6.8	52
35	Heat exchanger design for autothermal reforming of diesel. International Journal of Hydrogen Energy, 2018, 43, 11830-11846.	7.1	24
36	The separation of CO2 from ambient air – A techno-economic assessment. Applied Energy, 2018, 218, 361-381.	10.1	56

#	ARTICLE	IF	CITATIONS
37	Water-gas shift reactor for fuel cell systems: Stable operation for 5000Âhours. International Journal of Hydrogen Energy, 2018, 43, 19222-19230.	7.1	11
38	Promising catalytic synthesis pathways towards higher alcohols as suitable transport fuels based on H2 and CO2. Journal of CO2 Utilization, 2018, 27, 223-237.	6.8	33
39	An integrated diesel fuel processing system with thermal start-up for fuel cells. Applied Energy, 2018, 226, 145-159.	10.1	20
40	Highly integrated catalytic burner with laser-additive manufactured manifolds. Reaction Chemistry and Engineering, 2017, 2, 437-445.	3.7	5
41	Advances in autothermal reformer design. Applied Energy, 2017, 198, 88-98.	10.1	29
42	A diesel fuel processor for fuel-cell-based auxiliary power unit applications. Journal of Power Sources, 2017, 355, 44-52.	7.8	25
43	Power-to-fuel as a key to sustainable transport systems â€“ An analysis of diesel fuels produced from CO 2 and renewable electricity. Fuel, 2017, 205, 198-221.	6.4	138
44	Identification and thermodynamic analysis of reaction pathways of methylal and OME-n formation. Energy, 2017, 138, 1221-1246.	8.8	7
45	An Onâ€Demand Safety Gas Generator for Solid Oxide Fuel Cell and Electrolyzer Systems. Fuel Cells, 2017, 17, 882-889.	2.4	2
46	Spray formation of middle distillates for autothermal reforming. International Journal of Hydrogen Energy, 2017, 42, 16946-16960.	7.1	11
47	Linking the Power and Transport Sectorsâ€”Part 1: The Principle of Sector Coupling. Energies, 2017, 10, 956.	3.1	141
48	Hydrogen production from bio-fuels using precious metal catalysts. E3S Web of Conferences, 2017, 23, 03002.	0.5	0
49	Elimination of by-products of autothermal diesel reforming. Chemical Engineering Journal, 2016, 306, 107-116.	12.7	20
50	Behavior of Metallic Components During 4,000â€h Operation of an SOFC Stack with Carbon Containing Fuel Gas. Fuel Cells, 2016, 16, 600-610.	2.4	10
51	A battery-fuel cell hybrid auxiliary power unit for trucks: Analysis of direct and indirect hybrid configurations. Energy Conversion and Management, 2016, 127, 312-323.	9.2	34
52	Prozessketten zur Bereitstellung von Kraftstoffen aus Kohlendioxid und Wasserstoff. Chemie-Ingenieur-Technik, 2016, 88, 1262-1262.	0.8	0
53	Operating strategies for fuel processing systems with a focus on waterâ€gas shift reactor stability. Applied Energy, 2016, 164, 540-552.	10.1	18
54	Routes for deactivation of different autothermal reforming catalysts. Journal of Power Sources, 2016, 325, 51-63.	7.8	21

#	ARTICLE	IF	CITATIONS
55	Electrical start-up for diesel fuel processing in a fuel-cell-based auxiliary power unit. Journal of Power Sources, 2016, 302, 315-323.	7.8	23
56	Start-Up and Load-Change Behavior of a Catalytic Burner for a Fuel-Cell-Based APU for Diesel Fuel. Fuel Cells, 2015, 15, 15-26.	2.4	6
57	Investigation of Operating Parameters in Conjunction with Catalyst Deactivation of the Water-Gas Shift Reactor in a Fuel Cell System. ECS Transactions, 2015, 65, 99-114.	0.5	7
58	A novel reactor type for autothermal reforming of diesel fuel and kerosene. Applied Energy, 2015, 150, 176-184.	10.1	51
59	Fuel cell systems with reforming of petroleum-based and synthetic-based diesel and kerosene fuels for APU applications. International Journal of Hydrogen Energy, 2015, 40, 6405-6421.	7.1	55
60	Heutige und zukünftige Kraftstoffe für Brennstoffzellen in der Luftfahrt. , 2015, , 7-100.		1
61	Brennstoffzellensysteme als Bestandteil eines multifunktionalen Systems. , 2015, , 333-403.		0
62	Fuel cell & Battery hybrid systems for auxiliary power units. , 2014, , .		0
63	CFD-unterstützte Optimierung des Startvorgangs eines Brenngaserzeugungspackages für die Bordstromversorgung. Chemie-Ingenieur-Technik, 2014, 86, 1440-1441.	0.8	1
64	Dynamischer Betrieb von autothermen Reformern in Brennstoffzellensystemen für die Bordstromversorgung. Chemie-Ingenieur-Technik, 2014, 86, 1432-1433.	0.8	0
65	Start-Up of HT-PEFC Systems Operating with Diesel and Kerosene for APU Applications. Fuel Cells, 2014, 14, 266-276.	2.4	13
66	Design and test of a 5 kW high-temperature polymer electrolyte fuel cell system operated with diesel and kerosene. Applied Energy, 2014, 114, 238-249.	10.1	87
67	Hydrodesulfurization process with pre-saturation using reformat for application in a 5kW fuel cell system. Fuel Processing Technology, 2014, 127, 59-65.	7.2	7
68	Catalytic burner with internal steam generation for a fuel-cell-based auxiliary power unit for middle distillates. International Journal of Hydrogen Energy, 2014, 39, 4131-4142.	7.1	18
69	Long-term stability at fuel processing of diesel and kerosene. International Journal of Hydrogen Energy, 2014, 39, 18027-18036.	7.1	38
70	Evaluation of multifunctional fuel cell systems in aviation using a multistep process analysis methodology. Applied Energy, 2013, 111, 46-63.	10.1	28
71	Fuel Processing of Diesel and Kerosene for Auxiliary Power Unit Applications. Energy & Fuels, 2013, 27, 4386-4394.	5.1	50
72	Operational Experience from a 5 kWe HT-PEFC System with Reforming of Diesel and Kerosene. ECS Transactions, 2013, 58, 165-174.	0.5	12

#	ARTICLE	IF	CITATIONS
73	Operational Experience from a 5 kWe HT-PEFC System With Reforming of Diesel and Kerosene. ECS Meeting Abstracts, 2013, , .	0.0	0
74	HT-PEFC Systems Operating with Diesel and Kerosene for APU Application. Energy Procedia, 2012, 29, 541-551.	1.8	25
75	Methodologies for Fuel Cell Process Engineering. , 2012, , 597-644.		4
76	Principles of Systems Engineering. , 2012, , 917-961.		2
77	Computational Fluid Dynamic Simulation Using Supercomputer Calculation Capacity. , 2012, , 703-732.		2
78	Enhancing the Efficiency of SOFCâ€Based Auxiliary Power Units by Intermediate Methanation. Fuel Cells, 2012, 12, 474-486.	2.4	7
79	Optimization of adsorptive desulfurization process of jet fuels for application in fuel cell systems. Fuel Processing Technology, 2012, 95, 144-153.	7.2	19
80	Desulfurization of jet fuel by pervaporation. Journal of Membrane Science, 2012, 390-391, 12-22.	8.2	9
81	Analysis and optimization of solid oxide fuel cell-based auxiliary power units using a generic zero-dimensional fuel cell model. Journal of Power Sources, 2011, 196, 9500-9509.	7.8	25
82	Large Auxiliary Power Units for Vessels and Airplanes. RSC Energy and Environment Series, 2010, , 76-148.	0.5	7
83	Start-up Behavior of Fuel Processing Systems. ECS Transactions, 2009, 17, 599-610.	0.5	4
84	Hydrodesulfurization of jet fuel by pre-saturated one-liquid-flow technology for mobile fuel cell applications. Chemical Engineering Science, 2009, 64, 288-293.	3.8	13
85	Liquid phase desulfurization of jet fuel by a combined pervaporation and adsorption process. Fuel Processing Technology, 2009, 90, 458-464.	7.2	26
86	Deep desulfurization of petroleum streams: Novel technologies and approaches to construction of new plants and upgrading existing facilities. Chemical Engineering Journal, 2009, 154, 302-306.	12.7	10
87	FUEL CELLS â€“ SOLID OXIDE FUEL CELLS Internal and External Reformation. , 2009, , 88-98.		1
88	Optimised Mixture Formation for Diesel Fuel Processing. Fuel Cells, 2008, 8, 129-137.	2.4	46
89	Autothermal Reforming of Jet A-1 and Diesel: General Aspects and Experimental Results. ECS Transactions, 2008, 12, 589-600.	0.5	10
90	Desulfurization of Jet A-1 and Heating Oil: General Aspects and Experimental Results. ECS Transactions, 2008, 12, 543-554.	0.5	8

#	ARTICLE	IF	CITATIONS
91	Autothermal reforming of commercial Jet A-1 on a 5kWe scale. International Journal of Hydrogen Energy, 2007, 32, 4847-4858.	7.1	72
92	Properties of Nickel Mesh as a Methane Steam Reforming Catalyst and its Application in SOFCs. , 2006, , 187-192.		0
93	Test of a water-gas-shift reactor on a 3kWe-scale design points for high- and low-temperature shift reaction. Journal of Power Sources, 2005, 152, 189-195.	7.8	35
94	Hydrogen Production via Autothermal Reforming of Diesel Fuel. Fuel Cells, 2004, 4, 225-230.	2.4	24
95	Editorial: Fuel Cells 3/2004. Fuel Cells, 2004, 4, 130-130.	2.4	0
96	Combination of autothermal reforming with water-gas-shift reaction small-scale testing of different water-gas-shift catalysts. Journal of Power Sources, 2004, 126, 112-118.	7.8	25
97	Small-scale testing of a precious metal catalyst in the autothermal reforming of various hydrocarbon feeds. Journal of Power Sources, 2002, 106, 231-237.	7.8	80
98	Internal reforming of methane in solid oxide fuel cell systems. Journal of Power Sources, 2002, 106, 238-244.	7.8	136
99	Operational experience with the fuel processing system for fuel cell drives. Journal of Power Sources, 2002, 106, 333-337.	7.8	12
100	A structured test reactor for the evaporation of methanol on the basis of a catalytic combustion. Catalysis Today, 2001, 69, 193-200.	4.4	26
101	Pre-reforming of natural gas in solid oxide fuel-cell systems. Journal of Power Sources, 2000, 86, 432-441.	7.8	68
102	Fuel cell drive system with hydrogen generation in test. Journal of Power Sources, 2000, 86, 228-236.	7.8	57
103	Investigation of a methanol reformer concept considering the particular impact of dynamics and long-term stability for use in a fuel-cell-powered passenger car. Journal of Power Sources, 2000, 86, 507-514.	7.8	62
104	Methanol steam reforming in a fuel cell drive system. Journal of Power Sources, 1999, 84, 187-193.	7.8	90
105	Compact methanol reformer test for fuel-cell powered light-duty vehicles. Journal of Power Sources, 1998, 71, 288-293.	7.8	88
106	Scouting Study About the Use of Microreactors for Gas Supply in a PEM Fuel Cell System for Traction. , 1998, , 27-34.		1
107	Methanol steam-reforming in a catalytic fixed bed reactor. Chemical Engineering and Technology, 1997, 20, 617-623.	1.5	45
108	A solvation model for vapor-liquid equilibria in the system H ₂ O-NaOH from 10 to 85 wt%. International Journal of Thermophysics, 1996, 17, 99-109.	2.1	2

#	ARTICLE	IF	CITATIONS
109	Vapor-Liquid Equilibria in the System NH ₃ + H ₂ O + LiBr. 2. Data Correlation. Journal of Chemical & Engineering Data, 1995, 40, 775-783.	1.9	23
110	Vapor-Liquid Equilibria in the System NH ₃ + H ₂ O + LiBr. 1. Measurements at T = 303-423 K and p = 0.1-1.5 MPa. Journal of Chemical & Engineering Data, 1995, 40, 769-774.	1.9	22
111	Solvation model for VLE in the system H ₂ O-LiBr from 5 to 76 wt%. Fluid Phase Equilibria, 1994, 94, 129-147.	2.5	5
112	Solid-liquid equilibria in the systems NH ₃ -H ₂ O-LiBr and H ₂ O-LiBr at p=1 atm in the range from 35 to 80°C. International Journal of Thermophysics, 1993, 14, 763-775.	2.1	7
113	ALIGN-CCUS: Production of dimethyl ether from CO ₂ and its use as energy carrier - Results from the CCU demonstration plant. SSRN Electronic Journal, 0, , .	0.4	2