

Isao Matsumoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6221798/publications.pdf>

Version: 2024-02-01

127
papers

2,707
citations

218381

26
h-index

223531

46
g-index

136
all docs

136
docs citations

136
times ranked

3388
citing authors

#	ARTICLE	IF	CITATIONS
1	How antibodies to a ubiquitous cytoplasmic enzyme may provoke joint-specific autoimmune disease. <i>Nature Immunology</i> , 2002, 3, 360-365.	7.0	322
2	Low prevalence of antibodies to glucose-6-phosphate isomerase in patients with rheumatoid arthritis and a spectrum of other chronic autoimmune disorders. <i>Arthritis and Rheumatism</i> , 2003, 48, 944-954.	6.7	131
3	Crucial role of the interleukin-6/interleukin-17 cytokine axis in the induction of arthritis by glucose-6-phosphate isomerase. <i>Arthritis and Rheumatism</i> , 2008, 58, 754-763.	6.7	123
4	A multicenter phase I/II trial of rituximab for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2007, 17, 191-197.	0.9	107
5	Peptidylarginine deiminase type 4 deficiency reduced arthritis severity in a glucose-6-phosphate isomerase-induced arthritis model. <i>Scientific Reports</i> , 2015, 5, 13041.	1.6	89
6	Phosphorylation status determines the opposing functions of Smad2/Smad3 as STAT3 cofactors in TH17 differentiation. <i>Nature Communications</i> , 2015, 6, 7600.	5.8	85
7	The STEAP protein family: Versatile oxidoreductases and targets for cancer immunotherapy with overlapping and distinct cellular functions. <i>Biology of the Cell</i> , 2012, 104, 641-657.	0.7	82
8	Molecular Basis for Recognition of an Arthritic Peptide and a Foreign Epitope on Distinct MHC Molecules by a Single TCR. <i>Journal of Immunology</i> , 2000, 164, 5788-5796.	0.4	79
9	Pathogenic role of immune response to M3 muscarinic acetylcholine receptor in Sjögren's syndrome-like sialoadenitis. <i>Journal of Autoimmunity</i> , 2010, 35, 383-389.	3.0	71
10	Review: Transcriptional Regulation of CD4+ T Cell Differentiation in Experimentally Induced Arthritis and Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 653-661.	2.9	68
11	The role of M3 muscarinic acetylcholine receptor reactive T cells in Sjögren's syndrome: A critical review. <i>Journal of Autoimmunity</i> , 2014, 51, 44-50.	3.0	52
12	Human Leukocyte Antigens and Systemic Lupus Erythematosus: A Protective Role for the HLA-DR6 Alleles DRB1*13:02 and *14:03. <i>PLoS ONE</i> , 2014, 9, e87792.	1.1	50
13	Effectiveness of abatacept for patients with Sjögren's syndrome associated with rheumatoid arthritis. An open label, multicenter, one-year, prospective study: ROSE (Rheumatoid Arthritis with Orencia Trial) <i>TJ</i> 2019, 11, 144-148.	0.78431442	42
14	Therapeutic effects of antibodies to tumor necrosis factor- α , interleukin-6 and cytotoxic T-lymphocyte antigen 4 immunoglobulin in mice with glucose-6-phosphate isomerase induced arthritis. <i>Arthritis Research and Therapy</i> , 2008, 10, R66.	1.6	41
15	Effect of Biological Disease-modifying Anti-rheumatic Drugs on Airway and Interstitial Lung Disease in Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2019, 58, 1703-1712.	0.3	41
16	Comparison of performance of the 2016 ACR-EULAR classification criteria for primary Sjögren's syndrome with other sets of criteria in Japanese patients. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1980-1985.	0.5	37
17	T follicular helper cell subsets: a potential key player in autoimmunity. <i>Immunological Medicine</i> , 2021, 44, 1-9.	1.4	37
18	Arthritogenic T cell epitope in glucose-6-phosphate isomerase-induced arthritis. <i>Arthritis Research and Therapy</i> , 2008, 10, R130.	1.6	35

#	ARTICLE	IF	CITATIONS
19	Anti-M3 muscarinic acetylcholine receptor antibodies in patients with Sjögren's syndrome. <i>Modern Rheumatology</i> , 2013, 23, 841-845.	0.9	35
20	Comparative suppressive effects of tyrosine kinase inhibitors imatinib and nilotinib in models of autoimmune arthritis. <i>Modern Rheumatology</i> , 2011, 21, 267-275.	0.9	34
21	Significance of antiprothrombin antibodies in patients with systemic lupus erythematosus: clinical evaluation of the antiprothrombin assay and the antiphosphatidylserine/prothrombin assay, and comparison with other antiphospholipid antibody assays. <i>Modern Rheumatology</i> , 2006, 16, 158-164.	0.9	33
22	Interleukin-17 gene expression in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2008, 18, 15-22.	0.9	33
23	A Crucial Role of ROR γ t in the Development of Spontaneous Sialadenitis-like Sjögren's Syndrome. <i>Journal of Immunology</i> , 2015, 194, 56-67.	0.4	31
24	Tumor necrosis factor α -induced adipose-related protein expression in experimental arthritis and in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2009, 11, R118.	1.6	28
25	Six-transmembrane epithelial antigen of prostate4 (STEAP4) is a tumor necrosis factor alpha-induced protein that regulates IL-6, IL-8, and cell proliferation in synovium from patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2012, 22, 128-136.	0.9	28
26	Overexpression of T α 1 gene regulates murine autoimmune arthritis. <i>Arthritis and Rheumatism</i> , 2012, 64, 162-172.	6.7	26
27	The ROR γ t-CCR6-CCL20 axis augments Th17 cells invasion into the synovia of rheumatoid arthritis patients. <i>Modern Rheumatology</i> , 2018, 28, 814-825.	0.9	25
28	A new low-field extremity magnetic resonance imaging and proposed compact MRI score: evaluation of anti-tumor necrosis factor biologics on rheumatoid arthritis. <i>Modern Rheumatology</i> , 2009, 19, 358-365.	0.9	24
29	Comparative suppressive effects of tyrosine kinase inhibitors imatinib and nilotinib in models of autoimmune arthritis. <i>Modern Rheumatology</i> , 2011, 21, 267-275.	0.9	23
30	Validation of different sets of criteria for the diagnosis of Sjögren's syndrome in Japanese patients. <i>Modern Rheumatology</i> , 2013, 23, 219-225.	0.9	22
31	Six-transmembrane epithelial antigen of prostate4 (STEAP4) is a tumor necrosis factor alpha-induced protein that regulates IL-6, IL-8, and cell proliferation in synovium from patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2012, 22, 128-136.	0.9	22
32	Use of laser microdissection in the analysis of renal-infiltrating T cells in MRL/lpr mice. <i>Modern Rheumatology</i> , 2008, 18, 385-393.	0.9	21
33	Potential involvement of OX40 in the regulation of autoantibody sialylation in arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1488-1496.	0.5	21
34	Activation of Invariant NKT Cells with Glycolipid Ligand α -Galactosylceramide Ameliorates Glucose-6-Phosphate Isomerase Peptide-Induced Arthritis. <i>PLoS ONE</i> , 2012, 7, e51215.	1.1	20
35	Comparison of low-field dedicated extremity magnetic resonance imaging with articular ultrasonography in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 556-560.	0.9	19
36	Association of HLA-G 3' UTR Polymorphisms with Systemic Lupus Erythematosus in a Japanese Population: A Case-Control Association Study. <i>PLoS ONE</i> , 2016, 11, e0158065.	1.1	19

#	ARTICLE	IF	CITATIONS
37	Regulatory T cell epitope recognized by T cells from labial salivary glands of patients with Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , 1997, 40, 2271-2274.	6.7	18
38	Altered peptide ligands control type II collagen-reactive T cells from rheumatoid arthritis patients. <i>Modern Rheumatology</i> , 2006, 16, 226-228.	0.9	18
39	Tristetraprolin (TTP) gene polymorphisms in patients with rheumatoid arthritis and healthy individuals. <i>Modern Rheumatology</i> , 2008, 18, 472-479.	0.9	18
40	Murine tumor necrosis factor α -induced adipose-related protein (tumor necrosis factor α -induced) Tj ETQq0 0 0 rgBT /Overlock signaling, and dysregulated apoptosis of macrophages. <i>Arthritis and Rheumatism</i> , 2012, 64, 3877-3885.	6.7	18
41	Prevalence of soluble peptidylarginine deiminase 4 (PAD4) and anti-PAD4 antibodies in autoimmune diseases. <i>Clinical Rheumatology</i> , 2016, 35, 1181-1188.	1.0	18
42	Placenta Specific 8 Suppresses IL-18 Production through Regulation of Autophagy and Is Associated with Adult Still Disease. <i>Journal of Immunology</i> , 2018, 201, 3534-3545.	0.4	18
43	Anti-citrullinated glucose-6-phosphate isomerase peptide antibodies in patients with rheumatoid arthritis are associated with <i>HLA-DRB1</i> shared epitope alleles and disease activity. <i>Clinical and Experimental Immunology</i> , 2013, 172, 44-53.	1.1	17
44	Recurrent Kikuchi-Fujimoto Disease Successfully Treated by the Concomitant Use of Hydroxychloroquine and Corticosteroids. <i>Internal Medicine</i> , 2017, 56, 3373-3377.	0.3	17
45	Clinically Amyopathic Dermatomyositis with Interstitial Pneumonia That Was Successfully Treated with Plasma Exchange. <i>Internal Medicine</i> , 2018, 57, 1935-1938.	0.3	16
46	Identification of novel biomarker as citrullinated inter-alpha-trypsin inhibitor heavy chain 4, specifically increased in sera with experimental and rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 66.	1.6	16
47	Peptidyl arginine deiminase inhibition suppresses arthritis via decreased protein citrullination in joints and serum with the downregulation of interleukin-6. <i>Modern Rheumatology</i> , 2019, 29, 964-969.	0.9	16
48	Pathogenesis of IgG4-related disease. Comparison with Sjögren's syndrome. <i>Modern Rheumatology</i> , 2020, 30, 7-16.	0.9	16
49	Altered peptide ligands regulate type II collagen-induced arthritis in mice. <i>Modern Rheumatology</i> , 2009, 19, 366-371.	0.9	15
50	Generation and functional analysis of monoclonal antibodies against the second extracellular loop of human M3 muscarinic acetylcholine receptor. <i>Modern Rheumatology</i> , 2012, 22, 264-271.	0.9	15
51	Therapeutic efficacy of tocilizumab in patients with rheumatoid arthritis refractory to anti-tumor-necrosis-factor inhibitors: 1 year follow-up with low-field extremity MRI. <i>Modern Rheumatology</i> , 2013, 23, 782-787.	0.9	15
52	Regulatory roles of tumor necrosis factor alpha-induced proteins (TNFAIPs) 3 and 9 in arthritis. <i>Clinical Immunology</i> , 2014, 153, 73-78.	1.4	15
53	Involvement of ROR γ t-overexpressing T cells in the development of autoimmune arthritis in mice. <i>Arthritis Research and Therapy</i> , 2015, 17, 105.	1.6	15
54	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population. <i>Scientific Reports</i> , 2019, 9, 16366.	1.6	15

#	ARTICLE	IF	CITATIONS
55	A functional variant of Fcγ receptor IIIA is associated with rheumatoid arthritis in individuals who are positive for anti-glucose-6-phosphate isomerase antibodies. <i>Arthritis Research and Therapy</i> , 2005, 7, R1183.	1.6	14
56	Specific overexpression of tumour necrosis factor-α-induced protein (TNFAIP9) in CD14+CD16 ⁺ monocytes in patients with rheumatoid arthritis: comparative analysis with TNFAIP3. <i>Clinical and Experimental Immunology</i> , 2015, 180, 458-466.	1.1	14
57	A case of refractory Kimura disease with a buccal bulky mass successfully treated with low-dose cyclosporine A: Report and review of the literature. <i>Allergology International</i> , 2016, 65, 212-214.	1.4	14
58	Functional Analysis of Dendritic Cells Generated from T-iPSCs from CD4 ⁺ T Cell Clones of Sjögren's Syndrome. <i>Stem Cell Reports</i> , 2017, 8, 1155-1163.	2.3	14
59	Altered peptide ligands inhibit arthritis induced by glucose-6-phosphate isomerase peptide. <i>Arthritis Research and Therapy</i> , 2009, 11, R167.	1.6	13
60	New low-field extremity MRI, compaTscan: comparison with whole-body 1.5 T conventional MRI. <i>Modern Rheumatology</i> , 2010, 20, 331-336.	0.9	13
61	The crucial roles of IFN-β in the development of M3 muscarinic acetylcholine receptor induced Sjögren's syndrome-like sialadenitis. <i>Modern Rheumatology</i> , 2013, 23, 614-616.	0.9	13
62	Five Families with Homozygous β-Thalassaemia in Japan. <i>British Journal of Haematology</i> , 1980, 46, 199-206.	1.2	12
63	Identification of three novel peptides that inhibit CD40-CD154 interaction. <i>Modern Rheumatology</i> , 2005, 15, 423-426.	0.9	12
64	Impaired function of PD-1 ⁺ follicular regulatory T cells in systemic lupus erythematosus. <i>Clinical and Experimental Immunology</i> , 2021, 206, 28-35.	1.1	12
65	Reiter's syndrome following intravesical bacille Calmette-Guérin treatment for superficial bladder carcinoma: report of six cases. <i>Modern Rheumatology</i> , 2004, 14, 82-86.	0.9	11
66	TIARP attenuates autoantibody-mediated arthritis via the suppression of neutrophil migration by reducing CXCL2/CXCR2 and IL-6 expression. <i>Scientific Reports</i> , 2016, 6, 38684.	1.6	11
67	Immunoglobulin G from anti-glucose-6-phosphate isomerase antibodies positive patient with rheumatoid arthritis induces synovitis in cynomolgus monkeys. <i>Autoimmunity Reviews</i> , 2005, 4, 475-478.	2.5	10
68	Severe Adult-onset Still Disease with Constrictive Pericarditis and Pleuritis That Was Successfully Treated with Tocilizumab in Addition to Corticosteroids and Cyclosporin A. <i>Internal Medicine</i> , 2018, 57, 1033-1038.	0.3	10
69	Association of anti-cyclic citrullinated peptide antibody with clinical features in patients with psoriatic arthritis. <i>Modern Rheumatology</i> , 2020, 30, 365-372.	0.9	10
70	Involvement of CD161 ⁺ Vβ1 ⁺ T cells in systemic sclerosis: association with interstitial pneumonia. <i>Rheumatology</i> , 2014, 53, 2259-2269.	0.9	9
71	M3 muscarinic acetylcholine receptor reactive IL-17 producing T cells promotes development of Sjögren's syndrome like sialadenitis. <i>Modern Rheumatology</i> , 2015, 25, 158-160.	0.9	9
72	Evaluation of changes in magnetic resonance images following 24 and 52 weeks of treatment of rheumatoid arthritis with infliximab, tocilizumab, or abatacept. <i>Modern Rheumatology</i> , 2016, 26, 29-35.	0.9	9

#	ARTICLE	IF	CITATIONS
73	Suppression of glucose-6-phosphate-isomerase induced arthritis by oral administration of transgenic rice seeds expressing altered peptide ligands of glucose-6-phosphate-isomerase. <i>Modern Rheumatology</i> , 2017, 27, 457-465.	0.9	9
74	Splice variant of STEAP4 localizes in the nucleus, making it a possible transcriptional regulator of IL-6 production. <i>Modern Rheumatology</i> , 2019, 29, 714-716.	0.9	9
75	Sjögren's syndrome-associated SNPs increase GTF2I expression in salivary gland cells to enhance inflammation development. <i>International Immunology</i> , 2021, 33, 423-434.	1.8	9
76	Glucose-6-phosphate isomerase variants play a key role in the generation of anti-GPI antibodies: possible mechanism of autoantibody production. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 518-522.	1.0	8
77	Efficacy of mizoribine pulse therapy in patients with rheumatoid arthritis who show a reduced or insufficient response to infliximab. <i>Modern Rheumatology</i> , 2009, 19, 229-234.	0.9	8
78	Interleukin-6 regulates anti-arthritis effect of methotrexate via reduction of SLC19A1 expression in a mouse arthritis model. <i>Arthritis Research and Therapy</i> , 2012, 14, R96.	1.6	8
79	Antigen-specific over-expression of human cartilage glycoprotein 39 on CD4+CD25+forkhead box protein 3+regulatory T cells in the generation of glucose-6-phosphate isomerase-induced arthritis. <i>Clinical and Experimental Immunology</i> , 2014, 177, 419-427.	1.1	8
80	Clinical features and prognosis of nocardiosis in patients with connective tissue diseases. <i>Modern Rheumatology</i> , 2021, 31, 636-642.	0.9	8
81	Pathogenic roles and therapeutic potential of the CCL8/CCR8 axis in a murine model of IgG4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2021, 23, 214.	1.6	8
82	Clinical characteristics of anti-glucose-6-phosphate isomerase antibody-positive Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 258-263.	0.9	7
83	Association of Functional Polymorphisms in Interferon Regulatory Factor 2 (IRF2) with Susceptibility to Systemic Lupus Erythematosus: A Case-Control Association Study. <i>PLoS ONE</i> , 2014, 9, e109764.	1.1	7
84	Association of anti-Ro/SSA antibody with response to biologics in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2016, 26, 857-862.	0.9	7
85	Diffusion-weighted magnetic resonance imaging of parotid glands before and after abatacept therapy in patients with Sjögren's syndrome associated with rheumatoid arthritis: Utility to evaluate and predict response to treatment. <i>Modern Rheumatology</i> , 2018, 28, 300-307.	0.9	7
86	Specific Increase in Joint Neutrophil Extracellular Traps and Its Relation to Interleukin 6 in Autoimmune Arthritis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7633.	1.8	7
87	Sarcoid myositis with muscle weakness as a presenting symptom. <i>Modern Rheumatology</i> , 2007, 17, 243-246.	0.9	6
88	Clinical and functional significance of STEAP4-splice variant in CD14+ monocytes in patients with rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 2018, 191, 338-348.	1.1	6
89	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy. <i>Modern Rheumatology</i> , 2020, 30, 696-702.	0.9	6
90	QTc interval prolongation in patients with systemic lupus erythematosus treated with hydroxychloroquine. <i>Modern Rheumatology</i> , 2021, 31, 1107-1112.	0.9	6

#	ARTICLE	IF	CITATIONS
91	ROR γ t+Foxp3+ regulatory T cells in the regulation of autoimmune arthritis. <i>Clinical and Experimental Immunology</i> , 2022, 207, 176-187.	1.1	6
92	B Cells and Immunoglobulins Dependent Mechanisms in Rheumatoid Arthritis: A Possible Rationale of the Extracorporeal Immunomodulation for Rheumatoid Arthritis. <i>Therapeutic Apheresis and Dialysis</i> , 2002, 6, 317-319.	0.4	5
93	Pulmonary nocardiosis in patients with connective tissue disease: A report of two cases. <i>Intractable and Rare Diseases Research</i> , 2014, 3, 25-28.	0.3	5
94	Associations between maternal clinical features and fetal outcomes in pregnancies of mothers with connective tissue diseases. <i>Modern Rheumatology</i> , 2019, 29, 344-350.	0.9	5
95	Upregulation and pathogenic roles of CCL18-CCR8 axis in IgG4-related disease. <i>Modern Rheumatology</i> , 2020, 30, 729-737.	0.9	5
96	Revisit of autoimmunity to glucose-6-phosphate isomerase in experimental and rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 232-238.	0.9	5
97	T-bet represses collagen-induced arthritis by suppressing Th17 lineage commitment through inhibition of ROR γ t expression and function. <i>Scientific Reports</i> , 2021, 11, 17357.	1.6	5
98	The crucial roles of IFN- γ in the development of M3 muscarinic acetylcholine receptor induced Sjögren's syndrome-like sialadenitis. <i>Modern Rheumatology</i> , 2013, 23, 614-616.	0.9	5
99	The exploration of joint-specific immunoreactions on immunoglobulins G of anti-glucose-6-phosphate isomerase antibody-positive patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2005, 16, 793-800.	1.8	5
100	A case of relapsing neurosarcoidosis with brain nodules and hydrocephalus successfully treated by corticosteroid and methotrexate: Fig. 1. <i>Rheumatology</i> , 2015, 54, 1160-1160.	0.9	4
101	ROR γ t antagonist improves Sjögren's syndrome-like sialadenitis through downregulation of CD25. <i>Oral Diseases</i> , 2020, 26, 766-777.	1.5	4
102	IgG4-related pleural disease with aortitis and submandibular glands involvement successfully treated with corticosteroid: case-based review. <i>Rheumatology International</i> , 2020, 40, 1725-1732.	1.5	4
103	Clinical characteristics of anti-glucose-6-phosphate isomerase antibody-positive Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 258-263.	0.9	4
104	M3 muscarinic acetylcholine receptor-reactive Th17 cells in primary Sjögren's syndrome. <i>JCI Insight</i> , 2020, 5, .	2.3	4
105	Elevated level of serum cystatin-C concentration is a useful predictor for myelosuppression induced by methotrexate for treatment of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 548-555.	0.9	3
106	Anti-cyclic citrullinated glucose-6-phosphate isomerase peptide-7 (CCG-7) antibodies were suppressed by biologics treatment and deposited to citrullinated proteins in CD68-positive cells in the RA synovium. <i>Modern Rheumatology</i> , 2017, 27, 914-916.	0.9	3
107	Intractable Hemophagocytic Syndrome Associated with Systemic Lupus Erythematosus Resistant to Corticosteroids and Intravenous Cyclophosphamide That Was Successfully Treated with Cyclosporine A. <i>Internal Medicine</i> , 2018, 57, 2747-2752.	0.3	3
108	Predictive Factors for Pneumomediastinum During Management of Connective Tissue Disease-related Interstitial Lung Disease: A Retrospective Study. <i>Internal Medicine</i> , 2021, 60, 2887-2897.	0.3	3

#	ARTICLE	IF	CITATIONS
109	Reliability of antinuclear matrix protein 2 antibody assays in idiopathic inflammatory myopathies is dependent on target protein properties. <i>Journal of Dermatology</i> , 2022, 49, 441-447.	0.6	3
110	Transgenic rice seeds expressing altered peptide ligands against the M3 muscarinic acetylcholine receptor suppress experimental sialadenitis-like Sjögren's syndrome. <i>Modern Rheumatology</i> , 2020, 30, 884-893.	0.9	2
111	Aortic Arch Aneurysm in Behçet Disease Successfully Treated with Infliximab. <i>Internal Medicine</i> , 2020, 59, 1087-1091.	0.3	2
112	Synovitis-acne-pustulosis-hyperostosis-osteitis Syndrome with Bilateral Pleural Effusion. <i>Internal Medicine</i> , 2022, 61, 2671-2675.	0.3	2
113	Biased usage of synovial immunoglobulin heavy chain variable region 4 by the anti-glucose-6-phosphate isomerase antibody in patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2007, , .	1.8	1
114	Analysis of subclinical synovitis detected by ultrasonography and low-field magnetic resonance imaging in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2013, , 1.	0.9	1
115	[18F]fluorodeoxyglucose positron emission tomography/computed tomography can reveal subclinical prostatitis in a patient with IgG4-related disease. <i>Rheumatology</i> , 2015, 54, 1113-1113.	0.9	1
116	The effectiveness of upfront pulmonary vasodilators combination therapy in addition to corticosteroids for pulmonary arterial hypertension associated with systemic lupus erythematosus: two successful cases utilising both corticosteroids and an upfront combination of vasodilators. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 73-78.	0.3	1
117	Allergy inhibitory receptor α 1 inhibits autoantibody production via upregulation of apoptotic debris clearance by macrophages. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 2071-2078.	0.9	1
118	Anti-PL-7 antibody positive antisynthetase syndrome diagnosed after the onset of pulmonary hypertension and right-sided heart failure. <i>Rheumatology</i> , 2021, 60, e277-e279.	0.9	1
119	Clinical features of large vessel vasculitis (LVV): Elderly-onset versus young-onset. <i>Modern Rheumatology</i> , 2021, 31, 1129-1134.	0.9	1
120	Therapeutic Plasma Exchange Improved Pregnancy-associated Thrombotic Microangiopathy but not the Pregnancy Outcome in Patient with Systemic Lupus Erythematosus. <i>Internal Medicine</i> , 2020, 59, 3235-3238.	0.3	1
121	A MALE CASE OF AUTOIMMUNE CHRONIC ACTIVE HEPATITIS. <i>The Journal of the Japanese Society of Internal Medicine</i> , 1981, 70, 734-739.	0.0	0
122	Early diagnosis and treatment of steroid-induced diabetes mellitus in patients with rheumatoid arthritis and other connective tissue diseases. <i>Modern Rheumatology</i> , 0, , 1.	0.9	0
123	A case of otitis media with ANCA-associated vasculitis accompanied with pituitary mass successfully treated by corticosteroids. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 185-190.	0.3	0
124	SAT0043...ANALYSIS OF THE ROLE OF ROR γ T+FOXP3+ (TR17) IN THE REGULATION OF AUTOIMMUNE ARTHRITIS. , 2019, , .		0
125	Pathologically confirmed oesophageal involvement in idiopathic multicentric Castleman disease mimicking early oesophageal cancer. <i>Rheumatology</i> , 2021, 60, e50-e52.	0.9	0
126	The combined effects of iguratimod with anti-TNF α antibody on experimental arthritis models in mice. <i>Inflammation and Regeneration</i> , 2014, 34, 157-164.	1.5	0

#	ARTICLE	IF	CITATIONS
127	Multiple skin nodules on fingers in systemic lupus erythematosus. Rheumatology, 2022, , .	0.9	0