

Isao Matsumoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6221798/publications.pdf>

Version: 2024-02-01

127
papers

2,707
citations

218677
26
h-index

223800
46
g-index

136
all docs

136
docs citations

136
times ranked

3388
citing authors

#	ARTICLE	IF	CITATIONS
1	Multiple skin nodules on fingers in systemic lupus erythematosus. Rheumatology, 2022, , .	1.9	0
2	Synovitis-acne-pustulosis-hyperostosis-osteitis Syndrome with Bilateral Pleural Effusion. Internal Medicine, 2022, 61, 2671-2675.	0.7	2
3	ROR γ t+Foxp3+ regulatory T cells in the regulation of autoimmune arthritis. Clinical and Experimental Immunology, 2022, 207, 176-187.	2.6	6
4	Reliability of antinuclear matrix protein 2 antibody assays in idiopathic inflammatory myopathies is dependent on target protein properties. Journal of Dermatology, 2022, 49, 441-447.	1.2	3
5	T follicular helper cell subsets: a potential key player in autoimmunity. Immunological Medicine, 2021, 44, 1-9.	2.6	37
6	Clinical features and prognosis of nocardiosis in patients with connective tissue diseases. Modern Rheumatology, 2021, 31, 636-642.	1.8	8
7	Pathologically confirmed oesophageal involvement in idiopathic multicentric Castleman disease mimicking early oesophageal cancer. Rheumatology, 2021, 60, e50-e52.	1.9	0
8	Anti-PL-7 antibody positive antisynthetase syndrome diagnosed after the onset of pulmonary hypertension and right-sided heart failure. Rheumatology, 2021, 60, e277-e279.	1.9	1
9	Clinical features of large vessel vasculitis (LVV): Elderly-onset versus young-onset. Modern Rheumatology, 2021, 31, 1129-1134.	1.8	1
10	QTc interval prolongation in patients with systemic lupus erythematosus treated with hydroxychloroquine. Modern Rheumatology, 2021, 31, 1107-1112.	1.8	6
11	Sjögren's syndrome-associated SNPs increase GTF2I expression in salivary gland cells to enhance inflammation development. International Immunology, 2021, 33, 423-434.	4.0	9
12	Impaired function of PD-1+ follicular regulatory T cells in systemic lupus erythematosus. Clinical and Experimental Immunology, 2021, 206, 28-35.	2.6	12
13	Specific Increase in Joint Neutrophil Extracellular Traps and Its Relation to Interleukin 6 in Autoimmune Arthritis. International Journal of Molecular Sciences, 2021, 22, 7633.	4.1	7
14	Pathogenic roles and therapeutic potential of the CCL8-CCR8 axis in a murine model of IgG4-related sialadenitis. Arthritis Research and Therapy, 2021, 23, 214.	3.5	8
15	T-bet represses collagen-induced arthritis by suppressing Th17 lineage commitment through inhibition of ROR γ t expression and function. Scientific Reports, 2021, 11, 17357.	3.3	5
16	Predictive Factors for Pneumomediastinum During Management of Connective Tissue Disease-related Interstitial Lung Disease: A Retrospective Study. Internal Medicine, 2021, 60, 2887-2897.	0.7	3
17	Association of anti-cyclic citrullinated peptide antibody with clinical features in patients with psoriatic arthritis. Modern Rheumatology, 2020, 30, 365-372.	1.8	10
18	Upregulation and pathogenic roles of CCL18-CCR8 axis in IgG4-related disease. Modern Rheumatology, 2020, 30, 729-737.	1.8	5

#	ARTICLE	IF	CITATIONS
19	Pathogenesis of IgG4-related disease. Comparison with Sjögren's syndrome. Modern Rheumatology, 2020, 30, 7-16.	1.8	16
20	Human leukocyte antigen in Japanese patients with idiopathic inflammatory myopathy. Modern Rheumatology, 2020, 30, 696-702.	1.8	6
21	Revisit of autoimmunity to glucose-6-phosphate isomerase in experimental and rheumatoid arthritis. Modern Rheumatology, 2020, 30, 232-238.	1.8	5
22	Transgenic rice seeds expressing altered peptide ligands against the M3 muscarinic acetylcholine receptor suppress experimental sialadenitis-like Sjögren's syndrome. Modern Rheumatology, 2020, 30, 884-893.	1.8	2
23	ROR γ t antagonist improves Sjögren's syndrome-like sialadenitis through downregulation of CD25. Oral Diseases, 2020, 26, 766-777.	3.0	4
24	Aortic Arch Aneurysm in Behçet Disease Successfully Treated with Infliximab. Internal Medicine, 2020, 59, 1087-1091.	0.7	2
25	IgG4-related pleural disease with aortitis and submandibular glands involvement successfully treated with corticosteroid: case-based review. Rheumatology International, 2020, 40, 1725-1732.	3.0	4
26	M3 muscarinic acetylcholine receptor-reactive Th17 cells in primary Sjögren's syndrome. JCI Insight, 2020, 5, .	5.0	4
27	Therapeutic Plasma Exchange Improved Pregnancy-associated Thrombotic Microangiopathy but not the Pregnancy Outcome in Patient with Systemic Lupus Erythematosus. Internal Medicine, 2020, 59, 3235-3238.	0.7	1
28	Splice variant of STEAP4 localizes in the nucleus, making it a possible transcriptional regulator of IL-6 production. Modern Rheumatology, 2019, 29, 714-716.	1.8	9
29	Association of NCF1 polymorphism with systemic lupus erythematosus and systemic sclerosis but not with ANCA-associated vasculitis in a Japanese population. Scientific Reports, 2019, 9, 16366.	3.3	15
30	Potential involvement of OX40 in the regulation of autoantibody sialylation in arthritis. Annals of the Rheumatic Diseases, 2019, 78, 1488-1496.	0.9	21
31	Effect of Biological Disease-modifying Anti-rheumatic Drugs on Airway and Interstitial Lung Disease in Patients with Rheumatoid Arthritis. Internal Medicine, 2019, 58, 1703-1712.	0.7	41
32	SAT0043...ANALYSIS OF THE ROLE OF ROR γ T+FOXP3+ (TR17) IN THE REGULATION OF AUTOIMMUNE ARTHRITIS. , 2019, , .		0
33	Peptidyl arginine deiminase inhibition suppresses arthritis via decreased protein citrullination in joints and serum with the downregulation of interleukin-6. Modern Rheumatology, 2019, 29, 964-969.	1.8	16
34	Associations between maternal clinical features and fetal outcomes in pregnancies of mothers with connective tissue diseases. Modern Rheumatology, 2019, 29, 344-350.	1.8	5
35	Clinically Amyopathic Dermatomyositis with Interstitial Pneumonia That Was Successfully Treated with Plasma Exchange. Internal Medicine, 2018, 57, 1935-1938.	0.7	16
36	The ROR γ t-CCR6-CCL20 axis augments Th17 cells invasion into the synovia of rheumatoid arthritis patients. Modern Rheumatology, 2018, 28, 814-825.	1.8	25

#	ARTICLE	IF	CITATIONS
37	Diffusion-weighted magnetic resonance imaging of parotid glands before and after abatacept therapy in patients with Sjögren's syndrome associated with rheumatoid arthritis: Utility to evaluate and predict response to treatment. <i>Modern Rheumatology</i> , 2018, 28, 300-307.	1.8	7
38	Clinical and functional significance of STEAP4-splice variant in CD14+ monocytes in patients with rheumatoid arthritis. <i>Clinical and Experimental Immunology</i> , 2018, 191, 338-348.	2.6	6
39	Review: Transcriptional Regulation of $CD4^{+}$ T Cell Differentiation in Experimentally Induced Arthritis and Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 653-661.	5.6	68
40	Placenta Specific 8 Suppresses IL-18 Production through Regulation of Autophagy and Is Associated with Adult Still Disease. <i>Journal of Immunology</i> , 2018, 201, 3534-3545.	0.8	18
41	Allergy inhibitory receptor $CD11b$ inhibits autoantibody production via upregulation of apoptotic debris clearance by macrophages. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 2071-2078.	1.9	1
42	Severe Adult-onset Still Disease with Constrictive Pericarditis and Pleuritis That Was Successfully Treated with Tocilizumab in Addition to Corticosteroids and Cyclosporin A. <i>Internal Medicine</i> , 2018, 57, 1033-1038.	0.7	10
43	Intractable Hemophagocytic Syndrome Associated with Systemic Lupus Erythematosus Resistant to Corticosteroids and Intravenous Cyclophosphamide That Was Successfully Treated with Cyclosporine A. <i>Internal Medicine</i> , 2018, 57, 2747-2752.	0.7	3
44	A case of otitis media with ANCA-associated vasculitis accompanied with pituitary mass successfully treated by corticosteroids. <i>Modern Rheumatology Case Reports</i> , 2018, 2, 185-190.	0.7	0
45	Identification of novel biomarker as citrullinated inter-alpha-trypsin inhibitor heavy chain 4, specifically increased in sera with experimental and rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 66.	3.5	16
46	Functional Analysis of Dendritic Cells Generated from T-iPSCs from $CD4^{+}$ T Cell Clones of Sjögren's Syndrome. <i>Stem Cell Reports</i> , 2017, 8, 1155-1163.	4.8	14
47	The effectiveness of upfront pulmonary vasodilators combination therapy in addition to corticosteroids for pulmonary arterial hypertension associated with systemic lupus erythematosus: two successful cases utilising both corticosteroids and an upfront combination of vasodilators. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 73-78.	0.7	1
48	Comparison of performance of the 2016 ACR-EULAR classification criteria for primary Sjögren's syndrome with other sets of criteria in Japanese patients. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1980-1985.	0.9	37
49	Anti-cyclic citrullinated glucose-6-phosphate isomerase peptide-7 (CCG-7) antibodies were suppressed by biologics treatment and deposited to citrullinated proteins in CD68-positive cells in the RA synovium. <i>Modern Rheumatology</i> , 2017, 27, 914-916.	1.8	3
50	Suppression of glucose-6-phosphate-isomerase induced arthritis by oral administration of transgenic rice seeds expressing altered peptide ligands of glucose-6-phosphate-isomerase. <i>Modern Rheumatology</i> , 2017, 27, 457-465.	1.8	9
51	Recurrent Kikuchi-Fujimoto Disease Successfully Treated by the Concomitant Use of Hydroxychloroquine and Corticosteroids. <i>Internal Medicine</i> , 2017, 56, 3373-3377.	0.7	17
52	Association of HLA-G 3' Untranslated Region Polymorphisms with Systemic Lupus Erythematosus in a Japanese Population: A Case-Control Association Study. <i>PLoS ONE</i> , 2016, 11, e0158065.	2.5	19
53	TIARP attenuates autoantibody-mediated arthritis via the suppression of neutrophil migration by reducing CXCL2/CXCR2 and IL-6 expression. <i>Scientific Reports</i> , 2016, 6, 38684.	3.3	11
54	A case of refractory Kimura disease with a buccal bulky mass successfully treated with low-dose cyclosporine A: Report and review of the literature. <i>Allergology International</i> , 2016, 65, 212-214.	3.3	14

#	ARTICLE	IF	CITATIONS
55	Effectiveness of abatacept for patients with Sjögren's syndrome associated with rheumatoid arthritis. An open label, multicenter, one-year, prospective study: ROSE (Rheumatoid Arthritis with Orencia Trial) Tj ETQq1 1 0.78431412BT /Over	1.8	7
56	Association of anti-Ro/SSA antibody with response to biologics in patients with rheumatoid arthritis. Modern Rheumatology, 2016, 26, 857-862.	1.8	7
57	Prevalence of soluble peptidylarginine deiminase 4 (PAD4) and anti-PAD4 antibodies in autoimmune diseases. Clinical Rheumatology, 2016, 35, 1181-1188.	2.2	18
58	Evaluation of changes in magnetic resonance images following 24 and 52 weeks of treatment of rheumatoid arthritis with infliximab, tocilizumab, or abatacept. Modern Rheumatology, 2016, 26, 29-35.	1.8	9
59	Peptidylarginine deiminase type 4 deficiency reduced arthritis severity in a glucose-6-phosphate isomerase-induced arthritis model. Scientific Reports, 2015, 5, 13041.	3.3	89
60	M3 muscarinic acetylcholine receptor reactive IL-17 producing T cells promotes development of Sjögren's syndrome like sialadenitis. Modern Rheumatology, 2015, 25, 158-160.	1.8	9
61	Involvement of ROR γ^t -overexpressing T cells in the development of autoimmune arthritis in mice. Arthritis Research and Therapy, 2015, 17, 105.	3.5	15
62	[18F]fluorodeoxyglucose positron emission tomography/computed tomography can reveal subclinical prostatitis in a patient with IgG4-related disease. Rheumatology, 2015, 54, 1113-1113.	1.9	1
63	A case of relapsing neurosarcoidosis with brain nodules and hydrocephalus successfully treated by corticosteroid and methotrexate: Fig. 1. Rheumatology, 2015, 54, 1160-1160.	1.9	4
64	A Crucial Role of ROR γ^t in the Development of Spontaneous Sialadenitis-like Sjögren's Syndrome. Journal of Immunology, 2015, 194, 56-67.	0.8	31
65	Specific overexpression of tumour necrosis factor- α -induced protein (TNFAIP)9 in CD14+CD16 hi monocytes in patients with rheumatoid arthritis: comparative analysis with TNFAIP3. Clinical and Experimental Immunology, 2015, 180, 458-466.	2.6	14
66	Phosphorylation status determines the opposing functions of Smad2/Smad3 as STAT3 cofactors in TH17 differentiation. Nature Communications, 2015, 6, 7600.	12.8	85
67	Association of Functional Polymorphisms in Interferon Regulatory Factor 2 (IRF2) with Susceptibility to Systemic Lupus Erythematosus: A Case-Control Association Study. PLoS ONE, 2014, 9, e109764.	2.5	7
68	Pulmonary nocardiosis in patients with connective tissue disease: A report of two cases. Intractable and Rare Diseases Research, 2014, 3, 25-28.	0.9	5
69	Involvement of CD161+ V α 1+ $\gamma\delta$ T cells in systemic sclerosis: association with interstitial pneumonia. Rheumatology, 2014, 53, 2259-2269.	1.9	9
70	Antigen-specific over-expression of human cartilage glycoprotein 39 on CD4+CD25+forkhead box protein 3+regulatory T cells in the generation of glucose-6-phosphate isomerase-induced arthritis. Clinical and Experimental Immunology, 2014, 177, 419-427.	2.6	8
71	Regulatory roles of tumor necrosis factor alpha-induced proteins (TNFAIPs) 3 and 9 in arthritis. Clinical Immunology, 2014, 153, 73-78.	3.2	15
72	The role of M3 muscarinic acetylcholine receptor reactive T cells in Sjögren's syndrome: A critical review. Journal of Autoimmunity, 2014, 51, 44-50.	6.5	52

#	ARTICLE	IF	CITATIONS
73	Human Leukocyte Antigens and Systemic Lupus Erythematosus: A Protective Role for the HLA-DR6 Alleles DRB1*13:02 and *14:03. PLoS ONE, 2014, 9, e87792.	2.5	50
74	The combined effects of iguratimod with anti-TNF α antibody on experimental arthritis models in mice. Inflammation and Regeneration, 2014, 34, 157-164.	3.7	0
75	The crucial roles of IFN- γ in the development of M3 muscarinic acetylcholine receptor induced Sjögren's syndrome-like sialadenitis. Modern Rheumatology, 2013, 23, 614-616.	1.8	13
76	Anti-M3 muscarinic acetylcholine receptor antibodies in patients with Sjögren's syndrome. Modern Rheumatology, 2013, 23, 841-845.	1.8	35
77	Validation of different sets of criteria for the diagnosis of Sjögren's syndrome in Japanese patients. Modern Rheumatology, 2013, 23, 219-225.	1.8	22
78	Anti-citrullinated glucose-6-phosphate isomerase peptide antibodies in patients with rheumatoid arthritis are associated with HLA-DRB1 shared epitope alleles and disease activity. Clinical and Experimental Immunology, 2013, 172, 44-53.	2.6	17
79	Therapeutic efficacy of tocilizumab in patients with rheumatoid arthritis refractory to anti-tumor-necrosis-factor inhibitors: 1 year follow-up with low-field extremity MRI. Modern Rheumatology, 2013, 23, 782-787.	1.8	15
80	Analysis of subclinical synovitis detected by ultrasonography and low-field magnetic resonance imaging in patients with rheumatoid arthritis. Modern Rheumatology, 2013, , 1.	1.8	1
81	The crucial roles of IFN- γ in the development of M3 muscarinic acetylcholine receptor induced Sjögren's syndrome-like sialadenitis. Modern Rheumatology, 2013, 23, 614-616.	1.8	5
82	Generation and functional analysis of monoclonal antibodies against the second extracellular loop of human M3 muscarinic acetylcholine receptor. Modern Rheumatology, 2012, 22, 264-271.	1.8	15
83	Six-transmembrane epithelial antigen of prostate4 (STEAP4) is a tumor necrosis factor alpha-induced protein that regulates IL-6, IL-8, and cell proliferation in synovium from patients with rheumatoid arthritis. Modern Rheumatology, 2012, 22, 128-136.	1.8	28
84	Murine tumor necrosis factor α -induced adipose-related protein (tumor necrosis factor α -induced) Tj ETQq0 0 0 rgBT /Overlock signaling, and dysregulated apoptosis of macrophages. Arthritis and Rheumatism, 2012, 64, 3877-3885.	6.7	18
85	The STEAP protein family: Versatile oxidoreductases and targets for cancer immunotherapy with overlapping and distinct cellular functions. Biology of the Cell, 2012, 104, 641-657.	2.0	82
86	Interleukin-6 regulates anti-arthritic effect of methotrexate via reduction of SLC19A1 expression in a mouse arthritis model. Arthritis Research and Therapy, 2012, 14, R96.	3.5	8
87	Overexpression of Tbet gene regulates murine autoimmune arthritis. Arthritis and Rheumatism, 2012, 64, 162-172.	6.7	26
88	Six-transmembrane epithelial antigen of prostate4 (STEAP4) is a tumor necrosis factor alpha-induced protein that regulates IL-6, IL-8, and cell proliferation in synovium from patients with rheumatoid arthritis. Modern Rheumatology, 2012, 22, 128-136.	1.8	22
89	Activation of Invariant NKT Cells with Glycolipid Ligand α -Galactosylceramide Ameliorates Glucose-6-Phosphate Isomerase Peptide-Induced Arthritis. PLoS ONE, 2012, 7, e51215.	2.5	20
90	Comparative suppressive effects of tyrosine kinase inhibitors imatinib and nilotinib in models of autoimmune arthritis. Modern Rheumatology, 2011, 21, 267-275.	1.8	34

#	ARTICLE	IF	CITATIONS
91	Comparative suppressive effects of tyrosine kinase inhibitors imatinib and nilotinib in models of autoimmune arthritis. <i>Modern Rheumatology</i> , 2011, 21, 267-275.	1.8	23
92	New low-field extremity MRI, compactScan: comparison with whole-body 1.5 T conventional MRI. <i>Modern Rheumatology</i> , 2010, 20, 331-336.	1.8	13
93	Comparison of low-field dedicated extremity magnetic resonance imaging with articular ultrasonography in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 556-560.	1.8	19
94	Elevated level of serum cystatin-C concentration is a useful predictor for myelosuppression induced by methotrexate for treatment of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2010, 20, 548-555.	1.8	3
95	Pathogenic role of immune response to M3 muscarinic acetylcholine receptor in Sjögren's syndrome-like sialoadenitis. <i>Journal of Autoimmunity</i> , 2010, 35, 383-389.	6.5	71
96	Altered peptide ligands inhibit arthritis induced by glucose-6-phosphate isomerase peptide. <i>Arthritis Research and Therapy</i> , 2009, 11, R167.	3.5	13
97	Tumor necrosis factor α -induced adipose-related protein expression in experimental arthritis and in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2009, 11, R118.	3.5	28
98	Efficacy of mizoribine pulse therapy in patients with rheumatoid arthritis who show a reduced or insufficient response to infliximab. <i>Modern Rheumatology</i> , 2009, 19, 229-234.	1.8	8
99	Altered peptide ligands regulate type II collagen-induced arthritis in mice. <i>Modern Rheumatology</i> , 2009, 19, 366-371.	1.8	15
100	A new low-field extremity magnetic resonance imaging and proposed compact MRI score: evaluation of anti-tumor necrosis factor biologics on rheumatoid arthritis. <i>Modern Rheumatology</i> , 2009, 19, 358-365.	1.8	24
101	Crucial role of the interleukin-6/interleukin-17 cytokine axis in the induction of arthritis by glucose-6-phosphate isomerase. <i>Arthritis and Rheumatism</i> , 2008, 58, 754-763.	6.7	123
102	Arthritogenic T cell epitope in glucose-6-phosphate isomerase-induced arthritis. <i>Arthritis Research and Therapy</i> , 2008, 10, R130.	3.5	35
103	Therapeutic effects of antibodies to tumor necrosis factor- α , interleukin-6 and cytotoxic T-lymphocyte antigen 4 immunoglobulin in mice with glucose-6-phosphate isomerase induced arthritis. <i>Arthritis Research and Therapy</i> , 2008, 10, R66.	3.5	41
104	Use of laser microdissection in the analysis of renal-infiltrating T cells in MRL/lpr mice. <i>Modern Rheumatology</i> , 2008, 18, 385-393.	1.8	21
105	Interleukin-17 gene expression in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2008, 18, 15-22.	1.8	33
106	Tristetraprolin (TTP) gene polymorphisms in patients with rheumatoid arthritis and healthy individuals. <i>Modern Rheumatology</i> , 2008, 18, 472-479.	1.8	18
107	A multicenter phase I/II trial of rituximab for refractory systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2007, 17, 191-197.	1.8	107
108	Biased usage of synovial immunoglobulin heavy chain variable region 4 by the anti-glucose-6-phosphate isomerase antibody in patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2007, , .	4.0	1

#	ARTICLE	IF	CITATIONS
109	Sarcoid myositis with muscle weakness as a presenting symptom. <i>Modern Rheumatology</i> , 2007, 17, 243-246.	1.8	6
110	Significance of antiprothrombin antibodies in patients with systemic lupus erythematosus: clinical evaluation of the antiprothrombin assay and the antiphosphatidylserine/prothrombin assay, and comparison with other antiphospholipid antibody assays. <i>Modern Rheumatology</i> , 2006, 16, 158-164.	1.8	33
111	Altered peptide ligands control type II collagen-reactive T cells from rheumatoid arthritis patients. <i>Modern Rheumatology</i> , 2006, 16, 226-228.	1.8	18
112	Clinical characteristics of anti-glucose-6-phosphate isomerase antibody-positive Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 258-263.	1.8	7
113	Identification of three novel peptides that inhibit CD40-CD154 interaction. <i>Modern Rheumatology</i> , 2005, 15, 423-426.	1.8	12
114	Immunoglobulin G from anti-glucose-6-phosphate isomerase antibodies positive patient with rheumatoid arthritis induces synovitis in cynomolgus monkeys. <i>Autoimmunity Reviews</i> , 2005, 4, 475-478.	5.8	10
115	A functional variant of Fcγ receptor IIIA is associated with rheumatoid arthritis in individuals who are positive for anti-glucose-6-phosphate isomerase antibodies. <i>Arthritis Research and Therapy</i> , 2005, 7, R1183.	3.5	14
116	Clinical characteristics of anti-glucose-6-phosphate isomerase antibody-positive Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2005, 15, 258-263.	1.8	4
117	The exploration of joint-specific immunoreactions on immunoglobulins G of anti-glucose-6-phosphate isomerase antibody-positive patients with rheumatoid arthritis. <i>International Journal of Molecular Medicine</i> , 2005, 16, 793-800.	4.0	5
118	Glucose-6-phosphate isomerase variants play a key role in the generation of anti-GPI antibodies: possible mechanism of autoantibody production. <i>Biochemical and Biophysical Research Communications</i> , 2004, 323, 518-522.	2.1	8
119	Reiter's syndrome following intravesical bacille Calmette-Guérin treatment for superficial bladder carcinoma: report of six cases. <i>Modern Rheumatology</i> , 2004, 14, 82-86.	1.8	11
120	Low prevalence of antibodies to glucose-6-phosphate isomerase in patients with rheumatoid arthritis and a spectrum of other chronic autoimmune disorders. <i>Arthritis and Rheumatism</i> , 2003, 48, 944-954.	6.7	131
121	B Cells and Immunoglobulins Dependent Mechanisms in Rheumatoid Arthritis: A Possible Rationale of the Extracorporeal Immunomodulation for Rheumatoid Arthritis. <i>Therapeutic Apheresis and Dialysis</i> , 2002, 6, 317-319.	0.9	5
122	How antibodies to a ubiquitous cytoplasmic enzyme may provoke joint-specific autoimmune disease. <i>Nature Immunology</i> , 2002, 3, 360-365.	14.5	322
123	Molecular Basis for Recognition of an Arthritic Peptide and a Foreign Epitope on Distinct MHC Molecules by a Single TCR. <i>Journal of Immunology</i> , 2000, 164, 5788-5796.	0.8	79
124	Regulatory T cell epitope recognized by T cells from labial salivary glands of patients with Sjögren's syndrome. <i>Arthritis and Rheumatism</i> , 1997, 40, 2271-2274.	6.7	18
125	A MALE CASE OF AUTOIMMUNE CHRONIC ACTIVE HEPATITIS. <i>The Journal of the Japanese Society of Internal Medicine</i> , 1981, 70, 734-739.	0.0	0
126	Five Families with Homozygous β-Thalassaemia in Japan. <i>British Journal of Haematology</i> , 1980, 46, 199-206.	2.5	12

#	ARTICLE	IF	CITATIONS
127	Early diagnosis and treatment of steroid-induced diabetes mellitus in patients with rheumatoid arthritis and other connective tissue diseases. Modern Rheumatology, 0, , 1.	1.8	0