

Roberta Galeazzi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6222740/publications.pdf>

Version: 2024-02-01

115
papers

2,953
citations

201385

27
h-index

233125

45
g-index

116
all docs

116
docs citations

116
times ranked

4408
citing authors

#	ARTICLE	IF	CITATIONS
1	Tuning curvature and phase behavior of monoolein bilayers by epigallocatechin-3-gallate: Structural insight and cytotoxicity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 209, 112171.	2.5	10
2	Diabetes, sarcopenia and chronic kidney disease; the Screening for CKD among Older People across Europe (SCOPE) study. <i>BMC Geriatrics</i> , 2022, 22, 254.	1.1	10
3	HIF-1-Dependent Induction of \hat{I}^{23} Adrenoceptor: Evidence from the Mouse Retina. <i>Cells</i> , 2022, 11, 1271.	1.8	9
4	The Association between Single Nucleotide Polymorphisms, including miR-499a Genetic Variants, and Dyslipidemia in Subjects Treated with Pharmacological or Phytochemical Lipid-Lowering Agents. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5617.	1.8	2
5	Salt effects on mixed composition membranes containing an antioxidant lipophilic edaravone derivative: a computational-experimental study. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 5784-5795.	1.5	4
6	Prediction of drug-carrier interactions of PLA and PLGA drug-loaded nanoparticles by molecular dynamics simulations. <i>European Polymer Journal</i> , 2021, 147, 110292.	2.6	24
7	Circulating Inflammation-miRs as Potential Biomarkers of Cognitive Impairment in Patients Affected by Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 647015.	1.7	22
8	The Natural Alkaloid Berberine Can Reduce the Number of <i>Pseudomonas aeruginosa</i> Tolerant Cells. <i>Journal of Natural Products</i> , 2021, 84, 993-1001.	1.5	10
9	Involvement of different hemoprotein thiol groups of <i>Oncorhynchus mykiss</i> in cadmium toxicity. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 66, 126746.	1.5	3
10	Molecular dynamics simulations of quinine encapsulation into biodegradable nanoparticles: A possible new strategy against Sars-CoV-2. <i>European Polymer Journal</i> , 2021, 158, 110685.	2.6	15
11	Effect of Epigallocatechin-3-Gallate on EGFR Signaling and Migration in Non-Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11833.	1.8	27
12	Berberine Derivatives as <i>Pseudomonas aeruginosa</i> MexXY-OprM Inhibitors: Activity and In Silico Insights. <i>Molecules</i> , 2021, 26, 6644.	1.7	11
13	Prognostic relevance of normocytic anemia in elderly patients affected by cardiovascular disease. <i>Journal of Geriatric Cardiology</i> , 2021, 18, 654-662.	0.2	0
14	Encapsulation of a Neutral Molecule into a Cationic Clay Material: Structural Insight and Cytotoxicity of Resveratrol/Layered Double Hydroxide/BSA Nanocomposites. <i>Nanomaterials</i> , 2020, 10, 33.	1.9	16
15	Chronic kidney disease in the context of multimorbidity patterns: the role of physical performance. <i>BMC Geriatrics</i> , 2020, 20, 350.	1.1	15
16	Impaired kidney function is associated with lower quality of life among community-dwelling older adults. <i>BMC Geriatrics</i> , 2020, 20, 340.	1.1	13
17	Is kidney function associated with cognition and mood in late life?. <i>BMC Geriatrics</i> , 2020, 20, 297.	1.1	4
18	Kidney function and other factors and their association with falls. <i>BMC Geriatrics</i> , 2020, 20, 320.	1.1	5

#	ARTICLE	IF	CITATIONS
19	Association between kidney function, nutritional status and anthropometric measures in older people. <i>BMC Geriatrics</i> , 2020, 20, 366.	1.1	14
20	Prevalence of sarcopenia in community-dwelling older adults using the updated EWGSOP2 definition according to kidney function and albuminuria. <i>BMC Geriatrics</i> , 2020, 20, 327.	1.1	20
21	Role of Tobramycin in the Induction and Maintenance of Viable but Non-Culturable <i>Pseudomonas aeruginosa</i> in an In Vitro Biofilm Model. <i>Antibiotics</i> , 2020, 9, 399.	1.5	8
22	Acetylshikonin isolated from <i>Lithospermum erythrorhizon</i> roots inhibits dihydrofolate reductase and hampers autochthonous mammary carcinogenesis in β 16HER2 transgenic mice. <i>Pharmacological Research</i> , 2020, 161, 105123.	3.1	11
23	Monoalkylated Epigallocatechin-3-gallate (C18-EGCG) as Novel Lipophilic EGCG Derivative: Characterization and Antioxidant Evaluation. <i>Antioxidants</i> , 2020, 9, 208.	2.2	29
24	Conformational Insight on WT- and Mutated-EGFR Receptor Activation and Inhibition by Epigallocatechin-3-Gallate: Over a Rational Basis for the Design of Selective Non-Small-Cell Lung Anticancer Agents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1721.	1.8	31
25	Ubiquinol Ameliorates Endothelial Dysfunction in Subjects with Mild-to-Moderate Dyslipidemia: A Randomized Clinical Trial. <i>Nutrients</i> , 2020, 12, 1098.	1.7	26
26	Synthesis, Characterization and Antioxidant Properties of a New Lipophilic Derivative of Edaravone. <i>Antioxidants</i> , 2019, 8, 258.	2.2	21
27	Natural Alkaloid Berberine Activity against <i>Pseudomonas aeruginosa</i> MexXY-Mediated Aminoglycoside Resistance: <i>In Silico</i> and <i>In Vitro</i> Studies. <i>Journal of Natural Products</i> , 2019, 82, 1935-1944.	1.5	38
28	Cerebrospinal fluid biomarkers and cognitive status in differential diagnosis of frontotemporal dementia and Alzheimer's disease. <i>Journal of International Medical Research</i> , 2019, 47, 4968-4980.	0.4	13
29	Acetylcholinesterase inhibitors in Alzheimer's disease influence Zinc and Copper homeostasis. <i>Journal of Trace Elements in Medicine and Biology</i> , 2019, 55, 58-63.	1.5	25
30	Insights into the Molecular Mechanisms of Eg5 Inhibition by (+)-Morelloflavone. <i>Pharmaceuticals</i> , 2019, 12, 58.	1.7	12
31	Diagnostic performance of new and classic CSF biomarkers in age-related dementias. <i>Aging</i> , 2019, 11, 2420-2429.	1.4	20
32	Three Months Monitored Metabolic Fitness Modulates Cardiovascular Risk Factors in Diabetic Patients. <i>Diabetes and Metabolism Journal</i> , 2019, 43, 893.	1.8	8
33	Node of Ranvier as an Array of Bio-Nanoantennas for Infrared Communication in Nerve Tissue. <i>Scientific Reports</i> , 2018, 8, 539.	1.6	33
34	Selective induction of apoptosis in MCF7 cancer-cell by targeted liposomes functionalised with mannose-6-phosphate. <i>Journal of Drug Targeting</i> , 2018, 26, 242-251.	2.1	30
35	A Poloxamer-407 modified liposome encapsulating epigallocatechin-3-gallate in the presence of magnesium: Characterization and protective effect against oxidative damage. <i>International Journal of Pharmaceutics</i> , 2018, 552, 225-234.	2.6	37
36	Oxidative Stress in Elderly with Different Cognitive Status: My Mind Project. <i>Journal of Alzheimer's Disease</i> , 2018, 63, 1405-1414.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Design and methodology of the screening for CKD among older patients across Europe (SCOPE) study: a multicenter cohort observational study. <i>BMC Nephrology</i> , 2018, 19, 260.	0.8	20
38	Torquetenovirus (TTV) load is associated with mortality in Italian elderly subjects. <i>Experimental Gerontology</i> , 2018, 112, 103-111.	1.2	25
39	Protein-protein interactions of human glyoxalase II: findings of a reliable docking protocol. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 5167-5177.	1.5	26
40	Clustering of ABCB1 and CYP2C19 Genetic Variants Predicts Risk of Major Bleeding and Thrombotic Events in Elderly Patients with Acute Coronary Syndrome Receiving Dual Antiplatelet Therapy with Aspirin and Clopidogrel. <i>Drugs and Aging</i> , 2018, 35, 649-656.	1.3	12
41	Liposomal Formulations for an Efficient Encapsulation of Epigallocatechin-3-Gallate: An In-Silico/Experimental Approach. <i>Molecules</i> , 2018, 23, 441.	1.7	23
42	Effect of ubiquinol supplementation on biochemical and oxidative stress indexes after intense exercise in young athletes. <i>Redox Report</i> , 2018, 23, 136-145.	1.4	41
43	ZnT8 Arg325Trp polymorphism influences zinc transporter expression and cytokine production in PBMCs from patients with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2018, 144, 102-110.	1.1	11
44	Age-related M1/M2 phenotype changes in circulating monocytes from healthy/unhealthy individuals. <i>Aging</i> , 2018, 10, 1268-1280.	1.4	48
45	Salts Influence Catechins and Flavonoids Encapsulation in Liposomes: A Molecular Dynamics Investigation. <i>Molecular Informatics</i> , 2017, 36, 1700059.	1.4	22
46	Precision and accuracy of the new XPrecia Stride mobile coagulometer. <i>Thrombosis Research</i> , 2017, 156, 51-53.	0.8	6
47	Investigation on genetic thrombophilic factors in FFPE autopsy tissue from subjects who died from pulmonary embolism. <i>International Journal of Legal Medicine</i> , 2017, 131, 447-458.	1.2	10
48	Inhibitors of multidrug efflux pumps of <i>Pseudomonas aeruginosa</i> from natural sources: An in silico high-throughput virtual screening and in vitro validation. <i>Medicinal Chemistry Research</i> , 2017, 26, 414-430.	1.1	31
49	In vivo and in silico studies to identify mechanisms associated with Nurr1 modulation following early life exposure to permethrin in rats. <i>Neuroscience</i> , 2017, 340, 411-423.	1.1	30
50	A possible S-glutathionylation of specific proteins by glyoxalase II: An in vitro and in silico study. <i>Cell Biochemistry and Function</i> , 2016, 34, 620-627.	1.4	26
51	Irreversible inhibition of ERBB2 is necessary to suppress ERBB2-positive breast carcinomas resistant to Lapatinib. <i>Cancer Letters</i> , 2016, 381, 76-84.	3.2	23
52	Oral ulcer by <i>Sphingomonas paucimobilis</i> : first report. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2016, 45, 1280-1282.	0.7	5
53	Effect of ZIP2 Gln/Arg/Leu (rs2234632) polymorphism on zinc homeostasis and inflammatory response following zinc supplementation. <i>BioFactors</i> , 2015, 41, 414-423.	2.6	19
54	The Report-AGE project: a permanent epidemiological observatory to identify clinical and biological markers of health outcomes in elderly hospitalized patients in Italy. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 893-901.	1.4	15

#	ARTICLE	IF	CITATIONS
55	Age- and glycemia-related miR-126-3p levels in plasma and endothelial cells. <i>Aging</i> , 2014, 6, 771-786.	1.4	105
56	Bovine Î±1-acid glycoprotein, a thermostable version of its human counterpart: Insights from Fourier transform infrared spectroscopy and in silico modelling. <i>Biochimie</i> , 2014, 102, 19-28.	1.3	8
57	Insights into the influence of 5-HT _{2c} aminoacidic variants with the inhibitory action of serotonin inverse agonists and antagonists. <i>Journal of Molecular Modeling</i> , 2014, 20, 2120.	0.8	15
58	Association among 1267 A/G HSP70-2, 308 G/A TNF-Î± polymorphisms and pro-inflammatory plasma mediators in old ZincAge population. <i>Biogerontology</i> , 2014, 15, 65-79.	2.0	15
59	Effects of zinc-fortified drinking skim milk (as functional food) on cytokine release and thymic hormone activity in very old persons: a pilot study. <i>Age</i> , 2014, 36, 9656.	3.0	14
60	Admission levels of circulating miR-499-5p and risk of death in elderly patients after acute non-ST elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 172, e276-e278.	0.8	46
61	Remodelling of biological parameters during human ageing: evidence for complex regulation in longevity and in type 2 diabetes. <i>Age</i> , 2013, 35, 419-429.	3.0	48
62	Telomere/telomerase system impairment in circulating angiogenic cells of geriatric patients with heart failure. <i>International Journal of Cardiology</i> , 2013, 164, 99-105.	0.8	17
63	Diagnostic potential of circulating miR-499-5p in elderly patients with acute non ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2013, 167, 531-536.	0.8	214
64	Fibrillation properties of human Î±1-acid glycoprotein. <i>Biochimie</i> , 2013, 95, 158-166.	1.3	14
65	Comparison of intracellular zinc signals in nonadherent lymphocytes from young-adult and elderly donors: role of zinc transporters (Zip family) and proinflammatory cytokines. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1256-1263.	1.9	31
66	Age-related differences in the expression of circulating microRNAs: miR-21 as a new circulating marker of inflammaging. <i>Mechanisms of Ageing and Development</i> , 2012, 133, 675-685.	2.2	218
67	Stereoselective alkylation of chiral pyrrolidin-2-ones leading to novel conformationally restricted analogues of 3-methylaspartic acid: a computational investigation. <i>Monatshefte für Chemie</i> , 2012, 143, 1397-1403.	0.9	3
68	Aged-related increase of high sensitive Troponin T and its implication in acute myocardial infarction diagnosis of elderly patients. <i>Mechanisms of Ageing and Development</i> , 2012, 133, 300-305.	2.2	64
69	Insight into the binding interactions of CYP450 aromatase inhibitors with their target enzyme: a combined molecular docking and molecular dynamics study. <i>Journal of Molecular Modeling</i> , 2012, 18, 1153-1166.	0.8	16
70	Anandamide and its congeners inhibit human plasma butyrylcholinesterase. Possible new roles for these endocannabinoids?. <i>Biochimie</i> , 2011, 93, 1584-1591.	1.3	13
71	Quaternary Centres as a Tool for Modulating Foldamer Conformation. <i>Chemistry - A European Journal</i> , 2011, 17, 12564-12568.	1.7	14
72	A novel conformationally restricted analogue of 3-methylaspartic acid via stereoselective methylation of chiral pyrrolidin-2-ones. <i>Tetrahedron</i> , 2010, 66, 400-405.	1.0	16

#	ARTICLE	IF	CITATIONS
73	Association of MT1A haplotype with cardiovascular disease and antioxidant enzyme defense in elderly Greek population: comparison with an Italian cohort. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 1008-1014.	1.9	21
74	Plasma copper/zinc ratio: an inflammatory/nutritional biomarker as predictor of all-cause mortality in elderly population. <i>Biogerontology</i> , 2010, 11, 309-319.	2.0	145
75	Analogues of both Leu- and Met-enkephalin containing a constrained dipeptide isostere prepared from a Baylis-Hillman adduct. <i>Amino Acids</i> , 2010, 38, 1057-1065.	1.2	15
76	Accumulation of Cells With Short Telomeres Is Associated With Impaired Zinc Homeostasis and Inflammation in Old Hypertensive Participants. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 745-751.	1.7	28
77	Molecular Dynamics as a Tool in Rational Drug Design: Current Status and Some Major Applications. <i>Current Computer-Aided Drug Design</i> , 2009, 5, 225-240.	0.8	38
78	Catalytic Mechanism of Diaminopimelate Epimerase: A QM/MM Investigation. <i>Journal of Chemical Theory and Computation</i> , 2009, 5, 1915-1930.	2.3	17
79	Combination of biomarkers to predict mortality in elderly patients with myocardial infarction. <i>Mechanisms of Ageing and Development</i> , 2008, 129, 231-237.	2.2	8
80	A New Conformationally Restricted Mimetic of Dipeptide EG " Synthesis of an Analogue of FEG. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 4402-4407.	1.2	11
81	The inflammation-sensitive protein alpha 1-anti-chymotrypsin neutralizes fibrillar aggregation and cytotoxicity of the beta-amyloid peptide more effectively than alpha 1-antitrypsin. <i>Clinical Biochemistry</i> , 2007, 40, 887-892.	0.8	15
82	Differential course of HIV-1 infection and apolipoprotein E polymorphism. <i>Open Medicine (Poland)</i> , 2007, 2, 404-416.	0.6	1
83	Synthesis and structural characterisation as 12-helix of the hexamer of a Î²-amino acid tethered to a pyrrolidin-2-one ring. <i>Chemical Communications</i> , 2006, , 4915-4917.	2.2	16
84	A short approach to chaetomelic anhydride A from 2,2-dichloropalmitic acid: elucidation of the mechanism governing the functional rearrangement of the chlorinated pyrrolidin-2-one intermediate. <i>Tetrahedron</i> , 2006, 62, 746-757.	1.0	33
85	Stereoselective iodocyclisation of 3-acylamino-2-methylene alkanoates: a computational insight. <i>Tetrahedron</i> , 2006, 62, 10450-10455.	1.0	6
86	Straightforward Synthesis of (R,S)-Î²-Methyleneaspartic Acid, an Inhibitor of Glutamate-Aspartate Transaminase. <i>Monatshefte für Chemie</i> , 2006, 137, 357-363.	0.9	6
87	Tumor necrosis factor-alpha gene -308G>A polymorphism is associated with ST-elevation myocardial infarction and with high plasma levels of biochemical ischemia markers. <i>Coronary Artery Disease</i> , 2005, 16, 489-493.	0.3	38
88	Stereoselective approach to uncommon tripeptides incorporating a 2,6-diaminopimelic acid framework: X-ray analysis and conformational studies. Part 4. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 1103-1112.	1.8	11
89	Chiral 3-hydroxypyrrolidin-2-ones. Part 2: Stereodivergent synthesis of conformationally restricted analogues of Î²-homoserine. <i>Tetrahedron: Asymmetry</i> , 2005, 16, 1779-1787.	1.8	12
90	Conformationally restricted analogues of both (S)-Î²-homoserine and (S)-aspartic acid from chiral 3-acylamino pyrrolidin-2-ones. <i>Tetrahedron</i> , 2005, 61, 5465-5473.	1.0	31

#	ARTICLE	IF	CITATIONS
91	Transthyretin inhibition of amyloid beta aggregation and toxicity. <i>Clinical Biochemistry</i> , 2005, 38, 1112-1119.	0.8	33
92	Homochiral oxazolidin-2-ones and imidazolidin-2-ones by tandem nucleophilic additionâ€“conjugate addition. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 1937-1943.	1.8	6
93	Chiral 3-hydroxypyrrolidin-2-ones from a Baylisâ€“Hillman adduct: convergent, stereoselective synthesis of a glycosidase inhibitor. <i>Tetrahedron: Asymmetry</i> , 2004, 15, 3249-3256.	1.8	18
94	β^2 -Pseudopeptide foldamers. The homo-oligomers of (4R)-(2-oxo-1,3-oxazolidin-4-yl)-acetic acid (Dâ€“Oxac). <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 2181-2187.	1.5	16
95	Stereoselective iodocyclization of 3-Acylamino-2-methylene Alkanoates:â€“ Synthesis of Analogues of N-Benzoyl-syn-phenylisoserine. <i>Organic Letters</i> , 2004, 6, 2571-2574.	2.4	53
96	Transferrin neutralization of amyloid β^{25-35} cytotoxicity. <i>Clinica Chimica Acta</i> , 2004, 350, 129-136.	0.5	26
97	Coenzyme Q ₁₀ , antioxidant status and ApoE isoforms. <i>BioFactors</i> , 2003, 18, 299-305.	2.6	3
98	Stereoselective reductive amination of chiral trans-3-acetyl-4-alkylpyrrolidin-2-ones. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 3697-3703.	1.8	9
99	Synthesis of a conformationally restricted analog of pregabalin by stereoselective alkylation of a chiral pyrrolidin-2-one. <i>Tetrahedron: Asymmetry</i> , 2003, 14, 3353-3358.	1.8	20
100	Albumin protects human red blood cells against A β^{25-35} -induced lysis more effectively than ApoE. <i>NeuroReport</i> , 2002, 13, 2149-2154.	0.6	19
101	In vitro apolipoprotein E protects human red blood cells against lysis induced by amyloid-beta (A β^2) fragment 25-35. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2002, 9, 103-107.	1.4	6
102	Synthesis of unsaturated β^2 -amino acid derivatives from carbamates of the Baylisâ€“Hillman products. <i>Tetrahedron Letters</i> , 2002, 43, 2199-2202.	0.7	48
103	Reduction of 1,4-quinone and Ubiquinones by Hydrogen Atom Transfer under UVA Irradiation. <i>Free Radical Research</i> , 2002, 36, 399-404.	1.5	10
104	Steric constraints against [3,3]-sigmatropic rearrangement of allylic azides. A convenient approach to β^2 -l-4-aminopent-2-enoglyceropyranosides. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 2731-2741.	1.8	20
105	Steady-state and time resolved fluorescence of albumins interacting with N-oleylethanolamine, a component of the endogenous N-acylethanolamines. , 2000, 40, 39-48.		93
106	1,3-Oxazin-2-ones vs tetrahydrofurans by iodocyclisation of 2-alkoxycarbonylamino-3-alken-1-ols. <i>Tetrahedron: Asymmetry</i> , 2000, 11, 3769-3777.	1.8	16
107	From pyrrolidin-2-ones to 3-aza-2-oxobicyclo[3.2.0]heptanes. Synthesis of both enantiomers of cis-2-aminomethylcyclobutane carboxylic acid, a conformationally restricted analogue of GABA. <i>Tetrahedron</i> , 1999, 55, 261-270.	1.0	29
108	Thermodynamic vs. kinetic control in the stereoselective intramolecular conjugate addition of amide enolates leading to chiral trans-3,4-disubstituted pyrrolidin-2-ones. <i>Tetrahedron</i> , 1999, 55, 4029-4042.	1.0	16

#	ARTICLE	IF	CITATIONS
109	Highly regio- and stereoselective iodocyclization of chiral 3-alkoxycarbonyl-4-propenyl-2,2-dimethyl-1,3-oxazolidines: a computational investigation. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 1135-1143.	1.8	18
110	Stereoselective reduction of chiral trans-3-acetyl-4-alkylpyrrolidin-2-ones. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 587-605.	1.8	23
111	From 3-aza-2-oxobicyclo[3.1.0]hexane to enantiopure disubstituted cyclopropane: a convenient approach to cis-2,3-methano-GABA. <i>Tetrahedron: Asymmetry</i> , 1997, 8, 133-137.	1.8	37
112	Diastereomerically pure pyrrolidin-2-ones by intramolecular Michael reaction. Synthesis of both (S)- and (R)-3-pyrrolidineacetic acid. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 79-88.	1.8	38
113	A convenient approach to diastereomerically pure 1,3,4-trisubstituted pyrrolidin-2-ones by intramolecular cyclisation of N-(2-alken-1-yl)amides mediated by Mn(III). An entry to both (R)- and (S)-3-pyrrolidineacetic acid. <i>Tetrahedron</i> , 1996, 52, 1069-1084.	1.0	54
114	Cyclisation of (R)- and (S)-N-allyl-N-(1-phenylethyl) methoxycarbonylacetamide mediated by Mn(III): Preparation and structural assignment of 3-aza-2-oxobicyclo[3.1.0]hexanes. <i>Tetrahedron: Asymmetry</i> , 1996, 7, 3573-3584.	1.8	27
115	Diastereoselective hetero-diels-alder cycloaddition of a C-nitroso compound prepared starting from a homochiral imidazolidin-2-one. <i>Tetrahedron: Asymmetry</i> , 1994, 5, 1535-1540.	1.8	11