Raymond D Semlitsch

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6223537/raymond-d-semlitsch-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 185
 10,227
 54
 94

 papers
 citations
 h-index
 g-index

 186
 10,996
 3.3
 6.58

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
185	Estimating Survival for Elusive Juvenile Pond-Breeding Salamanders. <i>Journal of Wildlife Management</i> , 2020 , 84, 562-575	1.9	5
184	Post-Pleistocene differentiation in a Central Interior Highlands endemic salamander. <i>Ecology and Evolution</i> , 2019 , 9, 11171-11184	2.8	0
183	Effects of conditionally expressed phenotypes and environment on amphibian dispersal in nature. <i>Oikos</i> , 2018 , 127, 1142-1151	4	8
182	Larval salamanders are as effective at short-term mosquito predation as mosquitofish. <i>Canadian Journal of Zoology</i> , 2018 , 96, 1165-1169	1.5	3
181	Using spatial demographic network models to optimize habitat management decisions. <i>Journal of Wildlife Management</i> , 2018 , 82, 649-659	1.9	7
180	Extinction Debt as a Driver of Amphibian Declines: An Example with Imperiled Flatwoods Salamanders. <i>Journal of Herpetology</i> , 2017 , 51, 12-18	1.1	21
179	Structured decision making as a conservation tool for recovery planning of two endangered salamanders. <i>Journal for Nature Conservation</i> , 2017 , 37, 66-72	2.3	13
178	The influence of breeding phenology on the genetic structure of four pond-breeding salamanders. <i>Ecology and Evolution</i> , 2017 , 7, 4670-4681	2.8	11
177	Relative importance of timber harvest and habitat for reptiles in experimental forestry plots. <i>Forest Ecology and Management</i> , 2017 , 402, 21-28	3.9	3
176	Variation in phenology and density differentially affects predator-prey interactions between salamanders. <i>Oecologia</i> , 2017 , 185, 475-486	2.9	12
175	Joint effects of resources and amphibians on pond ecosystems. <i>Oecologia</i> , 2017 , 183, 237-247	2.9	8
174	Stoichiometry and Life-History Interact to Determine the Magnitude of Cross-Ecosystem Element and Biomass Fluxes. <i>Frontiers in Microbiology</i> , 2017 , 8, 814	5.7	10
173	Differences in Larval Allometry among Three Ambystomatid Salamanders. <i>Journal of Herpetology</i> , 2016 , 50, 464-470	1.1	5
172	Non-additive response of larval ringed salamanders to intraspecific density. <i>Oecologia</i> , 2016 , 180, 1137	-45 9	9
171	Reducing bias in population and landscape genetic inferences: the effects of sampling related individuals and multiple life stages. <i>PeerJ</i> , 2016 , 4, e1813	3.1	23
170	Top predators and habitat complexity alter an intraguild predation module in pond communities. Journal of Animal Ecology, 2016 , 85, 548-58	4.7	23
169	Effects of timber harvest on small mammal captures in experimental forestry plots. <i>Animal Biology</i> , 2016 , 66, 347-362	0.7	3

(2015-2016)

168	Overcoming Challenges to the Recovery of Declining Amphibian Populations in the United States. <i>BioScience</i> , 2016 , biw153	5.7	4	
167	Assessing modularity in genetic networks to manage spatially structured metapopulations. <i>Ecosphere</i> , 2016 , 7, e01231	3.1	15	
166	Structure and Dynamics of Spotted Salamander (Ambystoma maculatum) Populations in Missouri. <i>Herpetologica</i> , 2016 , 72, 81-89	1.9	15	
165	Agonistic Behavior and Resource Defense among Sympatric Juvenile Pond-Breeding Salamanders. <i>Journal of Herpetology</i> , 2016 , 50, 388-393	1.1	4	
164	Effects of tannin source and concentration from tree leaves on two species of tadpoles. <i>Environmental Toxicology and Chemistry</i> , 2015 , 34, 120-6	3.8	15	
163	Prescribed fire and timber harvest effects on terrestrial salamander abundance, detectability, and microhabitat use. <i>Journal of Wildlife Management</i> , 2015 , 79, 766-775	1.9	18	
162	Differential dispersal shapes population structure and patterns of genetic differentiation in two sympatric pond breeding salamanders. <i>Conservation Genetics</i> , 2015 , 16, 59-69	2.6	30	
161	Structure and Dynamics ofLithobates sylvaticus(Wood Frog) at the Periphery of Its Range in Missouri. <i>Southeastern Naturalist</i> , 2015 , 14, 329-341	0.4	2	
160	Automated analysis of temperature variance to determine inundation state of wetlands. <i>Wetlands Ecology and Management</i> , 2015 , 23, 1039-1047	2.1	8	
159	Life history differences influence the impacts of drought on two pond-breeding salamanders. <i>Ecological Applications</i> , 2015 , 25, 1896-910	4.9	30	
158	Pond-Breeding Amphibian Community Composition in Missouri. <i>American Midland Naturalist</i> , 2015 , 174, 180-187	0.7	4	
157	Abundance and phenology patterns of two pond-breeding salamanders determine species interactions in natural populations. <i>Oecologia</i> , 2015 , 177, 761-773	2.9	9	
156	A Vector Approach for Modeling Landscape Corridors and Habitat Connectivity. <i>Environmental Modeling and Assessment</i> , 2015 , 20, 1-16	2	4	
155	A multistate markflecapture approach to estimating survival of PIT-tagged salamanders following timber harvest. <i>Journal of Applied Ecology</i> , 2015 , 52, 1316-1324	5.8	16	
154	Intermediate pond sizes contain the highest density, richness, and diversity of pond-breeding amphibians. <i>PLoS ONE</i> , 2015 , 10, e0123055	3.7	51	
153	Partitioning detectability components in populations subject to within-season temporary emigration using binomial mixture models. <i>PLoS ONE</i> , 2015 , 10, e0117216	3.7	13	
152	Importance of forestry practices relative to microhabitat and microclimate changes for juvenile pond-breeding amphibians. <i>Forest Ecology and Management</i> , 2015 , 357, 151-160	3.9	11	
151	Advancing Terrestrial Salamander Population Ecology: The Central Role of Imperfect Detection. Journal of Herpetology, 2015 , 49, 533-540	1.1	21	

150	Habitat traits and species interactions differentially affect abundance and body size in pond-breeding amphibians. <i>Journal of Animal Ecology</i> , 2015 , 84, 914-24	4.7	22
149	Ecological resistance surfaces predict fine-scale genetic differentiation in a terrestrial woodland salamander. <i>Molecular Ecology</i> , 2014 , 23, 2402-13	5.7	120
148	Movement ecology of amphibians: A missing component for understanding population declines. <i>Biological Conservation</i> , 2014 , 169, 44-53	6.2	119
147	Abundance, biomass production, nutrient content, and the possible role of terrestrial salamanders in Missouri Ozark forest ecosystems. <i>Canadian Journal of Zoology</i> , 2014 , 92, 997-1004	1.5	59
146	Spatial variation in water loss predicts terrestrial salamander distribution and population dynamics. <i>Oecologia</i> , 2014 , 176, 357-69	2.9	40
145	Effects of fine-scale forest habitat quality on movement and settling decisions in juvenile pond-breeding salamanders 2014 , 24, 171929		18
144	Predicting Variation in Microhabitat Utilization of Terrestrial Salamanders. Herpetologica, 2014, 70, 259	-265	25
143	No evidence of natal habitat preference induction in juveniles with complex life histories. <i>Animal Behaviour</i> , 2014 , 93, 237-242	2.8	12
142	Predation of Eggs and Recently Hatched Larvae of Endemic Ringed Salamanders (Ambystoma annulatum) by Native and Introduced Aquatic Predators. <i>Herpetologica</i> , 2014 , 70, 378-387	1.9	17
141	Do golf courses reduce the ecological value of headwater streams for salamanders in the southern Appalachian Mountains?. <i>Landscape and Urban Planning</i> , 2014 , 125, 17-27	7.7	11
140	Measuring terrestrial movement behavior using passive integrated transponder (PIT) tags: effects of tag size on detection, movement, survival, and growth. <i>Behavioral Ecology and Sociobiology</i> , 2014 , 68, 343-350	2.5	19
139	Effects of subsidy quality on reciprocal subsidies: how leaf litter species changes frog biomass export. <i>Oecologia</i> , 2014 , 175, 209-18	2.9	26
138	Western mosquitofish (Gambusia affinis) bolster the prevalence and severity of tadpole tail injuries in experimental wetlands. <i>Hydrobiologia</i> , 2014 , 723, 131-144	2.4	19
137	High intraguild predator density induces thinning effects on and increases temporal overlap with prey populations. <i>Population Ecology</i> , 2014 , 56, 265-273	2.1	22
136	Structure and Dynamics of Ringed Salamander (Ambystoma annulatum) Populations in Missouri. <i>Herpetologica</i> , 2014 , 70, 14	1.9	25
135	Development and characterization of 18 microsatellite loci for the spotted salamander (Ambystoma maculatum) using paired-end Illumina shotgun sequencing. <i>Conservation Genetics Resources</i> , 2013 , 5, 989-991	0.8	3
134	Development and characterization of 22 microsatellite loci for the ringed salamander (Ambystoma annulatum) using paired-end Illumina shotgun sequencing. <i>Conservation Genetics Resources</i> , 2013 , 5, 993-995	0.8	5
133	Development of microsatellite loci for the western slimy salamander (Plethodon albagula) using 454 sequencing. <i>Conservation Genetics Resources</i> , 2013 , 5, 267-270	0.8	6

(2010-2013)

132	Demographic network and multi-season occupancy modeling of Rana sylvatica reveal spatial and temporal patterns of population connectivity and persistence. <i>Landscape Ecology</i> , 2013 , 28, 1601-1613	4.3	28	
131	Carryover effects in amphibians: are characteristics of the larval habitat needed to predict juvenile survival? 2013 , 23, 1429-42		26	
130	Mosquitofish dominate amphibian and invertebrate community development in experimental wetlands. <i>Journal of Applied Ecology</i> , 2013 , 50, 1244-1256	5.8	35	
129	Effects of experimental forest management on a terrestrial, woodland salamander in Missouri. Forest Ecology and Management, 2013 , 287, 32-39	3.9	31	
128	Conservation and management of peripheral populations: Spatial and temporal influences on the genetic structure of wood frog (Rana sylvatica) populations. <i>Biological Conservation</i> , 2013 , 158, 351-358	6.2	33	
127	Context-dependent movement behavior of woodland salamanders (Plethodon) in two habitat types. <i>Zoology</i> , 2013 , 116, 325-30	1.7	10	
126	Spatial Subsidies, Trophic State, and Community Structure: Examining the Effects of Leaf Litter Input on Ponds. <i>Ecosystems</i> , 2013 , 16, 639-651	3.9	23	
125	Life history as a predictor of salamander recovery rate from timber harvest in southern appalachian forests, USA. <i>Conservation Biology</i> , 2013 , 27, 1399-409	6	31	
124	Fine-scale habitat associations of a terrestrial salamander: the role of environmental gradients and implications for population dynamics. <i>PLoS ONE</i> , 2013 , 8, e62184	3.7	69	
123	Reciprocal subsidies in ponds: does leaf input increase frog biomass export?. <i>Oecologia</i> , 2012 , 170, 1077	7- 2 87	24	
122	Identification of Polymorphic Loci in Ambystoma annulatum and Review of Cross-species Microsatellite Use in the Genus Ambystoma. <i>Copeia</i> , 2012 , 2012, 570-577	1.1	9	
121	Effects of leachate from tree leaves and grass litter on tadpoles. <i>Environmental Toxicology and Chemistry</i> , 2012 , 31, 1511-7	3.8	23	
120	Successful use of a passive integrated transponder (PIT) system for below-ground detection of plethodontid salamanders. <i>Wildlife Research</i> , 2012 , 39, 1	1.8	18	
119	Testing wetland features to increase amphibian reproductive success and species richness for mitigation and restoration 2012 , 22, 1675-88		47	
118	Terrestrial Performance of Juvenile Frogs in Two Habitat Types after Chronic Larval Exposure to a Contaminant. <i>Journal of Herpetology</i> , 2011 , 45, 186-194	1.1	17	
117	Effects of even-aged timber harvest on stream salamanders: Support for the evacuation hypothesis. <i>Forest Ecology and Management</i> , 2011 , 262, 2344-2353	3.9	26	
116	Biomass export of salamanders and anurans from ponds is affected differentially by changes in canopy cover. <i>Freshwater Biology</i> , 2011 , 56, 2473-2482	3.1	29	
115	Larval responses of three midwestern anurans to chronic, low-dose exposures of four herbicides. Archives of Environmental Contamination and Toxicology, 2010, 58, 819-27	3.2	39	

114	Influences of Design and Landscape Placement Parameters on Amphibian Abundance in Constructed Wetlands. <i>Wetlands</i> , 2010 , 30, 915-928	1.7	76
113	Intersex gonads in frogs: understanding the time course of natural development and role of endocrine disruptors. <i>Journal of Experimental Zoology Part B: Molecular and Developmental Evolution</i> , 2010 , 314, 57-66	1.8	17
112	Survival costs associated with wood frog breeding migrations: effects of timber harvest and drought. <i>Ecology</i> , 2009 , 90, 1620-30	4.6	66
111	Efficacy of riparian buffers in mitigating local population declines and the effects of even-aged timber harvest on larval salamanders. <i>Forest Ecology and Management</i> , 2009 , 257, 8-14	3.9	32
110	Behavioral response of migrating wood frogs to experimental timber harvest surrounding wetlands. <i>Canadian Journal of Zoology</i> , 2009 , 87, 618-625	1.5	21
109	Effects of Timber Harvest on Amphibian Populations: Understanding Mechanisms from Forest Experiments. <i>BioScience</i> , 2009 , 59, 853-862	5.7	157
108	Suitability of golf course ponds for amphibian metamorphosis when bullfrogs are removed. <i>Conservation Biology</i> , 2008 , 22, 172-9	6	21
107	Demographic consequences of terrestrial habitat loss for pool-breeding amphibians: predicting extinction risks associated with inadequate size of buffer zones. <i>Conservation Biology</i> , 2008 , 22, 1205-1	5 ⁶	107
106	Variation in somatic and ovarian development: predicting susceptibility of amphibians to estrogenic contaminants. <i>General and Comparative Endocrinology</i> , 2008 , 156, 524-30	3	36
105	Differentiating Migration and Dispersal Processes for Pond-Breeding Amphibians. <i>Journal of Wildlife Management</i> , 2008 , 72, 260-267	1.9	294
104	Abiotic factors influencing abundance and microhabitat use of stream salamanders in southern Appalachian forests. <i>Forest Ecology and Management</i> , 2008 , 255, 1841-1847	3.9	22
103	Ecology of the Southeastern Crowned Snake, Tantilla coronata. <i>Copeia</i> , 2008 , 2008, 388-394	1.1	12
102	Seasonal Terrestrial Microhabitat Use by Gray Treefrogs (Hyla versicolor) in Missouri Oak-hickory Forests. <i>Herpetologica</i> , 2008 , 64, 259-269	1.9	22
101	The Role of Microhabitats in the Desiccation and Survival of Anurans in Recently Harvested OakHickory Forest. <i>Copeia</i> , 2008 , 2008, 807-814	1.1	87
100	Breeding and Recruitment Phenology of Amphibians in Missouri Oak-Hickory Forests. <i>American Midland Naturalist</i> , 2008 , 160, 41-60	0.7	44
99	Effects of timber harvesting on pond-breeding amphibian persistence: testing the evacuation hypothesis 2008 , 18, 283-9		72
98	Leaf litter input mediates tadpole performance across forest canopy treatments. <i>Oecologia</i> , 2008 , 155, 377-84	2.9	50
97	Developmental disturbances in Rana esculenta tadpoles and metamorphs. <i>Zoosystematics and Evolution</i> , 2008 , 77, 79-86	1.5	2

96	Postbreeding Habitat Use of Wood Frogs in a Missouri Oak-hickory Forest. <i>Journal of Herpetology</i> , 2007 , 41, 645-653	1.1	46
95	Multiple stressors in amphibian communities: effects of chemical contamination, bullfrogs, and fish 2007 , 17, 291-301		133
94	Productivity and significance of headwater streams: population structure and biomass of the black-bellied salamander (Desmognathus quadramaculatus). <i>Freshwater Biology</i> , 2007 , 53, 0710241732	2437002	2-???
93	Estimation of core terrestrial habitat for stream-breeding salamanders and delineation of riparian buffers for protection of biodiversity. <i>Conservation Biology</i> , 2007 , 21, 152-8	6	81
92	Salamander abundance along road edges and within abandoned logging roads in Appalachian forests. <i>Conservation Biology</i> , 2007 , 21, 159-67	6	54
91	Distribution of amphibians in terrestrial habitat surrounding wetlands. <i>Wetlands</i> , 2007 , 27, 153-161	1.7	111
90	Density dependence in the terrestrial life history stage of two anurans. <i>Oecologia</i> , 2007 , 153, 879-89	2.9	76
89	Effects of timber harvest on breeding-site selection by gray treefrogs (Hyla versicolor). <i>Biological Conservation</i> , 2007 , 138, 506-513	6.2	37
88	Sex and seasonal differences in the spatial terrestrial distribution of gray treefrog (Hyla versicolor) populations. <i>Biological Conservation</i> , 2007 , 140, 250-258	6.2	38
87	Intermorph breeding and the potential for reproductive isolation in polymorphic mole salamanders (Ambystoma talpoideum). <i>Behavioral Ecology and Sociobiology</i> , 2006 , 60, 52-61	2.5	13
86	Consequences of forest fragmentation for juvenile survival in spotted (Ambystoma maculatum) and marbled (Ambystoma opacum) salamanders. <i>Canadian Journal of Zoology</i> , 2006 , 84, 797-807	1.5	50
85	Grasslands as movement barriers for a forest-associated salamander: Migration behavior of adult and juvenile salamanders at a distinct habitat edge. <i>Biological Conservation</i> , 2006 , 131, 14-22	6.2	120
84	Metamorphosis of two amphibian species after chronic cadmium exposure in outdoor aquatic mesocosms. <i>Environmental Toxicology and Chemistry</i> , 2005 , 24, 1994-2001	3.8	25
83	Asymmetric reproductive isolation among polymorphic salamanders. <i>Biological Journal of the Linnean Society</i> , 2005 , 86, 265-281	1.9	25
82	EFFECTS OF AN INSECTICIDE ON AMPHIBIANS IN LARGE-SCALE EXPERIMENTAL PONDS 2004 , 14, 685-	691	61
81	SUBSTRATE CUES INFLUENCE HABITAT SELECTION BY SPOTTED SALAMANDERS. <i>Journal of Wildlife Management</i> , 2004 , 68, 1151-1158	1.9	18
80	COMPETITION AND PREDATION MEDIATE THE INDIRECT EFFECTS OF AN INSECTICIDE ON SOUTHERN LEOPARD FROGS 2004 , 14, 1041-1054		61
79	Overwintered Bullfrog Tadpoles Negatively Affect Salamanders and Anurans in Native Amphibian Communities. <i>Copeia</i> , 2004 , 2004, 683-690	1.1	32

78	The effect of soil composition and hydration on the bioavailability and toxicity of cadmium to hibernating juvenile American toads (Bufo americanus). <i>Environmental Pollution</i> , 2004 , 132, 523-32	9.3	24
77	Defining core habitat of local populations of the gray treefrog (Hyla versicolor) based on choice of oviposition site. <i>Oecologia</i> , 2003 , 137, 205-10	2.9	28
76	Interactions of bullfrog tadpole predators and an insecticide: predation release and facilitation. <i>Oecologia</i> , 2003 , 137, 610-6	2.9	48
75	Biological Criteria for Buffer Zones around Wetlands and Riparian Habitats for Amphibians and Reptiles. <i>Conservation Biology</i> , 2003 , 17, 1219-1228	6	524
74	Growth and the expression of alternative life cycles in the salamander Ambystoma talpoideum (Caudata: Ambystomatidae). <i>Biological Journal of the Linnean Society</i> , 2003 , 80, 639-646	1.9	24
73	Critical Elements for Biologically Based Recovery Plans of Aquatic-Breeding Amphibians. <i>Conservation Biology</i> , 2002 , 16, 619-629	6	193
72	An Experimental Investigation of Landscape Resistance of Forest versus Old-Field Habitats to Emigrating Juvenile Amphibians. <i>Conservation Biology</i> , 2002 , 16, 1324-1332	6	258
71	INTERACTIONS OF AN INSECTICIDE WITH COMPETITION AND POND DRYING IN AMPHIBIAN COMMUNITIES 2002 , 12, 307-316		92
70	SPECIFIC RESPONSES OF SEXUAL AND HYBRIDOGENETIC EUROPEAN WATERFROG TADPOLES TO TEMPERATURE. <i>Ecology</i> , 2001 , 82, 766-774	4.6	33
69	Interactions of an Insecticide with Larval Density and Predation in Experimental Amphibian Communities. <i>Conservation Biology</i> , 2001 , 15, 228-238	6	125
68	Differential Predation on Experimental Populations of Parental and Hybrid Leopard Frog (Rana blairi and Rana sphenocephala) Larvae. <i>Journal of Herpetology</i> , 2001 , 35, 479	1.1	6
67	Genetic Variation in Insecticide Tolerance in a Population of Southern Leopard Frogs (Rana sphenocephala): Implications for Amphibian Conservation. <i>Copeia</i> , 2001 , 2001, 7-13	1.1	27
66	Interactions of an Insecticide with Larval Density and Predation in Experimental Amphibian Communities 2001 , 15, 228		82
65	Variation in Pesticide Tolerance of Tadpoles among and within Species of Ranidae and Patterns of Amphibian Decline. <i>Conservation Biology</i> , 2000 , 14, 1490-1499	6	169
64	Differential performance among LDH-B genotypes in Rana lessonae tadpoles. <i>Evolution; International Journal of Organic Evolution</i> , 2000 , 54, 1750-9	3.8	10
63	Life History and Ecology of the Southern Redback Salamander, Plethodon serratus, in Missouri. Journal of Herpetology, 2000 , 34, 341	1.1	8
62	Principles for Management of Aquatic-Breeding Amphibians. <i>Journal of Wildlife Management</i> , 2000 , 64, 615	1.9	306
61	Spontaneous heterosis in larval life-history traits of hemiclonal frog hybrids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 2171-6	11.5	63

60	Biological Delineation of Terrestrial Buffer Zones for Pond-Breeding Salamanders. <i>Conservation Biology</i> , 1998 , 12, 1113-1119	6	292
59	Are Small, Isolated Wetlands Expendable?. <i>Conservation Biology</i> , 1998 , 12, 1129-1133	6	411
58	Call duration as an indicator of genetic quality in male gray tree frogs. Science, 1998, 280, 1928-30	33.3	369
57	Intraspecific heterochrony and life history evolution: decoupling somatic and sexual development in a facultatively paedomorphic salamander. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 5643-8	11.5	68
56	Asymmetric competition in larval amphibian communities: conservation implications for the northern crawfish frog,. <i>Oecologia</i> , 1998 , 116, 219	2.9	16
55	COMPETITION AMONG TADPOLES OF COEXISTING HEMICLONES OF HYBRIDOGENETIC RANA ESCULENTA: SUPPORT FOR THE FROZEN NICHE VARIATION MODEL. <i>Evolution; International Journal of Organic Evolution</i> , 1997 , 51, 1249-1261	3.8	17
54	Competition Among Tadpoles of Coexisting Hemiclones of Hybridogenetic Rana esculenta: Support for the Frozen Niche Variation Model. <i>Evolution; International Journal of Organic Evolution</i> , 1997 , 51, 1249	3.8	68
53	Perceptions of Species Abundance, Distribution, and Diversity:Lessons from Four Decades of Sampling on a Government-Managed Reserve. <i>Environmental Management</i> , 1997 , 21, 259-68	3.1	46
52	Effects of triphenyltin and pH on the growth and development of Rana lessonae and Rana esculenta tadpoles. <i>Environmental Toxicology and Chemistry</i> , 1997 , 16, 1940-1947	3.8	44
51	. Environmental Toxicology and Chemistry, 1997 , 16, 1940	3.8	29
51 50	. Environmental Toxicology and Chemistry, 1997 , 16, 1940 Structure and Dynamics of an Amphibian Community 1996 , 217-248	3.8	29 143
		3.8 1.8	
50	Structure and Dynamics of an Amphibian Community 1996 , 217-248 Genetic compatibility between sexual and clonal genomes in local populations of the		143
50 49	Structure and Dynamics of an Amphibian Community 1996 , 217-248 Genetic compatibility between sexual and clonal genomes in local populations of the hybridogeneticRana esculenta complex. <i>Evolutionary Ecology</i> , 1996 , 10, 531-543 Short-term exposure to triphenyltin affects the swimming and feeding behavior of tadpoles.	1.8 3.8	143
50 49 48	Structure and Dynamics of an Amphibian Community 1996 , 217-248 Genetic compatibility between sexual and clonal genomes in local populations of the hybridogeneticRana esculenta complex. <i>Evolutionary Ecology</i> , 1996 , 10, 531-543 Short-term exposure to triphenyltin affects the swimming and feeding behavior of tadpoles. <i>Environmental Toxicology and Chemistry</i> , 1995 , 14, 1419-1423 Cloacal anatomy of paedomorphic female Ambystoma talpoideum (Caudata: Ambystomatidae),	1.8 3.8	143 33 37
50 49 48 47	Structure and Dynamics of an Amphibian Community 1996, 217-248 Genetic compatibility between sexual and clonal genomes in local populations of the hybridogeneticRana esculenta complex. <i>Evolutionary Ecology</i> , 1996, 10, 531-543 Short-term exposure to triphenyltin affects the swimming and feeding behavior of tadpoles. <i>Environmental Toxicology and Chemistry</i> , 1995, 14, 1419-1423 Cloacal anatomy of paedomorphic female Ambystoma talpoideum (Caudata: Ambystomatidae), with comments on intermorph mating and sperm storage. <i>Canadian Journal of Zoology</i> , 1994, 72, 2147 Effects of predation risk and hunger on the behaviour of two species of tadpoles. <i>Behavioral</i>	1.8 3.8 7-2 ¹ : 5 7	143 33 37
50 49 48 47 46	Structure and Dynamics of an Amphibian Community 1996, 217-248 Genetic compatibility between sexual and clonal genomes in local populations of the hybridogeneticRana esculenta complex. <i>Evolutionary Ecology</i> , 1996, 10, 531-543 Short-term exposure to triphenyltin affects the swimming and feeding behavior of tadpoles. <i>Environmental Toxicology and Chemistry</i> , 1995, 14, 1419-1423 Cloacal anatomy of paedomorphic female Ambystoma talpoideum (Caudata: Ambystomatidae), with comments on intermorph mating and sperm storage. <i>Canadian Journal of Zoology</i> , 1994, 72, 2147 Effects of predation risk and hunger on the behaviour of two species of tadpoles. <i>Behavioral Ecology and Sociobiology</i> , 1994, 34, 393-401 Evolutionary consequences of non-random mating: do large males increase offspring fitness in the	1.8 3.8 7-2 ¹ : 5 7	143 33 37 10

42	Phenotypic Variation in the Arrival Time of Breeding Salamanders: Individual Repeatability and Environmental Influences. <i>Journal of Animal Ecology</i> , 1993 , 62, 334	4.7	36
41	Competition in Two Species of Larval Salamanders: A Test of Geographic Variation in Competitive Ability. <i>Copeia</i> , 1993 , 1993, 587	1.1	11
40	Paedomorphosis in the Salamander Ambystoma Talpoideum: Effects of a Fish Predator. <i>Ecology</i> , 1993 , 74, 342-350	4.6	41
39	ADAPTIVE GENETIC VARIATION IN GROWTH AND DEVELOPMENT OF TADPOLES OF THE HYBRIDOGENETIC RANA ESCULENTA COMPLEX. <i>Evolution; International Journal of Organic Evolution</i> , 1993 , 47, 1805-1818	3.8	39
38	ASYMMETRIC COMPETITION IN MIXED POPULATIONS OF TADPOLES OF THE HYBRIDOGENETIC: RANA ESCULENTA COMPLEX. <i>Evolution; International Journal of Organic Evolution</i> , 1993 , 47, 510-519	3.8	6
37	Effects of Body Size and Parasite Infection on the Locomotory Performance of Juvenile Toads, Bufo bufo. <i>Oikos</i> , 1993 , 66, 129	4	130
36	Female reproductive biology of the southeastern crowned snake (Tantilla coronata). <i>Amphibia - Reptilia</i> , 1992 , 13, 209-218	1.2	13
35	Male reproductive biology of the southeastern crowned snake (Tantilla coronata). <i>Amphibia - Reptilia</i> , 1992 , 13, 219-225	1.2	5
34	PERFORMANCE OF TADPOLES FROM THE HYBRIDOGENETIC RANA ESCULENTA COMPLEX: INTERACTIONS WITH POND DRYING AND INTERSPECIFIC COMPETITION. <i>Evolution; International Journal of Organic Evolution</i> , 1992 , 46, 665-676	3.8	40
33	Effects of nonlethal injury and habitat complexity on predation in tadpole populations. <i>Canadian Journal of Zoology</i> , 1991 , 69, 830-834	1.5	39
32	Mating behavior and determinants of male mating success in the gray treefrog, Hyla chrysoscelis. <i>Canadian Journal of Zoology</i> , 1991 , 69, 246-250	1.5	28
31	LOCAL VARIATION IN THE GENETIC BASIS OF PAEDOMORPHOSIS IN THE SALAMANDER AMBYSTOMA TALPOIDEUM. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1588-1603	3.8	53
30	PAEDOMORPHOSIS IN AMBYSTOMA TALPOIDEUM: MAINTENANCE OF POPULATION VARIATION AND ALTERNATIVE LIFE-HISTORY PATHWAYS. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1604-1613	3.8	103
29	Paedomorphosis in Ambystoma talpoideum: Maintenance of Population Variation and Alternative Life-History Pathways. <i>Evolution; International Journal of Organic Evolution</i> , 1990 , 44, 1604	3.8	79
28	Population Variation in Survival and Metamorphosis of Larval Salamanders (Ambystoma maculatum) in the Presence and Absence of Fish Predation. <i>Copeia</i> , 1990 , 1990, 818	1.1	26
27	Effects of Egg Size on Success of Larval Salamanders in Complex Aquatic Environments. <i>Ecology</i> , 1990 , 71, 1789-1795	4.6	62
26	Ecological Consequences of Tail Injury in Rana Tadpoles. <i>Copeia</i> , 1990 , 1990, 18	1.1	34
25	Effects of body size, sibship, and tail injury on the susceptibility of tadpoles to dragonfly predation. <i>Canadian Journal of Zoology</i> , 1990 , 68, 1027-1030	1.5	76

24	Density-dependent injury in larval salamanders. <i>Oecologia</i> , 1989 , 81, 100-103	2.9	46
23	Influence of wetland hydroperiod on diversity and abundance of metamorphosing juvenile amphibians. Wetlands Ecology and Management, 1989, 1, 3	2.1	172
22	Lack of Largemouth Bass Predation on Hatchling Turtles (Trachemys scripta). <i>Copeia</i> , 1989 , 1989, 1030	1.1	7
21	ARTIFICIAL SELECTION FOR PAEDOMORPHOSIS IN THE SALAMANDER AMBYSTOMA TALPOIDEUM. <i>Evolution; International Journal of Organic Evolution</i> , 1989 , 43, 105-112	3.8	100
20	Fish predation in size-structured populations of treefrog tadpoles. <i>Oecologia</i> , 1988 , 75, 321-326	2.9	67
19	Size-dependent cannibalism in noctuid caterpillars. <i>Oecologia</i> , 1988 , 77, 286-288	2.9	9
18	Time and Size at Metamorphosis Related to Adult Fitness in Ambystoma Talpoideum. <i>Ecology</i> , 1988 , 69, 184-192	4.6	571
17	Trophic relations in a temporary pond: larval salamanders and their microinvertebrate prey. <i>Canadian Journal of Zoology</i> , 1988 , 66, 2191-2198	1.5	56
16	Effects of Temperature on Growth, Development, and Color Polymorphism in the Ornate Chorus Frog Pseudacris ornata. <i>Copeia</i> , 1988 , 1988, 1001	1.1	70
15	Allotopic Distribution of Two Salamanders: Effects of Fish Predation and Competitive Interactions. <i>Copeia</i> , 1988 , 1988, 290	1.1	28
14	Density-Dependent Growth and Fecundity in the Paedomorphic Salamander Ambystoma Talpoideum. <i>Ecology</i> , 1987 , 68, 1003-1008	4.6	42
13	Relationship of Pond Drying to the Reproductive Success of the Salamander Ambystoma talpoideum. <i>Copeia</i> , 1987 , 1987, 61	1.1	93
12	Interactions between fish and salamander larvae: Costs of predator avoidance or competition?. <i>Oecologia</i> , 1987 , 72, 481-486	2.9	72
11	Paedomorphosis in Ambystoma Talpoideum: Effects of Density, Food, and Pond Drying. <i>Ecology</i> , 1987 , 68, 994-1002	4.6	95
10	Life History of the Northern Mole Cricket, Neocurtilla hexadactyla (Orthoptera: Gryllotalpidae), Utilizing Carolina-bay Habitats. <i>Annals of the Entomological Society of America</i> , 1986 , 79, 256-261	2	7
9	Diel activity patterns in the breeding migrations of winter-breeding anurans. <i>Canadian Journal of Zoology</i> , 1986 , 64, 1116-1120	1.5	22
8	Reproductive strategy of a facultatively paedomorphic salamander Ambystoma talpoideum. <i>Oecologia</i> , 1985 , 65, 305-313	2.9	95
7	Diel Pattern of Migratory Activity for Several Species of Pond-Breeding Salamanders. <i>Copeia</i> , 1985 , 1985, 86	1.1	23

6	Analysis of Climatic Factors Influencing Migrations of the Salamander Ambystoma talpoideum. <i>Copeia</i> , 1985 , 1985, 477	1.1	59
5	Phenotypic Variation in Metamorphosis and Paedomorphosis in the Salamander Ambystoma talpoideum. <i>Ecology</i> , 1985 , 66, 1123-1130	4.6	42
4	Structure and Dynamics of Two Breeding Populations of the Eastern Tiger Salamander, Ambystoma tigrinum. <i>Copeia</i> , 1983 , 1983, 608	1.1	30
3	Body Size Dimorphism and Sexual Selection in Two Species of Water Snakes. <i>Copeia</i> , 1982 , 1982, 974	1.1	18
2	Effects of Density of Growth, Metamorphosis, and Survivorship in Tadpoles of Scaphiopus Holbrooki. <i>Ecology</i> , 1982 , 63, 905-911	4.6	99
1	Terrestrial activity and summer home range of the mole salamander (Ambystoma talpoideum). <i>Canadian Journal of Zoology</i> , 1981 , 59, 315-322	1.5	85