

# Mario Petretta

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6224422/mario-petretta-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219  
papers

3,941  
citations

33  
h-index

52  
g-index

251  
ext. papers

4,817  
ext. citations

3.8  
avg. IF

5.15  
L-index

| #   | Paper  | IF  | Citations |
|-----|--|-----|-----------|
| 219 | Impact of COVID-19 pandemic on 2-[F]FDG PET/CT imaging work-flow in a single medical institution: comparison among the three Italian waves.. <i>Heliyon</i> , <b>2022</b> , 8, e08819  | 3.6 | 0         |
| 218 | Simultaneous assessment of myocardial perfusion and adrenergic innervation in patients with heart failure by low-dose dual-isotope CZT SPECT imaging.. <i>Journal of Nuclear Cardiology</i> , <b>2022</b> , 1  | 2.1 | 0         |
| 217 | Quantification of Coronary Artery Atherosclerotic Burden and Muscle Mass: Exploratory Comparison of Two Freely Available Software Programs. <i>Applied Sciences (Switzerland)</i> , <b>2022</b> , 12, 5468   | 2.6 | 0         |
| 216 | Head-to-head comparison of diagnostic accuracy of stress-only myocardial perfusion imaging with conventional and cadmium-zinc telluride single-photon emission computed tomography in women with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 888-897 | 2.1 | 20        |
| 215 | Prostate Volume Estimation on MRI: Accuracy and Effects of Ellipsoid and Bullet-Shaped Measurements on PSA Density. <i>Academic Radiology</i> , <b>2021</b> , 28, e219-e226  | 4.3 | 8         |
| 214 | External validation of the CRAX2MACE model in an Italian cohort of patients with suspected coronary artery disease undergoing stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 1  | 2.1 | 3         |
| 213 | A Comparison among Different Machine Learning Pretest Approaches to Predict Stress-Induced Ischemia at PET/CT Myocardial Perfusion Imaging. <i>Computational and Mathematical Methods in Medicine</i> , <b>2021</b> , 2021, 3551756  | 2.8 | 2         |
| 212 | Comparing the Prognostic Value of Stress Myocardial Perfusion Imaging by Conventional and Cadmium-Zinc Telluride Single-Photon Emission Computed Tomography through a Machine Learning Approach. <i>Computational and Mathematical Methods in Medicine</i> , <b>2021</b> , 2021, 5288844             | 2.8 | 0         |
| 211 | Pretest models for predicting abnormal stress single-photon emission computed tomography myocardial perfusion imaging <b>2021</b> , 28, 1891   |     | 1         |
| 210 | Clinically Significant Prostate Cancer Detection With Biparametric MRI: A Systematic Review and Meta-Analysis. <i>American Journal of Roentgenology</i> , <b>2021</b> , 216, 608-621   | 5.4 | 8         |
| 209 | Machine learning analysis: general features, requirements and cardiovascular applications. <i>Minerva Cardiology and Angiology</i> , <b>2021</b> ,   | 2.4 | 3         |
| 208 | Prediction of placenta accreta spectrum in patients with placenta previa using clinical risk factors, ultrasound and magnetic resonance imaging findings. <i>Radiologia Medica</i> , <b>2021</b> , 126, 1216-1225  | 6.5 | 2         |
| 207 | Prognostic value of coronary flow reserve in patients with suspected or known coronary artery disease referred to PET myocardial perfusion imaging: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 904-918  | 2.1 | 13        |
| 206 | Pretest models for predicting abnormal stress single-photon emission computed tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 1891-1902  | 2.1 | 10        |
| 205 | Diagnostic performance of myocardial perfusion imaging with conventional and CZT single-photon emission computed tomography in detecting coronary artery disease: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 698-715  | 2.1 | 13        |
| 204 | Effects of the COVID-19 pandemic on myocardial perfusion imaging for ischemic heart disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 48, 421-427   | 8.8 | 7         |
| 203 | Prognostic value of myocardial perfusion imaging in patients with chronic kidney disease: A systematic review and meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 1  | 2.1 | 3         |

|     |   |     |    |
|-----|---|-----|----|
| 202 | Cardiac magnetic resonance imaging during the COVID-19 pandemic: A southern Italian single-center experience. <i>European Journal of Radiology Open</i> , <b>2021</b> , 8, 100319   | 2.6 | 1  |
| 201 | Relation between myocardial blood flow and cardiac events in diabetic patients with suspected coronary artery disease and normal myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 28, 1222-1233   | 2.1 | 2  |
| 200 | Prognostic value of coronary vascular dysfunction assessed by rubidium-82 PET/CT imaging in patients with resistant hypertension without overt coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 48, 3162-3171         | 8.8 | 3  |
| 199 | Imaging prediction with ultrasound and MRI of long-term medical outcome in native liver survivor patients with biliary atresia after kasai portoenterostomy: a pilot study. <i>Abdominal Radiology</i> , <b>2021</b> , 46, 2595-2603  | 3   | 3  |
| 198 | Prognostic value of heart rate reserve in patients with suspected coronary artery disease undergoing stress myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 1  | 2.1 | 0  |
| 197 | Effect of changes in perfusion defect size during serial stress myocardial perfusion imaging on cardiovascular outcomes in patients treated with primary percutaneous coronary intervention after myocardial infarction. <i>Journal of Nuclear Cardiology</i> , <b>2021</b> , 1 | 2.1 | 2  |
| 196 | A machine learning-based approach to directly compare the diagnostic accuracy of myocardial perfusion imaging by conventional and cadmium-zinc telluride SPECT. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1  | 2.1 | 8  |
| 195 | Quantification of myocardial perfusion reserve by CZT-SPECT: A head to head comparison with Rubidium PET imaging. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1  | 2.1 | 11 |
| 194 | Relationship between heart rate response and cardiac innervation in patients with suspected or known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1  | 2.1 | 1  |
| 193 | Diagnostic value of clinical risk scores for predicting normal stress myocardial perfusion imaging in subjects without coronary artery calcium. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 1  | 2.1 | 2  |
| 192 | Pulmonary Hypertension Phenotypes in Systemic Sclerosis: The Right Diagnosis for the Right Treatment. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,  | 6.3 | 8  |
| 191 | The cardiac conundrum: a systematic review and bibliometric analysis of authorship in cardiac magnetic resonance imaging studies. <i>Insights Into Imaging</i> , <b>2020</b> , 11, 42   | 5.6 | 3  |
| 190 | FDG-PET/CT imaging during the Covid-19 emergency: a southern Italian perspective. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 2691-2697   | 8.8 | 21 |
| 189 | Ultrasound, shear-wave elastography, and magnetic resonance imaging in native liver survivor patients with biliary atresia after Kasai portoenterostomy: correlation with medical outcome after treatment. <i>Acta Radiologica</i> , <b>2020</b> , 61, 1300-1308                | 2   | 6  |
| 188 | Tumor segmentation analysis at different post-contrast time points: A possible source of variability of quantitative DCE-MRI parameters in locally advanced breast cancer. <i>European Journal of Radiology</i> , <b>2020</b> , 126, 108907                                     | 4.7 | 7  |
| 187 | Machine Learning in oncology: A clinical appraisal. <i>Cancer Letters</i> , <b>2020</b> , 481, 55-62  | 9.9 | 46 |
| 186 | Low-dose dynamic myocardial perfusion imaging by CZT-SPECT in the identification of obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 1705-1712  | 8.8 | 10 |
| 185 | Identification and typing of cardiac amyloidosis by noninvasive imaging: Two cases for two patterns. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 915-920   | 2.1 | 2  |

|     |  |     |    |
|-----|--|-----|----|
| 184 | Combined evaluation of regional coronary artery calcium and myocardial perfusion by Rb PET/CT in predicting lesion-related outcome. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2020</b> , 47, 1698-1704                          | 8.8 | 8  |
| 183 | Warranty period of normal stress myocardial perfusion imaging in hypertensive patients: A parametric survival analysis. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 534-541   | 2.1 | 5  |
| 182 | Temporal trends of abnormal myocardial perfusion imaging in a cohort of Italian subjects: Relation with cardiovascular risk factors. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 2167-2177  | 2.1 | 8  |
| 181 | Long-term prognostic value of low-dose normal stress-only myocardial perfusion imaging by wide beam reconstruction: A competing risk analysis. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 547-557  | 2.1 | 3  |
| 180 | Myocardial perfusion imaging for diabetes: Key points from the evidence and clinical questions to be answered. <i>Journal of Nuclear Cardiology</i> , <b>2020</b> , 27, 1569-1577  | 2.1 | 4  |
| 179 | What Is the Cardiac Impact of Chemotherapy and Subsequent Radiotherapy in Lymphoma Patients?. <i>Antioxidants and Redox Signaling</i> , <b>2019</b> , 31, 1166-1174  | 8.4 | 11 |
| 178 | Prostate MRI technical parameters standardization: A systematic review on adherence to PI-RADSV2 acquisition protocol. <i>European Journal of Radiology</i> , <b>2019</b> , 120, 108662  | 4.7 | 18 |
| 177 | Coronary vascular function in patients with resistant hypertension and normal myocardial perfusion: a propensity score analysis. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 949-958 <sup>4.1</sup>                             |     | 8  |
| 176 | Incremental Value of Sestamibi SPECT/CT Over Dual-Phase Planar Scintigraphy in Patients With Primary Hyperparathyroidism and Inconclusive Ultrasound. <i>Frontiers in Medicine</i> , <b>2019</b> , 6, 164  | 4.9 | 9  |
| 175 | US and MR imaging findings to detect placental adhesion spectrum (PAS) in patients with placenta previa: a comparative systematic study. <i>Abdominal Radiology</i> , <b>2019</b> , 44, 3398-3407  | 3   | 9  |
| 174 | Relationship between epicardial adipose tissue and coronary vascular function in patients with suspected coronary artery disease and normal myocardial perfusion imaging. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2019</b> , 20, 1379-1387 | 4.1 | 14 |
| 173 | EXPRESS: Cardiac Sympathetic Dysfunction in Pulmonary Arterial Hypertension: Lesson from Left-sided Heart Failure. <i>Pulmonary Circulation</i> , <b>2019</b> , 2045894019868620   | 2.7 | 8  |
| 172 | Current applications of big data and machine learning in cardiology. <i>Journal of Geriatric Cardiology</i> , <b>2019</b> , 16, 601-607  | 1.7 | 26 |
| 171 | New Drugs, Therapeutic Strategies, and Future Direction for the Treatment of Pulmonary Arterial Hypertension. <i>Current Medicinal Chemistry</i> , <b>2019</b> , 26, 2844-2864   | 4.3 | 11 |
| 170 | A New Relational Database Including Clinical Data and Myocardial Perfusion Imaging Findings in Coronary Artery Disease. <i>Current Medical Imaging</i> , <b>2019</b> , 15, 661-671   | 1.2 | 7  |
| 169 | Added prognostic value of left ventricular shape by gated SPECT imaging in patients with suspected coronary artery disease and normal myocardial perfusion. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 1148-1156                               | 2.1 | 3  |
| 168 | Coronary vascular age: An alternate means for predicting stress-induced myocardial ischemia in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 1348-1355   | 2.1 | 7  |
| 167 | My warranty has expired: I need to be retested. <i>Journal of Nuclear Cardiology</i> , <b>2019</b> , 26, 998-1006  | 2.1 | 1  |

|     |  |     |    |
|-----|--|-----|----|
| 166 | Combined evaluation of regional coronary artery calcium and myocardial perfusion by Rb PET/CT in the identification of obstructive coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2018</b> , 45, 521-529              | 8.8 | 26 |
| 165 | Characterization of Adrenal Lesions on Unenhanced MRI Using Texture Analysis: A Machine-Learning Approach. <i>Journal of Magnetic Resonance Imaging</i> , <b>2018</b> , 48, 198-204  | 5.6 | 39 |
| 164 | The role of dynamic post-contrast T1-w MRI sequence to characterize lipid-rich and lipid-poor adrenal adenomas in comparison to non-adenoma lesions: preliminary results. <i>Abdominal Radiology</i> , <b>2018</b> , 43, 2119-2129                                     | 3   | 5  |
| 163 | Long-term prognostic value of coronary artery calcium scanning, coronary computed tomographic angiography and stress myocardial perfusion imaging in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 833-841 | 2.1 | 13 |
| 162 | Negative predictive value of stress myocardial perfusion imaging and coronary computed tomography angiography: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 1588-1597   | 2.1 | 14 |
| 161 | Assessment of asynchrony by gated myocardial perfusion imaging improves patient management: Pro. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 532-535  | 2.1 | 1  |
| 160 | Diagnostic accuracy of magnetic resonance imaging in assessing placental adhesion disorder in patients with placenta previa: Correlation with histological findings. <i>European Journal of Radiology</i> , <b>2018</b> , 106, 77-84                                   | 4.7 | 14 |
| 159 | Comparison of left ventricular shape by gated SPECT imaging in diabetic and nondiabetic patients with normal myocardial perfusion: A propensity score analysis. <i>Journal of Nuclear Cardiology</i> , <b>2018</b> , 25, 394-403                                       | 2.1 | 13 |
| 158 | A common polymorphism in the SCN5A gene is associated with dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , <b>2018</b> , 19, 344-350   | 1.9 | 13 |
| 157 | PSA-density does not improve bi-parametric prostate MR detection of prostate cancer in a biopsy naïve patient population. <i>European Journal of Radiology</i> , <b>2018</b> , 104, 64-70  | 4.7 | 22 |
| 156 | Quantitative relationship between coronary artery calcium and myocardial blood flow by hybrid rubidium-82 PET/CT imaging in patients with suspected coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>2017</b> , 24, 494-501                          | 2.1 | 21 |
| 155 | Assessment of cardiovascular impairment in obese patients: Limitations and troubleshooting of available imaging tools. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , <b>2017</b> , 36, 247-253  | 0.4 | 0  |
| 154 | Complement C3a levels and misinterpretation of classifier technology. <i>Inflammation Research</i> , <b>2017</b> , 66, 281-282   | 7.2 |    |
| 153 | Coronary atherosclerotic burden vs. coronary vascular function in diabetic and nondiabetic patients with normal myocardial perfusion: a propensity score analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 1129-1135     | 8.8 | 16 |
| 152 | Prognostic value of atherosclerotic burden and coronary vascular function in patients with suspected coronary artery disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 2290-2298  | 8.8 | 21 |
| 151 | Cardiac sympathetic neuronal damage precedes myocardial fibrosis in patients with Anderson-Fabry disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2017</b> , 44, 2266-2273  | 8.8 | 21 |
| 150 | Assessment of cardiovascular impairment in obese patients: Limitations and troubleshooting of available imaging tools. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , <b>2017</b> , 36, 247-253  | 0.1 |    |
| 149 | Long-Term Survival Benefit of Coronary Revascularization in Patients Undergoing Stress Myocardial Perfusion Imaging. <i>Circulation Journal</i> , <b>2016</b> , 80, 485-93   | 2.9 | 10 |

|     |   |     |    |
|-----|---|-----|----|
| 148 | Prediction Models for Cardiac Risk Classification with Nuclear Cardiology Techniques. <i>Current Cardiovascular Imaging Reports</i> , <b>2016</b> , 9, 1  | 0.7 |    |
| 147 | Long-term prognostic value of stress myocardial perfusion imaging and coronary computed tomography angiography: A meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2016</b> , 23, 185-97  | 2.1 | 12 |
| 146 | Noninvasive Cardiac Imaging in Obesity: Challenges and Opportunities. <i>Current Cardiovascular Imaging Reports</i> , <b>2016</b> , 9, 1  | 0.7 | 2  |
| 145 | Novel metrics for risk stratification with nuclear cardiology. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2016</b> , 60, 308-17  | 1.4 |    |
| 144 | Letter by Petretta regarding article, "Catheter ablation of atrial fibrillation in patients with left ventricular systolic dysfunction: a systematic review and meta-analysis". <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2015</b> , 8, 245 | 6.4 | 1  |
| 143 | Quantitative Assessment of Myocardial Blood Flow with SPECT. <i>Progress in Cardiovascular Diseases</i> , <b>2015</b> , 57, 607-14  | 8.5 | 21 |
| 142 | Beyond ultrasound: advances in multimodality cardiac imaging. <i>Internal and Emergency Medicine</i> , <b>2015</b> , 10, 9-20   | 3.7 | 9  |
| 141 | <sup>123</sup> I-Metaiodobenzylguanidine cardiac innervation imaging: methods and interpretation. <i>Clinical and Translational Imaging</i> , <b>2015</b> , 3, 357-363  | 2   | 2  |
| 140 | Screening asymptomatic patients with type 2 diabetes is recommended: Pro. <i>Journal of Nuclear Cardiology</i> , <b>2015</b> , 22, 1225-8   | 2.1 | 6  |
| 139 | Cardiac innervation imaging: implications for risk stratification and therapeutic decision-making. <i>Clinical and Translational Imaging</i> , <b>2015</b> , 3, 387-388   | 2   |    |
| 138 | Prevalence and Severity of Myocardial Perfusion Imaging Abnormalities in Inmate Subjects. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133360  | 3.7 | 0  |
| 137 | Recent Advances on Pathophysiology, Diagnostic and Therapeutic Insights in Cardiac Dysfunction Induced by Antineoplastic Drugs. <i>BioMed Research International</i> , <b>2015</b> , 2015, 138148   | 3   | 32 |
| 136 | Mitral peak early diastolic filling velocity to deceleration time ratio as a predictor of prognosis in patients with chronic heart failure and preserved or reduced ejection fraction. <i>Journal of Geriatric Cardiology</i> , <b>2015</b> , 12, 346-52    | 1.7 | 3  |
| 135 | Impact of obesity and acquisition protocol on (123)I-metaiodobenzylguanidine indexes of cardiac sympathetic innervation. <i>Quantitative Imaging in Medicine and Surgery</i> , <b>2015</b> , 5, 822-8   | 3.6 | 12 |
| 134 | Cardiac Radionuclide Imaging After Coronary Artery Revascularization. <i>Current Cardiovascular Imaging Reports</i> , <b>2014</b> , 7, 1  | 0.7 |    |
| 133 | Warranty period of normal stress myocardial perfusion imaging in diabetic patients: a propensity score analysis. <i>Journal of Nuclear Cardiology</i> , <b>2014</b> , 21, 50-6  | 2.1 | 26 |
| 132 | Genetic deletion in uncoupling protein 3 augments 18F-fluorodeoxyglucose cardiac uptake in the ischemic heart. <i>BMC Cardiovascular Disorders</i> , <b>2014</b> , 14, 98   | 2.3 | 3  |
| 131 | Prognostic value of normal stress myocardial perfusion imaging in diabetic patients: a meta-analysis. <i>Journal of Nuclear Cardiology</i> , <b>2014</b> , 21, 893-902; quiz 890-2, 903-5   | 2.1 | 27 |



|     |  |     |    |
|-----|--|-----|----|
| 130 | Reclassification of cardiovascular risk by myocardial perfusion imaging in diabetic patients with abnormal resting electrocardiogram. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2014</b> , 24, 588-93                            | 4.5 | 6  |
| 129 | Prognostic Value of Stress Myocardial Perfusion Imaging in Asymptomatic Diabetic Patients. <i>Current Cardiovascular Imaging Reports</i> , <b>2014</b> , 7, 1  | 0.7 | 2  |
| 128 | Arterial wave reflections and ventricular-vascular interaction in patients with left ventricular systolic dysfunction. <i>International Heart Journal</i> , <b>2014</b> , 55, 526-32   | 1.8 | 12 |
| 127 | Letter by Petretta and Cuocolo regarding article, "Four-variable risk model in men and women with heart failure". <i>Circulation: Heart Failure</i> , <b>2014</b> , 7, 380   | 7.6 |    |
| 126 | Role of nuclear cardiology for guiding device therapy in patients with heart failure. <i>World Journal of Meta-analysis</i> , <b>2014</b> , 2, 1   | 0.5 | 2  |
| 125 | Reply: Logistic regression, odds ratio, and factor variables. <i>Journal of Nuclear Cardiology</i> , <b>2013</b> , 20, 652-32  | 1   |    |
| 124 | Prognosis in the era of comparative effectiveness research. <i>Journal of Nuclear Cardiology</i> , <b>2013</b> , 20, 313   | 2.1 | 1  |
| 123 | Observer reproducibility of results from a low-dose 123I-metaiodobenzylguanidine cardiac imaging protocol in patients with heart failure. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 1549-57              | 8.8 | 30 |
| 122 | Myocardial perfusion imaging after coronary revascularization: a clinical appraisal. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 1275-82   | 8.8 | 9  |
| 121 | Cardiovascular risk stratification in diabetic patients. <i>Clinical and Translational Imaging</i> , <b>2013</b> , 1, 325-339  | 2   | 2  |
| 120 | Post-stress left ventricular ejection fraction drop in patients with diabetes: a gated myocardial perfusion imaging study. <i>BMC Cardiovascular Disorders</i> , <b>2013</b> , 13, 99  | 2.3 | 8  |
| 119 | Reduced cardiac 123I-metaiodobenzylguanidine uptake in patients with spinocerebellar ataxia type 2: a comparative study with Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2013</b> , 40, 1914-21      | 8.8 | 12 |
| 118 | Hemodialysis does not affect ventricular-arterial coupling beyond the reduction of blood pressure and preload. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 1553-4  | 3.2 | 3  |
| 117 | Incremental prognostic value of stress myocardial perfusion imaging in asymptomatic diabetic patients. <i>Atherosclerosis</i> , <b>2013</b> , 227, 307-12  | 3.1 | 27 |
| 116 | Transient ischemic dilation in SPECT myocardial perfusion imaging for prediction of severe coronary artery disease in diabetic patients. <i>Journal of Nuclear Cardiology</i> , <b>2013</b> , 20, 45-52  | 2.1 | 20 |
| 115 | Transient ischemic dilation in patients with diabetes mellitus: prognostic value and effect on clinical outcome after coronary revascularization. <i>Circulation: Cardiovascular Imaging</i> , <b>2013</b> , 6, 908-15                               | 3.9 | 8  |
| 114 | Myocardial perfusion imaging and risk classification for coronary heart disease in diabetic patients. The IDIS study: a prospective, multicentre trial. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2012</b> , 39, 387-95 | 8.8 | 30 |
| 113 | Prognostic value of coronary artery calcium score and coronary CT angiography in patients with intermediate risk of coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , <b>2012</b> , 28, 1547-56                      | 2.5 | 32 |

|     |  |     |    |
|-----|--|-----|----|
| 112 | In search of a marker of vulnerable carotid plaque: is the key in the heart?. <i>Atherosclerosis</i> , <b>2012</b> , 223, 95-7   | 3.1 | 5  |
| 111 | Assessing Myocardial Viability in Patients with Ischemic Left Ventricular Dysfunction. <i>Current Cardiovascular Imaging Reports</i> , <b>2012</b> , 5, 390-392  | 0.7 |    |
| 110 | Prediction models for risk classification in cardiovascular disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2012</b> , 39, 1959-69   | 8.8 | 8  |
| 109 | Reproducibility and accuracy of non-invasive measurement of infarct size in mice with high-resolution PET/CT. <i>Journal of Nuclear Cardiology</i> , <b>2012</b> , 19, 492-9   | 2.1 | 12 |
| 108 | Pitfalls in statistical methods. <i>Journal of Nuclear Cardiology</i> , <b>2012</b> , 19, 818; author reply 819  | 2.1 | 4  |
| 107 | Quantification of Myocardial Perfusion: SPECT. <i>Current Cardiovascular Imaging Reports</i> , <b>2012</b> , 5, 144-150  | 0.7 | 3  |
| 106 | Imaging techniques for assessment of coronary flow reserve. <i>Monaldi Archives for Chest Disease</i> , <b>2011</b> , 76, 192-7  | 2.7 | 2  |
| 105 | Review and metaanalysis of the frequency of familial dilated cardiomyopathy. <i>American Journal of Cardiology</i> , <b>2011</b> , 108, 1171-6   | 3   | 85 |
| 104 | Myocardial perfusion scintigraphy and echocardiography for detecting coronary artery disease in hypertensive patients: a meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2011</b> , 38, 2040-9 | 8.8 | 16 |
| 103 | Incremental prognostic value of coronary flow reserve assessed with single-photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , <b>2011</b> , 18, 612-9   | 2.1 | 25 |
| 102 | Current and Future Status of Blood Flow Tracers. <i>Current Cardiovascular Imaging Reports</i> , <b>2011</b> , 4, 227-236  | 0.7 | 3  |
| 101 | Prognostic Value of CT Coronary Angiography in Diabetes. <i>Current Cardiovascular Imaging Reports</i> , <b>2011</b> , 4, 332-334  | 0.7 |    |
| 100 | C-reactive protein levels are associated with paraoxonase polymorphism L55M in patients undergoing cardiac SPECT imaging. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>2011</b> , 71, 179-84            | 2   | 4  |
| 99  | Impact of gender in primary prevention of coronary heart disease with statin therapy: a meta-analysis. <i>International Journal of Cardiology</i> , <b>2010</b> , 138, 25-31   | 3.2 | 85 |
| 98  | Assessment of poststress left ventricular ejection fraction by gated SPECT: comparison with equilibrium radionuclide angiocardiology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 37, 349-56   | 8.8 | 7  |
| 97  | Prognostic Value of Myocardial Perfusion Imaging in the Elderly. <i>Current Cardiovascular Imaging Reports</i> , <b>2010</b> , 3, 51-53  | 0.7 |    |
| 96  | Gated SPECT myocardial perfusion imaging: the further improvements of an excellent tool. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2010</b> , 54, 129-44   | 1.4 | 11 |
| 95  | Calcium channel blockers and cardiovascular outcomes: a meta-analysis of 175,634 patients. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1136-51  | 1.9 | 73 |



|    |  |     |    |
|----|--|-----|----|
| 94 | Incremental prognostic value of cardiac single-photon emission computed tomography after nitrate administration in patients with ischemic left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , <b>2009</b> , 16, 38-44                                 | 2.1 | 9  |
| 93 | Assessment of the arterial input function for estimation of coronary flow reserve by single photon emission computed tomography: comparison of two different approaches. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2009</b> , 36, 2034-41 | 8.8 | 14 |
| 92 | Cardiac performance during exercise in hypertensive patients without ventricular hypertrophy. <i>European Journal of Clinical Investigation</i> , <b>2009</b> , 39, 664-70   | 4.6 | 4  |
| 91 | Stress cardiac single-photon emission computed tomographic imaging late after coronary artery bypass surgery for risk stratification and estimation of time to cardiac events. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2008</b> , 136, 46-51        | 1.5 | 16 |
| 90 | Noninvasive assessment of coronary anatomy and myocardial perfusion: going toward an integrated imaging approach. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 977-86  | 1.9 | 13 |
| 89 | Impact of inducible ischemia by stress SPECT in cardiac risk assessment in diabetic patients: rationale and design of a prospective, multicenter trial. <i>Journal of Nuclear Cardiology</i> , <b>2008</b> , 15, 100-4   | 2.1 | 16 |
| 88 | Assessment of coronary flow reserve using single photon emission computed tomography with technetium 99m-labeled tracers. <i>Journal of Nuclear Cardiology</i> , <b>2008</b> , 15, 456-65  | 2.1 | 25 |
| 87 | Myeloperoxidase, but not C-reactive protein, predicts cardiovascular risk in peripheral arterial disease. <i>European Heart Journal</i> , <b>2008</b> , 29, 224-30   | 9.5 | 45 |
| 86 | Single-photon emission computed tomography after nitrate administration predicts cardiac events in patients with previous myocardial infarction and left ventricular dysfunction. <i>Journal of Cardiac Failure</i> , <b>2007</b> , 13, 765-8                          | 3.3 | 3  |
| 85 | Estimation of coronary flow reserve by sestamibi imaging in type 2 diabetic patients with normal coronary arteries. <i>Journal of Nuclear Cardiology</i> , <b>2007</b> , 14, 194-9   | 2.1 | 18 |
| 84 | Usefulness of stress cardiac single-photon emission computed tomographic imaging late after percutaneous coronary intervention for assessing cardiac events and time to such events. <i>American Journal of Cardiology</i> , <b>2007</b> , 100, 436-41                 | 3   | 23 |
| 83 | Comparison between dobutamine echocardiography and single-photon emission computed tomography for interpretive reproducibility. <i>American Journal of Cardiology</i> , <b>2007</b> , 100, 1239-44   | 3   | 11 |
| 82 | Comparison of the prognostic value of SPECT after nitrate administration and metabolic imaging by PET in patients with ischaemic left ventricular dysfunction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2007</b> , 34, 558-62            | 8.8 | 11 |
| 81 | Assessment of coronary flow reserve by sestamibi imaging in patients with typical chest pain and normal coronary arteries. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2007</b> , 34, 1156-61   | 8.8 | 16 |
| 80 | Prognostic value of reduced kidney function and anemia in patients with chronic heart failure. <i>Journal of Cardiovascular Medicine</i> , <b>2007</b> , 8, 909-16   | 1.9 | 7  |
| 79 | NT-proBNP, IGF-I and survival in patients with chronic heart failure. <i>Growth Hormone and IGF Research</i> , <b>2007</b> , 17, 288-96  | 2   | 45 |
| 78 | Effects of volume loading on strain rate and tissue Doppler velocity imaging in patients with idiopathic dilated cardiomyopathy. <i>Journal of Cardiovascular Medicine</i> , <b>2006</b> , 7, 852-8  | 1.9 | 16 |
| 77 | Effects of different degrees of sympathetic antagonism on cytokine network in patients with ischemic dilated cardiomyopathy. <i>Journal of Cardiac Failure</i> , <b>2005</b> , 11, 213-9   | 3.3 | 17 |

|    |  |     |     |
|----|--|-----|-----|
| 76 | Posters display III clinical outcome and PET. <i>Journal of Nuclear Cardiology</i> , <b>2005</b> , 12, S41-S41   | 2.1 |     |
| 75 | Risk in special population oral abstract session. <i>Journal of Nuclear Cardiology</i> , <b>2005</b> , 12, S39-S39   | 2.1 |     |
| 74 | Comparison of prognostic value of negative dobutamine stress echocardiography versus single-photon emission computed tomography after acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>2005</b> , 96, 13-6  | 3   | 5   |
| 73 | Survival benefit after revascularization is independent of left ventricular ejection fraction improvement in patients with previous myocardial infarction and viable myocardium. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2005</b> , 32, 430-7   | 8.8 | 19  |
| 72 | Prognostic value of myocardial ischemia in patients with uncomplicated acute myocardial infarction: direct comparison of stress echocardiography and myocardial perfusion imaging. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 417-23   | 8.9 | 9   |
| 71 | Influence of risk factors on coronary flow reserve in patients with 1-vessel coronary artery disease. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 1438-43   | 8.9 | 10  |
| 70 | Relationship between brachial artery flow-mediated dilation and coronary flow reserve in patients with peripheral artery disease. <i>Journal of Nuclear Medicine</i> , <b>2005</b> , 46, 1997-2002   | 8.9 | 38  |
| 69 | Enzyme replacement therapy with agalsidase beta improves cardiac involvement in Fabry <sup>®</sup> disease. <i>Clinical Genetics</i> , <b>2004</b> , 66, 158-65  | 4   | 92  |
| 68 | Relation between wall thickening on gated perfusion SPECT and functional recovery after coronary revascularization in patients with previous myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2004</b> , 31, 1599-605   | 8.8 | 12  |
| 67 | Estimation of coronary flow reserve by Tc-99m sestamibi imaging in patients with coronary artery disease: comparison with the results of intracoronary Doppler technique. <i>Journal of Nuclear Cardiology</i> , <b>2004</b> , 11, 682-8   | 2.1 | 37  |
| 66 | Nephrolithiasis in Cushing <sup>®</sup> disease: prevalence, etiopathogenesis, and modification after disease cure. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 2076-80  | 5.6 | 69  |
| 65 | Left ventricular diastolic function and cardiac performance during exercise in patients with acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 4105-9  | 5.6 | 10  |
| 64 | Traffic pollutants affect fertility in men. <i>Human Reproduction</i> , <b>2003</b> , 18, 1055-61  | 5.7 | 140 |
| 63 | Central diabetes insipidus and autoimmunity: relationship between the occurrence of antibodies to arginine vasopressin-secreting cells and clinical, immunological, and radiological features in a large cohort of patients with central diabetes insipidus of known and unknown etiology. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 1629-36 | 5.6 | 82  |
| 62 | Prognostic value of exercise cardiac tomography performed late after percutaneous coronary intervention in symptomatic and symptom-free patients. <i>American Journal of Cardiology</i> , <b>2003</b> , 91, 259-63   | 3   | 32  |
| 61 | Tc-99m tetrofosmin tomography after nitrate administration in patients with ischemic left ventricular dysfunction: relation to metabolic imaging by PET. <i>Journal of Nuclear Cardiology</i> , <b>2003</b> , 10, 599-606  | 2.1 | 16  |
| 60 | High prevalence of cardiac valve disease in acromegaly: an observational, analytical, case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 3196-201   | 5.6 | 98  |
| 59 | Prognostic value of combined assessment of regional left ventricular function and myocardial perfusion by dobutamine and rest gated SPECT in patients with uncomplicated acute myocardial infarction. <i>Journal of Nuclear Medicine</i> , <b>2003</b> , 44, 1023-9  | 8.9 | 19  |

|    |  |      |     |
|----|--|------|-----|
| 58 | Tetrofosmin imaging in the detection of myocardial viability in patients with previous myocardial infarction: comparison with sestamibi and Tl-201 scintigraphy. <i>Journal of Nuclear Cardiology</i> , <b>2002</b> , 9, 33-40               | 2.1  | 25  |
| 57 | Combined effect of the force-frequency and length-tension mechanisms on left ventricular function in patients with dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , <b>2002</b> , 4, 727-35                                | 12.3 | 6   |
| 56 | Gender- and age-related differences in the endocrine parameters of acromegaly. <i>Journal of Endocrinological Investigation</i> , <b>2002</b> , 25, 532-8  | 5.2  | 45  |
| 55 | Losartan treatment and left ventricular filling during volume loading in patients with dilated cardiomyopathy. <i>American Heart Journal</i> , <b>2002</b> , 143, 433-40   | 4.9  | 5   |
| 54 | Radionuclide monitoring of left ventricular function. <i>Journal of Nuclear Cardiology</i> , <b>2001</b> , 8, 606-15   | 2.1  | 4   |
| 53 | Cardiovascular haemodynamics and cardiac autonomic control in patients with subclinical and overt hyperthyroidism. <i>European Journal of Endocrinology</i> , <b>2001</b> , 145, 691-6   | 6.5  | 75  |
| 52 | Growth hormone secretion after baclofen administration in different phases of the menstrual cycle in healthy women. <i>Hormone Research in Paediatrics</i> , <b>2001</b> , 55, 131-6   | 3.3  | 5   |
| 51 | Quantitative thallium-201 and technetium 99m sestamibi tomography at rest in detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , <b>2000</b> , 7, 8-15  | 2.1  | 27  |
| 50 | Sestamibi SPECT in the detection of myocardial viability in patients with chronic ischemic left ventricular dysfunction: comparison between visual and quantitative analysis. <i>Journal of Nuclear Cardiology</i> , <b>2000</b> , 7, 406-13 | 2.1  | 12  |
| 49 | Effects of losartan treatment on cardiac autonomic control during volume loading in patients with DCM. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H86-92                                  | 5.2  | 12  |
| 48 | Systemic hypertension and impaired glucose tolerance are independently correlated to the severity of the acromegalic cardiomyopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 193-9                       | 5.6  | 137 |
| 47 | Circulating levels of cytokines and their site of production in patients with mild to severe chronic heart failure. <i>American Heart Journal</i> , <b>2000</b> , 140, E28   | 4.9  | 47  |
| 46 | Systemic Hypertension and Impaired Glucose Tolerance Are Independently Correlated to the Severity of the Acromegalic Cardiomyopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 193-199                     | 5.6  | 108 |
| 45 | Cardiac autonomic responses to volume overload in normal subjects and in patients with dilated cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>1999</b> , 277, H1361-8                         | 5.2  | 20  |
| 44 | Impact of patient's age and disease duration on cardiac performance in acromegaly: a radionuclide angiography study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 1518-23                                     | 5.6  | 61  |
| 43 | Wavelet transform analysis of heart rate variability during dipyridamole-induced myocardial ischemia: relation to angiographic severity and echocardiographic dyssynergy. <i>Clinical Cardiology</i> , <b>1999</b> , 22, 201-6               | 3.3  | 8   |
| 42 | Independent and incremental prognostic value of heart rate variability in patients with chronic heart failure. <i>American Heart Journal</i> , <b>1999</b> , 138, 273-84   | 4.9  | 69  |
| 41 | Comparison of verapamil versus felodipine on heart rate variability in hypertensive patients. <i>Journal of Hypertension</i> , <b>1999</b> , 17, 707-13  | 1.9  | 8   |

|    |   |     |    |
|----|---|-----|----|
| 40 | Impact of Patient's Age and Disease Duration on Cardiac Performance in Acromegaly: A Radionuclide Angiography Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 1518-1523  | 5.6 | 51 |
| 39 | Prediction of recovery of left ventricular dysfunction after acute myocardial infarction: comparison between 99mTc-sestamibi cardiac tomography and low-dose dobutamine echocardiography. <i>Journal of Nuclear Medicine</i> , <b>1999</b> , 40, 1683-92  | 8.9 | 13 |
| 38 | Successful coronary revascularization improves prognosis in patients with previous myocardial infarction and evidence of viable myocardium at thallium-201 imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1998</b> , 25, 60-8  | 8.8 | 39 |
| 37 | Combined assessment of left ventricular function and rest-redistribution regional myocardial thallium-201 activity for prognostic evaluation of patients with chronic coronary artery disease and left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , <b>1998</b> , 5, 378-86                | 2.1 | 20 |
| 36 | Direct comparison of technetium 99m-sestamibi and technetium 99m-tetrofosmin cardiac single photon emission computed tomography in patients with coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>1998</b> , 5, 265-74  | 2.1 | 40 |
| 35 | Intensive training and cardiac autonomic control in high level athletes. <i>Medicine and Science in Sports and Exercise</i> , <b>1998</b> , 30, 691-6   | 1.2 | 51 |
| 34 | Heart rate variability in patients with hypertrophic cardiomyopathy: association with clinical and echocardiographic features. <i>American Heart Journal</i> , <b>1997</b> , 134, 165-72  | 4.9 | 20 |
| 33 | Comparison of verapamil versus felodipine on heart rate variability after acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1997</b> , 79, 564-9  | 3   | 17 |
| 32 | Heart rate variability as a measure of autonomic nervous system function in anorexia nervosa. <i>Clinical Cardiology</i> , <b>1997</b> , 20, 219-24   | 3.3 | 78 |
| 31 | Twenty-four-hour blood pressure monitoring during treatment with extended-release felodipine versus slow-release nifedipine in elderly patients with mild to moderate hypertension: a randomized, double-blind, cross-over study. <i>European Journal of Clinical Pharmacology</i> , <b>1997</b> , 53, 95-100 | 2.8 | 3  |
| 30 | Prognostic value of coronary angiography in patients with chronic ischemic left ventricular dysfunction and evidence of viable myocardium on thallium reinjection imaging. <i>Journal of Nuclear Cardiology</i> , <b>1997</b> , 4, 387-95   | 2.1 | 2  |
| 29 | Incremental prognostic value of thallium reinjection after stress-redistribution imaging in patients with previous myocardial infarction and left ventricular dysfunction. <i>Journal of Nuclear Medicine</i> , <b>1997</b> , 38, 195-200   | 8.9 | 37 |
| 28 | One-year effect of myocardial revascularization on resting left ventricular function and regional thallium uptake in chronic CAD. <i>Journal of Nuclear Medicine</i> , <b>1997</b> , 38, 1684-92  | 8.9 | 14 |
| 27 | Converting enzyme inhibition, heart rate variability, and myocardial infarction. <i>American Journal of Cardiology</i> , <b>1996</b> , 78, 609  | 3   | 0  |
| 26 | Effect of 1 year of lisinopril treatment on cardiac autonomic control in hypertensive patients with left ventricular hypertrophy. <i>Hypertension</i> , <b>1996</b> , 27, 330-8   | 8.5 | 14 |
| 25 | Power spectral analysis of heart period variability in hypertensive patients with left ventricular hypertrophy. <i>American Journal of Hypertension</i> , <b>1995</b> , 8, 1206-13  | 2.3 | 21 |
| 24 | Influence of left ventricular hypertrophy on heart period variability in patients with essential hypertension. <i>Journal of Hypertension</i> , <b>1995</b> , 13, 1299-306  | 1.9 | 15 |
| 23 | Assessment of cardiac autonomic control by heart period variability in patients with early-onset familial obesity. <i>European Journal of Clinical Investigation</i> , <b>1995</b> , 25, 826-32   | 4.6 | 45 |

|    |  |      |     |
|----|--|------|-----|
| 22 | Prognostic value of myocardial hypoperfusion indexes in patients with suspected or known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , <b>1994</b> , 1, 325-37   | 2.1  | 5   |
| 21 | Continuous electrocardiographic monitoring for more than one hour does not improve the prognostic value of ventricular arrhythmias in survivors of first acute myocardial infarction. <i>American Journal of Cardiology</i> , <b>1994</b> , 73, 139-42 | 3    | 5   |
| 20 | Influence of reversible segmental left ventricular dysfunction on heart period variability in patients with one-vessel coronary artery disease. <i>Journal of the American College of Cardiology</i> , <b>1994</b> , 24, 399-405 <sup>15.1</sup>       | 15.1 | 16  |
| 19 | Left ventricular remodelling in the year after myocardial infarction: an echocardiographic, haemodynamic, and radionuclide angiographic study. <i>Coronary Artery Disease</i> , <b>1994</b> , 5, 155-62  | 1.4  | 14  |
| 18 | Effects of converting enzyme inhibition on heart period variability in patients with acute myocardial infarction. <i>Circulation</i> , <b>1994</b> , 90, 108-13  | 16.7 | 110 |
| 17 | Effects of acetylstrophanthidin on baroreflex sensitivity in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , <b>1993</b> , 41, 3-11  | 3.2  | 1   |
| 16 | Incremental prognostic value of thallium imaging and coronary angiography in patients with a symptom-limited ECG stress test. <i>Coronary Artery Disease</i> , <b>1993</b> , 4, 637-44   | 1.4  | 2   |
| 15 | Effects of sustained training on left ventricular structure and function in top level rowers. <i>European Heart Journal</i> , <b>1993</b> , 14, 898-903  | 9.5  | 17  |
| 14 | Effects of converting enzyme inhibition on baroreflex sensitivity in patients with myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 20, 587-93  | 15.1 | 18  |
| 13 | Effects of captopril treatment on left ventricular remodeling and function after anterior myocardial infarction: comparison with digitalis. <i>Journal of the American College of Cardiology</i> , <b>1992</b> , 19, 858-63                            | 15.1 | 47  |
| 12 | Characterization and prognostic significance of silent myocardial ischemia on pre-discharge electrocardiographic monitoring in unselected patients with myocardial infarction. <i>American Journal of Cardiology</i> , <b>1992</b> , 69, 579-83        | 3    | 34  |
| 11 | Prevalence and prognostic significance of silent myocardial ischaemia detected by exercise test and continuous ECG monitoring after acute myocardial infarction. <i>European Heart Journal</i> , <b>1991</b> , 12, 186-93                              | 9.5  | 41  |
| 10 | Doppler Echocardiographic Evaluation of Three Models of Prosthetic Valves in the Aortic Position. <i>American Journal of Noninvasive Cardiology</i> , <b>1991</b> , 5, 98-102  |      |     |
| 9  | Phase analysis of radionuclide angiography in acute myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1990</b> , 16, 161-5   |      | 3   |
| 8  | Effects of late administration of tissue-type plasminogen activator on left ventricular remodeling and function after myocardial infarction. <i>Journal of the American College of Cardiology</i> , <b>1990</b> , 16, 1561-8 <sup>15.1</sup>           | 15.1 | 37  |
| 7  | Myocardial hypertrophy and left ventricular diastolic function in hypertensive patients: an echo Doppler evaluation. <i>European Heart Journal</i> , <b>1989</b> , 10, 611-21  | 9.5  | 25  |
| 6  | Influence of Normalization Techniques upon Two-Dimensional Doppler-Derived Peak Filling Rate: Comparison with Radionuclide Angiography. <i>American Journal of Noninvasive Cardiology</i> , <b>1989</b> , 3, 74-79                                     |      |     |
| 5  | Diastolic function in acute myocardial infarction: a radionuclide study. <i>Journal of Nuclear Medicine</i> , <b>1988</b> , 29, 1786-9   | 8.9  | 7   |

|   |  |     |    |
|---|--|-----|----|
| 4 | Hemodynamic study of nifedipine administration in hypertensive patients. <i>American Heart Journal</i> , <b>1983</b> , 105, 865-7  | 4.9 | 16 |
| 3 | Comparison of the antihypertensive activities of xipamide and chlorthalidone: a double-blind, randomized, crossover trial. <i>Current Medical Research and Opinion</i> , <b>1981</b> , 7, 247-52 | 2.5 | 9  |
| 2 |  |     | 1  |
| 1 | Spectral behaviour of heart rate variability in acute ischemic episodes  |     | 4  |