

Ian Frazer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6224911/ian-frazer-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

297
papers

10,278
citations

53
h-index

87
g-index

315
ext. papers

11,474
ext. citations

6.4
avg, IF

6.14
L-index

#	Paper	IF	Citations
297	Secreted Toxins From Strains Isolated From Keratinocyte Skin Cancers Mediate Pro-tumorigenic Inflammatory Responses in the Skin.. <i>Frontiers in Microbiology</i> , 2021 , 12, 789042	5.7	1
296	An update on cervical cancer screening in Vanuatu. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 631-632	3.5	
295	A model of impaired Langerhans cell maturation associated with HPV induced epithelial hyperplasia. <i>IScience</i> , 2021 , 24, 103326	6.1	1
294	Immune-Inhibitory Gene Expression is Positively Correlated with Overall Immune Activity and Predicts Increased Survival Probability of Cervical and Head and Neck Cancer Patients. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 622643	5.6	3
293	IFN- γ Critically Enables the Intratumoural Infiltration of CXCR3 CD8 T Cells to Drive Squamous Cell Carcinoma Regression. <i>Cancers</i> , 2021 , 13,	6.6	1
292	Scavenging of soluble and immobilized CCL21 by ACKR4 regulates peripheral dendritic cell emigration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	5
291	Absence of Batf3 reveals a new dimension of cell state heterogeneity within conventional dendritic cells. <i>IScience</i> , 2021 , 24, 102402	6.1	6
290	Evolution of Cancer Vaccines-Challenges, Achievements, and Future Directions. <i>Vaccines</i> , 2021 , 9,	5.3	9
289	Salivary High-Risk Human Papillomavirus (HPV) DNA as a Biomarker for HPV-Driven Head and Neck Cancers. <i>Journal of Molecular Diagnostics</i> , 2021 , 23, 1334-1342	5.1	2
288	Regulatory T Cells but Not IL-10 Impair Cell-Mediated Immunity in Human Papillomavirus E7+ Hyperplastic Epithelium. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 1264-1273.e3	4.3	2
287	A phase 1, single centre, open label, escalating dose study to assess the safety, tolerability and immunogenicity of a therapeutic human papillomavirus (HPV) DNA vaccine (AMV002) for HPV-associated head and neck cancer (HNC). <i>Cancer Immunology, Immunotherapy</i> , 2021 , 70, 743-753	7.4	8
286	Manganese-Doped Silica-Based Nanoparticles Promote the Efficacy of Antigen-Specific Immunotherapy. <i>Journal of Immunology</i> , 2021 , 206, 987-998	5.3	6
285	Antigen Nonspecific Induction of Distinct Regulatory T Cell States in Oncogene-Driven Hyperproliferative Skin. <i>ImmunoHorizons</i> , 2021 , 5, 102-116	2.7	2
284	Determining the utility of a screening program to reduce the incidence of HPV driven oropharyngeal cancer. <i>Oncoscience</i> , 2021 , 8, 91-93	0.8	0
283	Drug repurposing: Misconceptions, challenges, and opportunities for academic researchers. <i>Science Translational Medicine</i> , 2021 , 13, eabd5524	17.5	12
282	Acquisition of murine splenic myeloid cells for protein and gene expression profiling by advanced flow cytometry and CITE-seq. <i>STAR Protocols</i> , 2021 , 2, 100842	1.4	1
281	Intratumoral injection of caerin 1.1 and 1.9 peptides increases the efficacy of vaccinated TC-1 tumor-bearing mice with PD-1 blockade by modulating macrophage heterogeneity and the activation of CD8 T cells in the tumor microenvironment. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1395	6.8	3

280	Endocytosis Inhibition in Humans to Improve Responses to ADCC-Mediating Antibodies. <i>Cell</i> , 2020 , 180, 895-914.e27	56.2	45
279	Dysregulation of Stemness Pathways in HPV Mediated Cervical Malignant Transformation Identifies Potential Oncotherapy Targets. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 307	5.9	7
278	Oral HPV16 Prevalence in Oral Potentially Malignant Disorders and Oral Cavity Cancers. <i>Biomolecules</i> , 2020 , 10,	5.9	12
277	Antibody-Free Multiplex Measurement of 23 Human Cytokines in Primary Cell Culture Secretome Using Targeted Mass Spectrometry. <i>Analytical Chemistry</i> , 2020 , 92, 3742-3750	7.8	4
276	Importance of human papillomavirus infection in squamous cell carcinomas of the tongue in Guangdong Province, China. <i>Journal of International Medical Research</i> , 2020 , 48, 300060519897187	1.4	1
275	Measurement of Human Papillomavirus-Specific Antibodies Using a Pseudovirion-Based ELISA Method. <i>Frontiers in Immunology</i> , 2020 , 11, 585768	8.4	2
274	Oral HPV16 DNA as a screening tool to detect early oropharyngeal squamous cell carcinoma. <i>Cancer Science</i> , 2020 , 111, 3854-3861	6.9	8
273	Human papillomavirus infection among head and neck squamous cell carcinomas in southern China. <i>PLoS ONE</i> , 2019 , 14, e0221045	3.7	19
272	Unlocking the Potential of Saliva-Based Test to Detect HPV-16-Driven Oropharyngeal Cancer. <i>Cancers</i> , 2019 , 11,	6.6	19
271	Pathways to a cancer-free future: A protocol for modelled evaluations to maximize the future impact of interventions on cervical cancer in Australia. <i>Gynecologic Oncology</i> , 2019 , 152, 465-471	4.9	12
270	Single-cell RNA sequencing reveals cell type-specific HPV expression in hyperplastic skin lesions. <i>Virology</i> , 2019 , 537, 14-19	3.6	13
269	Immunotherapy for HPV associated cancer. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019 , 8, 100176	4.6	15
268	Acute exercise does not improve immune response to HPV vaccination series in adolescents. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019 , 8, 100178	4.6	2
267	HPV16 E7-Driven Epithelial Hyperplasia Promotes Impaired Antigen Presentation and Regulatory T-Cell Development. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2467-2476.e3	4.3	8
266	Microprojection arrays applied to skin generate mechanical stress, induce an inflammatory transcriptome and cell death, and improve vaccine-induced immune responses. <i>Npj Vaccines</i> , 2019 , 4, 41	9.5	13
265	Cytokine/chemokine profiles in squamous cell carcinoma correlate with precancerous and cancerous disease stage. <i>Scientific Reports</i> , 2019 , 9, 17754	4.9	7
264	Selective Persistence of HPV Cross-Neutralising Antibodies following Reduced-Dose HPV Vaccine Schedules. <i>Vaccines</i> , 2019 , 7,	5.3	5
263	Immune responses to a HSV-2 polynucleotide immunotherapy COR-1 in HSV-2 positive subjects: A randomized double blinded phase I/IIa trial. <i>PLoS ONE</i> , 2019 , 14, e0226320	3.7	10

262	High-risk human papillomavirus detection in oropharyngeal cancers: Comparison of saliva sampling methods. <i>Head and Neck</i> , 2019 , 41, 1484-1489	4.2	10
261	An Ex Vivo Human Tumor Assay Shows Distinct Patterns of EGFR Trafficking in Squamous Cell Carcinoma Correlating to Therapeutic Outcomes. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 213-223	4.3	14
260	The projected timeframe until cervical cancer elimination in Australia: a modelling study. <i>Lancet Public Health</i> , 2019 , 4, e19-e27	22.4	160
259	No Vacillation on HPV Vaccination. <i>Cell</i> , 2018 , 172, 1163-1167	56.2	14
258	HPV16E7-Induced Hyperplasia Promotes CXCL9/10 Expression and Induces CXCR3 T-Cell Migration to Skin. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1348-1359	4.3	14
257	Murine HPV16 E7-expressing transgenic skin effectively emulates the cellular and molecular features of human high-grade squamous intraepithelial lesions. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2018 , 5, 6-20	4.6	15
256	Eradicating HPV-Associated Cancer Through Immunization: A Glass Half Full. <i>Viral Immunology</i> , 2018 , 31, 80-85	1.7	2
255	CD8 lineage dendritic cells determine adaptive immune responses to inflammasome activation upon sterile skin injury. <i>Experimental Dermatology</i> , 2018 , 27, 71-79	4	6
254	Clinically-Relevant Rapamycin Treatment Regimens Enhance CD8 Effector Memory T Cell Function In The Skin and Allow their Infiltration into Cutaneous Squamous Cell Carcinoma. <i>OncImmunology</i> , 2018 , 7, e1479627	7.2	8
253	HLA and KIR Associations of Cervical Neoplasia. <i>Journal of Infectious Diseases</i> , 2018 , 218, 2006-2015	7	15
252	Human papillomavirus E7 oncoprotein expression by keratinocytes alters the cytotoxic mechanisms used by CD8 T cells. <i>Oncotarget</i> , 2018 , 9, 6015-6027	3.3	2
251	Recruitment of Antigen Presenting Cells to Skin Draining Lymph Node From HPV16E7-Expressing Skin Requires E7-Rb Interaction. <i>Frontiers in Immunology</i> , 2018 , 9, 2896	8.4	6
250	A Natural History of Actinic Keratosis and Cutaneous Squamous Cell Carcinoma Microbiomes. <i>MBio</i> , 2018 , 9,	7.8	14
249	Examining the contribution of smoking and HPV towards the etiology of oral cavity squamous cell carcinoma using high-throughput sequencing: A prospective observational study. <i>PLoS ONE</i> , 2018 , 13, e0205406	3.7	8
248	Detection of HPV E7 Transcription at Single-Cell Resolution in Epidermis. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 2558-2567	4.3	14
247	Safety, tolerability, acceptability and immunogenicity of an influenza vaccine delivered to human skin by a novel high-density microprojection array patch (Nanopatch). <i>Vaccine</i> , 2018 , 36, 3779-3788	4.1	62
246	Batf3 selectively determines acquisition of CD8 dendritic cell phenotype and function. <i>Immunology and Cell Biology</i> , 2017 , 95, 215-223	5	14
245	CD4CD8 ^{hi} double-positive T cells in skin-draining lymph nodes respond to inflammatory signals from the skin. <i>Journal of Leukocyte Biology</i> , 2017 , 102, 837-844	6.5	4

244	Clinical development strategy for a candidate group A streptococcal vaccine. <i>Vaccine</i> , 2017 , 35, 2007-2014	4.1	13
243	Modulation of antigen presenting cell functions during chronic HPV infection. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2017 , 4, 58-65	4.6	28
242	A Pilot Study into the Association between Oral Health Status and Human Papillomavirus-16 Infection. <i>Diagnostics</i> , 2017 , 7,	3.8	26
241	DNA Vaccine Encoding HPV16 Oncogenes E6 and E7 Induces Potent Cell-mediated and Humoral Immunity Which Protects in Tumor Challenge and Drives E7-expressing Skin Graft Rejection. <i>Journal of Immunotherapy</i> , 2017 , 40, 62-70	5	33
240	HPV16-E7-Specific Activated CD8 T Cells in E7 Transgenic Skin and Skin Grafts. <i>Frontiers in Immunology</i> , 2017 , 8, 524	8.4	7
239	Defining the genetic susceptibility to cervical neoplasia-A genome-wide association study. <i>PLoS Genetics</i> , 2017 , 13, e1006866	6	55
238	The overexpression of salivary cytokeratins as potential diagnostic biomarkers in head and neck squamous cell carcinomas. <i>Oncotarget</i> , 2017 , 8, 72272-72280	3.3	14
237	RNA-seq reveals more consistent reference genes for gene expression studies in human non-melanoma skin cancers. <i>PeerJ</i> , 2017 , 5, e3631	3.1	24
236	Interferon- γ -Derived from cytotoxic lymphocytes directly enhances their motility and cytotoxicity. <i>Cell Death and Disease</i> , 2017 , 8, e2836	9.8	159
235	Sustained Antibody Responses 6 Years Following 1, 2, or 3 Doses of Quadrivalent Human Papillomavirus (HPV) Vaccine in Adolescent Fijian Girls, and Subsequent Responses to a Single Dose of Bivalent HPV Vaccine: A Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2017 , 64, 852-859	11.6	18
234	A Mouse Model of Hyperproliferative Human Epithelium Validated by Keratin Profiling Shows an Aberrant Cytoskeletal Response to Injury. <i>EBioMedicine</i> , 2016 , 9, 314-323	8.8	21
233	A pilot study to compare the detection of HPV-16 biomarkers in salivary oral rinses with tumour p16(INK4a) expression in head and neck squamous cell carcinoma patients. <i>BMC Cancer</i> , 2016 , 16, 178	4.8	47
232	Does the nature of residual immune function explain the differential risk of non-melanoma skin cancer development in immunosuppressed organ transplant recipients?. <i>International Journal of Cancer</i> , 2016 , 138, 281-92	7.5	26
231	Epithelium Expressing the E7 Oncoprotein of HPV16 Attracts Immune-Modulatory Dendritic Cells to the Skin and Suppresses Their Antigen-Processing Capacity. <i>PLoS ONE</i> , 2016 , 11, e0152886	3.7	18
230	Role of Ultraviolet Radiation in Papillomavirus-Induced Disease. <i>PLoS Pathogens</i> , 2016 , 12, e1005664	7.6	51
229	An escalating dose study to assess the safety, tolerability and immunogenicity of a Herpes Simplex Virus DNA vaccine, COR-1. <i>Human Vaccines and Immunotherapeutics</i> , 2016 , 12, 3079-3088	4.4	21
228	HPV16 E7 expression in skin induces TSLP secretion, type 2 ILC infiltration and atopic dermatitis-like lesions. <i>Immunology and Cell Biology</i> , 2015 , 93, 540-7	5	9
227	Consensus nomenclature for CD8 T cell phenotypes in cancer. <i>Oncolmmunology</i> , 2015 , 4, e998538	7.2	101

226	Interleukin-17A Promotes Arginase-1 Production and 2,4-Dinitrochlorobenzene-Induced Acute Hyperinflammation in Human Papillomavirus E7 Oncoprotein-Expressing Skin. <i>Journal of Innate Immunity</i> , 2015 , 7, 392-404	6.9	9
225	The actinic keratosis virome: can we prevent squamous cell carcinoma with a vaccine?. <i>Current Problems in Dermatology</i> , 2015 , 46, 28-35		1
224	Langerhans cell homeostasis and activation is altered in hyperplastic human papillomavirus type 16 E7 expressing epidermis. <i>PLoS ONE</i> , 2015 , 10, e0127155	3.7	19
223	Colocalization of cell death with antigen deposition in skin enhances vaccine immunogenicity. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2361-2370	4.3	74
222	Microprojection arrays to immunise at mucosal surfaces. <i>Journal of Controlled Release</i> , 2014 , 196, 252-60	11.7	20
221	IL-17 suppresses immune effector functions in human papillomavirus-associated epithelial hyperplasia. <i>Journal of Immunology</i> , 2014 , 193, 2248-57	5.3	48
220	CXCL1 gene silencing in skin using liposome-encapsulated siRNA delivered by microprojection array. <i>Journal of Controlled Release</i> , 2014 , 194, 148-56	11.7	26
219	Recombinant Wnt3a and Wnt5a elicit macrophage cytokine production and tolerization to microbial stimulation via Toll-like receptor 4. <i>European Journal of Immunology</i> , 2014 , 44, 1480-90	6.1	26
218	Development and implementation of papillomavirus prophylactic vaccines. <i>Journal of Immunology</i> , 2014 , 192, 4007-11	5.3	33
217	The kinematics of cytotoxic lymphocytes influence their ability to kill target cells. <i>PLoS ONE</i> , 2014 , 9, e95248	3.7	10
216	Comparative immune phenotypic analysis of cutaneous Squamous Cell Carcinoma and Intraepidermal Carcinoma in immune-competent individuals: proportional representation of CD8+ T-cells but not FoxP3+ Regulatory T-cells is associated with disease stage. <i>PLoS ONE</i> , 2014 , 9, e110928	3.7	28
215	Human papillomavirus e7 oncoprotein transgenic skin develops an enhanced inflammatory response to 2,4-dinitrochlorobenzene by an arginase-1-dependent mechanism. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2438-2446	4.3	8
214	IL-18, but not IL-12, induces production of IFN- γ in the immunosuppressive environment of HPV16 E7 transgenic hyperplastic skin. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2562-2569	4.3	26
213	HPV16-E7 expression in squamous epithelium creates a local immune suppressive environment via CCL2- and CCL5- mediated recruitment of mast cells. <i>PLoS Pathogens</i> , 2014 , 10, e1004466	7.6	45
212	The early monocytic response to cytomegalovirus infection is MyD88 dependent but occurs independently of common inflammatory cytokine signals. <i>European Journal of Immunology</i> , 2014 , 44, 409-19	6.1	7
211	Human papillomavirus 16/18 seroprevalence in unvaccinated women over 30 years with normal cytology and with high grade cervical abnormalities in Australia: results from an observational study. <i>BMC Infectious Diseases</i> , 2014 , 14, 3861	4	8
210	Indoleamine 2,3-dioxygenase activity contributes to local immune suppression in the skin expressing human papillomavirus oncoprotein e7. <i>Journal of Investigative Dermatology</i> , 2013 , 133, 2686-2694	4.3	44
209	Expression of a single, viral oncoprotein in skin epithelium is sufficient to recruit lymphocytes. <i>PLoS ONE</i> , 2013 , 8, e57798	3.7	24

208	A novel DNA vaccine technology conveying protection against a lethal herpes simplex viral challenge in mice. <i>PLoS ONE</i> , 2013 , 8, e76407	3.7	36
207	Rapid kinetics to peak serum antibodies is achieved following influenza vaccination by dry-coated densely packed microprojections to skin. <i>Journal of Controlled Release</i> , 2012 , 158, 78-84	11.7	32
206	Nanopatch targeted delivery of both antigen and adjuvant to skin synergistically drives enhanced antibody responses. <i>Journal of Controlled Release</i> , 2012 , 159, 215-21	11.7	72
205	T cells augment rejection of skin grafts by enhancing cross-priming of CD8 T cells to skin-derived antigen. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 1656-64	4.3	17
204	Impact of sex steroid ablation on viral, tumour and vaccine responses in aged mice. <i>PLoS ONE</i> , 2012 , 7, e42677	3.7	19
203	A randomized trial of immunotherapy for persistent genital warts. <i>Human Vaccines and Immunotherapeutics</i> , 2012 , 8, 623-9	4.4	8
202	Response to Comment on Invariant NKT Cells in Hyperplastic Skin Induced a Local Immune Suppressive Environment by IFN- γ Production <i>Journal of Immunology</i> , 2012 , 188, 931.2-932	5.3	1
201	Prevalence of cervical human papillomavirus (HPV) infection in Vanuatu. <i>Cancer Prevention Research</i> , 2012 , 5, 746-53	3.2	13
200	A combination of local inflammation and central memory T cells potentiates immunotherapy in the skin. <i>Journal of Immunology</i> , 2012 , 189, 5622-31	5.3	14
199	Paradigm shifting vaccines: prophylactic vaccines against latent varicella-zoster virus infection and against HPV-associated cancer. <i>Current Opinion in Virology</i> , 2011 , 1, 268-79	7.5	12
198	New gene functions in megakaryopoiesis and platelet formation. <i>Nature</i> , 2011 , 480, 201-8	50.4	330
197	Human papillomavirus 16 E7 protein inhibits interferon- γ -mediated enhancement of keratinocyte antigen processing and T-cell lysis. <i>FEBS Journal</i> , 2011 , 278, 955-63	5.7	18
196	Increasing mechanical stimulus induces migration of Langerhans cells and impairs the immune response to intracutaneously delivered antigen. <i>Experimental Dermatology</i> , 2011 , 20, 534-6	4	13
195	Regulation of immune responses to HPV infection and during HPV-directed immunotherapy. <i>Immunological Reviews</i> , 2011 , 239, 85-98	11.3	53
194	Improving the reach of vaccines to low-resource regions, with a needle-free vaccine delivery device and long-term thermostabilization. <i>Journal of Controlled Release</i> , 2011 , 152, 349-55	11.7	137
193	Prevention and treatment of papillomavirus-related cancers through immunization. <i>Annual Review of Immunology</i> , 2011 , 29, 111-38	34.7	82
192	LPAR1 and ITGA4 regulate peripheral blood monocyte counts. <i>Human Mutation</i> , 2011 , 32, 873-6	4.7	17
191	NKT cells inhibit antigen-specific effector CD8 T cell induction to skin viral proteins. <i>Journal of Immunology</i> , 2011 , 187, 1601-8	5.3	30

190	New Approaches to Immunotherapy for HPV Associated Cancers. <i>Cancers</i> , 2011 , 3, 3461-95	6.6	27
189	Potent immunity to low doses of influenza vaccine by probabilistic guided micro-targeted skin delivery in a mouse model. <i>PLoS ONE</i> , 2010 , 5, e10266	3.7	137
188	Skin vaccination against cervical cancer associated human papillomavirus with a novel micro-projection array in a mouse model. <i>PLoS ONE</i> , 2010 , 5, e13460	3.7	86
187	Secretion of IFN-gamma but not IL-17 by CD1d-restricted NKT cells enhances rejection of skin grafts expressing epithelial cell-derived antigen. <i>Journal of Immunology</i> , 2010 , 184, 5663-9	5.3	29
186	Invariant NKT cells in hyperplastic skin induce a local immune suppressive environment by IFN-gamma production. <i>Journal of Immunology</i> , 2010 , 184, 1242-50	5.3	52
185	Antigen-specific CD4 cells assist CD8 T-effector cells in eliminating keratinocytes. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1581-9	4.3	13
184	Antigen-specific CD8 T cells can eliminate antigen-bearing keratinocytes with clonogenic potential via an IFN-gamma-dependent mechanism. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 1841-8	4.3	3
183	IL-1 signalling determines the fate of skin grafts expressing non-self protein in keratinocytes. <i>Experimental Dermatology</i> , 2010 , 19, 723-9	4	6
182	Cervical cancer vaccine development. <i>Sexual Health</i> , 2010 , 7, 230-4	2	8
181	Quantitative trait loci for CD4:CD8 lymphocyte ratio are associated with risk of type 1 diabetes and HIV-1 immune control. <i>American Journal of Human Genetics</i> , 2010 , 86, 88-92	11	71
180	Expression of papillomavirus L1 proteins regulated by authentic gene codon usage is favoured in G2/M-like cells in differentiating keratinocytes. <i>Virology</i> , 2010 , 399, 46-58	3.6	14
179	Measuring serum antibody to human papillomavirus following infection or vaccination. <i>Gynecologic Oncology</i> , 2010 , 118, S8-11	4.9	44
178	Nanopatch-targeted skin vaccination against West Nile Virus and Chikungunya virus in mice. <i>Small</i> , 2010 , 6, 1776-84	11	134
177	Evaluation of a cervical cancer screening program based on HPV testing and LLETZ excision in a low resource setting. <i>PLoS ONE</i> , 2010 , 5, e13266	3.7	19
176	IFN-gamma promotes generation of IL-10 secreting CD4+ T cells that suppress generation of CD8 responses in an antigen-experienced host. <i>Journal of Immunology</i> , 2009 , 183, 51-8	5.3	38
175	Dry-coated microprojection array patches for targeted delivery of immunotherapeutics to the skin. <i>Journal of Controlled Release</i> , 2009 , 139, 212-20	11.7	148
174	Interaction of human papillomaviruses with the host immune system: a well evolved relationship. <i>Virology</i> , 2009 , 384, 410-4	3.6	130
173	Epithelial expression of human papillomavirus type 16 E7 protein results in peripheral CD8 T-cell suppression mediated by CD4+CD25+ T cells. <i>European Journal of Immunology</i> , 2009 , 39, 481-90	6.1	32

172	Common variants in Tmprss6 are associated with iron status and erythrocyte volume. <i>Nature Genetics</i> , 2009 , 41, 1173-5	36.3	189
171	Keratinocytes efficiently process endogenous antigens for cytotoxic T-cell mediated lysis. <i>Experimental Dermatology</i> , 2009 , 18, 1053-9	4	6
170	Sequence variants in three loci influence monocyte counts and erythrocyte volume. <i>American Journal of Human Genetics</i> , 2009 , 85, 745-9	11	67
169	Cortisol changes interact with the effects of a cognitive behavioural psychological preparation for surgery on 12-month outcomes for surgical heart patients. <i>Psychology and Health</i> , 2009 , 24, 1139-52	2.9	3
168	Development of therapeutic HPV vaccines. <i>Lancet Oncology</i> , 2009 , 10, 975-80	21.7	80
167	Up-regulated expression of Sp1 protein coincident with a viral protein in human and mouse differentiating keratinocytes may act as a cell differentiation marker. <i>Differentiation</i> , 2008 , 76, 1068-80	3.5	10
166	Autoimmunity and persistent viral infection: two sides of the same coin?. <i>Journal of Autoimmunity</i> , 2008 , 31, 216-8	15.5	11
165	HPV vaccines and the prevention of cervical cancer. <i>Update on Cancer Therapeutics</i> , 2008 , 3, 43-48		4
164	TLR7 stimulation augments T effector-mediated rejection of skin expressing neo-self antigen in keratinocytes. <i>European Journal of Immunology</i> , 2008 , 38, 73-81	6.1	16
163	Prevention of cancer through immunization: Prospects and challenges for the 21st century. <i>European Journal of Immunology</i> , 2007 , 37 Suppl 1, S148-55	6.1	36
162	HPV vaccines: the beginning of the end for cervical cancer. <i>Current Opinion in Immunology</i> , 2007 , 19, 232-88		34
161	HPV vaccination: what do Queensland parents think?. <i>Australian and New Zealand Journal of Public Health</i> , 2007 , 31, 288-9	2.3	10
160	Calcium enhances mouse keratinocyte differentiation in vitro to differentially regulate expression of papillomavirus authentic and codon modified L1 genes. <i>Virology</i> , 2007 , 365, 187-97	3.6	17
159	Genomewide scans of red cell indices suggest linkage on chromosome 6q23. <i>Journal of Medical Genetics</i> , 2007 , 44, 24-30	5.8	10
158	Generalized substitution of isoencoding codons shortens the duration of papillomavirus L1 protein expression in transiently gene-transfected keratinocytes due to cell differentiation. <i>Nucleic Acids Research</i> , 2007 , 35, 4820-32	20.1	20
157	Correlating immunity with protection for HPV infection. <i>International Journal of Infectious Diseases</i> , 2007 , 11 Suppl 2, S10-6	10.5	37
156	Receptor for advanced glycation end products Glycine 82 Serine polymorphism and risk of cardiovascular events in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2007 , 9, R39	5.7	8
155	Overcoming original antigenic sin to generate new CD8 T cell IFN-gamma responses in an antigen-experienced host. <i>Journal of Immunology</i> , 2006 , 177, 2873-9	5.3	27

154	Finding a vaccine for human papillomavirus. <i>Lancet, The</i> , 2006 , 367, 2058-9	40	5
153	God's gift to women: the human papillomavirus vaccine. <i>Immunity</i> , 2006 , 25, 179-84	32.3	22
152	Chapter 12: Prophylactic HPV vaccines: underlying mechanisms. <i>Vaccine</i> , 2006 , 24 Suppl 3, S3/106-13	4.1	162
151	Delivering papillomavirus vaccines when and where they are most needed. <i>Hum Vaccin</i> , 2006 , 2, 227-9		
150	Advances in prevention of cervical cancer and other human papillomavirus-related diseases. <i>Pediatric Infectious Disease Journal</i> , 2006 , 25, S65-81, quiz S82	3.4	58
149	IL10 and IL12B polymorphisms each influence IL-12p70 secretion by dendritic cells in response to LPS. <i>Immunology and Cell Biology</i> , 2006 , 84, 227-32	5	30
148	Serologic response to human papillomavirus 16 among Australian women with high-grade cervical intraepithelial neoplasia. <i>International Journal of Gynecological Cancer</i> , 2006 , 16, 1032-5	3.5	8
147	Activation of dendritic cells by human papillomavirus-like particles through TLR4 and NF-kappaB-mediated signalling, moderated by TGF-beta. <i>Immunology and Cell Biology</i> , 2005 , 83, 83-91	5	45
146	Gene codon composition determines differentiation-dependent expression of a viral capsid gene in keratinocytes in vitro and in vivo. <i>Molecular and Cellular Biology</i> , 2005 , 25, 8643-55	4.8	53
145	tRNASer(CGA) differentially regulates expression of wild-type and codon-modified papillomavirus L1 genes. <i>Nucleic Acids Research</i> , 2004 , 32, 4448-61	20.1	25
144	Impaired antigen presentation and effectiveness of combined active/passive immunotherapy for epithelial tumors. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1611-9	9.7	51
143	Changes to peptide structure, not concentration, contribute to expansion of the lowest avidity cytotoxic T lymphocytes. <i>Journal of Leukocyte Biology</i> , 2004 , 76, 787-95	6.5	7
142	Human growth hormone presented by K14hGH-transgenic skin grafts induces a strong immune response but no graft rejection. <i>Immunology and Cell Biology</i> , 2004 , 82, 577-86	5	6
141	Tumour susceptibility to innate and adaptive immunotherapy changes during tumour maturation. <i>Immunology and Cell Biology</i> , 2004 , 82, 455-61	5	3
140	Prevention of cervical cancer through papillomavirus vaccination. <i>Nature Reviews Immunology</i> , 2004 , 4, 46-54	36.5	279
139	Multivariate QTL linkage analysis suggests a QTL for platelet count on chromosome 19q. <i>European Journal of Human Genetics</i> , 2004 , 12, 835-42	5.3	17
138	A major quantitative trait locus for CD4-CD8 ratio is located on chromosome 11. <i>Genes and Immunity</i> , 2004 , 5, 548-52	4.4	22
137	Despite differences between dendritic cells and Langerhans cells in the mechanism of papillomavirus-like particle antigen uptake, both cells cross-prime T cells. <i>Virology</i> , 2004 , 324, 297-310	3.6	58

136	Mutations in TAP genes are common in cervical carcinomas. <i>Gynecologic Oncology</i> , 2004 , 92, 914-21	4.9	30
135	Major quantitative trait locus for eosinophil count is located on chromosome 2q. <i>Journal of Allergy and Clinical Immunology</i> , 2004 , 114, 826-30	11.5	25
134	ISCOMATRIX adjuvant: an adjuvant suitable for use in anticancer vaccines. <i>Vaccine</i> , 2004 , 22, 3738-43	4.1	31
133	Phase 1 study of HPV16-specific immunotherapy with E6E7 fusion protein and ISCOMATRIX adjuvant in women with cervical intraepithelial neoplasia. <i>Vaccine</i> , 2004 , 23, 172-81	4.1	135
132	Functional memory CD8+ T cells can be generated in vivo without evident T help. <i>Vaccine</i> , 2004 , 23, 739-42	4.1	0
131	B cell chronic lymphocytic leukaemia cells have reduced capacity to upregulate expression of MHC class I in response to interferon-gamma. <i>Pathology</i> , 2004 , 36, 69-76	1.6	4
130	IL-10 mediates suppression of the CD8 T cell IFN-gamma response to a novel viral epitope in a primed host. <i>Journal of Immunology</i> , 2003 , 171, 4765-72	5.3	46
129	Chapter 16: Prophylactic human papillomavirus vaccines. <i>Journal of the National Cancer Institute Monographs</i> , 2003 , 111-6	4.8	45
128	Expression of the HPV16E7 oncoprotein by thymic epithelium is accompanied by disrupted T cell maturation and a failure of the thymus to involute with age. <i>Clinical and Developmental Immunology</i> , 2003 , 10, 91-103		6
127	Effects of additional sequences directly downstream from the AUG on the expression of GFP gene. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2003 , 1630, 84-95		6
126	Paucity of functional CTL epitopes in the E7 oncoprotein of cervical cancer associated human papillomavirus type 16. <i>Immunology and Cell Biology</i> , 2003 , 81, 1-7	5	20
125	Codon usage bias and A+T content variation in human papillomavirus genomes. <i>Virus Research</i> , 2003 , 98, 95-104	6.4	64
124	Inhibition of early tumor growth requires J alpha 18-positive (natural killer T) cells. <i>Cancer Research</i> , 2003 , 63, 3058-60	10.1	39
123	The number of long-lasting functional memory CD8+ T cells generated depends on the nature of the initial nonspecific stimulation. <i>European Journal of Immunology</i> , 2002 , 32, 1541-9	6.1	41
122	Route of administration of chimeric BPV1 VLP determines the character of the induced immune responses. <i>Immunology and Cell Biology</i> , 2002 , 80, 21-9	5	24
121	Nuclear RelB+ cells are found in normal lymphoid organs and in peripheral tissue in the context of inflammation, but not under normal resting conditions. <i>Immunology and Cell Biology</i> , 2002 , 80, 164-9	5	20
120	Interferon-gamma enhances cytotoxic T lymphocyte recognition of endogenous peptide in keratinocytes without lowering the requirement for surface peptide. <i>Immunology and Cell Biology</i> , 2002 , 80, 415-24	5	24
119	Codon modified human papillomavirus type 16 E7 DNA vaccine enhances cytotoxic T-lymphocyte induction and anti-tumour activity. <i>Virology</i> , 2002 , 301, 43-52	3.6	80

118	Replication of bovine papillomavirus type 1 (BPV-1) DNA in <i>Saccharomyces cerevisiae</i> following infection with BPV-1 virions. <i>Journal of Virology</i> , 2002 , 76, 3359-64	6.6	27
117	<i>Saccharomyces cerevisiae</i> is permissive for replication of bovine papillomavirus type 1. <i>Journal of Virology</i> , 2002 , 76, 12265-73	6.6	29
116	Vaccines for papillomavirus infection. <i>Virus Research</i> , 2002 , 89, 271-4	6.4	27
115	Antigen-specific CD4+ T-cell help is required to activate a memory CD8+ T cell to a fully functional tumor killer cell. <i>Cancer Research</i> , 2002 , 62, 6438-41	10.1	105
114	Efficiency of delivery of DNA to cells by bovine papillomavirus type-1 L1/L2 pseudovirions. <i>Applied Microbiology and Biotechnology</i> , 2001 , 56, 150-6	5.7	3
113	Association of bovine papillomavirus type 1 with microtubules. <i>Virology</i> , 2001 , 282, 237-44	3.6	26
112	Association of clinical, radiological and synovial immunopathological responses to anti-rheumatic treatment in rheumatoid arthritis. <i>Rheumatology</i> , 2001 , 40, 1243-55	3.9	16
111	Re: Cervical carcinoma and human papillomavirus: on the road to preventing a major human cancer. <i>Journal of the National Cancer Institute</i> , 2001 , 93, 1349-50	9.7	11
110	Nonspecific down-regulation of CD8+ T-cell responses in mice expressing human papillomavirus type 16 E7 oncoprotein from the keratin-14 promoter. <i>Journal of Virology</i> , 2001 , 75, 5985-97	6.6	17
109	Tolerance or immunity to a tumor antigen expressed in somatic cells can be determined by systemic proinflammatory signals at the time of first antigen exposure. <i>Journal of Immunology</i> , 2001 , 167, 6180-7	5.3	43
108	Polynucleotide viral vaccines: codon optimisation and ubiquitin conjugation enhances prophylactic and therapeutic efficacy. <i>Vaccine</i> , 2001 , 20, 862-9	4.1	60
107	Low level expression of human papillomavirus type 16 (HPV16) E6 in squamous epithelium does not elicit E6 specific B- or T-helper immunological responses, or influence the outcome of immunisation with E6 protein. <i>Virus Research</i> , 2001 , 73, 189-99	6.4	8
106	Developmental Genetics of Red Cell Indices During Puberty: A Longitudinal Twin Study. <i>International Journal of Human Genetics</i> , 2001 , 1, 41-53	1	5
105	E2F-1 induces proliferation-specific genes and suppresses squamous differentiation-specific genes in human epidermal keratinocytes. <i>Oncogene</i> , 2000 , 19, 2887-94	9.2	34
104	BPV1 E2 protein enhances packaging of full-length plasmid DNA in BPV1 pseudovirions. <i>Virology</i> , 2000 , 272, 382-93	3.6	23
103	Papillomavirus virus-like particles for the delivery of multiple cytotoxic T cell epitopes. <i>Virology</i> , 2000 , 273, 374-82	3.6	48
102	Differences in the post-translational modifications of human papillomavirus type 6b major capsid protein expressed from a baculovirus system compared with a vaccinia virus system. <i>Biotechnology and Applied Biochemistry</i> , 2000 , 32, 27-33	2.8	18
101	Multiple conformational epitopes are recognized by natural and induced immunity to the E7 protein of human papilloma virus type 16 in man. <i>Intervirology</i> , 2000 , 43, 165-73	2.5	3

100	HPV6b virus like particles are potent immunogens without adjuvant in man. <i>Vaccine</i> , 2000 , 18, 1051-8	4.1	123
99	Immune responses induced by BCG recombinant for human papillomavirus L1 and E7 proteins. <i>Vaccine</i> , 2000 , 18, 2444-53	4.1	50
98	T cell-mediated and non-specific inflammatory mechanisms contribute to the skin pathology of HPV 16 E6E7 transgenic mice. <i>Intervirology</i> , 1999 , 42, 43-50	2.5	6
97	Papillomavirus capsid protein expression level depends on the match between codon usage and tRNA availability. <i>Journal of Virology</i> , 1999 , 73, 4972-82	6.6	201
96	T-helper epitopes identified within the E6 transforming protein of cervical cancer-associated human papillomavirus type 16. <i>Viral Immunology</i> , 1999 , 12, 297-312	1.7	7
95	Genetic and environmental causes of variation in basal levels of blood cells. <i>Twin Research and Human Genetics</i> , 1999 , 2, 250-257		124
94	Expression, purification and immunological characterization of the transforming protein E7, from cervical cancer-associated human papillomavirus type 16. <i>Clinical and Experimental Immunology</i> , 1999 , 115, 397-403	6.2	40
93	Potential strategies utilised by papillomavirus to evade host immunity. <i>Immunological Reviews</i> , 1999 , 168, 131-42	11.3	81
92	Nucleotides 1506-1625 of bovine papillomavirus type 1 genome can enhance DNA packaging by L1/L2 capsids. <i>Virology</i> , 1999 , 259, 211-8	3.6	17
91	Expression of the alpha6 integrin confers papillomavirus binding upon receptor-negative B-cells. <i>Virology</i> , 1999 , 261, 271-9	3.6	88
90	Construction and production of fluorescent papillomavirus-like particles. <i>Journal of Tongji Medical University</i> , 1999 , 19, 170-4, 180		4
89	Post translational modifications of recombinant human papillomavirus type 6b major capsid protein. <i>Virus Research</i> , 1999 , 60, 113-21	6.4	8
88	Capture ELISA and in vitro cell binding assay for the detection of antibodies to human papillomavirus type 6b virus-like particles in patients with anogenital warts. <i>Pathology</i> , 1999 , 31, 418-22	1.6	3
87	Genetic and environmental causes of variation in basal levels of blood cells. <i>Twin Research and Human Genetics</i> , 1999 , 2, 250-7		90
86	Papillomavirus virus-like particles can deliver defined CTL epitopes to the MHC class I pathway. <i>Virology</i> , 1998 , 240, 147-57	3.6	98
85	Type specific and genotype cross reactive B epitopes of the L1 protein of HPV16 defined by a panel of monoclonal antibodies. <i>Virology</i> , 1998 , 243, 275-82	3.6	18
84	DNA packaging by L1 and L2 capsid proteins of bovine papillomavirus type 1. <i>Virology</i> , 1998 , 243, 482-91	3.6	57
83	Mucosal immunisation with papillomavirus virus-like particles elicits systemic and mucosal immunity in mice. <i>Virology</i> , 1998 , 252, 39-45	3.6	74

82	Split tolerance to a viral antigen expressed in thymic epithelium and keratinocytes. <i>European Journal of Immunology</i> , 1998 , 28, 2791-800	6.1	33
81	Vaccine-induced Th1-type responses are dominant over Th2-type responses in the short term whereas pre-existing Th2 responses are dominant in the longer term. <i>Scandinavian Journal of Immunology</i> , 1998 , 47, 459-65	3.4	35
80	Histologic and immunohistochemical responses after aortic valve allografts in the rat. <i>Annals of Thoracic Surgery</i> , 1998 , 66, S216-20	2.7	25
79	Simplifying the molecular mechanisms of human papillomavirus. <i>Dermatologic Clinics</i> , 1998 , 16, 823-7, xv	4.2	1
78	Th2-type CD4+ cells neither enhance nor suppress antitumor CTL activity in a mouse tumor model. <i>Journal of Immunology</i> , 1998 , 161, 2421-7	5.3	44
77	The role of the immune system in anogenital human papillomavirus. <i>Australasian Journal of Dermatology</i> , 1998 , 39 Suppl 1, S5-7	1.3	2
76	Strategies for immunoprophylaxis and immunotherapy of papillomaviruses. <i>Clinics in Dermatology</i> , 1997 , 15, 285-97	3	7
75	E7 oncoprotein of human papillomavirus type 16 expressed constitutively in the epidermis has no effect on E7-specific B- or Th-repertoires or on the immune response induced or sustained after immunization with E7 protein. <i>Virology</i> , 1997 , 231, 155-65	3.6	23
74	Presentation of the HPV16E7 protein by skin grafts is insufficient to allow graft rejection in an E7-primed animal. <i>Virology</i> , 1997 , 235, 94-103	3.6	55
73	Identification of the alpha6 integrin as a candidate receptor for papillomaviruses. <i>Journal of Virology</i> , 1997 , 71, 2449-56	6.6	247
72	Immunisation of mice using Salmonella typhimurium expressing human papillomavirus type 16 E7 epitopes inserted into hepatitis B virus core antigen. <i>Vaccine</i> , 1996 , 14, 545-52	4.1	54
71	Epithelial cells display separate receptors for papillomavirus VLPs and for soluble L1 capsid protein. <i>Virology</i> , 1996 , 216, 35-45	3.6	42
70	Human aortic valve allografts elicit a donor-specific immune response. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996 , 112, 1260-6; discussion 1266-7	1.5	70
69	Immunology of papillomavirus infection. <i>Current Opinion in Immunology</i> , 1996 , 8, 484-91	7.8	75
68	The role of vaccines in the control of STDs: HPV vaccines. <i>Sexually Transmitted Infections</i> , 1996 , 72, 398-403	4.0	2
67	Combined therapy trial with interferon alpha-2a and ablative therapy in the treatment of anogenital warts. <i>Sexually Transmitted Infections</i> , 1996 , 72, 103-7	2.8	2
66	Managing HIV. Part 3: Mechanisms of disease. 3.6 How HIV promotes malignancies. <i>Medical Journal of Australia</i> , 1996 , 164, 230-2	4	
65	Sequences required for the nuclear targeting and accumulation of human papillomavirus type 6B L2 protein. <i>Virology</i> , 1995 , 213, 321-7	3.6	27

64	Section Review: Biologicals & Immunologicals: Human papillomavirus infection, genital warts and cervical cancer: prospects for prophylactic and therapeutic vaccines. <i>Expert Opinion on Investigational Drugs</i> , 1995 , 4, 783-797	5.9	6
63	Peptide polymerisation facilitates incorporation into ISCOMs and increases antigen-specific IgG2a production. <i>Vaccine</i> , 1995 , 13, 1460-7	4.1	28
62	T-helper epitopes of the E7 transforming protein of cervical cancer associated human papillomavirus type 18 (HPV18). <i>Virus Research</i> , 1995 , 36, 1-13	6.4	15
61	Immunological responses in human papillomavirus 16 E6/E7-transgenic mice to E7 protein correlate with the presence of skin disease. <i>Cancer Research</i> , 1995 , 55, 2635-9	10.1	29
60	Papillomavirus capsid binding and uptake by cells from different tissues and species. <i>Journal of Virology</i> , 1995 , 69, 948-54	6.6	114
59	Human papillomavirus (HPV) type 18 E7 protein is a short-lived steroid-inducible phosphoprotein in HPV-transformed cell lines. <i>Journal of General Virology</i> , 1994 , 75 (Pt 7), 1647-53	4.9	35
58	Donor-specific immune response after aortic valve allografting in the rat. <i>Annals of Thoracic Surgery</i> , 1994 , 57, 1158-63	2.7	44
57	Interaction of human papillomavirus (HPV) type 16 capsid proteins with HPV DNA requires an intact L2 N-terminal sequence. <i>Journal of Virology</i> , 1994 , 68, 619-25	6.6	68
56	Immune response to human papillomaviruses and the prospects for human papillomavirus-specific immunisation. <i>Current Topics in Microbiology and Immunology</i> , 1994 , 186, 217-53	3.3	36
55	Human papillomavirus type 16 E6, E7 and L1 and type 18 E7 proteins produced by recombinant baculoviruses. <i>Journal of Virological Methods</i> , 1993 , 45, 303-18	2.6	30
54	Synthesis and assembly of infectious bovine papillomavirus particles in vitro. <i>Journal of General Virology</i> , 1993 , 74 (Pt 4), 763-8	4.9	96
53	Transmission of human papillomaviruses from mother to child. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1993 , 33, 30-2	1.7	71
52	Glycosylation of human papillomavirus type 16 L1 protein. <i>Virology</i> , 1993 , 194, 210-8	3.6	14
51	HPV DNA in oropharyngeal squamous cell cancers: comparison of results from four DNA detection methods. <i>Pathology</i> , 1993 , 25, 138-43	1.6	12
50	An ELISA capture assay for the E7 transforming proteins of HPV16 and HPV18. <i>Journal of Virological Methods</i> , 1992 , 37, 119-27	2.6	10
49	Human papillomaviruses in normal oral mucosa: a comparison of methods for sample collection. <i>Journal of Oral Pathology and Medicine</i> , 1992 , 21, 265-9	3.3	103
48	Definition of linear antigenic regions of the HPV16 L1 capsid protein using synthetic virion-like particles. <i>Virology</i> , 1992 , 189, 592-9	3.6	40
47	Expression of vaccinia recombinant HPV 16 L1 and L2 ORF proteins in epithelial cells is sufficient for assembly of HPV virion-like particles. <i>Virology</i> , 1991 , 185, 251-7	3.6	401

46	A "public" T-helper epitope of the E7 transforming protein of human papillomavirus 16 provides cognate help for several E7 B-cell epitopes from cervical cancer-associated human papillomavirus genotypes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 5887-91	11.5	137
45	The hygromycin-resistance-encoding gene as a selection marker for vaccinia virus recombinants. <i>Gene</i> , 1991 , 107, 307-12	3.8	14
44	Immunology of anogenital human papillomavirus (HPV) infection. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1990 , 30, 370-5	1.7	7
43	Major population differences in T cell response to a malaria sporozoite vaccine candidate. <i>International Immunology</i> , 1990 , 2, 945-55	4.9	47
42	Immunology of Papillomavirus Infection of the Human Anogenital Epithelium. <i>Journal of Gynecologic Surgery</i> , 1990 , 6, 11-21	0.4	
41	Identification of B epitopes in human papillomavirus type 16 E7 open reading frame protein. <i>Journal of General Virology</i> , 1990 , 71 (Pt 6), 1347-54	4.9	52
40	A neonatally tolerant mouse model to assess pathogenicity of human autoantibodies. <i>Journal of Immunological Methods</i> , 1990 , 127, 279-84	2.5	4
39	Identification of B-epitopes in the human papillomavirus 18 E7 open reading frame protein. <i>Journal of Immunology</i> , 1990 , 145, 3105-10	5.3	16
38	The molecular specificity of linear B-epitopes in the E7 open reading frame protein of human papillomavirus 16 defined by monoclonal antibodies. <i>Peptide Research</i> , 1990 , 3, 162-6		2
37	Cerebral dysfunction with evidence of cerebral HIV infection amongst asymptomatic HIV seropositive subjects. <i>Australian and New Zealand Journal of Medicine</i> , 1989 , 19, 694-9		10
36	Depressed activities of purine enzymes in lymphocytes of patients infected with human immunodeficiency virus. <i>Clinical Chemistry</i> , 1989 , 35, 1478-81	5.5	1
35	Male partners of women with genital human papillomavirus infection. An assessment of colposcopic abnormalities by histological examination and human papillomavirus hybridization. <i>Medical Journal of Australia</i> , 1989 , 150, 479-80, 482	4	9
34	A biometrical view on normal values of CD4 and CD8 lymphocyte counts in peripheral blood. <i>Pathology</i> , 1988 , 20, 358-60	1.6	4
33	Human papillomavirus--a study of male sexual partners. <i>Medical Journal of Australia</i> , 1988 , 149, 309-11	4	21
32	Influence of human immunodeficiency virus antibody testing on sexual behaviour in a "high-risk" population from a "low-risk" city. <i>Medical Journal of Australia</i> , 1988 , 149, 365-8	4	12
31	Antibody to liver membrane antigens in chronic active hepatitis. IV. Exclusion of specific reactivity to polypeptides and glycolipids by immunoblotting. <i>Hepatology</i> , 1987 , 7, 4-10	11.2	26
30	Intramuscular versus low-dose intradermal hepatitis B vaccine. Assessment by humoral and cellular immune response to hepatitis B surface antigen. <i>Medical Journal of Australia</i> , 1987 , 146, 242-5	4	4
29	Immunoregulatory defects associated with infection with the AIDS virus, HTLV-III. <i>Concepts in Immunopathology</i> , 1987 , 4, 243-60		3

28	'Acute' autoimmune hepatitis. <i>Digestion</i> , 1986 , 34, 216-25	3.6	55
27	Auto-epitopes and autoimmune diseases. <i>Annals of the New York Academy of Sciences</i> , 1986 , 475, 59-65	6.5	5
26	Association between anorectal dysplasia, human papillomavirus, and human immunodeficiency virus infection in homosexual men. <i>Lancet, The</i> , 1986 , 2, 657-60	4.0	154
25	Second International Conference on the acquired immune deficiency syndrome. <i>Medical Journal of Australia</i> , 1986 , 145, 524-9	4	2
24	A rapid micromethod for the enumeration of T cell subsets in blood by epifluorescence microscopy. <i>Methods in Enzymology</i> , 1986 , 121, 748-58	1.7	
23	Cell-mediated immunity to hepatitis B virus antigens in mice: correlation of in vivo and in vitro assays. <i>Clinical and Experimental Immunology</i> , 1986 , 64, 285-94	6.2	6
22	The cellular infiltrate in the liver in auto-immune chronic active hepatitis: analysis with monoclonal antibodies. <i>Liver</i> , 1985 , 5, 162-72		20
21	A graphical presentation of counts of T lymphocyte subpopulations and Th-Ts ratios. <i>Pathology</i> , 1985 , 17, 62-3	1.6	2
20	Antibody to G-actin in different categories of alcoholic liver disease: quantification by an ELISA and significance for alcoholic cirrhosis. <i>Clinical Immunology and Immunopathology</i> , 1985 , 34, 158-64		15
19	Assessment of delayed-type hypersensitivity in man: a comparison of the "Multitest" and conventional intradermal injection of six antigens. <i>Clinical Immunology and Immunopathology</i> , 1985 , 35, 182-90		40
18	IDIOPATHIC NEUTROPENIA IN HOMOSEXUAL MEN. <i>Lancet, The</i> , 1985 , 325, 936-937	4.0	5
17	Reactivity of anti-mitochondrial autoantibodies in primary biliary cirrhosis: definition of two novel mitochondrial polypeptide autoantigens. <i>Journal of Immunology</i> , 1985 , 135, 1739-45	5.3	107
16	Absence of autoimmune serological reactions in chronic non A, non B viral hepatitis. <i>Clinical and Experimental Immunology</i> , 1985 , 61, 39-43	6.2	31
15	First International Conference on the Acquired Immunodeficiency Syndrome. <i>Medical Journal of Australia</i> , 1985 , 143, 31-4	4	2
14	The 1984 International Symposium on Viral Hepatitis. <i>Medical Journal of Australia</i> , 1984 , 140, 712-714	4	1
13	Immune responses to liver-specific lipoprotein and liver membrane antigen: a tabular interpretative review. <i>Journal of Clinical & Laboratory Immunology</i> , 1984 , 14, 165-7		3
12	Autoantibodies, sheep cell agglutinins and anti-albumin antibodies in alcoholic liver disease. <i>Journal of Clinical & Laboratory Immunology</i> , 1984 , 13, 21-4		5
11	Antibodies to liver cell membrane antigens in chronic active hepatitis (CAH). III. Partial characterization of the liver cell membrane antigens and comparison of reactivities in sera from patients with various liver diseases. <i>Clinical and Experimental Immunology</i> , 1984 , 57, 429-37	6.2	8

10	Antibody to human T cell leukaemia virus type III in Australian homosexual men with lymphadenopathy. <i>Medical Journal of Australia</i> , 1984 , 141, 274-6	4	8
9	A rapid micromethod for evaluating T cell subsets in blood using monoclonal antisera. <i>Journal of Immunological Methods</i> , 1983 , 57, 137-44	2.5	2
8	Pleuroperitoneal effusion without ascites. <i>Medical Journal of Australia</i> , 1983 , 2, 520-1	4	17
7	Antibodies to liver membrane antigens in chronic active hepatitis (CAH). II. Specificity for autoimmune CAH. <i>Clinical and Experimental Immunology</i> , 1983 , 54, 213-8	6.2	31
6	Fundamental and applied aspects of rheumatoid arthritis. <i>Medical Journal of Australia</i> , 1983 , 1, 516-8	4	
5	Spontaneous reverse hemolytic plaque formation. III. Monocyte-mediated suppression of elevated plaque formation in autoimmune disease. <i>Clinical Immunology and Immunopathology</i> , 1982 , 24, 386-95		13
4	Autoantibodies to liver antigens in chronic liver disease. I. A radioimmunoassay for antibody to liver membrane antigens. <i>Journal of Clinical & Laboratory Immunology</i> , 1982 , 9, 207-11		5
3	T lymphocyte subpopulations defined by two sets of monoclonal antibodies in chronic active hepatitis and systemic lupus erythematosus. <i>Clinical and Experimental Immunology</i> , 1982 , 50, 107-14	6.2	19
2	Is infusion phlebitis preventable?. <i>The BMJ</i> , 1977 , 2, 232		7
1	Vaccines to Prevent and Treat Human Papillomavirus-Associated Anogenital Disease609-621		2