John Roger Andersen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/622539/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Health-related quality of life after bariatric surgery: a systematic review of prospective long-term studies. Surgery for Obesity and Related Diseases, 2015, 11, 466-473.	1.0	119
2	The relationship of specific items on the Neuropsychiatric Inventory to caregiver burden in dementia: a systematic review. International Journal of Geriatric Psychiatry, 2017, 32, 703-717.	1.3	91
3	Anxiety and depression in association with morbid obesity: changes with improved physical health after duodenal switch. Health and Quality of Life Outcomes, 2010, 8, 52.	1.0	66
4	Associations between health-related quality of life, cardiorespiratory fitness, muscle strength, physical activity and waist circumference in 10-year-old children: the ASK study. Quality of Life Research, 2017, 26, 3421-3428.	1.5	51
5	Changes in obesity-related diseases and biochemical variables after laparoscopic sleeve gastrectomy: a two-year follow-up study. BMC Surgery, 2014, 14, 8.	0.6	48
6	Five-year Changes in Health-Related Quality of Life after Biliopancreatic Diversion with Duodenal Switch. Obesity Surgery, 2013, 23, 1662-1668.	1.1	46
7	Micronutrient Status in Morbidly Obese Patients Prior to Laparoscopic Sleeve Gastrectomy and Micronutrient Changes 5Âyears Post-surgery. Obesity Surgery, 2017, 27, 606-612.	1.1	45
8	Predictors of Weight Loss are Different in Men and Women After Sleeve Gastrectomy. Obesity Surgery, 2014, 24, 594-598.	1.1	38
9	Seven-year trajectories of body weight, quality of life and comorbidities following Roux-en-Y gastric bypass and sleeve gastrectomy. International Journal of Obesity, 2022, 46, 739-749.	1.6	34
10	Psychometric properties of the Norwegian version of the Kidscreen-27 questionnaire. Health and Quality of Life Outcomes, 2016, 14, 58.	1.0	31
11	Ten-year changes in health-related quality of life after biliopancreatic diversion with duodenal switch. Surgery for Obesity and Related Diseases, 2016, 12, 1594-1600.	1.0	25
12	Health-Related Quality of Life and Paid Work Participation after Duodenal Switch. Obesity Surgery, 2010, 20, 340-345.	1.1	22
13	Changes in leg pain after bilateral fasciotomy to treat chronic compartment syndrome: a case series study. Journal of Orthopaedic Surgery and Research, 2013, 8, 6.	0.9	20
14	Physical Activity versus Sedentary Behavior: Associations with Lipoprotein Particle Subclass Concentrations in Healthy Adults. PLoS ONE, 2013, 8, e85223.	1.1	20
15	Physical Activity and Quality of Life in Severely Obese Adults during a Two-Year Lifestyle Intervention Programme. Journal of Obesity, 2015, 2015, 1-11.	1.1	20
16	Predictors for health-related quality of life in patients accepted for bariatric surgery. Surgery for Obesity and Related Diseases, 2009, 5, 329-333.	1.0	19
17	A cross-sectional study of self-reported general health, lifestyle factors, and disease: the Hordaland Health Study. PeerJ, 2014, 2, e609.	0.9	19
18	Living a successful weight loss after severe obesity. International Journal of Qualitative Studies on Health and Well-being, 2018, 13, 1487762.	0.6	19

John Roger Andersen

#	Article	IF	CITATIONS
19	Changes in quality of life 5 years after sleeve gastrectomy: a prospective cohort study. BMJ Open, 2019, 9, e031170.	0.8	19
20	Effects of a physical activity intervention on schoolchildren's health-related quality of life: The active smarter kids (ASK) cluster-randomized controlled trial. Preventive Medicine Reports, 2019, 13, 1-4.	0.8	18
21	Employment status and sick-leave following obesity surgery: a five-year prospective cohort study. PeerJ, 2015, 3, e1285.	0.9	16
22	The Biliopancreatic Diversion with a Duodenal Switch (BPDDS): How Is It Optimally Performed?. Obesity Surgery, 2011, 21, 1864-1869.	1.1	13
23	Psychosocial functioning before and after surgical treatment for morbid obesity: reliability and validation of the Norwegian version of obesity-related problem scale. PeerJ, 2015, 3, e1275.	0.9	13
24	The association between specific neuropsychiatric disturbances in people with Alzheimer's disease and dementia with Lewy bodies and carer distress. International Journal of Geriatric Psychiatry, 2019, 34, 1421-1428.	1.3	12
25	Differences in fat loss in response to physical activity among severely obese men and women. Journal of Rehabilitation Medicine, 2014, 46, 363-369.	0.8	11
26	The Ostomy Adjustment Scale. Journal of Wound, Ostomy and Continence Nursing, 2014, 41, 357-364.	0.6	11
27	Outcomes of the first global multidisciplinary consensus meeting including persons living with obesity to standardize patientâ€reported outcome measurement in obesity treatment research. Obesity Reviews, 2022, 23, .	3.1	11
28	A new model of patient-reported outcome monitoring with a clinical feedback system in ostomy care: rationale, description and evaluation protocol. Health and Quality of Life Outcomes, 2020, 18, 12.	1.0	10
29	The association between aspects of carer distress and time until nursing home admission in persons with Alzheimer's disease and dementia with Lewy bodies. International Psychogeriatrics, 2021, 33, 337-345.	0.6	10
30	Cognitive behavioral group therapy for panic disorder in a general clinical setting: a prospective cohort study with 12 to 31-years follow-up. BMC Psychiatry, 2020, 20, 259.	1.1	9
31	Diet Quality in 116 Norwegian Men and Women with Coronary Heart Disease. European Journal of Cardiovascular Nursing, 2006, 5, 244-250.	0.4	8
32	An Experientially Derived Model of Flexible and Intentional Actions for Weight Loss Maintenance After Severe Obesity. Frontiers in Psychology, 2019, 10, 2503.	1.1	8
33	Prevalence of chronic compartment syndrome of the legs: Implications for clinical diagnostic criteria and therapy. Scandinavian Journal of Pain, 2016, 12, 7-12.	0.5	7
34	Overall Treatment Satisfaction 5ÂYears After Bariatric Surgery. Obesity Surgery, 2020, 30, 206-213.	1.1	6
35	Correlated physical and mental health composite scores for the RAND-36 and RAND-12 health surveys: can we keep them simple?. Health and Quality of Life Outcomes, 2022, 20, .	1.0	6
36	Quality of life following laparoscopic sleeve gastrectomy. Surgery for Obesity and Related Diseases, 2015, 11, 76-78.	1.0	5

#	Article	IF	CITATIONS
37	Self-assessed competence among nurses working in municipal health-care services in Norway. British Journal of Community Nursing, 2018, 23, 162-169.	0.2	5
38	A novel patient-reported outcome monitoring with clinical feedback system in bariatric surgery care: study protocol, design and plan for evaluation. BMJ Open, 2020, 10, e037685.	0.8	5
39	Increased physical activity improves aerobic fitness, but not functional walking capacity, in severely obese subjects participating in a lifestyle intervention. Journal of Rehabilitation Medicine, 2013, 45, 1071-1077.	0.8	4
40	Leg cramps in pregnancy caused by chronic compartment syndrome and relieved by fasciotomy after childbirth. Clinical Case Reports (discontinued), 2014, 2, 103-107.	0.2	4
41	Obesity and Its Impact Upon Quality of Life. , 2014, , 225-235.		4
42	Psychometric Properties of New Subscales of the Ostomy Adjustment Scale: A Cross-Sectional Study. Patient Related Outcome Measures, 2021, Volume 12, 65-75.	0.7	3
43	Factors and associations for physical activity in severely obese adults during a two-year lifestyle intervention. PeerJ, 2014, 2, e505.	0.9	3
44	A Cross-sectional Study to Determine Whether Adjustment to an Ostomy Can Predict Health-related and/or Overall Quality of Life. Ostomy - Wound Management, 2016, 62, 50-59.	0.8	3
45	Obesity, an Overview. , 2014, , 4407-4409.		0
46	The Norse Feedback in a population of patients undergoing bariatric surgery—Psychometric properties of a digital computerâ€adaptive questionnaire assessing mental health. Clinical Obesity, 2021, 12, e12491.	1.1	0
47	Effects of a school-based intervention on levels of anxiety and depression: a cluster-randomized controlled trial of the MindPower program in ten high schools in Norway. BMC Psychology, 2022, 10, 14.	0.9	0