## Heiko Rischer

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6225906/publications.pdf

Version: 2024-02-01

82 papers 3,254 citations

172457 29 h-index 54 g-index

88 all docs 88 docs citations

88 times ranked 4276 citing authors

#	Article	IF	CITATIONS
1	Gene-to-metabolite networks for terpenoid indole alkaloid biosynthesis in Catharanthus roseus cells. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 5614-5619.	7.1	307
2	Standards for plant synthetic biology: a common syntax for exchange of <scp>DNA</scp> parts. New Phytologist, 2015, 208, 13-19.	7.3	263
3	Vacuolar transport of nicotine is mediated by a multidrug and toxic compound extrusion (MATE) transporter in <i>Nicotiana tabacum</i> . Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 2447-2452.	7.1	255
4	Jasmonate signaling involves the abscisic acid receptor PYL4 to regulate metabolic reprogramming in <i>Arabidopsis</i> and tobacco. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5891-5896.	7.1	228
5	The bHLH transcription factor BIS1 controls the iridoid branch of the monoterpenoid indole alkaloid pathway in $\langle i \rangle$ Catharanthus roseus $\langle i \rangle$ . Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8130-8135.	7.1	176
6	CathaCyc, a Metabolic Pathway Database Built from Catharanthus roseus RNA-Seq Data. Plant and Cell Physiology, 2013, 54, 673-685.	3.1	116
7	Cellular agriculture â€" industrial biotechnology for food and materials. Current Opinion in Biotechnology, 2020, 61, 128-134.	6.6	108
8	A New Biosynthetic Pathway to Alkaloids in Plants: Acetogenic Isoquinolines. Angewandte Chemie - International Edition, 2000, 39, 1464-1466.	13.8	82
9	Unintended effects in genetically modified crops: revealed by metabolomics?. Trends in Biotechnology, 2006, 24, 102-104.	9.3	80
10	Extract screening by HPLC coupled to MS–MS, NMR, and CD: a dimeric and three monomeric naphthylisoquinoline alkaloids from Ancistrocladus griffithii. Phytochemistry, 2002, 61, 195-204.	2.9	71
11	Nepenthes insignis uses a C2-portion of the carbon skeleton of l-alanine acquired via its carnivorous organs, to build up the allelochemical plumbagin. Phytochemistry, 2002, 59, 603-609.	2.9	70
12	Plant cells as food – A concept taking shape. Food Research International, 2018, 107, 297-305.	6.2	60
13	Euglena gracilis growth and cell composition under different temperature, light and trophic conditions. PLoS ONE, 2018, 13, e0195329.	2.5	59
14	Metabolic Engineering of Plant Secondary Products: Which Way Forward?. Current Pharmaceutical Design, 2013, 19, 5622-5639.	1.9	58
15	Plant Cells as Pharmaceutical Factories. Current Pharmaceutical Design, 2013, 19, 5640-5660.	1.9	55
16	Functional characterisation of genes involved in pyridine alkaloid biosynthesis in tobacco. Phytochemistry, 2007, 68, 2773-2785.	2.9	54
17	The killer of Socrates: Coniine and Related Alkaloids in the Plant Kingdom. Molecules, 2017, 22, 1962.	3.8	54
18	A Photometric Screening Method for Dimeric Naphthylisoquinoline Alkaloids and Complete On-Line Structural Elucidation of a Dimer in Crude Plant Extracts, by the LCâ^'MS/LCâ^'NMR/LCâ^'CD Triad. Analytical Chemistry, 2001, 73, 2571-2577.	6.5	49

#	Article	IF	Citations
19	Marine Microalgae: Promising Source for New Bioactive Compounds. Marine Drugs, 2018, 16, 317.	4.6	49
20	Mixotrophic continuous flow cultivation of Chlorella protothecoides for lipids. Bioresource Technology, 2013, 144, 608-614.	9.6	48
21	ent-Dioncophylleine A and Related Dehydrogenated Naphthylisoquinoline Alkaloids, the First Asian Dioncophyllaceae-Type Alkaloids, from the "New―Plant SpeciesAncistrocladus benomensis1. Journal of Natural Products, 2005, 68, 686-690.	3.0	42
22	The polyketide folding mode in the biogenesis of isoshinanolone and plumbagin from Ancistrocladus heyneanus (Ancistrocladaceae). Tetrahedron Letters, 1998, 39, 8445-8448.	1.4	36
23	Droserone from cell cultures of Triphyophyllum peltatum (Dioncophyllaceae) and its biosynthetic origin. Phytochemistry, 2000, 53, 339-343.	2.9	36
24	Evaluation of tobacco (Nicotiana tabacum L. cv. Petit Havana SR1) hairy roots for the production of geraniol, the first committed step in terpenoid indole alkaloid pathway. Journal of Biotechnology, 2014, 176, 20-28.	3.8	36
25	Variability in the production of tannins and other polyphenols in cell cultures of 12 Nordic plant species. Planta, 2017, 246, 227-241.	3.2	36
26	Revised Structure of Antidesmone, an Unusual Alkaloid from Tropical Antidesma Plants (Euphorbiaceae). Tetrahedron, 2000, 56, 3691-3695.	1.9	34
27	Implementation of functional genomics for gene discovery in alkaloid producing plants. Phytochemistry Reviews, 2007, 6, 35-49.	6.5	34
28	Lipid content in 19 brackish and marine microalgae: influence of growth phase, salinity and temperature. Aquatic Ecology, 2013, 47, 415-424.	1.5	32
29	In-depth proteome mining of cultured <i>Catharanthus roseus</i> cells identifies candidate proteins involved in the synthesis and transport of secondary metabolites. Proteomics, 2012, 12, 3536-3547.	2.2	30
30	Algae–bacteria association inferred by 16S <scp>rDNA</scp> similarity in established microalgae cultures. MicrobiologyOpen, 2014, 3, 356-368.	3.0	30
31	Tobacco BY-2 Media Component Optimization for a Cost-Efficient Recombinant Protein Production. Frontiers in Plant Science, 2018, 9, 45.	3.6	30
32	Selection and validation of reference genes for transcript normalization in gene expression studies in Catharanthus roseus. Plant Physiology and Biochemistry, 2014, 83, 20-25.	5.8	29
33	Nile Red staining of phytoplankton neutral lipids: species-specific fluorescence kinetics in various solvents. Journal of Applied Phycology, 2015, 27, 1161-1168.	2.8	29
34	Methyljasmonate Elicitation Increases Terpenoid Indole Alkaloid Accumulation in Rhazya stricta Hairy Root Cultures. Plants, 2019, 8, 534.	3.5	28
35	The effect of high pH on structural lipids in diatoms. Journal of Applied Phycology, 2013, 25, 1435-1439.	2.8	27
36	Anatalline and Other Methyl Jasmonate-Inducible Nicotine Alkaloids fromNicotiana tabacumcv. BY-2 Cell Cultures. Planta Medica, 2004, 70, 936-941.	1.3	26

#	Article	IF	Citations
37	Ancistrobenomine A, the First Naphthylisoquinoline Oxygenated at Me-3, and Related 5,1â€-Coupled Alkaloids, from the "New―Plant SpeciesAncistrocladusbenomensis1. Journal of Natural Products, 2004, 67, 2058-2062.	3.0	26
38	Carnivorous plant chemistry. Acta Botanica Gallica, 2005, 152, 187-195.	0.9	25
39	Cloudberry ( <i>Rubus chamaemorus</i> ) cell culture with bioactive substances: Establishment and mass propagation for industrial use. Engineering in Life Sciences, 2014, 14, 667-675.	3.6	24
40	Disposable Bioreactors for Cultivation of Plant Cell Cultures. , 2014, , 17-46.		21
41	Plant cell cultures as foodâ€"aspects of sustainability and safety. Plant Cell Reports, 2020, 39, 1655-1668.	5.6	21
42	Optimization of Invasion-Specific Effects of Betulin Derivatives on Prostate Cancer Cells through Lead Development. PLoS ONE, 2015, 10, e0126111.	2.5	20
43	Agrobacterium-Mediated Genetic Transformation of the Medicinal Plant Veratrum dahuricum. Plants, 2020, 9, 191.	3.5	19
44	Determination of terpenoid indole alkaloids in hairy roots of ⟨i⟩Rhazya stricta⟨/i⟩ (Apocynaceae) by GCâ€MS. Phytochemical Analysis, 2015, 26, 331-338.	2.4	18
45	Analysis of Indole Alkaloids from Rhazya stricta Hairy Roots by Ultra-Performance Liquid Chromatography-Mass Spectrometry. Molecules, 2015, 20, 22621-22634.	3.8	18
46	Metabolite profiling of the carnivorous pitcher plants Darlingtonia and Sarracenia. PLoS ONE, 2017, 12, e0171078.	2.5	17
47	Ancistrocladus Benomensis (Ancistrocladaceae): A New Species from Peninsular Malaysia. Blumea: Journal of Plant Taxonomy and Plant Geography, 2005, 50, 357-365.	0.2	16
48	Development ofin vitroTechniques for the Important Medicinal PlantVeratrum californicum. Planta Medica, 2006, 72, 1142-1148.	1.3	16
49	Evidence for species differentiation within the Ancistrocladus tectorius complex (Ancistrocladaceae) in Southeast Asia: a molecular approach. Plant Systematics and Evolution, 2010, 284, 77-98.	0.9	16
50	Analysis of the Interface between Primary and Secondary Metabolism in Catharanthus roseus Cell Cultures Using 13C-Stable Isotope Feeding and Coupled Mass Spectrometry. Molecular Plant, 2013, 6, 581-584.	8.3	16
51	Establishment of transgenic Rhazya stricta hairy roots to modulate terpenoid indole alkaloid production. Plant Cell Reports, 2015, 34, 1939-1952.	5.6	16
52	Polyketide synthases from poison hemlock ( <i>ConiumÂmaculatum</i> L.). FEBS Journal, 2015, 282, 4141-4156.	4.7	15
53	In vitro propagation of Ancistrocladus abbreviatus Airy Shaw (Ancistrocladaceae). Plant Cell, Tissue and Organ Culture, 1999, 57, 71-73.	2.3	14
54	Differential patterns of dehydroabietic acid biotransformation by Nicotiana tabacum and Catharanthus roseus cells. Journal of Biotechnology, 2012, 157, 287-294.	3.8	14

#	Article	IF	Citations
55	Waveâ€Mixed and Orbitally Shaken Singleâ€Use Photobioreactors for Diatom Algae Propagation. Chemie-Ingenieur-Technik, 2013, 85, 197-201.	0.8	14
56	Elicitation of furanocoumarins in poison hemlock (Conium maculatum L.) cell culture. Plant Cell, Tissue and Organ Culture, 2015, 123, 443-453.	2.3	14
57	Engineering of Saccharomyces cerevisiae for anthranilate and methyl anthranilate production. Microbial Cell Factories, 2021, 20, 34.	4.0	14
58	Biosynthesis of Antidesmone in Cell Cultures of Antidesmamembranaceum (Euphorbiaceae): Â An Unprecedented Class of Glycine-Derived Alkaloids. Journal of the American Chemical Society, 2000, 122, 9905-9910.	13.7	13
59	Metabolic Engineering of the Alkaloid Biosynthesis in Plants: Functional Genomics Approaches. , 2007, , 109-127.		13
60	Bioconversion to Raspberry Ketone is Achieved by Several Non-related Plant Cell Cultures. Frontiers in Plant Science, 2015, 6, 1035.	3.6	12
61	Life cycle assessment of plant cell cultures. Science of the Total Environment, 2022, 808, 151990.	8.0	12
62	Biotechnology of the medicinal plant Rhazya stricta: a little investigated member of the Apocynaceae family. Biotechnology Letters, 2017, 39, 829-840.	2.2	9
63	UPLC-ELSD Analysis of Algal Lipid Classes and Derivatization of Bound and Free Fatty Acids and Sterols for GC-MS Methods. Methods in Molecular Biology, 2017, 1980, 223-232.	0.9	9
64	Plant cell cultures of Nordic berry species: Phenolic and carotenoid profiling and biological assessments. Food Chemistry, 2022, 366, 130571.	8.2	8
65	Biotechnological utilization of plant genetic resources for the production of phytopharmaceuticals. Plant Genetic Resources: Characterisation and Utilisation, 2005, 3, 83-89.	0.8	5
66	Variation in the fatty acid profiles of two cold water diatoms grown under different temperature, light, and nutrient regimes. Journal of Applied Phycology, 2021, 33, 1447-1455.	2.8	5
67	In vitro germination and establishment of tissue cultures of Bulbine caulescens and of two Kniphofia species (Asphodelaceae). Plant Cell Reports, 2002, 21, 125-129.	5.6	4
68	Medicinal Plants medicinal plant, Engineering of Secondary Metabolites cell/cellular cultures secondary metabolites in Cell Cultures cell/cellular cultures., 2013,, 1182-1200.		3
69	Contrasting Dihydronaphthoquinone Patterns in Closely Related Drosera (Sundew) Species Enable Taxonomic Distinction and Identification. Plants, 2021, 10, 1601.	3.5	3
70	Sambucus nigra L. cell cultures produce main species-specific phytochemicals with anti-inflammatory properties and in vitro ACE2 binding inhibition to SARS-CoV2. Industrial Crops and Products, 2022, 186, 115236.	5.2	3
71	Liquid Chromatography-Mass Spectrometry (LC-MS)-Based Analysis of Molecular Lipids in Algae Samples. Methods in Molecular Biology, 2017, 1980, 215-222.	0.9	2
72	Polyketide-Derived Alkaloids and Anthraquinones in Aloe Plants and Cell Cultures., 2019, 1, .		2

#	Article	IF	CITATIONS
73	Medicinal Plants medicinal plant, Engineering of Secondary Metabolites cell/cellular cultures secondary metabolites in Cell Cultures cell/cellular cultures., 2012,, 6519-6538.		2
74	Biotransformation of Cyclodextrine-Complexed Semisynthetic Betulin Derivatives by Plant Cells. Planta Medica, 2018, 84, 743-748.	1.3	1
75	Editorial: Proceedings of ISPMF 2018 - Plant Molecular Farming. Frontiers in Plant Science, 2020, 11, 492.	3.6	1
76	Lab-Grown Coffee. ChemistryViews, 0, , .	0.0	1
77	Asian mainland <i>Nepenthes</i> . Acta Botanica Gallica, 2005, 152, 264-264.	0.9	0
78	Integrated transcript and metabolite profiling of the medicinal plant Catharanthus roseus. Planta Medica, 2006, 72, .	1.3	0
79	Plant secondary metabolism in the post-genomic era. Planta Medica, 2006, 72, .	1.3	0
80	Integrating Transcriptional and Metabolic Profiling to Unravel Secondary Metabolite Biosynthesis in Plants., 2007,, 135-138.		0
81	Metabolic engineering and elicitation of pharmaceutically active metabolites in Rhazya stricta (Apocynaceae). Planta Medica, 2013, 79, .	1.3	0
82	Formation and analysis of structured solid foam patties based on crosslinked plant cell suspension cultures. LWT - Food Science and Technology, 2022, 164, 113650.	5.2	0