Peter E Clark

List of Publications by Citations

Source: https://exaly.com/author-pdf/6226961/peter-e-clark-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,242 81 50 221 h-index g-index citations papers 5.62 264 9,346 4.3 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
221	Bladder cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2013, 11, 446-75	7.3	271
220	Androgen-deprivation therapy in prostate cancer and cardiovascular risk: a science advisory from the American Heart Association, American Cancer Society, and American Urological Association: endorsed by the American Society for Radiation Oncology. <i>Circulation</i> , 2010 , 121, 833-40	16.7	251
219	Oncologic efficacy of CT-guided percutaneous radiofrequency ablation of renal cell carcinomas. <i>American Journal of Roentgenology</i> , 2007 , 189, 429-36	5.4	245
218	A comparison of the incidence and location of positive surgical margins in robotic assisted laparoscopic radical prostatectomy and open retropubic radical prostatectomy. <i>Journal of Urology</i> , 2007 , 178, 2385-9; discussion 2389-90	2.5	232
217	ICUD-EAU International Consultation on Bladder Cancer 2012: Screening, diagnosis, and molecular markers. <i>European Urology</i> , 2013 , 63, 4-15	10.2	190
216	Early and late perioperative outcomes following radical cystectomy: 90-day readmissions, morbidity and mortality in a contemporary series. <i>Journal of Urology</i> , 2010 , 184, 1296-300	2.5	185
215	Bladder Cancer, Version 5.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 1240-1267	7.3	172
214	Contemporary open radical cystectomy: analysis of perioperative outcomes. <i>Journal of Urology</i> , 2008 , 179, 1313-8; discussion 1318	2.5	170
213	Effect of preoperative nutritional deficiency on mortality after radical cystectomy for bladder cancer. <i>Journal of Urology</i> , 2011 , 185, 90-6	2.5	169
212	Percutaneous CT-guided radiofrequency ablation of renal neoplasms: factors influencing success. <i>American Journal of Roentgenology</i> , 2004 , 183, 201-7	5.4	163
211	Radical cystectomy in the elderly: comparison of clincal outcomes between younger and older patients. <i>Cancer</i> , 2005 , 104, 36-43	6.4	162
210	Urethral tumor recurrence following cystectomy and urinary diversion: clinical and pathological characteristics in 768 male patients. <i>Journal of Urology</i> , 2005 , 173, 1163-8	2.5	150
209	The ADPRT V762A genetic variant contributes to prostate cancer susceptibility and deficient enzyme function. <i>Cancer Research</i> , 2004 , 64, 6344-8	10.1	148
208	Androgen-deprivation therapy in prostate cancer and cardiovascular risk: a science advisory from the American Heart Association, American Cancer Society, and American Urological Association: endorsed by the American Society for Radiation Oncology. <i>Ca-A Cancer Journal for Clinicians</i> , 2010 ,	220.7	' 121
207	60, 194-201 Penile cancer: Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 594-615	7.3	119
206	Quality of life and psychological adaptation after surgical treatment for localized renal cell carcinoma: impact of the amount of remaining renal tissue. <i>Urology</i> , 2001 , 57, 252-6	1.6	116
205	Robotic assisted laparoscopic prostatectomy versus radical retropubic prostatectomy for clinically localized prostate cancer: comparison of short-term biochemical recurrence-free survival. <i>Journal of Urology</i> , 2010 , 183, 990-6	2.5	108

(2007-2011)

204	Preoperative nutritional status is an important predictor of survival in patients undergoing surgery for renal cell carcinoma. <i>European Urology</i> , 2011 , 59, 923-8	10.2	107
203	13-YEAR EXPERIENCE WITH PERCUTANEOUS MANAGEMENT OF UPPER TRACT TRANSITIONAL CELL CARCINOMA. <i>Journal of Urology</i> , 1999 , 161, 772-776	2.5	100
202	National trends in the use of partial nephrectomy: a rising tide that has not lifted all boats. <i>Journal of Urology</i> , 2012 , 187, 816-21	2.5	97
201	Phase II trial of neoadjuvant estramustine and etoposide plus radical prostatectomy for locally advanced prostate cancer. <i>Urology</i> , 2001 , 57, 281-5	1.6	95
200	Renal cell carcinoma-derived gangliosides suppress nuclear factor-kappaB activation in T cells. <i>Journal of Clinical Investigation</i> , 1999 , 104, 769-76	15.9	94
199	Association of procedure volume with radical cystectomy outcomes in a nationwide database. <i>Journal of Urology</i> , 2007 , 178, 1418-21; discussion 1421-2	2.5	91
198	Ureteroenteric anastomotic strictures after radical cystectomy-does operative approach matter?. <i>Journal of Urology</i> , 2013 , 189, 541-7	2.5	85
197	NF-B gene signature predicts prostate cancer progression. Cancer Research, 2014, 74, 2763-72	10.1	83
196	The relationship between perioperative blood transfusion and overall mortality in patients undergoing radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 871-7	2.8	8o
195	Predicting the probability of 90-day survival of elderly patients with bladder cancer treated with radical cystectomy. <i>Journal of Urology</i> , 2011 , 186, 829-34	2.5	78
194	The role of VHL in clear-cell renal cell carcinoma and its relation to targeted therapy. <i>Kidney International</i> , 2009 , 76, 939-45	9.9	78
193	Phase I-II prospective dose-escalating trial of lycopene in patients with biochemical relapse of prostate cancer after definitive local therapy. <i>Urology</i> , 2006 , 67, 1257-61	1.6	75
192	Original Articles: Testis Cancer: A Review of Scrotal Violation in Testicular Cancer: Is Adjuvant Local Therapy Necessary?. <i>Journal of Urology</i> , 1995 , 153, 981-985	2.5	73
191	Renal cell cancer histological subtype distribution differs by race and sex. <i>BJU International</i> , 2016 , 117, 260-5	5.6	73
190	NCCN Guidelines Insights: Bladder Cancer, Version 2.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 1213-1224	7.3	73
189	The management of urethral transitional cell carcinoma after radical cystectomy for invasive bladder cancer. <i>Journal of Urology</i> , 2004 , 172, 1342-7	2.5	72
188	Alterations in NFkappaB activation in T lymphocytes of patients with renal cell carcinoma. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 718-21	9.7	69
187	Microwave ablation of renal parenchymal tumors before nephrectomy: phase I study. <i>American Journal of Roentgenology</i> , 2007 , 188, 1212-4	5.4	67

186	Serum methionine metabolites are risk factors for metastatic prostate cancer progression. <i>PLoS ONE</i> , 2011 , 6, e22486	3.7	66
185	Airway bacteria drive a progressive COPD-like phenotype in mice with polymeric immunoglobulin receptor deficiency. <i>Nature Communications</i> , 2016 , 7, 11240	17.4	61
184	Loss of the urothelial differentiation marker FOXA1 is associated with high grade, late stage bladder cancer and increased tumor proliferation. <i>PLoS ONE</i> , 2012 , 7, e36669	3.7	61
183	Comparison of transfusion requirements between open and robotic-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2010 , 106, 1036-40	5.6	58
182	Tumor-derived mutations in the TRAIL receptor DR5 inhibit TRAIL signaling through the DR4 receptor by competing for ligand binding. <i>Journal of Biological Chemistry</i> , 2007 , 282, 28189-94	5.4	55
181	Voiding function in women with orthotopic neobladder urinary diversion. <i>Journal of Urology</i> , 2012 , 188, 200-4	2.5	54
180	Interactions of cytokine gene polymorphisms in prostate cancer risk. Carcinogenesis, 2008, 29, 573-8	4.6	54
179	Microscopic and gross extravesical extension in pathological staging of bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 640-5	2.5	54
178	Determining factors for hospital discharge status after radical cystectomy in a large contemporary cohort. <i>Journal of Urology</i> , 2011 , 185, 85-9	2.5	53
177	CT-guided biopsy for the diagnosis of renal tumors before treatment with percutaneous ablation. <i>American Journal of Roentgenology</i> , 2007 , 188, 1500-5	5.4	53
176	Bladder cancer. Journal of the National Comprehensive Cancer Network: JNCCN, 2009, 7, 8-39	7.3	52
175	Salvage robotic assisted laparoscopic radical prostatectomy: a single institution, 5-year experience. Journal of Urology, 2013 , 189, 507-13	2.5	51
174	Radical cystectomy in the elderly: Comparison of survival between younger and older patients. <i>Cancer</i> , 2005 , 103, 546-52	6.4	51
173	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017 , 8, 15724	17.4	50
172	Intake of plant foods and associated nutrients in prostate cancer risk. <i>Nutrition and Cancer</i> , 2009 , 61, 216-24	2.8	50
171	Bladder cancer. Current Opinion in Oncology, 2008 , 20, 307-14	4.2	49
170	Incidence and predictors of understaging in patients with clinical T1 urothelial carcinoma undergoing radical cystectomy. <i>BJU International</i> , 2014 , 113, 894-9	5.6	48
169	Cytokine genetic polymorphisms and prostate cancer aggressiveness. <i>Carcinogenesis</i> , 2009 , 30, 1358-67	2 4.6	48

(2009-2015)

168	Loss of FOXA1 Drives Sexually Dimorphic Changes in Urothelial Differentiation and Is an Independent Predictor of Poor Prognosis in Bladder Cancer. <i>American Journal of Pathology</i> , 2015 , 185, 1385-95	5.8	47	
167	Dosimetric quantifiers for low-dose-rate prostate brachytherapy: is V(100) superior to D(90)?. <i>Brachytherapy</i> , 2005 , 4, 252-8	2.4	47	
166	Bladder cancer. Current Opinion in Oncology, 2009, 21, 272-7	4.2	46	
165	Impaired Activation of NF B in T Cells From a Subset of Renal Cell Carcinoma Patients Is Mediated by Inhibition of Phosphorylation and Degradation of the Inhibitor, I B ?. <i>Blood</i> , 1998 , 92, 1334-1341	2.2	46	
164	Prostate size as a predictor of Gleason score upgrading in patients with low risk prostate cancer. Journal of Urology, 2011 , 186, 2221-7	2.5	45	
163	Chemokine markers predict biochemical recurrence of prostate cancer following prostatectomy. <i>Clinical Cancer Research</i> , 2008 , 14, 7790-7	12.9	45	
162	Natural history of surgically treated bladder carcinoma with extravesical tumor extension. <i>Cancer</i> , 2003 , 98, 955-61	6.4	44	
161	Utility of frozen section analysis of resection margins during partial nephrectomy. <i>Urology</i> , 2004 , 64, 31-4	1.6	44	
160	Menß knowledge and beliefs about prostate cancer: education, race, and screening status. <i>Ethnicity and Disease</i> , 2009 , 19, 199-203	1.8	44	
159	Volume outcomes of cystectomyis it the surgeon or the setting?. <i>Journal of Urology</i> , 2012 , 188, 2139-	44 .5	43	
158	Preoperative hydronephrosis predicts extravesical and node positive disease in patients undergoing cystectomy for bladder cancer. <i>Journal of Urology</i> , 2010 , 183, 1732-7	2.5	43	
157	Bladder cancer. Current Opinion in Oncology, 2003 , 15, 227-33	4.2	43	
156	Androgen receptor activity at the prostate specific antigen locus: steroidal and non-steroidal mechanisms. <i>Molecular Cancer Research</i> , 2003 , 1, 385-92	6.6	43	
155	ABO blood group is a predictor of survival in patients undergoing surgery for renal cell carcinoma. <i>BJU International</i> , 2012 , 110, E641-6	5.6	41	
154	DNA damage levels in prostate cancer cases and controls. <i>Carcinogenesis</i> , 2006 , 27, 1187-93	4.6	41	
153	Two Novel Susceptibility Loci for Prostate Cancer in Men of African Ancestry. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	38	
152	Lymph node yield at radical cystectomy predicts mortality in node-negative and not node-positive patients. <i>Urology</i> , 2012 , 80, 632-40	1.6	38	
151	Masculinity and the body: how African American and White men experience cancer screening exams involving the rectum. <i>American Journal of Menm Health</i> , 2009 , 3, 300-9	2.2	38	

150	Urinary diversion trends at a high volume, single American tertiary care center. <i>Journal of Urology</i> , 2009 , 182, 2369-74	2.5	38
149	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , 2019 , 16, e1002724	11.6	38
148	Bladder cancer. Current Opinion in Oncology, 2011 , 23, 275-82	4.2	37
147	Smaller prostate size predicts high grade prostate cancer at final pathology. <i>Journal of Urology</i> , 2010 , 184, 930-7	2.5	37
146	The Impact of Health Literacy on Surgical Outcomes Following Radical Cystectomy. <i>Journal of Health Communication</i> , 2016 , 21, 99-104	2.5	37
145	Imaging the clear cell renal cell carcinoma proteome. <i>Journal of Urology</i> , 2013 , 189, 1097-103	2.5	36
144	Impact of positive apical surgical margins on likelihood of biochemical recurrence after radical prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2695-701	2.5	36
143	Pathological stage T2 subgroups to predict biochemical recurrence after prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2291-5	2.5	36
142	The von Hippel-Lindau gene: turning discovery into therapy. <i>Cancer</i> , 2008 , 113, 1768-78	6.4	35
141	PPARIa molecular link between systemic metabolic disease and benign prostate hyperplasia. <i>Differentiation</i> , 2011 , 82, 220-36	3.5	34
140	NF- B and androgen receptor variant expression correlate with human BPH progression. <i>Prostate</i> , 2016 , 76, 491-511	4.2	34
139	Blocking TGF- and -Catenin Epithelial Crosstalk Exacerbates CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3490-3503	12.7	33
138	Anatomic basis for lymph node counts as measure of lymph node dissection extent: a cadaveric study. <i>Urology</i> , 2013 , 81, 358-63	1.6	32
137	Infant communicating hydrocelesdo they need immediate repair or might some clinically resolve?. <i>Journal of Pediatric Surgery</i> , 2010 , 45, 590-3	2.6	31
136	Surgical intervention for symptomatic benign prostatic hyperplasia is correlated with expression of the AP-1 transcription factor network. <i>Prostate</i> , 2014 , 74, 669-79	4.2	30
135	Bladder cancer. Current Opinion in Oncology, 2010 , 22, 242-9	4.2	29
134	Effect of a large prostate gland on open and robotically assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2008 , 101, 1140-4	5.6	29
133	Complementary and alternative medicine for advanced prostate cancer. <i>Urologic Clinics of North America</i> , 2006 , 33, 237-46, viii	2.9	28

(2015-2019)

132	Epidemiology, prevention, screening, diagnosis, and evaluation: update of the ICUD-SIU joint consultation on bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 3-13	4	27	
131	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 72, 747-754	10.2	27	
130	Management of superficial and muscle-invasive urothelial cancers of the bladder. <i>Current Opinion in Oncology</i> , 2013 , 25, 281-8	4.2	27	
129	When urothelial differentiation pathways go wrong: implications for bladder cancer development and progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 802-11	2.8	26	
128	Waiting time from initial urological consultation to nephrectomy for renal cell carcinomadoes it affect survival?. <i>Journal of Urology</i> , 2008 , 179, 2152-7	2.5	26	
127	Bladder cancer. Current Opinion in Oncology, 2005 , 17, 275-80	4.2	26	
126	Biochemical recurrence-free survival after robotic-assisted laparoscopic vs open radical prostatectomy for intermediate- and high-risk prostate cancer. <i>Urology</i> , 2014 , 83, 1309-15	1.6	25	
125	ECatenin and K-RAS synergize to form primitive renal epithelial tumors with features of epithelial WilmsRtumors. <i>American Journal of Pathology</i> , 2011 , 179, 3045-55	5.8	25	
124	Impact of comorbidity on survival of invasive bladder cancer patients, 1996-2007: a Danish population-based cohort study. <i>Urology</i> , 2010 , 75, 393-8	1.6	24	
123	Does Inflammation Mediate the Obesity and BPH Relationship? An Epidemiologic Analysis of Body Composition and Inflammatory Markers in Blood, Urine, and Prostate Tissue, and the Relationship with Prostate Enlargement and Lower Urinary Tract Symptoms. <i>PLoS ONE</i> , 2016 , 11, e0156918	3.7	24	
122	Higher Incidence of Hemorrhagic Cystitis Following Haploidentical Related Donor Transplantation Compared with Matched Related Donor Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 785-790	4.7	24	
121	On a FOX hunt: functions of FOX transcriptional regulators in bladder cancer. <i>Nature Reviews Urology</i> , 2017 , 14, 98-106	5.5	23	
120	Tumour size, tumour complexity, and surgical approach are associated with nephrectomy type in small renal cortical tumours treated electively. <i>BJU International</i> , 2012 , 109, 1607-13	5.6	23	
119	A simple, effective method to create laparoscopic renal protective hypothermia with cold saline surface irrigation: clinical application and assessment. <i>Journal of Urology</i> , 2010 , 184, 1861-6	2.5	23	
118	Comparison of American Joint Committee on Cancer pathologic stage T3a versus T3b urothelial carcinoma: analysis of patient outcomes. <i>Cancer</i> , 2009 , 115, 770-5	6.4	23	
117	Short term complications from transurethral resection of bladder tumor. <i>Canadian Journal of Urology</i> , 2016 , 23, 8198-203	0.8	23	
116	Association between physical activity, lower urinary tract symptoms (LUTS) and prostate volume. <i>BJU International</i> , 2013 , 111, 122-8	5.6	22	
115	Hypoalbuminaemia is associated with mortality in patients undergoing cytoreductive nephrectomy. <i>BJU International</i> , 2015 , 116, 351-7	5.6	21	

114	Menß knowledge and beliefs about colorectal cancer and 3 screenings: education, race, and screening status. <i>American Journal of Health Behavior</i> , 2011 , 35, 525-34	1.9	21
113	Radical nephrectomy surgical outcomes in the University HealthSystem Consortium Data Base: Impact of hospital case volume, hospital size, and geographic location on 40,000 patients. <i>Cancer</i> , 2009 , 115, 2447-52	6.4	21
112	Statin use is associated with improved survival in patients undergoing surgery for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 21.e11-21.e17	2.8	20
111	Current concepts in penile cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 617-24	7.3	20
110	Phase II trial of combination interferon-alpha and thalidomide as first-line therapy in metastatic renal cell carcinoma. <i>Urology</i> , 2004 , 63, 1061-5	1.6	20
109	Genetic and chromosomal alterations in Kenyan Wilms Tumor. <i>Genes Chromosomes and Cancer</i> , 2015 , 54, 702-15	5	19
108	Urinary collecting system invasion is a predictor for overall and disease-specific survival in locally invasive renal cell carcinoma. <i>Urology</i> , 2011 , 78, 99-104	1.6	19
107	Prostate cancer and bone metastases: medical treatment. <i>Clinical Orthopaedics and Related Research</i> , 2003 , S148-57	2.2	19
106	Discordance of high PD-L1 expression in primary and metastatic urothelial carcinoma lesions. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 299.e19-299.e25	2.8	19
105	Neoadjuvant versus adjuvant chemotherapy for muscle-invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2009 , 9, 821-30	3.5	18
104	Prognostic factors in T3b renal cell carcinoma. World Journal of Urology, 2009, 27, 75-9	4	18
103	Percentage of positive biopsies associated with freedom from biochemical recurrence after low-dose-rate prostate brachytherapy alone for clinically localized prostate cancer. <i>Urology</i> , 2006 , 67, 349-53	1.6	18
102	Urinary oncofetal ED-A fibronectin correlates with poor prognosis in patients with bladder cancer. <i>Clinical and Experimental Metastasis</i> , 2016 , 33, 29-44	4.7	18
101	Does a delay in initiating definitive therapy affect biochemical recurrence rates in men with clinically localized prostate cancer?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 196-200	2.8	17
100	Lack of P16ink4a over expression in penile squamous cell carcinoma is associated with recurrence after lymph node dissection. <i>Journal of Urology</i> , 2015 , 193, 519-25	2.5	16
99	Comparative analysis of whole mount processing and systematic sampling of radical prostatectomy specimens: pathological outcomes and risk of biochemical recurrence. <i>Journal of Urology</i> , 2010 , 184, 1334-40	2.5	16
98	MAGI-2 in prostate cancer: an immunohistochemical study. <i>Human Pathology</i> , 2016 , 52, 83-91	3.7	15
97	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019 , 27, 1589-1598	5.3	15

(2009-2009)

96	Outcomes of patients undergoing radical cystoprostatectomy for bladder cancer with prostatic involvement on final pathology. <i>BJU International</i> , 2009 , 104, 1091-7	5.6	15	
95	Immediate surgical outcomes for radical prostatectomy in the University HealthSystem Consortium Clinical Data Base: the impact of hospital case volume, hospital size and geographical region on 48,000 patients. <i>BJU International</i> , 2009 , 104, 1442-5	5.6	15	
94	Assessing retroperitoneal lymphadenectomy experience in United States urological residency programs. <i>Journal of Urology</i> , 2007 , 178, 500-3; discussion 503	2.5	15	
93	The androgen receptor CAG repeat and prostate cancer risk. <i>Methods in Molecular Medicine</i> , 2003 , 81, 255-66		15	
92	Angiomyolipoma with vena caval extension. <i>Urology</i> , 2002 , 60, 695-6	1.6	15	
91	Shed urinary ALCAM is an independent prognostic biomarker of three-year overall survival after cystectomy in patients with bladder cancer. <i>Oncotarget</i> , 2017 , 8, 722-741	3.3	15	
90	Functional KRAS mutations and a potential role for PI3K/AKT activation in Wilms tumors. <i>Molecular Oncology</i> , 2017 , 11, 405-421	7.9	14	
89	Oncologic Outcomes after Anterior Exenteration for Muscle Invasive Bladder Cancer in Women. <i>Journal of Urology</i> , 2016 , 196, 1030-5	2.5	14	
88	Tumor volume as a predictor of adverse pathologic features and biochemical recurrence (BCR) in radical prostatectomy specimens: a tale of two methods. <i>World Journal of Urology</i> , 2011 , 29, 15-20	4	14	
87	Recent advances in targeted therapy for renal cell carcinoma. Current Opinion in Urology, 2007, 17, 331	-6 2.8	14	
86	Bladder cancer. Current Opinion in Oncology, 2007 , 19, 241-7	4.2	14	
85	Bladder cancer. Current Opinion in Oncology, 2004 , 16, 257-62	4.2	14	
84	TPX2 as a prognostic indicator and potential therapeutic target in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 286-293	2.8	13	
83	A Murine Model of K-RAS and ECatenin Induced Renal Tumors Expresses High Levels of E2F1 and Resembles Human Wilms Tumor. <i>Journal of Urology</i> , 2015 , 194, 1762-70	2.5	13	
82	A Germline Variant at 8q24 Contributes to Familial Clustering of Prostate Cancer in Men of African Ancestry. <i>European Urology</i> , 2020 , 78, 316-320	10.2	13	
81	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. <i>Endocrinology</i> , 2016 , 157, 1094-109	4.8	13	
80	Management of noninvasive bladder cancers. Current Opinion in Oncology, 2015, 27, 185-90	4.2	13	
79	Comparison of american joint committee on cancer pathological stage T2a versus T2b urothelial carcinoma: analysis of patient outcomes in organ confined bladder cancer. <i>Journal of Urology</i> , 2009 , 181, 540-5; discussion 546	2.5	13	

78	Contemporary management of the urethra in patients after radical cystectomy for bladder cancer. <i>Urologic Clinics of North America</i> , 2005 , 32, 199-206	2.9	13
77	Inflammatory myofibroblastic tumor associated with renal cell carcinoma. <i>Urology</i> , 2005 , 66, 880	1.6	13
76	Management changes for patients with endocrine-related cancers in the COVID-19 pandemic. <i>Endocrine-Related Cancer</i> , 2020 , 27, R357-R374	5.7	13
75	MAGI-2 Is a Sensitive and Specific Marker of Prostatic Adenocarcinoma: A Comparison With AMACR. <i>American Journal of Clinical Pathology</i> , 2016 , 146, 294-302	1.9	12
74	NF- B and androgen receptor variant 7 induce expression of SRD5A isoforms and confer 5ARI resistance. <i>Prostate</i> , 2016 , 76, 1004-18	4.2	12
73	Trends in kidney cancer among the elderly in Denmark, 1980-2012. <i>Acta Oncolgica</i> , 2016 , 55 Suppl 1, 79-84	3.2	12
72	Blood loss associated with radical cystectomy: a prospective, randomized study comparing Impact LigaSure vs. stapling device. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 45.e11-5	2.8	12
71	Impact of complications and hospital-free days on health related quality of life 1 year after radical cystectomy. <i>Journal of Urology</i> , 2014 , 192, 1360-4	2.5	12
70	Recovery of urinary function after radical prostatectomy: identification of trajectory cluster groups. Journal of Urology, 2012 , 187, 1346-51	2.5	12
69	TRAIL and interferon-alpha act synergistically to induce renal cell carcinoma apoptosis. <i>Journal of Urology</i> , 2010 , 184, 1166-74	2.5	12
68	Vinorelbine, doxorubicin, and prednisone in androgen-independent prostate cancer. <i>Cancer</i> , 2006 , 107, 1093-100	6.4	12
67	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , 2016 , 69, 877-82	10.2	11
66	Intraprocedural Registration for Image-Guided Kidney Surgery. <i>IEEE/ASME Transactions on Mechatronics</i> , 2010 , 15, 847-852	5.5	11
65	Bladder cancer. Current Opinion in Oncology, 2006 , 18, 277-83	4.2	11
64	Urinary diversion after radical cystectomy. Current Treatment Options in Oncology, 2002, 3, 389-402	5.4	11
63	Intermediate-Term Outcome with Radical Prostatectomy for Localized Prostate Cancer: The Cleveland Clinic Experience. <i>Prostate Journal</i> , 2001 , 3, 118-125		11
62	Core Needle Biopsy and Fine Needle Aspiration Alone or in Combination: Diagnostic Accuracy and Impact on Management of Renal Masses. <i>Journal of Urology</i> , 2017 , 197, 1396-1402	2.5	10
61	MAGI2 is an independent predictor of biochemical recurrence in prostate cancer. <i>Prostate</i> , 2018 , 78, 616-622	4.2	10

(2011-2016)

60	Enhancer of zeste homolog 2 (EZH2) expression in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 258.e1-6	2.8	10
59	F2-isoprostanes as a biomarker of oxidative stress in the mouse bladder. <i>Journal of Urology</i> , 2014 , 191, 1597-601	2.5	10
58	Risk factors for urothelial carcinoma of the prostate in patients undergoing radical cystoprostatectomy for bladder cancer. <i>BJU International</i> , 2009 , 104, 934-7	5.6	10
57	Neovesical-urethral anastomotic stricture after orthotopic urinary diversion: presentation and management. <i>BJU International</i> , 2008 , 101, 219-22	5.6	9
56	Identification of Genes Required for Enzalutamide Resistance in Castration-Resistant Prostate Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 398-409	6.1	9
55	Urothelial carcinoma with squamous differentiation: response to chemotherapy and radiation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 434-6	2.8	8
54	Open renal biopsy: comorbidities and complications in a contemporary series. <i>BJU International</i> , 2010 , 106, 102-6	5.6	8
53	Sigmoid-urachal-cutaneous fistula in an adult male. <i>Urology</i> , 2009 , 73, 444.e5-7	1.6	8
52	Renal peripheral neuroectodermal tumor presenting at age 78: case report. <i>Scientific World Journal, The,</i> 2008 , 8, 830-4	2.2	7
51	Comprehensive handbook for developing a bladder cancer cystectomy database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 812-26	2.8	6
50	Multimodal therapies for muscle-invasive urothelial carcinoma of the bladder. <i>Current Opinion in Oncology</i> , 2012 , 24, 278-83	4.2	6
49	Radiofrequency ablation of renal tumors. <i>Current Urology Reports</i> , 2004 , 5, 39-44	2.9	6
48	Pharmacologic Inhibition of ECatenin With Pyrvinium Inhibits Murine and Human Models of Wilms Tumor. <i>Oncology Research</i> , 2017 , 25, 1653-1664	4.8	5
47	National Comprehensive Cancer Network Recommendations on Molecular Profiling of Advanced Bladder Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3346-8	2.2	5
46	High aurora kinase expression identifies patients with muscle-invasive bladder cancer who have poor survival after neoadjuvant chemotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 900-906	2.8	5
45	Progress made in the use of animal models for the study of high-risk, nonmuscle invasive bladder cancer. <i>Current Opinion in Urology</i> , 2014 , 24, 512-6	2.8	5
44	Restaging transurethral resection for non-muscle invasive bladder cancer: who, why, when, and how?. <i>Urologic Clinics of North America</i> , 2013 , 40, 295-304	2.9	5
43	Assessing the surgical skills of urology residents after preurology general surgery training: the surgical skills learning needs of new urology residents. <i>Journal of Surgical Education</i> , 2011 , 68, 341-6	3.4	5

42	A rare case of an extra-adrenal myelolipoma arising in the renal sinus: a case report and review of the literature. <i>Scientific World Journal, The</i> , 2005 , 5, 109-17	2.2	5
41	Exophytic noninvasive growth pattern of renal angiomyolipomas: implications for nephron sparing surgery. <i>Journal of Urology</i> , 2001 , 165, 513-4	2.5	5
40	Pretreatment prostate-specific antigen velocity is associated with freedom from biochemical recurrence of prostate cancer after low-dose-rate prostate brachytherapy alone. <i>Brachytherapy</i> , 2008 , 7, 286-9	2.4	4
39	A simple model predicts freedom from biochemical recurrence after low-dose rate prostate brachytherapy alone. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2007 , 30, 199-204	2.7	4
38	Prognostic significance of clinicopathologic and deoxyribonucleic acid flow cytometric variables in non-metastatic renal cell carcinoma in the modern era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2005 , 23, 328-32	2.8	4
37	Endourologic management of upper tract transitional cell carcinoma. <i>Scientific World Journal, The</i> , 2004 , 4 Suppl 1, 62-75	2.2	4
36	Impaired Activation of NF B in T Cells From a Subset of Renal Cell Carcinoma Patients Is Mediated by Inhibition of Phosphorylation and Degradation of the Inhibitor, I B ?. <i>Blood</i> , 1998 , 92, 1334-1341	2.2	3
35	1014: Prospective Dose-Escalation Trial of Lycopene in Men with Recurrent Prostate Cancer Following Definitive Local Therapy. <i>Journal of Urology</i> , 2005 , 173, 275-275	2.5	3
34	Epidemiology and survival outcome of adult kidney, bladder, and prostate rhabdomyosarcoma: A SEER database analysis. <i>Rare Tumors</i> , 2020 , 12, 2036361320977401	1.1	3
33	Natural biology and management of nonmuscle invasive bladder cancer. <i>Current Opinion in Oncology</i> , 2016 , 28, 210-5	4.2	3
32	Novel Simulation Model of Non-Muscle Invasive Bladder Cancer: A Platform for a Virtual Randomized Trial of Conservative Therapy vs. Cystectomy in BCG Refractory Patients. <i>Bladder Cancer</i> , 2015 , 1, 143-150	1	2
31	Safety and effectiveness of percutaneous renal cryoablation with conscious sedation. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 163-168	1.7	2
30	Safety of decreasing ureteral stent duration following radical cystectomy. <i>World Journal of Urology</i> , 2021 , 39, 473-479	4	2
29	Implementation of a Dedicated Enhanced Recovery after Surgery (ERAS) Program for Radical Cystectomy Patients is Associated With Decreased Postoperative Inpatient Opioid Usage and Pain Scores. <i>Urology</i> , 2020 , 143, 186-193	1.6	1
28	Toward Personalized Guidelines in Bladder Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1458-60	7.3	1
27	127 VOLUME-OUTCOMES IN CYSTECTOMY: IS IT THE SURGEON OR THE SETTING?. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
26	381 SALVAGE ROBOTIC-ASSISTED LAPAROSCOPIC RADICAL PROSTATECTOMY A SINGLE INSTITUTION FIVE-YEAR EXPERIENCE. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
25	527 CHANGING UTILIZATION OF NEOADJUVANT AND ADJUVANT CHEMOTHERAPIES FOR MUSCLE-INVASIVE UROTHELIAL CARCINOMA AFTER PUBLICATION OF LANDMARK MANUSCRIPTS. <i>Journal of Urology</i> , 2012 , 187,	2.5	1

24	1586 BLOOD LOSS ASSOCIATED WITH RADICAL CYSTECTOMY A PROSPECTIVE RANDOMIZED STUDY COMPARING IMPACT LIGASURE VERSUS STAPLING DEVICE. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
23	1064 A NOVEL SIMULATION MODEL OF NON-MUSCLE INVASIVE BLADDER CANCER A PLATFORM FOR A VIRTUAL RANDOMIZED TRIAL OF CONSERVATIVE THERAPY VS CYSTECTOMY IN BCG REFRACTORY PATIENTS. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
22	Comparison and assessment of semi-automatic image segmentation in computed tomography scans for image-guided kidney surgery. <i>Medical Physics</i> , 2011 , 38, 6265-74	4.4	1
21	Rationale for targeted therapies and potential role of pazopanib in advanced renal cell carcinoma. <i>Biologics: Targets and Therapy</i> , 2010 , 4, 187-97	4.4	1
20	1895 PELVIC LYMPH NODE DISSECTION FOR BLADDER CANCER: AN AUTOPSY STUDY. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
19	Recent advances in the treatment of bladder cancer. Expert Review of Anticancer Therapy, 2005, 5, 1023	3- <u>3.0</u> ;	1
18	Increased nuclear factor I/B expression in prostate cancer correlates with AR expression. <i>Prostate</i> , 2020 , 80, 1058-1070	4.2	1
17	Use of venous-thrombotic-embolic prophylaxis in patients undergoing surgery for renal tumors: a questionnaire survey in the Nordic countries (The NORENCA-2 study). <i>Research and Reports in Urology</i> , 2018 , 10, 181-187	1.3	1
16	Racial Disparities in Prostate Specific Antigen Screening and Referral to Urology in a Large, Integrated Health Care System: A Retrospective Cohort Study. <i>Journal of Urology</i> , 2021 , 206, 270-278	2.5	1
15	Limited Stage Small Cell Bladder Cancer: Outcomes of a Contemporary Cohort. <i>Bladder Cancer</i> , 2020 , 6, 83-90	1	O
14	Human epidermal growth factor receptor 2 overexpression is frequently discordant between primary and metastatic urothelial carcinoma and is associated with intratumoral human epidermal growth factor receptor 2 heterogeneity. <i>Human Pathology</i> , 2021 , 107, 96-103	3.7	0
13	Genomic analysis of response to bacillus Calmette-Gufin (BCG) treatment in high-grade stage 1 bladder cancer patients. <i>Translational Andrology and Urology</i> , 2021 , 10, 2998-3009	2.3	O
12	Differential effect of body mass index by gender on oncological outcomes in patients with renal cell carcinoma. <i>Journal of Cancer Research and Therapeutics</i> , 2021 , 17, 420-425	1.2	O
11	New developments in the management of nonmuscle invasive bladder cancer. <i>Current Opinion in Oncology</i> , 2017 , 29, 179-183	4.2	
10	Follow-up imaging in the first two years after nephrectomy for T1 RCC: Over-use or necessary care?. <i>Journal of Clinical Urology</i> , 2016 , 9, 105-113	0.2	
9	Editorial Comment. <i>Journal of Urology</i> , 2018 , 199, 1317-1318	2.5	
8	Developments and controversies in the management of noninvasive bladder cancer. <i>Current Opinion in Oncology</i> , 2014 , 26, 299-304	4.2	
7	Reply to Sabine Brookman-May, Maximilian Burger, Wolf F. Wieland, and Matthias Mayß Letter to the Editor re: Todd M. Morgan, Dominic Tang, Kelly L. Stratton, et al. Preoperative Nutritional Status Is an Important Predictor of Survival in Patients Undergoing Surgery for Renal Cell	10.2	

6 Surgery for invasive bladder tumors: technique and outcome. *Current Opinion in Urology*, **1999**, 9, 413-8 2.8

5	Shed alcam as a biomarker for urogenital cancers Journal of Clinical Oncology, 2012, 30, 50-50	2.2
4	EDITORIAL COMMENT. <i>Urology</i> , 2020 , 142, 131-132	1.6
3	Demographic and Socioeconomic Factors Associated with Urinary Stone Disease Management in a Large Urban US Population. <i>Urology</i> , 2021 , 153, 93-100	1.6
2	Clinical Utility of Postneoadjuvant Chemotherapy Computerized Tomography for Muscle Invasive Urothelial Bladder Cancer. <i>Urology Practice</i> , 2021 , 8, 88-93	0.8
1	Clinical outcomes associated with expression of aurora kinase and p53 family members in muscle-invasive bladder cancer <i>Molecular and Clinical Oncology</i> , 2022 , 16, 102	1.6