

Peter E Clark

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6226961/peter-e-clark-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

221 papers	8,242 citations	50 h-index	81 g-index
264 ext. papers	9,346 ext. citations	4.3 avg, IF	5.62 L-index

#	Paper	IF	Citations
221	Clinical outcomes associated with expression of aurora kinase and p53 family members in muscle-invasive bladder cancer.. <i>Molecular and Clinical Oncology</i> , 2022 , 16, 102	1.6	
220	Demographic and Socioeconomic Factors Associated with Urinary Stone Disease Management in a Large Urban US Population. <i>Urology</i> , 2021 , 153, 93-100	1.6	
219	Safety of decreasing ureteral stent duration following radical cystectomy. <i>World Journal of Urology</i> , 2021 , 39, 473-479	4	2
218	Identification of Genes Required for Enzalutamide Resistance in Castration-Resistant Prostate Cancer Cells. <i>Molecular Cancer Therapeutics</i> , 2021 , 20, 398-409	6.1	9
217	Human epidermal growth factor receptor 2 overexpression is frequently discordant between primary and metastatic urothelial carcinoma and is associated with intratumoral human epidermal growth factor receptor 2 heterogeneity. <i>Human Pathology</i> , 2021 , 107, 96-103	3.7	0
216	Genomic analysis of response to bacillus Calmette-Guérin (BCG) treatment in high-grade stage 1 bladder cancer patients. <i>Translational Andrology and Urology</i> , 2021 , 10, 2998-3009	2.3	0
215	Clinical Utility of Postneoadjuvant Chemotherapy Computerized Tomography for Muscle Invasive Urothelial Bladder Cancer. <i>Urology Practice</i> , 2021 , 8, 88-93	0.8	
214	Racial Disparities in Prostate Specific Antigen Screening and Referral to Urology in a Large, Integrated Health Care System: A Retrospective Cohort Study. <i>Journal of Urology</i> , 2021 , 206, 270-278	2.5	1
213	Differential effect of body mass index by gender on oncological outcomes in patients with renal cell carcinoma. <i>Journal of Cancer Research and Therapeutics</i> , 2021 , 17, 420-425	1.2	0
212	Limited Stage Small Cell Bladder Cancer: Outcomes of a Contemporary Cohort. <i>Bladder Cancer</i> , 2020 , 6, 83-90	1	0
211	A Germline Variant at 8q24 Contributes to Familial Clustering of Prostate Cancer in Men of African Ancestry. <i>European Urology</i> , 2020 , 78, 316-320	10.2	13
210	Implementation of a Dedicated Enhanced Recovery after Surgery (ERAS) Program for Radical Cystectomy Patients is Associated With Decreased Postoperative Inpatient Opioid Usage and Pain Scores. <i>Urology</i> , 2020 , 143, 186-193	1.6	1
209	Management changes for patients with endocrine-related cancers in the COVID-19 pandemic. <i>Endocrine-Related Cancer</i> , 2020 , 27, R357-R374	5.7	13
208	Increased nuclear factor I/B expression in prostate cancer correlates with AR expression. <i>Prostate</i> , 2020 , 80, 1058-1070	4.2	1
207	Safety and effectiveness of percutaneous renal cryoablation with conscious sedation. <i>Arab Journal of Urology Arab Association of Urology</i> , 2020 , 18, 163-168	1.7	2
206	EDITORIAL COMMENT. <i>Urology</i> , 2020 , 142, 131-132	1.6	
205	Epidemiology and survival outcome of adult kidney, bladder, and prostate rhabdomyosarcoma: A SEER database analysis. <i>Rare Tumors</i> , 2020 , 12, 2036361320977401	1.1	3

204	Epidemiology, prevention, screening, diagnosis, and evaluation: update of the ICUD-SIU joint consultation on bladder cancer. <i>World Journal of Urology</i> , 2019 , 37, 3-13	4	27
203	Sex specific associations in genome wide association analysis of renal cell carcinoma. <i>European Journal of Human Genetics</i> , 2019 , 27, 1589-1598	5.3	15
202	High aurora kinase expression identifies patients with muscle-invasive bladder cancer who have poor survival after neoadjuvant chemotherapy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 900-906	2.8	5
201	Higher Incidence of Hemorrhagic Cystitis Following Haploidentical Related Donor Transplantation Compared with Matched Related Donor Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 785-790	4.7	24
200	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , 2019 , 16, e1002724	11.6	38
199	Discordance of high PD-L1 expression in primary and metastatic urothelial carcinoma lesions. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 299.e19-299.e25	2.8	19
198	MAGI2 is an independent predictor of biochemical recurrence in prostate cancer. <i>Prostate</i> , 2018 , 78, 616-622	4.2	10
197	Editorial Comment. <i>Journal of Urology</i> , 2018 , 199, 1317-1318	2.5	
196	Use of venous-thrombotic-embolic prophylaxis in patients undergoing surgery for renal tumors: a questionnaire survey in the Nordic countries (The NORENCA-2 study). <i>Research and Reports in Urology</i> , 2018 , 10, 181-187	1.3	1
195	Core Needle Biopsy and Fine Needle Aspiration Alone or in Combination: Diagnostic Accuracy and Impact on Management of Renal Masses. <i>Journal of Urology</i> , 2017 , 197, 1396-1402	2.5	10
194	Functional KRAS mutations and a potential role for PI3K/AKT activation in Wilms tumors. <i>Molecular Oncology</i> , 2017 , 11, 405-421	7.9	14
193	TPX2 as a prognostic indicator and potential therapeutic target in clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 286-293	2.8	13
192	New developments in the management of nonmuscle invasive bladder cancer. <i>Current Opinion in Oncology</i> , 2017 , 29, 179-183	4.2	
191	On a FOX hunt: functions of FOX transcriptional regulators in bladder cancer. <i>Nature Reviews Urology</i> , 2017 , 14, 98-106	5.5	23
190	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017 , 8, 15724	17.4	50
189	Bladder Cancer, Version 5.2017, NCCN Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017 , 15, 1240-1267	7.3	172
188	Pharmacologic Inhibition of E-Catenin With Pyrvinium Inhibits Murine and Human Models of Wilms Tumor. <i>Oncology Research</i> , 2017 , 25, 1653-1664	4.8	5
187	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 72, 747-754	10.2	27

186	Blocking TGF- and -Catenin Epithelial Crosstalk Exacerbates CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 3490-3503	12.7	33
185	Two Novel Susceptibility Loci for Prostate Cancer in Men of African Ancestry. <i>Journal of the National Cancer Institute</i> , 2017 , 109,	9.7	38
184	Shed urinary ALCAM is an independent prognostic biomarker of three-year overall survival after cystectomy in patients with bladder cancer. <i>Oncotarget</i> , 2017 , 8, 722-741	3.3	15
183	MAGI-2 Is a Sensitive and Specific Marker of Prostatic Adenocarcinoma: A Comparison With AMACR. <i>American Journal of Clinical Pathology</i> , 2016 , 146, 294-302	1.9	12
182	National Comprehensive Cancer Network Recommendations on Molecular Profiling of Advanced Bladder Cancer. <i>Journal of Clinical Oncology</i> , 2016 , 34, 3346-8	2.2	5
181	Airway bacteria drive a progressive COPD-like phenotype in mice with polymeric immunoglobulin receptor deficiency. <i>Nature Communications</i> , 2016 , 7, 11240	17.4	61
180	NF- κ B and androgen receptor variant 7 induce expression of SRD5A isoforms and confer 5ARI resistance. <i>Prostate</i> , 2016 , 76, 1004-18	4.2	12
179	Oncologic Outcomes after Anterior Exenteration for Muscle Invasive Bladder Cancer in Women. <i>Journal of Urology</i> , 2016 , 196, 1030-5	2.5	14
178	Trends in kidney cancer among the elderly in Denmark, 1980-2012. <i>Acta Oncologica</i> , 2016 , 55 Suppl 1, 79-84	3.2	12
177	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , 2016 , 69, 877-82	10.2	11
176	Enhancer of zeste homolog 2 (EZH2) expression in bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 258.e1-6	2.8	10
175	Follow-up imaging in the first two years after nephrectomy for T1 RCC: Over-use or necessary care?. <i>Journal of Clinical Urology</i> , 2016 , 9, 105-113	0.2	
174	MAGI-2 in prostate cancer: an immunohistochemical study. <i>Human Pathology</i> , 2016 , 52, 83-91	3.7	15
173	Nfib Regulates Transcriptional Networks That Control the Development of Prostatic Hyperplasia. <i>Endocrinology</i> , 2016 , 157, 1094-109	4.8	13
172	Does Inflammation Mediate the Obesity and BPH Relationship? An Epidemiologic Analysis of Body Composition and Inflammatory Markers in Blood, Urine, and Prostate Tissue, and the Relationship with Prostate Enlargement and Lower Urinary Tract Symptoms. <i>PLoS ONE</i> , 2016 , 11, e0156918	3.7	24
171	Natural biology and management of nonmuscle invasive bladder cancer. <i>Current Opinion in Oncology</i> , 2016 , 28, 210-5	4.2	3
170	NF- κ B and androgen receptor variant expression correlate with human BPH progression. <i>Prostate</i> , 2016 , 76, 491-511	4.2	34
169	Renal cell cancer histological subtype distribution differs by race and sex. <i>BJU International</i> , 2016 , 117, 260-5	5.6	73

168	NCCN Guidelines Insights: Bladder Cancer, Version 2.2016. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016 , 14, 1213-1224	7.3	73
167	Urinary oncofetal ED-A fibronectin correlates with poor prognosis in patients with bladder cancer. <i>Clinical and Experimental Metastasis</i> , 2016 , 33, 29-44	4.7	18
166	The Impact of Health Literacy on Surgical Outcomes Following Radical Cystectomy. <i>Journal of Health Communication</i> , 2016 , 21, 99-104	2.5	37
165	Short term complications from transurethral resection of bladder tumor. <i>Canadian Journal of Urology</i> , 2016 , 23, 8198-203	0.8	23
164	Loss of FOXA1 Drives Sexually Dimorphic Changes in Urothelial Differentiation and Is an Independent Predictor of Poor Prognosis in Bladder Cancer. <i>American Journal of Pathology</i> , 2015 , 185, 1385-95	5.8	47
163	A Murine Model of K-RAS and β -Catenin Induced Renal Tumors Expresses High Levels of E2F1 and Resembles Human Wilms Tumor. <i>Journal of Urology</i> , 2015 , 194, 1762-70	2.5	13
162	Statin use is associated with improved survival in patients undergoing surgery for renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 21.e11-21.e17	2.8	20
161	Lack of P16ink4a over expression in penile squamous cell carcinoma is associated with recurrence after lymph node dissection. <i>Journal of Urology</i> , 2015 , 193, 519-25	2.5	16
160	Genetic and chromosomal alterations in Kenyan Wilms Tumor. <i>Genes Chromosomes and Cancer</i> , 2015 , 54, 702-15	5	19
159	Urothelial carcinoma with squamous differentiation: response to chemotherapy and radiation. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 434-6	2.8	8
158	Hypoalbuminaemia is associated with mortality in patients undergoing cytoreductive nephrectomy. <i>BJU International</i> , 2015 , 116, 351-7	5.6	21
157	Toward Personalized Guidelines in Bladder Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015 , 13, 1458-60	7.3	1
156	Management of noninvasive bladder cancers. <i>Current Opinion in Oncology</i> , 2015 , 27, 185-90	4.2	13
155	Novel Simulation Model of Non-Muscle Invasive Bladder Cancer: A Platform for a Virtual Randomized Trial of Conservative Therapy vs. Cystectomy in BCG Refractory Patients. <i>Bladder Cancer</i> , 2015 , 1, 143-150	1	2
154	Biochemical recurrence-free survival after robotic-assisted laparoscopic vs open radical prostatectomy for intermediate- and high-risk prostate cancer. <i>Urology</i> , 2014 , 83, 1309-15	1.6	25
153	Blood loss associated with radical cystectomy: a prospective, randomized study comparing Impact LigaSure vs. stapling device. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 45.e11-5	2.8	12
152	Impact of complications and hospital-free days on health related quality of life 1 year after radical cystectomy. <i>Journal of Urology</i> , 2014 , 192, 1360-4	2.5	12
151	Incidence and predictors of understaging in patients with clinical T1 urothelial carcinoma undergoing radical cystectomy. <i>BJU International</i> , 2014 , 113, 894-9	5.6	48

150	Surgical intervention for symptomatic benign prostatic hyperplasia is correlated with expression of the AP-1 transcription factor network. <i>Prostate</i> , 2014 , 74, 669-79	4.2	30
149	NF- κ B gene signature predicts prostate cancer progression. <i>Cancer Research</i> , 2014 , 74, 2763-72	10.1	83
148	Progress made in the use of animal models for the study of high-risk, nonmuscle invasive bladder cancer. <i>Current Opinion in Urology</i> , 2014 , 24, 512-6	2.8	5
147	Developments and controversies in the management of noninvasive bladder cancer. <i>Current Opinion in Oncology</i> , 2014 , 26, 299-304	4.2	
146	F2-isoprostanes as a biomarker of oxidative stress in the mouse bladder. <i>Journal of Urology</i> , 2014 , 191, 1597-601	2.5	10
145	Association between physical activity, lower urinary tract symptoms (LUTS) and prostate volume. <i>BJU International</i> , 2013 , 111, 122-8	5.6	22
144	When urothelial differentiation pathways go wrong: implications for bladder cancer development and progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 802-11	2.8	26
143	Comprehensive handbook for developing a bladder cancer cystectomy database. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 812-26	2.8	6
142	Imaging the clear cell renal cell carcinoma proteome. <i>Journal of Urology</i> , 2013 , 189, 1097-103	2.5	36
141	ICUD-EAU International Consultation on Bladder Cancer 2012: Screening, diagnosis, and molecular markers. <i>European Urology</i> , 2013 , 63, 4-15	10.2	190
140	Ureteroenteric anastomotic strictures after radical cystectomy-does operative approach matter?. <i>Journal of Urology</i> , 2013 , 189, 541-7	2.5	85
139	Anatomic basis for lymph node counts as measure of lymph node dissection extent: a cadaveric study. <i>Urology</i> , 2013 , 81, 358-63	1.6	32
138	Salvage robotic assisted laparoscopic radical prostatectomy: a single institution, 5-year experience. <i>Journal of Urology</i> , 2013 , 189, 507-13	2.5	51
137	Restaging transurethral resection for non-muscle invasive bladder cancer: who, why, when, and how?. <i>Urologic Clinics of North America</i> , 2013 , 40, 295-304	2.9	5
136	The relationship between perioperative blood transfusion and overall mortality in patients undergoing radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 871-7	2.8	80
135	Management of superficial and muscle-invasive urothelial cancers of the bladder. <i>Current Opinion in Oncology</i> , 2013 , 25, 281-8	4.2	27
134	Current concepts in penile cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 617-24	7.3	20
133	Penile cancer: Clinical Practice Guidelines in Oncology. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 594-615	7.3	119

132	Bladder cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2013 , 11, 446-75	7.3	271
131	Tumour size, tumour complexity, and surgical approach are associated with nephrectomy type in small renal cortical tumours treated electively. <i>BJU International</i> , 2012 , 109, 1607-13	5.6	23
130	ABO blood group is a predictor of survival in patients undergoing surgery for renal cell carcinoma. <i>BJU International</i> , 2012 , 110, E641-6	5.6	41
129	National trends in the use of partial nephrectomy: a rising tide that has not lifted all boats. <i>Journal of Urology</i> , 2012 , 187, 816-21	2.5	97
128	Recovery of urinary function after radical prostatectomy: identification of trajectory cluster groups. <i>Journal of Urology</i> , 2012 , 187, 1346-51	2.5	12
127	127 VOLUME-OUTCOMES IN CYSTECTOMY: IS IT THE SURGEON OR THE SETTING?. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
126	381 SALVAGE ROBOTIC-ASSISTED LAPAROSCOPIC RADICAL PROSTATECTOMY A SINGLE INSTITUTION FIVE-YEAR EXPERIENCE. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
125	527 CHANGING UTILIZATION OF NEOADJUVANT AND ADJUVANT CHEMOTHERAPIES FOR MUSCLE-INVASIVE UROTHELIAL CARCINOMA AFTER PUBLICATION OF LANDMARK MANUSCRIPTS. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
124	Voiding function in women with orthotopic neobladder urinary diversion. <i>Journal of Urology</i> , 2012 , 188, 200-4	2.5	54
123	1586 BLOOD LOSS ASSOCIATED WITH RADICAL CYSTECTOMY A PROSPECTIVE RANDOMIZED STUDY COMPARING IMPACT LIGASURE VERSUS STAPLING DEVICE. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
122	Volume outcomes of cystectomy--is it the surgeon or the setting?. <i>Journal of Urology</i> , 2012 , 188, 2139-44.	4.5	43
121	Lymph node yield at radical cystectomy predicts mortality in node-negative and not node-positive patients. <i>Urology</i> , 2012 , 80, 632-40	1.6	38
120	1064 A NOVEL SIMULATION MODEL OF NON-MUSCLE INVASIVE BLADDER CANCER A PLATFORM FOR A VIRTUAL RANDOMIZED TRIAL OF CONSERVATIVE THERAPY VS CYSTECTOMY IN BCG REFRACTORY PATIENTS. <i>Journal of Urology</i> , 2012 , 187,	2.5	1
119	Loss of the urothelial differentiation marker FOXA1 is associated with high grade, late stage bladder cancer and increased tumor proliferation. <i>PLoS ONE</i> , 2012 , 7, e36669	3.7	61
118	Multimodal therapies for muscle-invasive urothelial carcinoma of the bladder. <i>Current Opinion in Oncology</i> , 2012 , 24, 278-83	4.2	6
117	Shed alcam as a biomarker for urogenital cancers.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 50-50	2.2	
116	Determining factors for hospital discharge status after radical cystectomy in a large contemporary cohort. <i>Journal of Urology</i> , 2011 , 185, 85-9	2.5	53
115	Effect of preoperative nutritional deficiency on mortality after radical cystectomy for bladder cancer. <i>Journal of Urology</i> , 2011 , 185, 90-6	2.5	169

114	β-Catenin and K-RAS synergize to form primitive renal epithelial tumors with features of epithelial WilmsRtumors. <i>American Journal of Pathology</i> , 2011 , 179, 3045-55	5.8	25
113	PPARα molecular link between systemic metabolic disease and benign prostate hyperplasia. <i>Differentiation</i> , 2011 , 82, 220-36	3.5	34
112	Assessing the surgical skills of urology residents after preurology general surgery training: the surgical skills learning needs of new urology residents. <i>Journal of Surgical Education</i> , 2011 , 68, 341-6	3.4	5
111	Urinary collecting system invasion is a predictor for overall and disease-specific survival in locally invasive renal cell carcinoma. <i>Urology</i> , 2011 , 78, 99-104	1.6	19
110	Predicting the probability of 90-day survival of elderly patients with bladder cancer treated with radical cystectomy. <i>Journal of Urology</i> , 2011 , 186, 829-34	2.5	78
109	Prostate size as a predictor of Gleason score upgrading in patients with low risk prostate cancer. <i>Journal of Urology</i> , 2011 , 186, 2221-7	2.5	45
108	Serum methionine metabolites are risk factors for metastatic prostate cancer progression. <i>PLoS ONE</i> , 2011 , 6, e22486	3.7	66
107	Bladder cancer. <i>Current Opinion in Oncology</i> , 2011 , 23, 275-82	4.2	37
106	Men's knowledge and beliefs about colorectal cancer and 3 screenings: education, race, and screening status. <i>American Journal of Health Behavior</i> , 2011 , 35, 525-34	1.9	21
105	Comparison and assessment of semi-automatic image segmentation in computed tomography scans for image-guided kidney surgery. <i>Medical Physics</i> , 2011 , 38, 6265-74	4.4	1
104	Preoperative nutritional status is an important predictor of survival in patients undergoing surgery for renal cell carcinoma. <i>European Urology</i> , 2011 , 59, 923-8	10.2	107
103	Reply to Sabine Brookman-May, Maximilian Burger, Wolf F. Wieland, and Matthias May's Letter to the Editor re: Todd M. Morgan, Dominic Tang, Kelly L. Stratton, et al. Preoperative Nutritional Status Is an Important Predictor of Survival in Patients Undergoing Surgery for Renal Cell Carcinoma. <i>European Urology</i> , 2011 , 59, 822-3	10.2	
102	Tumor volume as a predictor of adverse pathologic features and biochemical recurrence (BCR) in radical prostatectomy specimens: a tale of two methods. <i>World Journal of Urology</i> , 2011 , 29, 15-20	4	14
101	1895 PELVIC LYMPH NODE DISSECTION FOR BLADDER CANCER: AN AUTOPSY STUDY. <i>Journal of Urology</i> , 2011 , 185,	2.5	1
100	Comparison of transfusion requirements between open and robotic-assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2010 , 106, 1036-40	5.6	58
99	Rationale for targeted therapies and potential role of pazopanib in advanced renal cell carcinoma. <i>Biologics: Targets and Therapy</i> , 2010 , 4, 187-97	4.4	1
98	Androgen-deprivation therapy in prostate cancer and cardiovascular risk: a science advisory from the American Heart Association, American Cancer Society, and American Urological Association: endorsed by the American Society for Radiation Oncology. <i>Circulation</i> , 2010 , 121, 833-40	16.7	251
97	Bladder cancer. <i>Current Opinion in Oncology</i> , 2010 , 22, 242-9	4.2	29

96	Early and late perioperative outcomes following radical cystectomy: 90-day readmissions, morbidity and mortality in a contemporary series. <i>Journal of Urology</i> , 2010 , 184, 1296-300	2.5	185
95	Comparative analysis of whole mount processing and systematic sampling of radical prostatectomy specimens: pathological outcomes and risk of biochemical recurrence. <i>Journal of Urology</i> , 2010 , 184, 1334-40	2.5	16
94	TRAIL and interferon-alpha act synergistically to induce renal cell carcinoma apoptosis. <i>Journal of Urology</i> , 2010 , 184, 1166-74	2.5	12
93	Smaller prostate size predicts high grade prostate cancer at final pathology. <i>Journal of Urology</i> , 2010 , 184, 930-7	2.5	37
92	A simple, effective method to create laparoscopic renal protective hypothermia with cold saline surface irrigation: clinical application and assessment. <i>Journal of Urology</i> , 2010 , 184, 1861-6	2.5	23
91	Preoperative hydronephrosis predicts extravesical and node positive disease in patients undergoing cystectomy for bladder cancer. <i>Journal of Urology</i> , 2010 , 183, 1732-7	2.5	43
90	Infant communicating hydroceles--do they need immediate repair or might some clinically resolve?. <i>Journal of Pediatric Surgery</i> , 2010 , 45, 590-3	2.6	31
89	Impact of comorbidity on survival of invasive bladder cancer patients, 1996-2007: a Danish population-based cohort study. <i>Urology</i> , 2010 , 75, 393-8	1.6	24
88	Intraprocedural Registration for Image-Guided Kidney Surgery. <i>IEEE/ASME Transactions on Mechatronics</i> , 2010 , 15, 847-852	5.5	11
87	Robotic assisted laparoscopic prostatectomy versus radical retropubic prostatectomy for clinically localized prostate cancer: comparison of short-term biochemical recurrence-free survival. <i>Journal of Urology</i> , 2010 , 183, 990-6	2.5	108
86	Open renal biopsy: comorbidities and complications in a contemporary series. <i>BJU International</i> , 2010 , 106, 102-6	5.6	8
85	Androgen-deprivation therapy in prostate cancer and cardiovascular risk: a science advisory from the American Heart Association, American Cancer Society, and American Urological Association: endorsed by the American Society for Radiation Oncology. <i>Ca-A Cancer Journal for Clinicians</i> , 2010 , 60, 184-204	220.7	121
84	Neoadjuvant versus adjuvant chemotherapy for muscle-invasive bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2009 , 9, 821-30	3.5	18
83	Masculinity and the body: how African American and White men experience cancer screening exams involving the rectum. <i>American Journal of Men's Health</i> , 2009 , 3, 300-9	2.2	38
82	The role of VHL in clear-cell renal cell carcinoma and its relation to targeted therapy. <i>Kidney International</i> , 2009 , 76, 939-45	9.9	78
81	Cytokine genetic polymorphisms and prostate cancer aggressiveness. <i>Carcinogenesis</i> , 2009 , 30, 1358-62	4.6	48
80	Comparison of American Joint Committee on Cancer pathologic stage T3a versus T3b urothelial carcinoma: analysis of patient outcomes. <i>Cancer</i> , 2009 , 115, 770-5	6.4	23
79	Radical nephrectomy surgical outcomes in the University HealthSystem Consortium Data Base: Impact of hospital case volume, hospital size, and geographic location on 40,000 patients. <i>Cancer</i> , 2009 , 115, 2447-52	6.4	21

78	Prognostic factors in T3b renal cell carcinoma. <i>World Journal of Urology</i> , 2009 , 27, 75-9	4	18
77	Risk factors for urothelial carcinoma of the prostate in patients undergoing radical cystoprostatectomy for bladder cancer. <i>BJU International</i> , 2009 , 104, 934-7	5.6	10
76	Outcomes of patients undergoing radical cystoprostatectomy for bladder cancer with prostatic involvement on final pathology. <i>BJU International</i> , 2009 , 104, 1091-7	5.6	15
75	Immediate surgical outcomes for radical prostatectomy in the University HealthSystem Consortium Clinical Data Base: the impact of hospital case volume, hospital size and geographical region on 48,000 patients. <i>BJU International</i> , 2009 , 104, 1442-5	5.6	15
74	Intake of plant foods and associated nutrients in prostate cancer risk. <i>Nutrition and Cancer</i> , 2009 , 61, 216-24	2.8	50
73	Sigmoid-urachal-cutaneous fistula in an adult male. <i>Urology</i> , 2009 , 73, 444.e5-7	1.6	8
72	Comparison of american joint committee on cancer pathological stage T2a versus T2b urothelial carcinoma: analysis of patient outcomes in organ confined bladder cancer. <i>Journal of Urology</i> , 2009 , 181, 540-5; discussion 546	2.5	13
71	Urinary diversion trends at a high volume, single American tertiary care center. <i>Journal of Urology</i> , 2009 , 182, 2369-74	2.5	38
70	Impact of positive apical surgical margins on likelihood of biochemical recurrence after radical prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2695-701	2.5	36
69	Pathological stage T2 subgroups to predict biochemical recurrence after prostatectomy. <i>Journal of Urology</i> , 2009 , 182, 2291-5	2.5	36
68	Bladder cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2009 , 7, 8-39	7.3	52
67	Bladder cancer. <i>Current Opinion in Oncology</i> , 2009 , 21, 272-7	4.2	46
66	Men's knowledge and beliefs about prostate cancer: education, race, and screening status. <i>Ethnicity and Disease</i> , 2009 , 19, 199-203	1.8	44
65	Effect of a large prostate gland on open and robotically assisted laparoscopic radical prostatectomy. <i>BJU International</i> , 2008 , 101, 1140-4	5.6	29
64	Waiting time from initial urological consultation to nephrectomy for renal cell carcinoma--does it affect survival?. <i>Journal of Urology</i> , 2008 , 179, 2152-7	2.5	26
63	Contemporary open radical cystectomy: analysis of perioperative outcomes. <i>Journal of Urology</i> , 2008 , 179, 1313-8; discussion 1318	2.5	170
62	Chemokine markers predict biochemical recurrence of prostate cancer following prostatectomy. <i>Clinical Cancer Research</i> , 2008 , 14, 7790-7	12.9	45
61	Bladder cancer. <i>Current Opinion in Oncology</i> , 2008 , 20, 307-14	4.2	49

60	Renal peripheral neuroectodermal tumor presenting at age 78: case report. <i>Scientific World Journal, The</i> , 2008 , 8, 830-4	2.2	7
59	Neovesical-urethral anastomotic stricture after orthotopic urinary diversion: presentation and management. <i>BJU International</i> , 2008 , 101, 219-22	5.6	9
58	The von Hippel-Lindau gene: turning discovery into therapy. <i>Cancer</i> , 2008 , 113, 1768-78	6.4	35
57	Pretreatment prostate-specific antigen velocity is associated with freedom from biochemical recurrence of prostate cancer after low-dose-rate prostate brachytherapy alone. <i>Brachytherapy</i> , 2008 , 7, 286-9	2.4	4
56	Interactions of cytokine gene polymorphisms in prostate cancer risk. <i>Carcinogenesis</i> , 2008 , 29, 573-8	4.6	54
55	Association of procedure volume with radical cystectomy outcomes in a nationwide database. <i>Journal of Urology</i> , 2007 , 178, 1418-21; discussion 1421-2	2.5	91
54	A comparison of the incidence and location of positive surgical margins in robotic assisted laparoscopic radical prostatectomy and open retropubic radical prostatectomy. <i>Journal of Urology</i> , 2007 , 178, 2385-9; discussion 2389-90	2.5	232
53	Microwave ablation of renal parenchymal tumors before nephrectomy: phase I study. <i>American Journal of Roentgenology</i> , 2007 , 188, 1212-4	5.4	67
52	CT-guided biopsy for the diagnosis of renal tumors before treatment with percutaneous ablation. <i>American Journal of Roentgenology</i> , 2007 , 188, 1500-5	5.4	53
51	Oncologic efficacy of CT-guided percutaneous radiofrequency ablation of renal cell carcinomas. <i>American Journal of Roentgenology</i> , 2007 , 189, 429-36	5.4	245
50	Recent advances in targeted therapy for renal cell carcinoma. <i>Current Opinion in Urology</i> , 2007 , 17, 331-62.8		14
49	Bladder cancer. <i>Current Opinion in Oncology</i> , 2007 , 19, 241-7	4.2	14
48	A simple model predicts freedom from biochemical recurrence after low-dose rate prostate brachytherapy alone. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2007 , 30, 199-204	2.7	4
47	Does a delay in initiating definitive therapy affect biochemical recurrence rates in men with clinically localized prostate cancer?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2007 , 25, 196-200	2.8	17
46	Tumor-derived mutations in the TRAIL receptor DR5 inhibit TRAIL signaling through the DR4 receptor by competing for ligand binding. <i>Journal of Biological Chemistry</i> , 2007 , 282, 28189-94	5.4	55
45	Assessing retroperitoneal lymphadenectomy experience in United States urological residency programs. <i>Journal of Urology</i> , 2007 , 178, 500-3; discussion 503	2.5	15
44	Vinorelbine, doxorubicin, and prednisone in androgen-independent prostate cancer. <i>Cancer</i> , 2006 , 107, 1093-100	6.4	12
43	DNA damage levels in prostate cancer cases and controls. <i>Carcinogenesis</i> , 2006 , 27, 1187-93	4.6	41

42	Complementary and alternative medicine for advanced prostate cancer. <i>Urologic Clinics of North America</i> , 2006 , 33, 237-46, viii	2.9	28
41	Percentage of positive biopsies associated with freedom from biochemical recurrence after low-dose-rate prostate brachytherapy alone for clinically localized prostate cancer. <i>Urology</i> , 2006 , 67, 349-53	1.6	18
40	Phase I-II prospective dose-escalating trial of lycopene in patients with biochemical relapse of prostate cancer after definitive local therapy. <i>Urology</i> , 2006 , 67, 1257-61	1.6	75
39	Bladder cancer. <i>Current Opinion in Oncology</i> , 2006 , 18, 277-83	4.2	11
38	Contemporary management of the urethra in patients after radical cystectomy for bladder cancer. <i>Urologic Clinics of North America</i> , 2005 , 32, 199-206	2.9	13
37	Urethral tumor recurrence following cystectomy and urinary diversion: clinical and pathological characteristics in 768 male patients. <i>Journal of Urology</i> , 2005 , 173, 1163-8	2.5	150
36	Inflammatory myofibroblastic tumor associated with renal cell carcinoma. <i>Urology</i> , 2005 , 66, 880	1.6	13
35	Prognostic significance of clinicopathologic and deoxyribonucleic acid flow cytometric variables in non-metastatic renal cell carcinoma in the modern era. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2005 , 23, 328-32	2.8	4
34	Bladder cancer. <i>Current Opinion in Oncology</i> , 2005 , 17, 275-80	4.2	26
33	Dosimetric quantifiers for low-dose-rate prostate brachytherapy: is V(100) superior to D(90)? <i>Brachytherapy</i> , 2005 , 4, 252-8	2.4	47
32	Radical cystectomy in the elderly: Comparison of survival between younger and older patients. <i>Cancer</i> , 2005 , 103, 546-52	6.4	51
31	Radical cystectomy in the elderly: comparison of clinical outcomes between younger and older patients. <i>Cancer</i> , 2005 , 104, 36-43	6.4	162
30	A rare case of an extra-adrenal myelolipoma arising in the renal sinus: a case report and review of the literature. <i>Scientific World Journal, The</i> , 2005 , 5, 109-17	2.2	5
29	Recent advances in the treatment of bladder cancer. <i>Expert Review of Anticancer Therapy</i> , 2005 , 5, 1023-30	3.9	1
28	1014: Prospective Dose-Escalation Trial of Lycopene in Men with Recurrent Prostate Cancer Following Definitive Local Therapy. <i>Journal of Urology</i> , 2005 , 173, 275-275	2.5	3
27	Percutaneous CT-guided radiofrequency ablation of renal neoplasms: factors influencing success. <i>American Journal of Roentgenology</i> , 2004 , 183, 201-7	5.4	163
26	The ADPRT V762A genetic variant contributes to prostate cancer susceptibility and deficient enzyme function. <i>Cancer Research</i> , 2004 , 64, 6344-8	10.1	148
25	Radiofrequency ablation of renal tumors. <i>Current Urology Reports</i> , 2004 , 5, 39-44	2.9	6

24	Microscopic and gross extravesical extension in pathological staging of bladder cancer. <i>Journal of Urology</i> , 2004 , 171, 640-5	2.5	54
23	The management of urethral transitional cell carcinoma after radical cystectomy for invasive bladder cancer. <i>Journal of Urology</i> , 2004 , 172, 1342-7	2.5	72
22	Phase II trial of combination interferon-alpha and thalidomide as first-line therapy in metastatic renal cell carcinoma. <i>Urology</i> , 2004 , 63, 1061-5	1.6	20
21	Utility of frozen section analysis of resection margins during partial nephrectomy. <i>Urology</i> , 2004 , 64, 31-4	1.6	44
20	Bladder cancer. <i>Current Opinion in Oncology</i> , 2004 , 16, 257-62	4.2	14
19	Endourologic management of upper tract transitional cell carcinoma. <i>Scientific World Journal, The</i> , 2004 , 4 Suppl 1, 62-75	2.2	4
18	The androgen receptor CAG repeat and prostate cancer risk. <i>Methods in Molecular Medicine</i> , 2003 , 81, 255-66		15
17	Bladder cancer. <i>Current Opinion in Oncology</i> , 2003 , 15, 227-33	4.2	43
16	Prostate cancer and bone metastases: medical treatment. <i>Clinical Orthopaedics and Related Research</i> , 2003 , S148-57	2.2	19
15	Natural history of surgically treated bladder carcinoma with extravesical tumor extension. <i>Cancer</i> , 2003 , 98, 955-61	6.4	44
14	Androgen receptor activity at the prostate specific antigen locus: steroidal and non-steroidal mechanisms. <i>Molecular Cancer Research</i> , 2003 , 1, 385-92	6.6	43
13	Urinary diversion after radical cystectomy. <i>Current Treatment Options in Oncology</i> , 2002 , 3, 389-402	5.4	11
12	Angiomyolipoma with vena caval extension. <i>Urology</i> , 2002 , 60, 695-6	1.6	15
11	Intermediate-Term Outcome with Radical Prostatectomy for Localized Prostate Cancer: The Cleveland Clinic Experience. <i>Prostate Journal</i> , 2001 , 3, 118-125		11
10	Phase II trial of neoadjuvant estramustine and etoposide plus radical prostatectomy for locally advanced prostate cancer. <i>Urology</i> , 2001 , 57, 281-5	1.6	95
9	Quality of life and psychological adaptation after surgical treatment for localized renal cell carcinoma: impact of the amount of remaining renal tissue. <i>Urology</i> , 2001 , 57, 252-6	1.6	116
8	Exophytic noninvasive growth pattern of renal angiomyolipomas: implications for nephron sparing surgery. <i>Journal of Urology</i> , 2001 , 165, 513-4	2.5	5
7	Alterations in NFkappaB activation in T lymphocytes of patients with renal cell carcinoma. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 718-21	9.7	69

6	13-YEAR EXPERIENCE WITH PERCUTANEOUS MANAGEMENT OF UPPER TRACT TRANSITIONAL CELL CARCINOMA. <i>Journal of Urology</i> , 1999 , 161, 772-776	2.5	100
5	Renal cell carcinoma-derived gangliosides suppress nuclear factor-kappaB activation in T cells. <i>Journal of Clinical Investigation</i> , 1999 , 104, 769-76	15.9	94
4	Surgery for invasive bladder tumors: technique and outcome. <i>Current Opinion in Urology</i> , 1999 , 9, 413-8	2.8	
3	Impaired Activation of NF κ B in T Cells From a Subset of Renal Cell Carcinoma Patients Is Mediated by Inhibition of Phosphorylation and Degradation of the Inhibitor, I κ B β . <i>Blood</i> , 1998 , 92, 1334-1341	2.2	46
2	Impaired Activation of NF κ B in T Cells From a Subset of Renal Cell Carcinoma Patients Is Mediated by Inhibition of Phosphorylation and Degradation of the Inhibitor, I κ B β . <i>Blood</i> , 1998 , 92, 1334-1341	2.2	3
1	Original Articles: Testis Cancer: A Review of Scrotal Violation in Testicular Cancer: Is Adjuvant Local Therapy Necessary?. <i>Journal of Urology</i> , 1995 , 153, 981-985	2.5	73